

REQUEST FOR QUOTATION
RFQ LOT503
X-RAY INSPECTION SYSTEM & WALK THROUGH METAL DETECTOR

6.6 Pricing Page

Item 1: 3.1.1 Smiths Detection Hi-Scan 5030SI X-Ray Inspection System (GSA Part Number: 91210001; or equal) to include items 3.1.1.1; 3.1.1.2; 3.1.1.3; 3.1.1.4; 3.1.1.5 of the specifications.	\$ 19,509.82
Item 2: 3.1.2 Hi Scan 5030SI X-Ray Inspection System or equal must be the same as GSA Contract Number: GS-07F-9597FCEIA to include items 3.1.2.1; 3.1.2.2; 3.1.2.3; 3.1.2.4 of the specifications.	\$ 6,880.00
Item 3: 3.1.3 Advanced Software Package to include Items 3.1.3.1; 3.1.3.2; 3.1.3.3; 3.1.3.4; 3.1.3.5; 3.1.3.6 & 3.1.3.7 of the specifications.	\$ 3,500.00
Item 4: 3.1.4 1/2" Meter Roller Table (19.5" lg) Entrance/Exit or equal and is part of GSA Part Number: 91210001 of the specifications.	\$ 1,500.00
Item 5: 3.1.5 Five (5) Year On Site Extended Warranty w/Preventative Maintenance on the Smiths Detection Hi-Scan 5030SI X-Ray Inspection System (GSA Part Number: 91210001; or equal to include Items 3.1.5.1; 3.1.5.2; 3.1.5.3; 3.1.5.4; 3.1.5.5 of the specifications.	\$ 8,128.00
Item 6: 3.1.6 Operator Training for up to Eight (8) Hours x Eight (8) Employees (8 hours Training x 8 Employees Each)	\$ 3,500
Grand Total Items 1 through 6 + SHIPPING \$840.00 + INSTALLATION - \$1,000	\$ 44,857.82

COMPANY NAME	SMITHS DETECTION
CONTACT PERSON	SHAUN RIPANI
ADDRESS	2202 LAKESIDE BLVD.
CITY, STATE, ZIP CODE	EDGEWOOD, MD 21040
TELEPHONE	(908) 229-1484
CELL PHONE	//
E-MAIL	shaun.ripiani@smithsdetection.com

The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest overall total cost of items 1 through 6.

smiths detection

bringing technology to life

Tax ID #: 22-3552823
DUNS #: 194239018

Shaun Ripani
Regional Sales Manager
Smiths Detection
2202 Lakeside Blvd
Edgewood, MD 21040

Phone: (908)229-1484
Fax: (410)510-9493
Email: shaun.ripani@smithsdetection.com

Smiths Detection Equipment Proposal

Prepared for Company	Connie Oswald WV Lottery	Date	March 22, 2013
Location	900 Pennsylvania Ave	Quote number	SVR WV Lottery 032113.xlsx
Phone	304-558-2157	Delivery Location(s)	Charleston, WV 25302 <i>slr</i>
Email Address		Delivery Terms	FOB Origin <i>DESTINATION</i>
Payment Terms	Net 30 days	Expected Delivery	10-12 Weeks ARO
		Validity of Quote	180 days

QTY	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
1	Smiths Detection HI-SCAN 5030si X-ray Inspection System GSA Part number: 91210001 GSA Contract number: GS-07F-9597G	\$19,344.82	\$19,344.82
1	19" Flat Panel LCD monitor (upgrade) Cart Operator Keyboard Software: HI-SPOT - Automatic Dense Area Detection HI-TRAX Image Enhancement Functions Operator Manual 12-month Standard Warranty 2-hour Operator Orientation by Field Service Technician	\$165.00	\$165.00
Metal Detectors			
1	CEIA PMD2 PLUS Walk-Through Metal Detector , panel version, incl. dual-beam phot transit counter, four multizone display bars programmable as pacing lights and/or 60 localization zones with left and right indication. Met-Identity technology, Random Alarm capability, low voltage DC power, Chip-Card programming, One-Touch automatic self installation, Bluetooth and RS-232 communication, antitamper on/off switch.	\$6,700.00	\$6,700.00
1	CEIA Hand Held Metal Detector model PD140V with standard sensitivity and alarm indication by vibration on the handle. Operating with 9V dry battery (not supplied).	\$180.00	\$180.00
Software			
1	Image Store System - Digital Image Management X-ACT - Advanced Contents Tracking Hi-TIP^{Plus} - Threat Image Projection High Density Alert - Automatic Marking of Suspicious Objects X-PLORE - Determination of Organic Materials Xport - Automatic Image Transmission OTS Xtrain - Operator Training Advanced Software Options Package (All of the Above)	\$1,000.00 \$1,000.00 \$800.00 \$800.00 \$800.00 \$800.00 \$1,000.00 \$3,500.00	\$3,500.00
Roller Tables			
1	1/2-meter Entrance Roller Table (fold-down)	\$750.00	\$750.00
1	1/2-meter Exit Roller Table (fold-down)	\$750.00	\$750.00
Shipping, Handling & Installation			
1	Shipping (terms detailed above)	\$840.00	\$840.00
1	Installation	\$1,000.00	\$1,000.00

	Unit installation Radiation Leak Survey 2-hour Operator Orientation		
Service Agreement Options			
1	On-Site Extended Warranty with Preventative Maintenance (5030si) On-site service coverage 8:30 am to 5:00 pm, Monday to Friday All labor, travel time and travel expenses All replacement parts required Unlimited access to 24/7 Technical Support Annual PMI and Radiation Leak Survey Five Years	\$8,128.00	\$8,128.00
Training Options			
1	Operator Training @ Customer Site* *Training Class Requirement: 4 Participants Minimum, 10 Max - Per Class	\$3,500.00	\$3,500.00

TOTAL PRICE	\$44,857.82
--------------------	--------------------

Smiths Detection terms and conditions are hereby incorporated in this quotation and any purchase order that may result from this quotation will be in acceptance with these terms and conditions. The terms and conditions are located at the following Smiths Detection Website:
The information contained herein is exempt from disclosure under the Freedom of Information Act (5 U.S.C 552) under Exemption (b)(4), and its disclosure is prohibited under the Trade Secrets Act (18 U.S.C 1905) and FAR 24.202. Rights to use or disclose this proposal are governed by DFARS 252.227-7016 (June 1995).
All items are open market items (non-GSA), unless otherwise explicitly stated in this quote. Prices do not include state sales tax, miscellaneous fees or import/export duties of any kind. Smiths Detection reserves the right to modify any terms and/or conditions stated in the above quotation.

Manager Approval

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
7. Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules. Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: SMITHS DETECTION

Signed: Shaun Ripan SHAUN RIPAN

Date: 3/21/13

Title: REGIONAL SALES MANAGER

RFQ No. LOT503

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: SMITHS DETECTION
Authorized Signature: Shaun Ripani SHAUN RIPANI Date: 3/21/13

State of _____

County of _____, to-wit:

Taken, subscribed, and sworn to before me this ____ day of _____, 20__.

My Commission expires _____, 20__.

AFFIX SEAL HERE

NOTARY PUBLIC _____

WV-96A
Rev. 12/12

AGREEMENT ADDENDUM FOR SOFTWARE

In the event of conflict between this addendum and the agreement, this addendum shall control:

1. DISPUTES - Any references in the agreement to arbitration or to the jurisdiction of any court are hereby deleted. Disputes arising out of the agreement shall be presented to the West Virginia Court of Claims.
2. HOLD HARMLESS - Any provision requiring the Agency to indemnify or hold harmless any party is hereby deleted in its entirety.
3. GOVERNING LAW - The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
4. TAXES - Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
5. PAYMENT - Any references to prepayment are deleted. Fees for software licenses, subscriptions, or maintenance are payable annually in advance. Payment for services will be in arrears.
6. INTEREST - Any provision for interest or charges on late payments is deleted. The Agency has no statutory authority to pay interest or late fees.
7. NO WAIVER - Any language in the agreement requiring the Agency to waive any rights, claims or defenses is hereby deleted.
8. FISCAL YEAR FUNDING - Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without penalty on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
9. STATUTE OF LIMITATION - Any clauses limiting the time in which the Agency may bring suit against the Vendor, lessor, individual, or any other party are deleted.
10. SIMILAR SERVICES - Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
11. FEES OR COSTS - The Agency recognizes an obligation to pay attorney's fees or costs only when assessed by a court of competent jurisdiction. Any other provision is invalid and considered null and void.
12. ASSIGNMENT - Notwithstanding any clause to the contrary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vendor and Vendor shall obtain the written consent of Agency prior to assigning the agreement.
13. LIMITATION OF LIABILITY - The Agency, as a State entity, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision in the agreement limiting the Vendor's liability for direct damages is hereby deleted. Vendor's liability under the agreement shall not exceed three times the total value of the agreement. Limitations on special, incidental or consequential damages are acceptable. In addition, any limitation is null and void to the extent that it precludes any action for injury to persons or for damages to personal property.
14. RIGHT TO TERMINATE - Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor. Agency agrees to pay Vendor for services rendered or goods received prior to the effective date of termination. In such event, Agency will not be entitled to a refund of any software license, subscription or maintenance fees paid.
15. TERMINATION CHARGES - Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is hereby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current fiscal year due to wrongful termination by the Agency prior to the end of any current agreement term.
16. RENEWAL - Any reference to automatic renewal is deleted. The agreement may be renewed only upon mutual written agreement of the parties.
17. INSURANCE - Any provision requiring the Agency to purchase insurance for Vendor's property is deleted. The State of West Virginia is insured through the Board of Risk and Insurance Management, and will provide a certificate of property insurance upon request.
18. RIGHT TO NOTICE - Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repossession with notice.
19. ACCELERATION - Any reference to acceleration of payments in the event of default or non-funding is hereby deleted.
20. CONFIDENTIALITY - Any provision regarding confidentiality of the terms and conditions of the agreement is hereby deleted. State contracts are public records under the West Virginia Freedom of Information Act.
21. AMENDMENTS - All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Attorney General.

ACCEPTED BY:

STATE OF WEST VIRGINIA

Spending Unit: _____

Signed: _____

Title: _____

Date: _____

VENDOR

Company Name: SMITHS DETECTION

Signed: [Signature] - SHAUN RIPAUI

Title: REGIONAL SALES MANAGER

Date: 3/21/13

Attachment
PO# LOT 503

This agreement constitutes the entire agreement between the parties, and there are no other terms and conditions applicable to the licenses granted hereunder.

Agreed
Shaun Ripani 3/21/13
Signature Date
SHAUN RIPANI
REGIONAL SALES MANAGER
Title
SMITHS DETECTION
Company Name

Signature Date

Title

Agency/Division

CERTIFICATION AND SIGNATURE PAGE

By signing below, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

SMITHS DETECTION INC

(Company)

Shaun Ripani

(Authorized Signature)

SHAUN RIPANI - REGIONAL SALES MANAGER

(Representative Name, Title)

(908) 229-1484

(Phone Number)

(Fax Number)

3/21/13

(Date)

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: LOT503

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |


I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

SMITHS DETECTION
 Company
 SHAWN RIPANI *[Signature]* SHAWN RIPANI
 Authorized Signature
3/22/13
 Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.
Revised 6/8/2012

HI-SCAN™ 5030si

HEIMANN X-RAY TECHNOLOGY



Feature Highlights

- **HI-MAT Plus advanced material classification**
- **Compact desktop solution for mobile and stationary applications**
- **New X-ray generator plus new sensor technology for high performance**

Optional

- **HI-TIP: Threat Image Projection**
- **Xtrain: Operator training system**
- **IMS: Electronic image storage and archive including copy function of images in TIF or JPG format to USB storage device**

HI-SCAN 5030si is the consequent advancement of HI-SCAN 5030, with more than 3000 installations worldwide an extremely successful compact X-ray inspection system.

Planned in modular design as a tabletop system, HI-SCAN 5030si is flexibly extensible and therefore is fit for different applications.

Due to state-of-the-art X-ray-, sensor- and computer-technologies this system offers functionalities, which used to be known from complex solutions for aviation security purposes only.

HI-SCAN 5030si permits configurations with operator training, TIP- and image management functionalities.

Being one of the most space-saving X-ray inspection systems available, HI-SCAN 5030si is ideal for use in mailrooms, entrance halls, correctional and judicial facilities, schools and many other security sensitive areas, where contact-free inspection of pouches, bags, letters or packages is required.

HI-SCAN 5030si - increased security by advanced technology.

Technical Data HI-SCAN 5030si

General Specifications

Tunnel dimensions	532 (W) x 330 (H) [mm] • 21" (W) x 13" (H)
Max. object size	530 (W) x 320 (H) [mm] • 20.9" (W) x 12.6" (H)
Conveyor height ¹⁾	approx. 190 mm (7.4") / 782,5 mm (30.6") with carriage
Conveyor speed at mains frequency 50 Hz / 60 Hz	approx. 0.18 / 0.22 [m/s]
Max. conveyor load (evenly distributed)	60 kg (132 lbs)
Resolution (wire detectability ²⁾	Standard: 38 AWG (0,1 mm) • typical: 39 AWG (0,09 mm)
Penetration (steel) ³⁾	Standard: 10 mm • typical: 12 mm
X-ray dose (typical)	HI-MAT: 0,8 µSv (0.08 mrem)
Film safety	Guaranteed even for high speed films up to ISO 1600 (33 DIN)
Duty cycle	100 %, no warm-up procedure required

X-ray Generator

Anode voltage • cooling	100 kV cp • hermetically sealed oil bath
Beam direction	diagonal

Image Generating System

X-ray converter	L-shaped detector line, high resolution
Grey levels stored	4096
Image presentation	B/W, color
Digital video memory	1280 x 1024 / 24 bit
Image evaluation functions	B/W, HIGH, LOW, NEG, VARI-MAT, O ² , OS electronic zoom: stepless enlargement up to 16-times
Monitor	Flat Panel LCD Monitor

Additional Features

Features	Luggage counter, user-id number, display of operating mode, REVIEW-feature to recall previously visible image areas, zoom overview, free programmable keys
Options	HI-TIP, HI-SPOT, SEN, Xport, IMS (Image Management System)

Installation Data

X-ray leakage	meets all applicable laws and regulations with respect to X-ray emitting devices
CE-labelling	in compliance with 98/37/EWG, 72/23/EWG, 89/336/EWG
Sound pressure level	< 56 dB(A)
Operating- / storage temperature ⁴⁾	0° - 40°C / -20°C - +60°C
Humidity	10% - 90% (non-condensing)
Power supply ⁵⁾	standard: 230 VAC or 110 VAC +10% / -15% • 50 Hz / 60 Hz ± 3 Hz
Power consumption	approx. 0.4 kVA
Protection class system / keyboard	IP 20 / IP 43
Dimensions • Weight ⁶⁾	1200 (L) ²⁾ x 705 (W) x 726 (H) [mm] • approx. 160 kg 47.3" (L) ²⁾ x 27.7" (W) x 28.6" (H) • approx. 352 lbs
Mechanical construction	Steel construction with aluminum panels standard color(s): RAL 9006 (white aluminium) / stainless steel

¹⁾ approx. values (adjustable)


²⁾ different length of conveyor and mechanical access protection on request

³⁾ Conds.: steel step wedge, CU wires, 0.18 m/s belt speed

⁴⁾ extended temperature range on request

⁵⁾ different values optional

⁶⁾ without control desk, keyboard, monitor(s) etc.



For product information, sales or service, please go to www.smithsdetection.com/locations

Smiths Heimann GmbH, Im Herzen 4, 65205 Wiesbaden, Germany

Modifications reserved. 95588671 04/02/2011 © Smiths Detection Group Ltd. - In some cases, the figures contain options

HI-SCAN is a trademark of Smiths Detection Group Ltd.

smiths detection




ceia. An ISO 9001 Company

GSA Contract Holder

PMD2 Plus

Enhanced Walk-Through Multi-Zone Metal Detector



**NEW
GENERATION**

- Superior Detection and Throughput
- Very High Discrimination
- Compliant with the strictest Security Standards
- Column and Panel versions
- Unmatched Reliability
- Rapid Installation



www.ceia-usa.com

Threat Detection through Electromagnetics

PMD2 Plus

Enhanced Walk-Through Multi-Zone Metal Detector

Superior Detection



VERY HIGH SENSITIVITY

- Capable of detecting the largest range of threat objects composed of magnetic, non-magnetic and mixed alloys



OFFICIALLY CERTIFIED

- Compliant with the Strictest Security Standards for weapons detection



HIGH RESOLUTION AND PRECISION

- 60 pinpointing zones with high resolution & precision
 - 20 Vertical
 - 3 Lateral




METAL KIND IDENTIFICATION

- Met-Identity for Identification of Threat Composition
PMD2 Plus is the world's first metal detector with Met-Identity technology. Now you know where, how much and what type of metal is being brought into the secure area.



IN THE CASE OF AN ALARM THE TYPE OF THE METAL MASS DETECTED CAN BE SHOWN ON THE DISPLAY



➤ FERROUS METAL

UNDER THE ALARM THRESHOLD

Small metal mass
Medium metal mass


OVER THE ALARM THRESHOLD

Medium metal mass
Large metal mass

GREEN AND RED METERING SIGNALS PROPORTIONAL TO THE METAL MASS DETECTED



➤ NON FERROUS METAL



60 ZONES! PMD2 PLUS IS THE MOST ACCURATE METAL DETECTOR IN THE WORLD. YOU KNOW THE EXACT POSITION OF THE WEAPON WITHOUT LIFTING A FINGER

Unmatched Throughput



UNMATCHED DISCRIMINATION

- Cutting edge discrimination technology allows personal effects to be ignored, creating rapid transit flow



UNIFORM INSPECTION

- Uniform inspection field, allowing more personal metal effects to be ignored

ALARM



NO ALARM



Advanced Alarm Indication



PROGRAMMABLE
DISPLAY BARS

- 4 Multi-Zones Display Bars, each programmable as entry Stop/Go indication and/or localization lights



FLEXIBLE
SOUND SYSTEM

- Flexible Acoustic Alarm Signaling System:
 - 10 Continuous and Pulsed Tones
 - 34 Special Sounds




INTENSITY LEVELS

- 10 Acoustic Intensity Levels programmable from 0 up to 90 dBA at 1 m



BIDIRECTIONAL
COUNTER

- High Precision Transit Counter:
 - In-Bound Transits
 - Out-Bound Transits
 - Alarm Rate
 - Automatic Rescreening Compensation



LIGHT BARS INDICATE METAL POSITION VERTICALLY AND LaterALLY AND CAN ALSO SHOW PACING LIGHTS

Comprehensive Security Features



SECURITY LEVELS

- Over 40 built-in Security Programs
 - Up to 22 International Standards
 - Up to 20 Customizable Levels



CHIP CARD
SYSTEM

- Chip Card system for fast, simple and secure parameter changes (i.e. alarm volume and tone, counter reading etc...) and Security Level Selection




RANDOM
ALARM

- Any security standard can be enhanced with selectable random alarm probability



CHIP CARD FOR AUTOMATIC SELECTION OF SECURITY LEVELS AND PARAMETER CHANGES



Rapid Installation



INTERFERENCE
IMMUNITY

- Industry Leader in Immunity against External Interferences



ONE TOUCH
AUTO-SETTING

- One touch guided self installation (OTS) Innovative function assisting the installation through an automatic step-by-step procedure



SELF-DIAGNOSTIC
SYSTEM

- Continuous self diagnostics assures monitored performance reliability



PMD2 Plus

Enhanced Walk-Through Multi-Zone Metal Detector


Breakthrough Value



- Superior CEIA reliability slashes total cost of ownership



- No periodic re-calibration and preventive maintenance required



Communication Capabilities

TYPE OF OPERATION	Ethernet	USB	Infrared	Bluetooth	RS-232
Maintenance	○	○		●	●
Remote Control	○		●	●	●
Remote Data collection	○				

● STANDARD ○ OPTION

NEARLY 20% OF CEIA'S STAFF IS FOCUSED ON RESEARCHING TOMORROW'S METAL DETECTION TECHNOLOGY

Modern Digital Electronics




- 100% modern digital components for longer life and consistent performance



- Custom designed DSP allows unparalleled detection



- Powered by low voltage DC resulting in the safest gate operation





VERY HIGH MTBF (MEAN TIME BETWEEN FAILURE) OBTAINED THROUGH LARGE SCALE INTEGRATION DEVICES AND 200 HOURS BURN-IN TESTING




INTERNAL VIEW OF CEIA SMT (SURFACE MOUNTING TECHNOLOGY) DEPARTMENT



Model Configuration


Features	PMD2/EZPlus	PMD2/PZPlus
Gate - Shape	 Elliptic Column	 Panel
4 display bars programmable as zone indicators and/or pacing lights	●	●
60 localization zones with left, center and right indication	●	●
Met-Identity technology	●	●
Powered by safe low voltage DC	●	●
Chip Card Reader	●	●
One Touch Automatic Self Installation (OTS)	●	●
Bluetooth, infrared and RS-232 communication	●	●
Password and hardware key access protection	●	●
Anti-tamper on/off switch	●	●
High precision transit counter	○	●
Programmable Random Alarm capability*	○	●
Weather resistant protection	○	○
Anti-vandalism, anti-tampering protection	○	○
IP65 protection (includes weather resistant and anti-vandalism options)	○	○
Integrated web-server & logger (includes Ethernet and USB interface)	○	○
Long life crossbar battery back-up	—	○
Embedded battery back-up	—	○
32.3' useful passage width	○	○

● STANDARD ○ OPTION *Transit Counter required



PMD2 PLUS IS AVAILABLE IN PANEL AND ELLIPTIC VERSIONS

Dimensions



PMD2 Plus

Enhanced Walk-Through Multi-Zone Metal Detector



Options / Upgrade Kits

WEATHER RESISTANT PROTECTION

Set for upgrading the standard version to outdoor applications according to IEC 60950-22; this set includes shelters, crossbars and protection covers for power supply.

PANEL



28.3" passage width (part # 55630)

32.3" passage width (part # 55633)

ELLIPTIC

28.3" passage width (part # 55657)




32.3" passage width (part # 55658)





ANTI-VANDALISM, ANTI-TAMPERING PROTECTION

This option includes stainless steel control unit, protection covers for power supply and antenna connection compartments, equipped with screws requiring tools for removal.

PANEL: part # 55629



ELLIPTIC: part # 55659



IP65 PROTECTION

This option includes the Weather Resistant and Anti-vandalism kits.

PANEL

28.3" passage width (part # 55631)

32.3" passage width (part # 55632)

ELLIPTIC


28.3" passage width (part # 55660)

32.3" passage width (part # 55661)

HIGH PRECISION TRANSIT COUNTER

Two photocells fitted into the archway allow counting of transits, alarms and percentage of alarms. **Panel versions are already equipped with transit counter.**

ELLIPTIC: part # 46982



LONG LIFE CROSSBAR BATTERY BACK-UP

Crossbar battery back-up in stainless steel case.

Provides up to 8 hours of autonomous working time.

PANEL: part # 55681

8 HOURS TYPICAL (5.5 HOURS MINIMUM) CONTINUOUS OPERATION WITH PMD2 PLUS



32.3" USEFUL PASSAGE WIDTH


PANEL: part # 55635

ELLIPTIC: part # 55664

EMBEDDED BATTERY BACK-UP AND CHARGER



Anti-tamper on/off switch, RS-232 interface, 35 minutes typical (25 minutes minimum) internal battery back-up with 12 hours mains disconnection diagnostic alarm.

PANEL: part # APSM2Plus/P





INTEGRATED WEB-SERVER & LOGGER, BATTERY BACK-UP AND CHARGER

Anti-tamper on/off switch, RS-232, USB, 10/100 baseT Ethernet interface, data logger, real-time clock, integrated web-server, transit statistical data analysis, 20' internal battery back-up with 12 hours mains disconnection diagnostic alarm. PANEL: part # APSM2Plus/P



INTEGRATED WEB-SERVER & LOGGER

Anti-tamper on/off switch, RS-232, USB, 10/100 baseT Ethernet interface, data logger, real-time clock, integrated web-server, statistical transit data analysis. ELLIPTIC: part # APSM2Plus/E



Accessories

➤ CHIP CARDS

Chip cards for simple and secure selection of Security Levels and parameter setting.


List of chip-cards available on request.



➤ MBSU-2

Independent, compact size, long life power supply in stainless steel case and high protection degree, with embedded fast charger (Part # MBSU-2):

- 14 hours typical (10 hours minimum) continuous operation with PMD2 Plus
- 5 hours typical charging time



➤ IRC-1

Infrared Remote Controller for wireless remote programming of the control unit. (Part # 47180)



➤ UPPER CONNECTION MODULE

This extension cable allows the connection of power supply and serial communication to personal computers or CEIA accessories, such as RCU-2. (Part # 46650)

➤ RRU

Remote relay unit (RRU) to repeat the detection alarms of the gate through a relay contact. The RRU module can be used for integration of the Metal Detector in interlocked door systems. (Part # RRU)

➤ WATERPROOF MAINS POWER SUPPLY

100W IP67 power supply for outdoor applications. It is provided with flanges for simple installation. (Part # 43564)




➤ METAL DETECTOR DIVESTING TABLE FOR MANAGEMENT OF PERSONAL METAL BELONGINGS

- Standard length: 24" (Part # 18074)
- Extended length: 47" (Part # 39491)



➤ ID-HOLDER


This accessory is designed to be hung on a crossbar of the archway, either at the entrance or the exit side. It can hold, for instance, a notice or an ID number for waiting people or for the screener. PANEL VERSION: part # 54095



➤ RCU2

Control unit for full remote access, including alarm signalling and programming of CEIA Walk Through Metal Detectors.


(Part # RCU2)



➤ MD-SCOPE

Powerful, PC based installation and service Software. Includes oscilloscope and terminal functionality.

(Part # MD-SCOPE2)




➤ STABILIZING PLATES

(Elliptic version)

Comfortable alternative to direct floor mounting.

- Standard version: part # 46705
- Outdoor version: part # 46706
- For uneven floor and mobile applications: part # 46938




➤ STAINLESS STEEL DECK DOLLY

FOR LOCAL MOVING OF THE PANEL METAL DETECTOR GATE
(PANEL VERSION)

- Robust construction in AISI 316L stainless steel
- Rubber-covered castor-type wheels for easy movement
- Incorporated handles for transport


(available only for 28.3" useful passage width: part # 50789)



➤ TOOL-FREE ASSEMBLY KIT

This accessory allows the detector to be assembled and disassembled quickly and without tools.

(ELLIPTIC VERSION: part # 55699)



➤ TEST SAMPLES KIT

Reference Samples for accurate verification of the Security Level. Includes guided procedures and certificate of calibration.

(Part # EMD-SK-GAL)

(Part # EMD-SK-GDML)





PMD2 Plus

Enhanced Walk-Through Multi-Zone Metal Detector

Specifications

KEY FEATURES	Elliptic column shape or traditional panel versions available	
	Wide range of threat detection from guns to 1/2 cutter blade	
	Excellent discrimination of personal metal effects	
	60 zones with left, center and right indication	
	Met-Identity technology identifies the metal type in real time	
	High precision bidirectional counter with automatic rescreening compensation	
	Chip Card capability for fast, simple, and secure programming	
	Random alarm capability programmable from 0% to 100%	
	Exceptional Immunity to external interferences	
	One touch automatic self installation (OTS)	
	Powered by safe low voltage DC	
	Standard Interfaces: RS-232, Bluetooth, Infrared	
	Other available interfaces: Ethernet, USB	
QUALITY	Continuous self diagnostic system	
	Proven reliability	
	No periodic re-calibration and preventive maintenance required	
	No scheduled maintenance	
	Fully digital design	
WALK-THROUGH GATE STRUCTURE	State-of-the-art, robust and washable panels or compact elliptical columns	
	Protected against aging, weather and wear	
CENTRAL CONTROL UNIT	Ergonomic and robust design	
	High visibility alphanumeric display and programming keyboard	
	Made of advanced plastics or stainless steel and anti-vandalism construction (option)	
	Access to the front panel protected by hardware key and two levels of passwords	
ALARM SIGNALLING	VISUAL SIGNALS	Multi-zone display bar for "height on person" localization 4 light bars with selectable entry/exit and pacing indication Green and red metering signals proportional to the mass of the detected target
	AUDIO SIGNALS	10 selectable continuous and pulsed tone plus 34 special tones 10 selectable sound intensities ranging from 0 to 90 dBa at 1m
	TYPE OF SIGNALLING	VISUAL Fixed or proportional to the mass in transit - visible from 6m under lighting of 4000lux VISUAL ZONE INDICATION 60 distinct zones (20 vertical x 3 horizontal)
PROGRAMMING	Over 40 built in security programs	
	Remote via RS-232, Infrared Remote Control Unit, Bluetooth™ or Ethernet 10/100 base T (option) interface	
	SECURITY LEVEL International Standard (IS) command Chip card	
	Local by Control Unit alphanumeric display and keyboard Programming and chip card access protected by user and super-user passwords	
OPERATIONAL FEATURES	Very high discrimination and transit flow rates five or more times greater than other metal detection systems	
	Quick reset time as short as 0.2 seconds for high throughput rate	
	Very high detection speed (up to 50 ft/sec.)	
	Built-in operational functional verification	
	One-touch key reading of inbound, outbound and Security Level Data	
INSTALLATION DATA	Automatic synchronisation between two or more metal detectors with distance of down to 2" (5 cm) without the use of external cables	
	Automatic installation function (OTS)	

Environmental Data

- **POWER SUPPLY:** 100...240V~ -10/+15%, 47...63Hz, 40 VA max
- **OPERATING TEMPERATURE:** -4°F to 158°F [-20°C to +70°C]
- **STORAGE TEMPERATURE:** -31°F to 158 °F [-35°C to +70°C]
- **RELATIVE HUMIDITY:** 0 to 95% (without condensation)

Certification and Compliance

- Compliant with the applicable Standards for Enhanced Metal Detectors
- Compliant with the applicable electromagnetic Standards on Human Exposure and Pacemaker Safety
- Compliant with all Airport Security Standards worldwide
- Compliant with applicable International Standards for electrical safety and EMC
- Harmless to magnetic media (floppy disks, tapes, etc.)

Comprehensive support

CEIA USA PROVIDES FULL OPERATIONAL AND TECHNICAL TRAINING SUPPORT BY CERTIFIED PERSONNEL EITHER AT CEIA USA FACILITY OR AT CUSTOMER PREMISES



- phone technical support
- in-house repair/services
- standard and custom training



CEIA USA Ltd - 9155 Dutton Drive, Twinsburg, OH 44087
Phone: 330-405 3190 - Fax 330-405 3196 - e-mail: security@ceia-usa.com

www.ceia-usa.com

Call Toll-Free 888-532-CEIA

CP060K0041Y2US-54566



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
LOT503

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
CONNIE OSWALD
304-558-2157

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

WEST VIRGINIA LOTTERY

900 PENNSYLVANIA AVE
 CHARLESTON, WV
 25302 304-558-0500

SHIP TO

DATE PRINTED
03/04/2013

BID OPENING DATE: 04/04/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		035-95		
THE STATE OF WEST VIRGINIA AND ITS AGENCY THE WEST VIRGINIA LOTTERY REQUEST A QUOTE TO PROVIDE THE ONE TIME PURCHASE OF AN X-RAY INSPECTION SYSTEM, WALK THROUGH METAL DETECTOR, HAND HELD METAL DETECTOR, A 19" FLAT PANEL LCD MONITOR, 1/2" METER ROLLER TABLE (ENTRANCE/EXIT) AND FIVE (5) YEAR ON-SITE EXTENDED WARRANTY WITH PREVENTATIVE MAINTENANCE. EQUIPMENT WILL BE LOCATED AT THE WEST VIRGINIA LOTTERY, 900 PENNSYLVANIA AVE., CHARLESTON, WV PER THE ATTACHED SPECIFICATIONS AND INSTRUCTIONS TO BIDDERS. BID OPENING: APRIL 4, 2013 AT 1:30 PM 3.1.1 SMITH DETECTION HI-SCAN 5030SI X-RAY INSP- ECTION SYSTEM (GSA PART NUMBER: 91210001; OR EQUAL) TO INCLUDE ITEMS 3.1.1.1; 3.1.1.2; 3.1.1.3; 3.1.1.4; 3.1.1.5 OF THE SPECIFICATIONS.						
0002	1	EA		035-95		
3.1.2 HI SCAN 5030SI X-RAY INSPECTION SYSTEM OR EQUAL MUST BE THE SAME AS GSA CONTRACT NUMBER: GS-07F-9597FCEIA TO INCLUDE ITEMS 3.1.2.1; 3.1.2.2; 3.1.2.3; 3.1.2.4 OF THE SPECIFICATIONS.						

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
LOT503

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
CONNIE OSWALD
304-558-2157

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

WEST VIRGINIA LOTTERY

 900 PENNSYLVANIA AVE
 CHARLESTON, WV
 25302 304-558-0500

DATE PRINTED
03/04/2013

BID OPENING DATE: 04/04/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0003	1	EA		035-95		
3.1.3 ADVANCED SOFTWARE PACKAGE TO INCLUDE ITEMS 3.1.3.1; 3.1.3.2; 3.1.3.3; 3.1.3.4; 3.1.3.5; 3.1.3.6 & 3.1.3.7 OF THE SPECIFICATIONS.						
0004	1	EA		035-95		
3.1.4 1/2" METER ROLLER TABLE (19.5" LG) ENTRANCE/ EXIT OR EQUAL AND IS PART OF GSA PART NUMBER: 91210001 OF THE SPECIFICATIONS.						
0005	1	LS		035-95		
3.1.5 FIVE (5) YEAR ON SITE EXTENDED WARRANTY W/ PREVENTATIVE MAINTENANCE ON THE SMITHS DETECTION HI- SCAN 5030SI X-RAY INSPECTION SYSTEM (GSA PART NUMBER: 91210001; OR EQUAL TO INCLUDE ITEMS 3.1.5.1; 3.1.5.2; 3.1.5.3; 3.1.5.4; 3.1.5.5 OF THE SPECIFICATIONS.						
0006	1	LS		035-95		
OPERATOR TRAINING FOR UP TO EIGHT (3) HOURS X EIGHT						

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
LOT503

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
CONNIE OSWALD
304-558-2157

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

WEST VIRGINIA LOTTERY

 900 PENNSYLVANIA AVE
 CHARLESTON, WV
 25302 304-558-0500

DATE PRINTED
03/04/2013

BID OPENING DATE: 04/04/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	(8)	EMPLOYEES	(8 HOURS	TRAINING X 8 EMPLOYEES EACH)		
***** THIS IS THE END OF RFQ LOT503 ***** TOTAL:						

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
LOT503

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
CONNIE OSWALD 304-558-2157

RFQ COPY
 TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

S
H
I
P
T
O

WEST VIRGINIA LOTTERY

 900 PENNSYLVANIA AVE
 CHARLESTON, WV
 25302 304-558-0500

DATE PRINTED
03/06/2013

BID OPENING DATE: 04/04/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
1. TO PROVIDE THE HIPAA BUSINESS ASSOCIATE ADDENDUM FOR THIS SOLICITATION. 2. TO PROVIDE ADDENDUM ACKNOWLEDGMENT. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR BID. FAILURE TO SIGN AND RETURN MAY RESULT IN DISQUALIFICATION OF YOUR BID.						
0001	1	EA		035-95		
	3.1.1	SMITH	DETECTION	HI-SCAN 5030SI X-RAY INSP-		
0002	1	EA		035-95		
	3.1.2	HI SCAN 5030SI X-RAY INSPECTION SYSTEM				
0003	1	EA		035-95		
	3.1.3	ADVANCED SOFTWARE PACKAGE TO INCLUDE ITEMS				

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION INSERT NAME AND ADDRESS IN SPACE ABOVE LABELLED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
LOT503

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
CONNIE OSWALD 304-558-2157

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

WEST VIRGINIA LOTTERY

 900 PENNSYLVANIA AVE
 CHARLESTON, WV
 25302 304-558-0500

DATE PRINTED
03/06/2013

BID OPENING DATE: 04/04/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0004	1	EA		035-95		
				3.1.4 1/2" METER ROLLER TABLE (19.5" LG) ENTRANCE/		
0005	1	LS		035-95		
				3.1.5 FIVE (5) YEAR ON SITE EXTENDED WARRANTY W/		
0006	1	LS		035-95		
				OPERATOR TRAINING FOR UP TO EIGHT (3) HOURS X EIGHT		
<p>HIPAA BUSINESS ASSOCIATE ADDENDUM: THE WEST VIRGINIA STATE GOVERNMENT HIPAA BUSINESS ASSOCIATE ADDENDUM (BAA), APPROVED BY THE ATTORNEY GENERAL, IS AVAILABLE ONLINE AT: HTTP://WWW.STATE.WV.US/ADMIN/PURCHASE/VRC/HIPAA.HTML AND IS HEREBY MADE PART OF THE AGREEMENT PROVIDED THAT THE AGENCY MEETS THE DEFINITION OF A COVERED ENTITY (45 CFR 160.103) AND WILL BE DISCLOSING PROTECTED HEALTH INFORMATION (45 CFR 160.103) TO THE VENDOR. ADDITIONALLY, THE HIPAA PRIVACY, SECURITY, ENFORCEMENT AND BREACH NOTIFICATION FINAL OMNIBUS RULE WAS PUBLISHED ON JANUARY 25, 2013. IT MAY BE VIEWED ONLINE AT: HTTP://WWW.GPO.GOV/FDSYS/PKG/FR-2013-01-25/PDF/2013-01073.PDF</p>						

ANY ORGANIZATION, THAT QUALIFIES AS THE AGENCY'S

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Solicitation

NUMBER
LOT503

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
CONNIE OSWALD 304-558-2157

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

WEST VIRGINIA LOTTERY

 900 PENNSYLVANIA AVE
 CHARLESTON, WV
 25302 304-558-0500

DATE PRINTED
03/06/2013

BID OPENING DATE: 04/04/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>BUSINESS ASSOCIATE, IS EXPECTED TO BE IN COMPLIANCE WITH THIS FINAL RULE. FOR THOSE BUSINESS ASSOCIATES ENTERING INTO CONTRACTS WITH A HIPAA COVERED STATE AGENCY BETWEEN JANUARY 25, 2013 AND THE RELEASE OF THE 2013 WV STATE AGENCY BUSINESS ASSOCIATE AGREEMENT, OR SEPTEMBER 23, 2013 (WHICHEVER IS EARLIER), BE ADVISED THAT YOU WILL BE REQUIRED TO COMPLY WITH THE 2013 WV STATE AGENCY BUSINESS ASSOCIATE AGREEMENT. FOR THOSE BUSINESS ASSOCIATES WITH CONTRACTS WITH A HIPAA COVERED STATE AGENCY EXECUTED PRIOR TO JANUARY 25, 2013, BE ADVISED THAT UPON RENEWAL OR MODIFICATION, YOU WILL BE REQUIRED TO COMPLY WITH THE 2013 WV STATE AGENCY BUSINESS ASSOCIATE AGREEMENT NO LATER THAN SEPTEMBER 22, 2014.</p> <p>END OF ADDENDUM NO. 1</p>						

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'