



# West Virginia Purchasing Division

2019 Washington Street, East  
Charleston, WV 25305  
Telephone: 304-558-2306  
General Fax: 304-558-6026  
Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

### Header

List View

**General Information** | [Contact](#) | [Default Values](#) | [Discount](#) | [Document Information](#)

**Procurement Folder:** 77807

**SO Doc Code:** CRFQ

**Procurement Type:** Central Purchase Order

**SO Dept:** 0803

**Vendor ID:** 000000189101

**SO Doc ID:** DOT1500000061

**Legal Name:** ASPEN TECHNOLOGIES INC

**Published Date:** 3/12/15

**Alias/DBA:**

**Close Date:** 3/17/15

**Total Bid:** \$100,825.50

**Close Time:** 13:30

**Response Date:** 03/17/2015

**Status:** Closed

**Response Time:** 10:47

**Solicitation Description:** Addendum #2 Scanners and Warranties

**Total of Header Attachments:** 0

**Total of All Attachments:** 0



Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**State Of West Virginia  
 Solicitation Response**

**Proc Folder :** 77807

**Solicitation Description :** Addendum #2 Scanners and Warranties

**Proc Type :** Central Purchase Order

Date issued	Solicitation Closes	Solicitation No	Version
	2015-03-17 13:30:00	SR 0803 ESR03171500000002629	1

**VENDOR**

000000189101  
 ASPEN TECHNOLOGIES INC

**FOR INFORMATION CONTACT THE BUYER**

Misty Delong  
 (304) 558-8802  
 misty.m.delong@wv.gov

**Signature X** **FEIN #** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	KODAK i4600 SCANNER SHEETFED SCANNER OR EQUAL	5.00000	EA	\$15,822.92	

Comm Code	Manufacturer	Specification	Model #
43211711			

Extended Description : KODAK i4600 SCANNER SHEETFED SCANNER - 600 DPI OPTICAL - USB OR EQUAL

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	KODAK CARE KIT 5YR EXTENDED WARRANTY, OR EQUAL	5.00000	EA	\$1,400.00	

Comm Code	Manufacturer	Specification	Model #
81111818			

Extended Description : KODAK CARE KIT 5YR EXTENDED WARRANTY, OR EQUAL 9X5X4 HR ON-SITE MAINTENANCE - PARTS AND LABOR - PHYSICAL SERVICE

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	VRS 4.5 ELITE FOR i4600 OR EQUAL	5.00000	EA	\$1,804.98	

Comm Code	Manufacturer	Specification	Model #
81111818			

Extended Description : VRS 4.5 ELITE FOR i4600 OR EQUAL

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	KODAK i3400 SCANNER SHEETFED SCANNER OR EQUAL	1.00000	EA	\$4,453.13	

Comm Code	Manufacturer	Specification	Model #
43211711			

Extended Description : KODAK i3400 SCANNER SHEETFED SCANNER - 600 DPI OPTICAL -USB 48 BIT COLOR - 8-BIT GRAYSCALE - USB OR EQUAL

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	KODAK CARE KIT 5YR EXTENDED WARRANTY OR EQUAL	1.00000	EA	\$785.00	

Comm Code	Manufacturer	Specification	Model #
81111818			

Extended Description : 5YR EXT WAR ON SITE NBD 1 PM ESSENTIAL PRODUCTIVITY SVS FOR 13000

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	VRS 4.5 ELITE FOR i3400 OR EQUAL	1.00000	EA	\$447.87	

Comm Code	Manufacturer	Specification	Model #
81111818			

Extended Description : VRS 4.5 ELITE FOR i3400 OR EQUAL

**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: DOT1500000061**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6  |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7  |
| <input type="checkbox"/> Addendum No. 3            | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4            | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5            | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Aspen Technologies  
\_\_\_\_\_  
Company  
  
\_\_\_\_\_  
Authorized Signature  
  
16 MAR 15  
\_\_\_\_\_  
Date

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

**MANDATE:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**DEFINITIONS:**

**"Debt"** means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

**"Employer default"** means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

**"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**AFFIRMATION:** By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

**WITNESS THE FOLLOWING SIGNATURE:**

Vendor's Name: Aspen Technologies

Authorized Signature: *[Signature]* Date: 16 MAR 15

State of West Virginia

County of Kanawha, to-wit:


Taken, subscribed, and sworn to before me this 16 day of MARCH, 2015

My Commission expires 3/5/20, 20    .

**AFFIX SEAL HERE**

**NOTARY PUBLIC**

*[Signature]*  
Purchasing Affidavit (Revised 07/01/2012)



# State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

**1. Application is made for 2.5% vendor preference for the reason checked:**

- Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
- Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
- Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,

**2. Application is made for 2.5% vendor preference for the reason checked:**

- Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,

**3. Application is made for 2.5% vendor preference for the reason checked:**

- Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,

**4. Application is made for 5% vendor preference for the reason checked:**

- Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,

**5. Application is made for 3.5% vendor preference who is a veteran for the reason checked:**

- Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,

**6. Application is made for 3.5% vendor preference who is a veteran for the reason checked:**

- Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

**7. Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules.**

- Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

**Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.**


Bidder: Aspen Technologies  
Date: 16 MAR 15

Signed: [Signature]  
Title: President

**CERTIFICATION AND SIGNATURE PAGE**

By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Aspen Technologies  
(Company)

 Rodney Lipscomb, Pres  
(Authorized Signature) (Representative Name, Title)

304-399-3023 304-342-4638  
(Phone Number) (Fax Number) (Date) ~~3-16-15~~ 3-16-15

**Canon**

**imageFORMULA  
DR-X10C**



# imageFORMULA DR-X10C



## State-of-the-Art Performance and Flexibility for Reliable, High-Volume Scanning

The Canon imageFORMULA DR-X10C color production scanner uses state-of-the-art technology for high-speed, high-quality image scanning, delivering reliable document handling capabilities and superior durability.

### Fast Speed for Production Scanning


The DR-X10C scanner is capable of maintaining impressive scanning speeds of up to 128 pages per minute and 256 images per minute,\* in color, grayscale, or black-and-white, due in part to a dedicated, onboard Image Processing Chip. This hardware chip can handle multiple image processing functions simultaneously, virtually independent of connected PC performance. To support these speeds, fast connectivity is offered with Hi-Speed USB 2.0 and SCSI III ports. The DR-X10C scanner also allows for optional onboard Kofax VirtualReScan (VRS) implementation.\*\* This hardware solution will deliver the full advantages of VRS image enhancement capabilities, as well as improved scanning speed and productivity.

### Outstanding Canon Image Quality

The DR-X10C scanner introduces the industry's first dust-free scanning system. A revolutionary three-step approach helps prevent dust particles from accumulating and adhering to the sensor glass, resulting in clearer images and minimized manual cleaning. Uniform, consistent images are captured with utmost precision and clarity—at up to 600 dpi—due to Canon's advanced image processing features, which include Automatic Shading Mechanism and Three-Dimensional Color Correction.

### Three-Step Dust Prevention System


Side view diagram  
of lower sensor unit periphery



\* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi, landscape feeding direction. Actual processing speeds may vary based on PC performance and application software.

\*\* Kofax CGA Board available during third quarter, 2008.

DR-X10C



### Reliable, Flexible Document Handling

The DR-X10C scanner delivers smooth, jam-free feeding of a wide variety of document sizes, from business cards up to 11" x 17", or even 22" x 34" in Folio Mode.\*\*\* And batch scanning preparation time is reduced with the industry's first dedicated page size and skew detection sensor, a new five-level user-adjustable Active Separation Torque controller, and Staple Detection feature. For further flexibility, the DR-X10C scanner is equipped with three user-adjustable Ultrasonic Double-Feed Detection sensors to correctly batch-scan documents with attached photographs or notes. Plus, a Double-Feed Retry mechanism—which reverses documents and attempts to feed them again—and Canon's Rapid Recovery System ensure the DR-X10C scanner's superior, reliable, and flexible document handling.

### Superior Durability

The DR-X10C scanner features a robust design, including a solid body and durable roller system to handle the demands of high-volume production scanning. And the scanner is rated at a daily duty cycle of 60,000 scans, superior performance for this price range.

### Environment in Mind

The DR-X10C scanner has been designed with the environment in mind, consolidating distributed scanning points into a single, central point, thus reducing overall energy consumption. In fact, the DR-X10C scanner boasts one of the lowest energy consumption levels in the Volume Production scanner market. When connected via USB, it can be synchronized to automatically turn on and off, according to the status of the connected PC, and also includes Standby Mode to conserve power. It also meets the ENERGY STAR® Program guidelines for energy efficiency, and complies with the RoHS and WEEE directives for reduction of hazardous substances and waste products.

### Easy To Use and Maintain

Select from programmable pre-registered Scan-To-Job buttons, check displayed messages, and select scanner settings, using the intuitive control panel on the DR-X10C scanner. The feeding tray even opens automatically when the scanner is powered on.



Intuitive Control Panel

The DR-X10C scanner also features an ergonomic, compact, and lightweight design that adds to the operator's handling comfort, and includes user-replaceable feed rollers for easy maintenance.

### A Smart Investment

The DR-X10C scanner offers enhanced sensor technology and a reliable feeding system to ensure that high volumes of mixed paper sizes or other challenging scan operations are handled with minimal operator intervention at maximum scanning speed. Plus, the robust, compact design, energy-saving performance, and advanced functionality tackle the high demands of any production-level environment.

\*\*\* Up to 22" x 39.4" using Folio and Long Document Mode.

# imageFORMULA DR-X10C

## Specifications

<b>Type:</b>	Production Sheetfed Scanner
<b>Document Feeding:</b>	Automatic or Manual
<b>Document Size*</b>	
Width:	2.0' - 12"
Length:	2.8' - 17"
<b>Document Weight</b>	
Automatic Feeding:	14 - 32 lb. Bond
Manual Feeding:	11 - 64 lb. Bond
<b>Feeder Capacity:</b>	500 Sheets
<b>Grayscale:</b>	8-bit
<b>Color:</b>	24-bit
<b>Scanning Element:</b>	3-Line CMOS Contact Image Sensor
<b>Light Source:</b>	RGB LED
<b>Scanning Modes:</b>	Simplex, Duplex, Color, Grayscale, Black and White, Error Diffusion, Advanced Text Enhancement (Two Types) RGB and Custom
<b>Color Dropout:</b>	600 dpi
<b>Optical Resolution:</b>	100/150/200/240/300/400/600 dpi
<b>Output Resolution:</b>	
<b>Scanning Speeds**</b>	Simplex    Duplex
Black and White:	128 ppm    256 ipm
Grayscale:	128 ppm    256 ipm
Color:	128 ppm    256 ipm
<b>Interface:</b>	SCSI-III and Hi-Speed USB 2.0
<b>Scanner Drivers:</b>	ISIS/TWAIN for Windows® 2000/XP/Vista®
<b>Dimensions (H x W x D):</b>	14.8" x 20.8" x 22.2"
<b>Weight:</b>	85.8 lb.
<b>Power Consumption:</b>	125W or less (Energy Saving Mode: 4.2W)
<b>Daily Duty Cycle:</b>	60,000 Scans

### BUNDLED SOFTWARE

- ISIS/Twain Driver
- CapturePerfect® 3.0

### OPTIONS

- Exchange Roller Kit
- Pre-Imprinter
- Post-Imprinter
- Patch Code Decoder
- Barcode Module III
- Kofax CGA Board\*\*\*
- 9-Month Extended Service Package
- 12-Month Extended Service Package

### OTHER FEATURES

- 3-Sensor Ultrasonic Double-Feed Detection
- Staple Detection
- Selectable Background Color
- Dust Countermeasures
- Auto USB Power Switching
- Auto Color Detection
- Automatic Page Size Detection
- Deskew
- Batch Separation
- Long Document Mode (up to 39.4")
- Folio Mode
- Custom Color Dropout
- MultiStream™
- Re-try Feeding
- Three-Position Paper Feeding Tray

### ITEM NUMBER

DR-X10C: 2417B002

- \* Up to 22" x 39.4" using Folio and Long Document Mode.
- \*\* Examples based on typical settings, rated in pages/images per minute with letter-sized documents at 200 dpi, landscape feeding direction. Actual processing speeds may vary based on PC performance and application software.
- \*\*\* Kofax CGA Board available during third quarter, 2008.

**Canon**  
image*ANYWARE*

1-800-OK-CANON  
www.usa.canon.com

Canon U.S.A., Inc.  
One Canon Plaza  
Lake Success, NY 11042

ISIS and MultiStream are trademarks of EMC Corporation. Windows and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. CapturePerfect is a registered trademark of Canon Electronics Inc. CANON is a registered trademark of Canon Inc. in the United States and may also be a registered trademark or trademark in other countries. IMAGEANYWARE is a trademark of Canon. VirtualReScan and VRS are registered trademarks of Kofax Imaging Products, Inc. All referenced product names and other marks are trademarks of their respective owners.

Specifications and availability subject to change without notice.  
©2008 Canon U.S.A., Inc. All rights reserved.

0118W833  
0208-X10C-8M-DNR



**Canon**

**imageFORMULA**

**DR-G1100**



## High-Speed, High-Quality Scanning for Ultimate Production Efficiency

**The Canon imageFORMULA DR-G1100 production document scanner provides businesses with a high-performance, reliable, and flexible scanning solution to help enhance document management systems.**

### Wide Variety of Applications

The DR-G1100 scanner is ideal for processing large amounts of documents in mission-critical, centralized production scanning environments. It has been developed to withstand the rigors of production-level scanning, while maintaining high-speed, high-quality imaging. The DR-G1100 scanner will help companies improve productivity, maintain business continuity, and increase efficiencies.

### High Performance

The DR-G1100 scanner handles up to 100 pages per minute—both sides in a single pass—and holds up to 500 sheets in the ADF. It is also equipped with a dedicated, onboard image processing chip, making it capable of maintaining fast scanning speeds, even with various image processing capabilities enabled. These features all help contribute to improving productivity.

### Reliable and Flexible

The DR-G1100 scanner is flexible enough to reliably handle a variety of document types, from business cards to ledger-sized, long documents, and thin or thick documents,\* using its advanced feeding mechanism. This helps reduce labor-intensive pre-sorting and job preparation efforts. Plus, it has the ability to detect double-feeds and will attempt to recover from them. A durable, solid-body design as well as heavy-duty feed and eject trays further help enhance the scanner's reliability, allowing minimal downtime and maintaining business continuity.

## Efficient, Smooth Operation

The DR-G1100 scanner features an intuitive control panel that allows easy access to scanner settings, and user-programmable job buttons for one-touch operation. This scanner is also equipped with a motorized paper feed tray that can be adjusted to the height of the batch, and flexible paper feed and output guides. This, plus the ability to handle a variety of document types,\* helps to deliver unattended batch scanning for optimizing workflows and increasing efficiencies.

## Environment in Mind

The DR-G1100 scanner is part of Canon's Generation Green program. It also meets ENERGY STAR® guidelines for energy efficiency and complies with both the EU RoHS and WEEE directives for the reduction of hazardous substances and waste products.\*\*

## Customer Care

For investment protection, eCarePAK options are available to extend service beyond the initial 90-day on-site warranty period. This saves on costs associated with post-purchase maintenance and helps maximize uptime throughout the product life.

## Specifications

<b>Type:</b>	Production Document Scanner	
<b>Document Feeding:</b>	Automatic or Manual	
<b>Document Size</b>		
Width:	2" - 12"	
Length:	2.8" - 17"	
<b>Long Document Mode:</b>	Up to 118.1"	
<b>Document Weight</b>		
Automatic Feeding:	14 - 56 lb. Bond	
Manual Feeding:	11 - 68 lb. Bond	
<b>Feeder Capacity:</b>	500 Sheets	
<b>Grayscale:</b>	8-bit	
<b>Color:</b>	24-bit	
<b>Scanning Element:</b>	Three-Line Contact Image Sensor (CMOS)	
<b>Light Source:</b>	RGB LED	
<b>Scanning Modes:</b>	Color, Grayscale, Black and White	
<b>Color Dropout:</b>	RGB and Custom	
<b>Optical Resolution:</b>	600 dpi	
<b>Output Resolution:</b>	150/200/300/400/600 dpi	
<b>Scanning Speeds***</b>	<b>Simplex</b>	<b>Duplex</b>
Black and White/	Up to 100 ppm	Up to 200 ipm
Grayscale/Color:	Hi-Speed USB 2.0	
<b>Interface:</b>	Windows® 2000/XP/Windows Vista®	
<b>Supported OS:</b>	ISIS®/TWAIN	
<b>Scanner Drivers:</b>	18.9" x 21.1" x 12.4" (with trays closed)	
<b>Dimensions (H x W x D):</b>	50 lb.	
<b>Weight:</b>	95W or Less (Energy Saving Mode: 1.6W or Less)	
<b>Power Consumption:</b>	25,000 Scans	
<b>Suggested Daily Volume:****</b>	Canon CapturePerfect, Kofax VRS	
<b>Bundled Software:</b>	Barcode Module III, eCarePAK Extended Service, Exchange Roller Kit, Flatbed Scanner Unit 101, Flatbed Scanner Unit 201, Imprinter Unit, Patchcode Decoder	
<b>Options:</b>		

### Other Features:

Auto Color Detection, Auto Page Size Detection, Background Smoothing, Batch Separation, Character Emphasis, Count Only Mode, Custom Color Dropout/Enhance Color, Deskew, Double-Feed Detection (Ultrasonic), Edge Emphasis, Folio Scan, Image Rotation, Moiré Reduction, MultiStream, Paper Feed Tray (Three Positions), Pre-Scan, Prevent Bleed-Through/Remove Background, Punch Hole Removal, Rapid Recovery System, Skip Blank Page, Staple Detection, Text Enhancement, Text Orientation Recognition, Three-Dimensional Color Correction, User Preferences, Verify Scan

### Item Number:

8074B002

\* See specifications for further detail on document types.

\*\* The facts and product statistics about EU RoHS and WEEE were obtained from Canon Electronics Inc. as of 2013.

\*\*\* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, landscape feeding direction, up to 300 dpi. Actual processing speeds may vary based on PC performance and application software.

\*\*\*\* Calculations based on scanning speed and assumed daily time of use.



image*ANYWARE*

1-800-OK-CANON

[www.usa.canon.com](http://www.usa.canon.com)

Canon U.S.A., Inc.

One Canon Park

Melville, NY 11747

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has certified through an independent EPA-recognized accredited laboratory that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. CANON is a registered trademark of Canon Inc. in the United States and may also be a registered trademark or trademark in other countries. IMAGEFORMULA is a registered trademark of Canon Electronics Inc. ECAREPAK is a registered trademark of Canon U.S.A., Inc. IMAGEANYWARE is a trademark of Canon. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. Specifications and availability subject to change without notice. ©2013 Canon U.S.A., Inc. All rights reserved.