



West Virginia Purchasing Division

2019 Washington Street, East
Charleston, WV 25305
Telephone: 304-558-2306
General Fax: 304-558-6026
Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header

List View

- General Information
- Contact
- Default Values
- Discount
- Document Information

Procurement Folder: 92126

Procurement Type: Central Purchase Order

Vendor ID:

Legal Name: BRIDGEPORT EQUIPMENT & TOOL

Alias/DBA: BET LTD

Total Bid: \$29,863.00

Response Date:

Response Time:

SO Doc Code: CRFQ

SO Dept: 0310

SO Doc ID: DNR1500000050

Published Date: 6/30/15

Close Date: 7/7/15

Close Time: 13:30

Status: Closed

Solicitation Description:

Total of Header Attachments: 0

Total of All Attachments: 0



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder : 92126

Solicitation Description : Addendum #1 Carnifex Ferry-one time purchase of util tractor

Proc Type : Central Purchase Order

Date issued	Solicitation Closes	Solicitation No	Version
	2015-07-07 13:30:00	SR 0310 ESR0706150000000110	1

VENDOR

000000177068
 BRIDGEPORT EQUIPMENT & TOOL
 BET LTD

FOR INFORMATION CONTACT THE BUYER

Laura E Hooper
 (304) 558-0468
 laura.e.hooper@wv.gov

Signature X FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Utility Tractor with front loader and quick attach bucket	1.00000	EA	\$29,184.00	\$29,184.00

Comm Code	Manufacturer	Specification	Model #
25101901			

Extended Description : Utility Tractor with front loader and quick attach bucket, Mahindra 5530, or equal

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Pallet Forks	1.00000	EA	\$679.00	\$679.00

Comm Code	Manufacturer	Specification	Model #
25101901			

Extended Description : Pallet Forks



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation

Proc Folder: 92126

Doc Description: Carnifex Ferry - one time purchase of utility tractor

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2015-06-15	2015-07-07 13:30:00	CRFQ 0310 DNR1500000050	1

BID RECEIVING LOCATION
 BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

Vendor Name, Address and Telephone Number:
 BRIDGEPORT EQUIPMENT AND TOOL
 1504 OAKHURST DRIVE
 CHARLESTON, WV 25314
 304-659-2917

FOR INFORMATION CONTACT THE BUYER
 Laura E Hooper
 (304) 558-0468
 laura.e.hooper@wv.gov

Signature X *Ronald A. Gardner* FEIN # 34-1800484 DATE 7/6/2015

All offers subject to all terms and conditions contained in this solicitation

BILL TO		SHIP TO	
SUPERINTENDENT DIVISION OF NATURAL RESOURCES CARNIFEX FERRY SIGN SHOP 1194 CARNIFEX FERRY RD SUMMERSVILLE WV26651-4911 US		SUPERINTENDENT DIVISION OF NATURAL RESOURCES CARNIFEX FERRY BATTLEFIELD 1194 CARNIFEX FERRY RD SUMMERSVILLE WV 26651 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Utility Tractor with front loader and quick attach bucket	1.00000	EA	\$29,184.00	\$29,184.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	AS PER SPECIFICATION	5055E

Extended Description :
Utility Tractor with front loader and quick attach bucket, Mahindra 5530, or equal

BILL TO		SHIP TO	
SUPERINTENDENT DIVISION OF NATURAL RESOURCES CARNIFEX FERRY SIGN SHOP 1194 CARNIFEX FERRY RD SUMMERSVILLE WV26651-4911 US		SUPERINTENDENT DIVISION OF NATURAL RESOURCES CARNIFEX FERRY BATTLEFIELD 1194 CARNIFEX FERRY RD SUMMERSVILLE WV 26651 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Pallet Forks	1.00000	EA	\$679.00	\$679.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	AS PER SPECIFICATION	48PF

Extended Description :
Pallet Forks

DNR150000050	Document Phase Final	Document Description Carnifex Ferry - one time purchase of utility tractor	Page 3 of 3
---------------------	--------------------------------	--	------------------------------

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

Carnifex Ferry Battlefield State Park
Utility Tractor - Pricing Page

Item No.	Description	Manufacturer and Model for "or equal" bids	Qty	Unit Price	Extended Price
1	Utility Tractor with front loader and quick attach bucket, Mahindra 5530, or equal	JOHN DEERE 5055E TRACTOR WITH FRONT LOADER AND QUICK ATTACH BUCKET, SKID STEER CONNECT	1	\$29,184.00	\$29,184.00
2	Pallet Forks	JOHN DEERE - MODEL 48PF SKID STEER CONNECT	1	\$679.00	\$679.00
TOTAL BID AMOUNT					\$29,863.00

If bidding "or equal" brands, vendor must include manufacturer's literature documenting it meets the mandatory requirements stated in the specifications.


Bid price must include shipping charges.

PLEASE SEE ENCLOSED SPECIFICATION SHEET AND INFORMATION REGARDING JOHN DEERE 5055E TRACTOR THAT WAS BID.

CERTIFICATION AND SIGNATURE PAGE

By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

BRIDGEPORT EQUIPMENT AND TOOL
(Company)

 RONALD A. GARDNER SALES
(Authorized Signature) (Representative Name, Title)

304-659-2917 304-659-3276 7/6/2013
(Phone Number) (Fax Number) (Date)

State of West Virginia **VENDOR PREFERENCE CERTIFICATE**

Certification and application* is hereby made for Preference in accordance with **West Virginia Code, §5A-3-37**. (Does not apply to construction contracts). **West Virginia Code, §5A-3-37**, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

1. Application is made for 2.5% vendor preference for the reason checked:

Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or,**

Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or,**

Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or,**

2. Application is made for 2.5% vendor preference for the reason checked:

Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or,**

3. Application is made for 2.5% vendor preference for the reason checked:

Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or,**

4. Application is made for 5% vendor preference for the reason checked:

Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or,**

5. Application is made for 3.5% vendor preference who is a veteran for the reason checked:

Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or,**

6. Application is made for 3.5% vendor preference who is a veteran for the reason checked:

Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

7. Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules.

Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.


Bidder: BRIDGEPORT EQUIPMENT AND TOOL
Date: 7/6/2015

Signed: *Ronald A. Gardner*
Title: SALES

Manufacturer	John Deere
MODEL	5055E
SERIAL NUMBERS	---
Engine	
Family	---
Manufacturer	John Deere
Engine model	PowerTech 3029
Engine power (gross)	42 @ 2100 kW 57 @ 2100 hp
Power take-off (PTO) power	30.1 @ 2100 kW 45 @ 2100 hp
Rated engine speed	---
Type	---
Injection pump type	Direct
Aspiration	Turbocharged
Emissions compliance	Tier 4 Final
Cylinders/displacement	2.9 L 179 cu in.
Number of cylinders	3
Cylinder liners	---
Bore and stroke	---
Compression ratio	---
Lubrication	---
Cooling system	---
Air cleaner	---
Engine torque at rated speed	---
Fuel tank capacity	68.0 L 18.0 gal.
Electrical	
Battery size	---
Alternator (12-V)	---
Starter size	---
Fuel system	
Type	---
Fuel consumption	---
*Fuel consumption rate should be used for comparison purposes only	---
Transmission	
Standard transmission; forward/reverse	9F X 3R SyncShuttle
Optional transmission; forward/reverse	---
Left-hand reverser	N/A
Transmission gear ranges	---
Final drive	---
Brakes	Hydraulic Wet Disc
Steering	---
Clutch, wet/dry	Dry
Clutch disk diameter wet clutch	---
Axle capacity	---
Front	U-Joint
Rear	---
Creeper	---
Cruise control	HST N/A
Differential lock	Mechanical
Maximum loads drawbar	---
Vertical	---
Hydraulics	
Type	Open Center
Pump rated output	43.1 L/min 11.4 gpm
Steering	---
Implement	---

12F/12R PowrReverser™ transmission is ideal for demanding applications

Print



Electrohydraulic reverser lever

The John Deere built PowrReverser transmission provides 12 forward and 12 reverse gears for operators requiring additional flexibility for multiple applications. It comes standard with shifttable 540/540 Economy PTO. This transmission is ideal for operators using their tractors to perform in versatile applications.

Hydraulic wet forward and reverse clutches maximize durability and will outlast the life of any dry clutch. When tractors are run by multiple operators with a variety of experience levels, a wet clutch is the best way to maintain transmission integrity and performance while decreasing clutch replacement costs.

Two platform-mounted levers offer easy and comfortable shifting for a pleasant operator experience. The gear-shift lever is easy to reach and the less-used range lever is now shorter.

Unique knobs make it easier to distinguish between the two. The forward lever selects one of four speeds, all synchronized shifts for on-the-go shifting with the use of the clutch. The rear lever selects collar-shift A, B, and C ranges, which are not synchronized.

Maximum productivity is achieved with hydraulic PowerShift between forward and reverse and is ideal for loader and rear blade applications that require frequent directional switches in tight spaces. Excellent modulation allows the operator to shift the direction lever from neutral to forward or reverse, forward to reverse, reverse to forward, or to neutral from forward or reverse.

Operators can accomplish all these directional changes without sacrificing comfort or having to depress the clutch pedal. The speed of directional changes can be adjusted to the operator's preference or application demands with the field-installed infinitely variable control kit.

An electrohydraulic fingertip directional lever control allows the operator to effortlessly switch directions with a small finger motion. The control is located on the left side of the instrument console and selects forward, reverse, and neutral positions.

It also allows the operator to steer and shift direction with the left hand, freeing the right hand to operate other tractor controls, such as the loader, rear implements, or hand throttle.



5075E

Constant-mesh, helical-cut gears provide quieter operation and excellent reliability while the pressure-lubricated top shaft adds to the transmission durability. Fully enclosed, rigid shift linkages for short throw and crisp shifts enable all operators to clearly know in what range and gear they are operating.

Positive park pawl on the transmission provides positive park and eliminates the need for a hand brake.

This also eliminates clutch service costs that occur when the park brake is accidentally left engaged. A neutral start switch requires the directional lever to be in the neutral position to start the engine.

Ground speeds


See the story on 12F/12R transmission ground speeds.

Availability for 3-cylinder 5E Tractors:


Model	12F/12R Transmission

A durable, mechanical front-wheel drive (MFWD) axle increases traction in tough conditions


[Print](#)



Heavy-duty MFWD front axle with limited slip



MFWD 55-degree turn angle



MFWD indicator light

Limited-slip, heavy-duty MFWD front axle will provide operators with increased drawbar pull and improved traction when operating in slippery conditions. This ensures the operator gets the required torque to the ground for applications that demand more from the tractor. The MFWD front axle also reduces wheel slippage with less tractor ballasting for reduced soil compaction, increased fuel economy and longer tire life.

The MFWD centerline design provides excellent maneuverability around the worksite and more crop clearance so producers aren't driving down their crop or profits. Additional versatility is proven when wheel treads are adjusted and with 6 degrees of caster angle and a 55-degree turn angle which result in a turning radius as short as 3 m (9.9 ft) (brakes applied), allowing plenty of horsepower to turn around in tight places. 10 degrees of axle oscillation follows uneven terrain allowing for consistent performance and comfortable ride.

Axle oscillation also reduces the stress and maintenance cost on the axle spindles because loads are consistently spread across the entire axle. The centerline design eliminates the need for drive shaft universal joints that require regular maintenance. Anti-wrap shielding on the driveline is standard to prevent crop material and debris from building around the driveline and ensures tractor performance. Three grease points are conveniently located to minimize maintenance time while maximizing front axle performance.

NOTE: The MFWD engagement lever is located on the left-hand side of the operator's seat. For the operator's convenience, when MFWD is engaged, an indicator light will appear on the dash.

Optional Equipment On : 5045E, 5055E, 5065E, 5075E

Provide feedback about this page

Last Updated : 24-Feb-2015

[Home](#) | [Feedback](#) | [Help](#) Copyright © 2015 Deere & Company. All Rights Reserved.

[Privacy & Data](#) | [Legal](#)


Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Availability of products, product features, and other content on this site may vary by model and geographic region.

Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.


Copyright © 2015 Deere & Company. All Rights Reserved.

Save fuel, reduce noise, and increase engine life in power take-off (PTO) applications with the 540/540 economy PTO

Print



Shiftable 540/540 economy PTO (SE) for cab tractors



Shiftable 540/540 economy PTO (SE) for OOS tractors

The 540 economy PTO option comes in base equipment with the 12F/12R PowrReverser™ transmission.

The 540/540 economy PTO allows operators to select the engine rpm for reduced fuel consumption, reduced noise levels, reduced vibration, and less wear and tear on the engine, while at the same time keeping the proper 540 rpm at the PTO.

The economy PTO provides 540 rpm to the PTO at 1600 engine rpm. The 540 economy mode is ideal for any PTO application, from running a mower-conditioner to a baler or a cutter, where full engine horsepower is not required.

Operating at lower engine rpm decreases fuel costs up to 30 percent and provides additional productivity by improving the operating experience through enhanced operator comfort from reduced noise and vibration.

A lever allows the operator to simply change between 540 and 540E when conditions merit the opportunity to save fuel without affecting performance.

For heavy-duty operations requiring maximum PTO power, the PTO shift lever is placed in the 540 position, the PTO is engaged, and the engine is run at a rated speed of 2100 rpm. This selection gives 540 rpm to the PTO shaft and delivers the fully advertised horsepower at rated engine speed.

When the cab tractor is in economy PTO mode, the engine is electronically limited to 1600 rpm, preventing accidental over speeding of PTO implements and protecting against binding the PTO shaft.

This interlock also prevents accidental shifting of the PTO selector lever at engine speeds above 1600 rpm, which would lead to downtime for fixing implements or drivetrain components.

Optional Equipment On : 5055E, 5065E, 5075E (not available with 9F/3R transmission)

Provide feedback about this page

Last Updated : 24-Feb-2015

[Home](#) | [Feedback](#) | [Help](#) Copyright © 2015 Deere & Company. All Rights Reserved.

[Privacy & Data](#) | [Legal](#)

Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Availability of products, product features, and other content on this site may vary by model and geographic region.

Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Copyright © 2015 Deere & Company. All Rights Reserved.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: BRIDGEPORT EQUIPMENT AND TOOL

Authorized Signature: *Ronald A. Gardner* Date: 7/6/2015

State of WV

County of Ritchie, to-wit:

Taken, subscribed, and sworn to before me this 6 day of July, 2015.

My Commission expires March 10, 2019.

AFFIX SEAL HERE

NOTARY PUBLIC *Kenna S. Davis*

Purchasing Affidavit (Revised 07/01/2012)

