


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the West Virginia Purchasing Bulletin within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





### Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# State of West Virginia Solicitation Response

Proc Folder: 92858

Solicitation Description: OPEN-END CONTRACT FOR ENGRAVABLE POLYMER SIGN BOARD

Proc Type: Central Master Agreement

Date issued Solicitation Closes	Solicitation No	Version
2015-07-08 13:30:00	SR 0310 ESR07081500000000130	1

#### **VENDOR**

000000159976

BENNETT SUPPLY CO

FOR INFORMATION CONTACT THE BUYER

Laura E Hooper (304) 558-0468 laura.e.hooper@wv.gov

Signature X FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	4' x 8' x 3/4" Brown/Yellow/Brown	120.00000	EA	\$332.41	\$39,889.20
Comm Code	Manufacturer	Specification		Model #	
55121734					
Extended Des	scription: 4' x 8' x 3/4" Brown/Yellov	w/Brown			
Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	4'x 8'x3/4" Custom Color - Cape Code Red/Yellow/Cape Cod Red	100.00000	EA	\$332.41	\$33,241.00
Comm Code	Manufacturer	Specification		Model #	
55121734		<u> </u>			
Line	Comm Ln Desc	Qty 20.00000	Unit Issue	Unit Price \$332.41	Ln Total Or Contract Amount \$6,648.20
3	4' x 8' x 3/4" Green/White/Green	20.00000	EA	\$332.41	<b>\$0,048.2</b> U
Comm Code	Manufacturer	Specification		Model #	
55121734		<u> </u>			
Extended Des	scription: 4' x 8' x 3/4" Green/White	/Green			
Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	4' x 8' x 3/4" Brown/Tan/Brown	20.00000	EA	\$332.41	\$6,648.20
Comm Code	Manufacturer	Specification		Model #	
55121734					
Extended Des	scription: 4' x 8' x 3/4" Brown/Tan/E	Brown			

	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	4' x 8' x 3/4" Brown/White/Brown	5.00000	EA	\$332.41	\$1,662.05
Comm Code	Manufacturer	Specification		Model #	
55121734	a.raractaro.	<u> </u>		model #	
Extended Des	scription: 4' x 8' x 3/4" Brown/White	/Brown			
Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	4' x 8' x 3/4" Black/White/Black	5.00000	EA	\$332.41	\$1,662.05
Comm Code	Manufacturer	Specification		Model #	
55121734					
Extended Des	scription: 4' x 8' x 3/4" Black/White/	Black			
Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
7	4' x 8' x 1/2" Red/White/Red	10.00000	EA	\$221.62	\$2,216.20
Comm Code	Manufacturer	Specification		Model #	
55121734	Manufacturer	Specification		Wodel #	
F-1 1- 1 D	Al v Ol v 4 /Oll D ad/M/hita/D	_ d			
Extended Des	scription: 4' x 8' x 1/2" Red/White/R	ed			
Extended Des	scription: 4' x 8' x 1/2" Red/White/R	ed			
Extended Des	scription: 4' x 8' x 1/2" Red/White/R	ed			
Extended Des	scription: 4' x 8' x 1/2" Red/White/R	ed			
			Unit Iceue	Unit Price	I n Total Or Contract Amount
Line	Comm Ln Desc	Qty	Unit Issue	Unit Price \$221.62	Ln Total Or Contract Amount \$2,216.20
			Unit Issue EA	Unit Price \$221.62	Ln Total Or Contract Amount \$2,216.20
Line 8	Comm Ln Desc	Qty			
Line 8 Comm Code	Comm Ln Desc 4' x 8' x 1/2" Black/White/Black	<b>Qty</b> 10.00000		\$221.62	
8 Comm Code 55121734	Comm Ln Desc 4' x 8' x 1/2" Black/White/Black  Manufacturer	Qty 10.00000 Specification		\$221.62	
Line 8 Comm Code	Comm Ln Desc 4' x 8' x 1/2" Black/White/Black  Manufacturer	Qty 10.00000 Specification		\$221.62	
Line 8 Comm Code 55121734	Comm Ln Desc 4' x 8' x 1/2" Black/White/Black  Manufacturer	Qty 10.00000 Specification		\$221.62	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
9	4' x 8' x 1/2" Blue/White/Blue	10.00000	EA	\$221.61	\$2,216.10
Comm Code	Manufacturer	Specification		Model #	
55121734					
Extended Des	scription: 4' x 8' x 1/2" Blue/White/	/Blue			
Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
10	4' x 8' x 1/4" Red/White/Red	6.00000	EA	\$110.80	\$664.80
Comm Code	Manufacturer	Specification		Model #	
55121734					
Extended Des	scription: 4' x 8' x 1/4" Red/White/	Ked			
Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
11	4' x 8' x 1/4" Black/White/Black	6.00000	EA	\$110.80	\$664.80
Comm Code	Manufacturer	Specification		Model #	
55121734					
Extended Des	scription: 4' x 8' x 1/4" Black/White	e/Black			
Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
12	4' x 8' x 1/4" Blue/White/Blue	6.00000	EA	\$110.80	\$664.80
Comm Code	Manufacturer	Specification		Model #	
55121734					
Extended Des	scription: 4' x 8' x 1/4" Blue/White,	Blue			



# **Engraving Products**





# The multi-color engravable polymer sheet

King ColorCore is a versatile, environmentally stabilized sheet with multiple layers of contrasting color. Its thin cap layers and bright primary colors make it ideal for signage, marine, playground and recreational applications. For maximum versatility, standard colors are made to coordinate with King ColorBoard®. The sheets are easy to engrave and machine, as the cap is approximately .050" of nominal thickness for high production speeds. Base materials are FDA approved as are most materials. King ColorCore is made with high-impact-resistant polymer to handle more abuse than conventional sign materials. King ColorCore is a superior homogeneous sheet, made with a unique state-of-the-art continuous process called PolyFusion®, manufactured to the highest standards in the industry.

King ColorCore is upgradable to King MicroShield® with an exclusive antimicrobial additive, the latest technology for protecting the product surface against stain and odor causing bacteria, algae and fungi.

King ColorCore is upgradable with King FlameShield for ASTM E-84 Class A or B Flame Compliance and CAN/ULC-S102 for Canadian Compliance.

For more information about King MicroShield and King FlameShield, please visit www.kingplastic.com

# **COLORCORE®**

# **Applications**

- Architectural Applications
- Carnival Games
- Children's Furniture
- Furniture
- Marine Applications
- Museums
- Picnic Tables
- Point-of-Purchase Displays
- Signage and Wayfinding

# **Specifications**

#### **Standard Sheet Size**

in: 48" x 96"

1219mm x 2438mm mm:

#### **Standard Gauges**

in: 1/4" 1/2" 3/4" 6.4mm 12.7mm 19mm

#### **Approximate Weight**

lbs: 40 lbs 80 lbs 120 lbs kg: 18kg 36kg 54kg

Cap thickness is .050" for both sides of the material

**Tolerance information:** Gauges 1/4" up to 3/4" ± 5% Length and width plus only at room temperature

Custom sheet sizes, gauges, and colors available

## Standard Colors









Red/White/Red Blue/White/Blue White/Blue/White









White/Red/White

Red/Black/Red

Black/Red/Black Green/White/Green

White/Green/White







Green/Tan/Green

Tan/Green/Tan

Yellow/Black/Yellow

Black/Yellow/Black









Brown/Tan/Brown

Tan/Brown/Tan

Brown/White/Brown

White/Brown/White





White/Black/White

\*Note: Color accuracy can vary considerably on computer monitors and printers. Please consult your distributor for a product sample before making critical color choices.

Properties	Units	ASTM	Nominal Values
Density	g/cc	D1505	0.955
Tensile Strength @ Yield	psi	D638	>4,100
Tensile Modulus	psi	D638	255,000
Elongation @ Yield	%	D638	9.8
Elongation @ Break	%	D638	>600
Flexural Modulus	psi	D790	185,000
Flexural Stress @ 5% Strain	psi	D790	3,810
Compressive Properties 10% Strain	psi	D695	4,950
Durometer	Shore D	D2240	68
Tensile Impact	ft.lbs./in.2	D1822	115
Izod Impact Resistance	ft.lbs./in.2	D256	1.1
Brittleness Temp.	°C (°F)	D746	<-76°C (<-105°F)
Vicat Softening	°C (°F)	D1525	123°C (253°F)
Heat Deflection Temp. 66 psi	°C (°F)	D648	75°C (167°F)
Screw and Nail Withdrawal	lbs	D1761	657 & 63
Flammability	Rating	UL94	НВ

<sup>\*</sup>All values are determined on specimens prepared according to ASTM Standards.

Nominal values should not be interpreted as specifications.

King ColorCore® is made entirely from FDA and made with USDA approved materials. King ColorCore® meets ASTM D4976.

The raw material used to make King ColorCore® does not contain BPA's or Phthlates.

