

State of West Virginia Request for Quotation 12 - Equip. Rental

ļ	Constitution No		
	Proc Type: Central Master Agreement Solicitation Closes Solicitation No CRFQ 0803 DOT1600000102	MENT LEASE/RENTAL WITHOUT OPERATOR	
P			
Date Issued	Solicitation Closes		Version

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

W

25305

VENDOR

US

Vendor Name, Address and Telephone Number:

STATE EQUIPMENT, INC. P.O. BOX 3939 CHARLESTON, WV 25339 (304)776-4405

> 06/29/16 12:44:42 W Purchasine Division

FOR INFORMATION CONTACT THE BUYER		
Misty Delong (304) 558-8802 misty.m.delong@wv.gov		
Signature	FEIN # 550658298	DATE 6/29/16

itions contained in this solicitation

Page: 1

FORM ID: WV-PRC-CRFQ-001

6/29/16

DATE

ADDITIONAL INFORMATION:

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish an open-end contract to provide equipment for lease/rental from individuals and organizations, without Operator, for use at WV Division of Highways' locations throughout the State of WV.

INVOICE TO		SHIP TO	SHIP TO				
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICA	STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER				
No City	WV99999	No City	WV 99999				
US		US					

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
	EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR	0.00000	EA		Total Fifty
					ł

72141702	Manufacturer	Specification	Model #
Extended Description		SEE ATTACHED)	

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Vendor should enter \$0.00 in the Oasis Commodity line. Vendor shall enter pricing for items being bid on Exhibit A Pricing page.

SCHEDULE OF EVENTS Line **Event Date** Technical Questions Due 2016-06-13

	DOT1600000102	Document Phase	Document Description EQUIPMENT LEASE/RENTAL WITHOUT	Page 3 of 3
į			OPERATOR	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Name, Title)
EDDIE ROWAN, JR. GENERAL MANAGER
(Printed Name and Title)
P.O. BOX 3939 CHARLESTON, WV 25339
(Address)
(304)776-4405 (304)776-4409
(Phone Number) / (Fax Number)
EDDIE@STATEEQUIPMENT.COM
(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

STATE EQUIPMENT, INC.
(Company)
EDDIE ROWAN, JR GENERAL MANAGER
(Authorized Signature) (Representative Name, Title)
EDDIE ROWAN, JR. GENERAL MANAGER
(Printed Name and Title of Authorized Representative)
6/29/16
(Date)
(304)776-4405 (304)776-4409
(Phone Number) (Fax Number)

REQUEST FOR QUOTATION Equipment Lease/Rental WITHOUT Operator

quantity leased/rented for each of those items and the total value of lease/rental for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.

8.8 Contract Manager: During its performance of this Contract, the Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below:

Contract Manager: EDDIE ROWAN, JR.

Telephone Number: 304-776-4405

Fax Number: 304-776-4409

Email Address: EDDIE@STATEEQUIPMENT.COM

Equipment Rental WITHOUT Operator

Information Attachment

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The Vendor shall provide the 911 address or the most recent physical street address, city and state for the base location(s). If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified. If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

Vendor Base Location:	
560 NEW GOFF MOUNTAIN ROAD CROSS LANES, WV 25313	-
Vendor Base Location:	
5541 BENEDUM DRIVE	7
SHINNSTON, WV 26431]
Vendor Base Location:	
137 CLIFFTOP DRIVE BEAVER, WV 25813	6500 EMERSOM AVENUE
	PARKERSBURG, WV 26101

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or "√" beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

STATEWIDE	X		
Barbour	Kar	nawha	Pocahontas
Berkeley	Lev	vis	Preston
Boone	Line	coln	Putnam
Braxton	Log	an	Raleigh
Brooke		Dowell	Randolph
Cabell	Mar	ion	Ritchie
Calhoun	Man	shall	Roane
Clay	Mas	on	Summers
Doddridge	Merc	cer	Taylor
Fayette	Mine	eral	Tucker
Gilmer	Ming	10	Tyler
Grant		ongalia	Upshur
Greenbrier	Mon		Wayne
Hampshire	Morg	an	Webster
Hancock	Niche		Wetzel
Hardy	Ohio		Wirt
Harrison	Pend	lleton	Wood
Jackson	Pleas	sants	Wyoming
Jefferson			7.709

.				-
Ex	nı	Ib	IŤ.	Α

			ease/Da-	fol D. C. :			
	Equipment Offered for Lease/Rental		ease/Rental Rate of Equipmer Without Delivery/ Without Operator		Equipment		
Equipment Description	Manufacturer's Name	Model/Serial #		\$ /Week \$ /Month		Delivery Fee 1st Mile Add. M	
16ft - 18 ft length to attach to a pintle hitch			<u> </u>	VIIICER	Φ /INIOIILII	IST MILE	Add. Mi
EQUIPMENT TRAILER							 -
14,000 GVWR							
16' + 2' dovetail, with 24" wide x 60" wide long stand-up	The state of the s						
ramps with support leg and stand-up bar, spring assisted	<u> </u>						
EXCAVATOR - TELEBOOM							
Track Mtd. SP 0.5 Cyd. D	T.						
EXCAVATOR - TELEBOOM							ļ
Truck Mtd. SP 0.5 Cyd. D	1						
EXCAVATOR							
w/McMillen extreme duty earth auger or similar	CASE, KUBOTA	CX31 CX36 KX121	\$275 OO	\$600.00	φ1 750	* 000 00	40.00
EXCAVATOR		CX31,CX36,KX121	\$273.00	φουυ.υυ	\$1,750.	J\$200.00	\$2.00
Mini-Hyd. Track Mtd. 2,600 lbs. max.						Ì	ļ
EXCAVATOR							
Mini-Hyd. Track Mtd. 6,500 lbs. max.	CASE, KUBOTA	CX27, KX71	#17F 00	Φ.Ε.Ο. O.O.			
EXCAVATOR - 1/8 Cyd. 30 HP		ORZI, RAII	\$1/2.00	\$550.00	\$1, 375.	\$200.00	\$2.00
D Track Width 5' out-to-out	CASE, KUBOTA	CX31, KX91	¢175 00	.			
EXCAVATOR - 1/5 Cyd. 44 HP		OASI, KAYI	\$1,2.00	\$550.00	\$1,375.	\$200.00	\$2.00
11,000 lbs. Track Width 6' out-to-out	CASE, KUBOTA	CVSED WYOEZ HEE	4000 00				l
EXCAVATOR - 1/4 Cyd. 55 HP	SIBE, ROBOTA	CX55B,KX057,U55		\$600.00	\$1,700.	\$200.00	\$2.00
D 14,000 lbs. Bucket, Track Width 6' out-to-out	CASE FUDORA DOGGAN	CX55B, XX057, U55					
EXCAVATOR ATTACHMENT	CASE, KUBOTA, DOOSAN	DX63	<u>\$200.00</u>	\$600.00	\$1,700.	\$200.00	\$2.00
Plate compactor for 15,000-20,000 lb excavator							ŀ
EXCAVATOR ATTACHMENT							<u> </u>
Hydraulic hammer for 15,000-20,000 lb excavator	11						{
FLATBED TRUCK			<u> </u>	 			
1 Ton minimum with 22 ft. bed length minimum							1
FORCE FED LOADER		 	ļ				
Athey Loader or similar							
Provide and all similar	I	1					
					'	•	•

Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

Emiliana 1B	<u> </u>	Equipment Offered for Lease/Rental			ease/Rental Rate of Equipmer Without Delivery/ Without Operator			
Equipment Description CRANE 15 - 25 T	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month		ry Fee Add. Mi.	
Hyd. Rough Terrain								
CRANE 20 - 25 T								
Cable D Crawler	1							
CRANE 25 - 30 T								
Cable, Trk, Mtd. G								
CRANE 30 T Hyd.								
CRANE 30 1 Hyd.	1							
CRANE 35 T Hyd.							L	
CRANE 35 1 Hyd.	1							
CRANE 40 T Hyd.								
NOTABLE 40 1 Hyu.								
CRANE 50 T Hyd.								
I III								
CRANE 15 - 20 T							<u> </u>	
Truck Mounted Boom		·						
CRANE 21 - 25 T							 	
Truck Mounted Boom			i					
CULVERT CLEANER	` ` ` ` ` ` · · · · · · · · · · · · · ·		+			 	ļ. <u> </u>	
Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.]	1	
CULVERT CLEANER							 	
Trk. Mtd. 65 - 80 GPM 2,000 PSI min.								
DITCH WITCH		- 				 	 	
						1		
EQUIPMENT TRAILER					1.	 	 	
10,000 lbs or less, tilt style deck								
16ft - 18 ft length to attach to a pintle hitch	HUDSON	HSE18	\$200.00	\$400.00	\$1,000.			
EQUIPMENT TRAILER		 		 	, -, 000	 	 	
12,000 lbs - 14,000 lbs, tilt style deck	HUDSON	HSE18	\$300.00	\$475.00	\$1,200.			

Faulaniant D	Equipment Offered for Lease/Rental			ital Rate of thout Deli	Equipment Delivery Fee		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add Mi
Trk. Mtd. 6.0 Cyd.						1011110	Add. IIII.
CONCRETE SAW							
Full Depth CAP - 24" Blade							
CONCRETE SAW							
12 1/2" Maximum Depth of Cut - 30" Blade		 			1		
CONCRETE SAW	:					· _	
15" Maximum Depth of Cut - 36" Blade							
CONCRETE VIBRATORY SCREED							
Air Powered - 36 ft. max.			1				
CONVEYER		-					
Port. Elev. W/Dumpster 2T min. @ 32 ° - Incline 18"Wx60'L							,
PTO Gas or Diesel Engine Self-Elev.							<u> </u>
CRACK SEALING MACHINE							
Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D							
CRACK SEALING MACHINE				 	 -		
Trl. Mtd. DblBoiler Type, 250 GLN Diesel]
with Pump on Demand Features						<u> </u>	
CRACK SEALING MACHINE					 		
Trl. Mtd. DblBoiler Type, 250 GLN Diesel							
with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE			-				
Trl. Mtd. DblBoiler Type, 250 GLN Diesel							
with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd.					 		
Trk. Mtd. min. 18' Bed					1		
CRANE 12 - 1/2 T Hyd.			 		 		
Trk. Mtd. min. 18' Bed					1		
CRANE 14 T Hyd.		 	+	 	 		
Trk. Mtd. min. 18' Bed							
6					<u> </u>	<u> </u>	L

	Equipment Offered f	or Lease/Rental	ease/Rental Rate of Equipmen Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #			\$/Month	1et Mile	Add M:
BULLDOZER					W AMOREII	raciville	Add. IVII
Crawler GD 130 -140 DHP D	CASE	1650	\$750.00	\$1.900.	\$5,500.	\$400.00	\$3.00
BULLDOZER	OLGD.						
Crawler TC 150 - 250 EHP D	CASE	1850/2050	\$900.00	\$2,200.	\$6,400.	\$400.00	\$3.00
BULLDOZER						<u> </u>	
Crawler/Ripper TCP 181 - 250 EHP D		-					
BULLDOZER				 			
Crawler/Winch TCP 181 - 250 EHP D	CASE	1850/2050	\$1,500.	\$3,000.	\$9,000.	\$400.00	\$3.00
CHIP SPREADER SP				· · · · · · · · · · · · · · · · · · ·		7.00.00	43.00
COLD MILLING - Stabilizer/Recycler							
BOMAG MPH 364 R-2 or similar			ł				
COLD MILL PLANER						<u> </u>	ļ
Self Loading - 2']
COLD MILL PLANER				 	 	 	
Self Loading - 4'			1				
COMPRESSOR							
125 - 160 CFM Portwhl.				ļ			
COMPRESSOR				 	 	 	
170 - 210 CFM Portwhi.		1		J		}]
COMPRESSOR				 		 	
250 - 300 CFM Portwhl.		1					
COMPRESSOR				 		 	
350 - 375 CFM Portwhl.							
COMPRESSOR					 	ļ	ļ
600 CFM Portwhl.				1			
COMPRESSOR						 	
700 - 800 CFM Portwhl.		'			1	1	
CONCRETE MIXER			+		 	-	
	1	l .	I	I			

Equipment Description	Equipment Offered f		ease/Rental Rate of Equipmer Without Delivery/ Without Operator			Equipment Delivery Fee	
Crawler 2,000 ft./lbs. min.	Manufacturer's Name	Model/Serial #		\$ /Week	\$ /Month	1st Mile	
43,000 lbs 60,000 lbs. Excavator Size	CASE, DOOSAN	CX210, DX225			\$8,000.		
BACKHOE (HY-RAM)			72,000.	Ψ5,200.	φο,000.	\$400.00	\$3.00
Crawler 2,000 ft./lbs. min.							
61,000 lbs 80,000 lbs. Excavator Size	CASE	CX350	\$2.000.	\$6,400.	\$16,000	\$400.0) ¢ 2 ∩∩
HYRAM ATTACHMENT ONLY			1 7 7 7 7 7	40,1001	Ψ10,000	Ψ400.00	φ3.00
2,000 ft./lbs. min		·					
BACKHOE			 				
Crawler with a thumb		İ	1				
BACKHOE LOADER			 				
Rubber Tired 55-85 DHP	CASE	580	100000	4500 00			
BACKHOE LOADER (HY-RAM)		300	\$250.00	\$500.00	\$1,400.	\$200.00	\$3.00
Mtd. Hyd. Breaker 55-85 DHP D	9						
BACKHOE LOADER (HO-RAM)			 				
Mtd. Air Breaker 1,000 ft./lbs. min.			1				
BACKHOE LOADER TRACTOR - Compact			+				
Rubber Tired 20-30 HP max. height - 83"	KUBOTA	B26	\$250.00	\$500.00	\$1,200.	\$100 OC	#2 00
BASE WIDENER SP			Ψ230.00	Ψ300.00	φ1,200.	\$100.00	\$3.00
Shoulder Stone							
BRUSH CHIPPER - up to 49 hp			+				
Cutting size - 12" in diameter.				1		'	
BRUSH CHIPPER - from 50 hp to 85 hp		·					
Cutting size - 12" in diameter.				1			
BULLDOZER			+		<u> </u>		.
Crawler GD 65 -75 DHP D	CASE	650	\$400.00	\$1,100.	\$2,500.	\$200.00	\$3.00
BULLDOZER	П			 	-,200	7200.00	Ψ3.00
Crawler GD 80 -90 DHP D	CASE	750	\$425.00	¢1 200	#2 00C	4000 55	
BULLDOZER	The state of the s		ψ44J.UU	Φ1,200.	\$3,000.	\$200.00	\$3.00
Crawler GD 100 -120 DHP D	CASE	850/1150		I.			\$3.00

Equipment Description		Equipment Offered for Lease/Rental		ital Rate of thout Deli- thout Oper	Equipment Delivery Fee		
ASPHALT RECYLING ATTACHMENT	Manufacturer's Name	Model/Serial #		\$ /Week	\$ /Month	1st Mile	
Zipper or similar						13t mine	Add. W
ASPHALT REMOVAL/RECYCLER							
Benedetti or similar to							
AUGER		<u> </u>					
Track Mtd.							
AUGER		 					
Truck Mtd.							
ВАСКНОЕ			 				
Crawler Mech./Hyd. 0.75 Cyd.							
24,000 lbs 28,000 lbs. Working Weight	CASE, KOBELCO	CX130, SK135	\$425.00	\$1,200.	\$3,000.	\$200.00	¢3 00
BACKHOE	II.			7-,2001	Ψ3,000.	Ψ200.00	\$3.00
Crawler Mech./Hyd. 0.75 Cyd.	II.	CX145, SK140,					
29,000 lbs 35,800 lbs. Working Weight	CASE, KOBELCO, DOOSAN	DX140,	\$425 00	\$1 200	\$3,000.	#200 00	40 00
ВАСКНОЕ	1	 	7-123100	Ψ1,200.	φ 3,000 .	\$200.00	\$3.00
Crawler Mech./Hyd. 1.00 Cyd.	CASE, DOOSAN	OV160 PT160			ł		!
36,000 lbs 40,000 lbs. Working Weight		CX160, DX180	\$475.00	\$1,400.	\$3,500.	\$200.00	\$3.00
Attachment: Grapple						 	
BACKHOE	CAGE WARE						<u> </u>
Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP	CASE, KOBELCO, DOOSAN	CX210,SK210			ļ]
42,700 lbs 45,900 lbs. Working Weight		DX225	\$500.00	\$1,500.	\$4,100.	\$200.00	\$3.00
BACKHOE (HY-RAM)	j i						
Crawler 2,000 ft./lbs. min.	CASE	OVICE OVICE					
24,400 lbs 35,800 lbs. Excavator Size		CX135,CX145	\$750.00	\$2,500.	\$6,000.	\$300.00	\$3.00
BACKHOE (HY-RAM)			+	 		<u> </u>	<u> </u>
Crawler 2,000 ft./lbs. min.	CAGE						}
36,000 lbs 42,900 lbs. Excavator Size	CASE	CX160	\$800.00	\$2,700.	\$7,200.	\$300.00	\$3.00
Attachment: Grapple			 	<u> </u>			75.00
BACKHOE (HY-RAM)			 			<u> </u>	

Equipment Description	Equipment Offered fo	ease/Rental Rate of Equipmer Without Delivery/ Without Operator			Equipment Delivery Fee		
AERIAL BUCKET TRUCK	Manufacturer's Name	Model/Serial #		\$ /Week	\$ /Month	1st Mile	
Highway Rated TRK. MTD	*					iot mile	Add. Wil
50' Reach Min. 43.5' Radious 360 degrees							
Boom Rotation @ level position			1				
AERIAL PLATFORM TRUCK							
Highway Rated TRK, MTD							
40' Reach Min. 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK			 				
Highway Rated TRK, MTD							
55' Reach Min. 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar				ł			
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar				,			
ARROW BOARDS			╅───				
4' x 8' panel 15 lamp		İ			j		
ASPHALT DISTRIBUTOR			+	 			<u> </u>
Trk. Mtd. w/spray bar]
ASPHALT RECYCLER							
KM T-2 or similar				}			
ASPHALT RECYCLER							
Self Loading - Stepp SRM 10x120 or similar							
ASPHALT RECYLING ATTACHMENT			┼──				
Endloader bucket - mounted, asphalt grinder/recycle]]		ŀ
attachment; min. 185 hp, app. 8,500 lb. wt. capable of							
grinding and remixing up to 12" deep and 48" wide							
pavement and base.							

Equipment Densylvat	Equipment Offered for	or Lease/Rental	ease/Ren Wit <i>Wit</i>	tal Rate of thout Deliv	Equipment Delivery Fee		
Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.	Manufacturer's Name	Model/Serial #			\$ /Month		
ROCK HAMMER FOR EXCAVATOR						TOTALLO	Add. Wi
5000-7000 lbs. class	MACNUM						
ROCK WAGON	MAGNUM	RHB325	\$750.00	\$2,000.	\$5,000.	\$500.00	\$2.00
20 -30 T							
ROLLER		 					
5 Ton with 2 steel drums	CASE	DWOOT	$\begin{bmatrix} 1 \end{bmatrix}$				
ROLLER	ONOL	DV201	\$250.00	\$750.00	\$2,000.	\$200.00	\$2.00
10-15 Tons with 2 steel drums	1/4						
ROLLER			 				
5 - 6 T PNEUTR TOW/Trk. Mtd.							-
ROLLER	*						
10 T PNEUTR	1						
ROLLER			 				
7-15 T PNEUTR, Articulated							
ROLLER SP					·		
PNEUTR - 10K GVW G						· ·	
ROLLER SP							
PNEUTR - 20K GVW G					•		
ROLLER - TRENCH VIB		 	+				
Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L							
ROLLER - VIB		 					
SP 1 Drum 2XL 10 - 15 K GVW D	DYNAPAC	CA134, CA141	\$225,00	\$725 00	\$2,000.	\$200 oc	#0.00
ROLLER - VIB			+====	4,23.00	Ψ2,000.	φ200.00	\$2.00
SP 1 Drum 2XL 10 - 20 K GVW D	CASE, DYNAPAC	SV208,CA151	\$250.00	фооо oo			
SCREENERS, Material		5.200,0A131	φ430.00	Φ800.00	\$2,800.	\$100.00	\$2.00
Mobile - Diesel							
SHADOW TRUCK w/Attenuator							
min. 30,00 0 GVW							

Equipment Description		Equipment Offered for Lease/Rental			ease/Rental Rate of Equipmer Without Delivery/ Without Operator		
60 ft.	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week		1st Mile	Pry Fee
MANLIFT SP					V AMOUNT	13t Mille	Add. WII
180 ft.							
MANLIFT SP					1		
125 ft. minimum to 135 ft. maximum	. !						
MESSAGE SIGN - PROGRAMMABLE	,						
						-	
MILLING PLANER SKID STEER			<u> </u>				1
Attachment: Broom			-				
Attachment: Bucket			-				
Attachment: Broom Bucket			 	ļ <u>.</u>			
Attachment: Auger of any diameter			 	 	 		
Attachment: 1' - 5' Milling Planer				 			
Attachment: Trencher of any width					 		
MORTAR MIXER				<u> </u>	 		
6 CF 5 HP G	II.						
MOTOR GRADER			 .				
35,000-45,000 lbs. class							
PATCH TRAILER			 	 -	 		
DuraPatcher or similar					1		Ì
PATCH TRUCK			 		 		<u> </u>
DuraMAXX or similar							
PAVER - HOT MIX ASPHALT			 	 	 		
Rubber-tired Paver							
PAVER - HOT MIX ASPHALT	1		 _		 		
Track Paver	0						
POLY PATCHER II or similar			,				<u> </u>
Double-boiler type mixer, Trl Mtd.							
ROCKDRILL - SP			 	 	 		ļ
4	•	•	I	t	1 1		i

Equipment Description	Equipment Offered fo	Wi	tal Rate of thout Deli hout Oper	Equi	oment ery Fee		
SHOULDER MAINTAINER SP	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month		Add. Mi
w/G (min. 67 HP) or w/D (min. 46 HP)	i				Ψ //WOI((I)	1St Wille	Add. Mi.
asphalt or stone width, 1' to 6' and 6" to 12" depth					[]		
SPRAY PATCHER							
Self-contained, Trl Mtd, spray-injection machine	u u						
Self-supporting, rear mounted tri-fold articulating boom							
with fully counterweighted arm. Radius: Min 20'-10".							
Vert.Stroke: 5' - 2' below pavement level.							
STABILIZER (BO-MAG) SP							
250 HP min.							
STRAW / MULCH BLOWER					,		
Trk. Mtd.							
STREET SWEEPER SP					1		
3.0 Cyd. (min.)							<u>-</u> -
STREET SWEEPER SP							
8.0 Cyd. (min.)	.						
STREET SWEEPER			 				
Trlr. Type							
STREET SWEEPER - HYDROSTATIC		-	 				
Elgin Pelican III or similar							
STREET SWEEPER - Towable			ļ				
Self-Propelled					· I		
STREET SWEEPER - Truck-Mounted							
4.0 C.Y. Min. hopper cap., water-spray system for dust control	1						
Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs					ŀ		
TRACTOR			 				
John Deere 6200 or similar]				
Boom Mower Attachment to be used with the above Tractor			 				
Flail Mower Attqachment to be used with the above Tractor	II.		 				

Equipment Description	Equipment Offered for Lease/Rental Manufacturer's Name Model/Serial #		Wit	ital Rate o ithout Deli thout Oper	Equipment Delivery Fee		
Sicklebar Mower Attachment to be used with the above Tracto	manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	
TRAILER	1						Add. Wil.
6 tons with ramps, minimum 18' length, 8.5' width							
TRAILER - LowBoy							
35 - 50 ton - pony motor, self contained hydraulics	·						
TRAFFIC SIGNALS - PORT							
2 Phase Operation D/E	i						
TRENCH PAVER							
Base Widening Machine							
TRUCK - Heavy Industrial	4				<u> </u>		
2 Axle Steel Bed							
TRUCK - Heavy Industrial			<u> </u>				
3 Axle Steel Bed		•					
TRUCK - Heavy Industrial		<u> </u>					
4 Axle Steel Bed							
TRUCK - Heavy Industrial							
5 Axle Steel Bed							
TRUCK - Heavy Industrial							
2 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial					<u> </u>		
3 Axle Aluminum "V" Bed			1		i i		
TRUCK - Heavy Industrial			 -				<u>L</u>
4 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial			 				<u></u>
5 Axle Aluminum "V" Bed							
TRUCK - Water			 				<u>L</u>
Tanker - min 1500 gallons							
UNDERBRIDGE PLATFORM							<u> </u>
Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach					I		

Equipment Description	Equipment Offered fo		W	ntal Rate o ithout Deli thout Oper	Equi	pment ery Fee	
UNDERBRIDGE PLATFORM	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1of Mile	ry Fee
Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach	i			T T T T T T T T T T T T T T T T T T T	Ψ /MOΠΕΠ	1St Wille	Add. Mi
UNDERBRIDGE PLATFORM							i
Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM							l
Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach							
UNDERBRIDGE PLATFORM			 				
Truck Mtd., Hyd. Min. 23 ft. horizontal reach							
(driver to be included)							:
VACUUM/SPRAY UNIT							
Trk. Mtd. min. 1,000 gal. tank min. 60 gpm							
4 ft. teleboom w/swivel/rotating hose reel				}			
VACUUM/STREET SWEEPER			 -				
Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
VAN - BOX			 				
21,000 or greater					j		
VIBRATORY ROLLER with Water			 `				
4 - 5 ton Steel Double Drum	·						•
VIBRATORY ROLLER with Water			 -	 	<u> </u>		
8 - 10 ton Steel Double Drum							
WATER PUMPS - 3"							
w/SUCTION & DISCHARGE HOSES					1		
WATER PUMPS - 4"		<u> </u>			ļ. <u></u>		
w/SUCTION & DISCHARGE HOSES	1						
WATER PUMPS - 6"			 	 			
w/SUCTION & DISCHARGE HOSES					. [
WATER PUMPS - 12"					 		<u> </u>
393			I	I			

Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

Equipment Description	Equipment Offered f	Wi	tal Rate of thout Deliv hout Oper	Equipment			
FORKLIFT TRUCK	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	
Rough Terrain, 5 - 10 K lb. lift cap.	ı				\$ Intoller	ISCHILLE	Add. Mi
GRAPPLE ATTACHMENTS					1		
for Skid Steer Loaders 72" - 78" attachments							
HAMMER (DELMAG) PILE-D.		<u> </u>					
D8-22							
HIGH FLOW SKID STEER							
Attachment: Broom	CASE	SV300	\$250.00	\$500.00	\$1,400.	\$200.00	\$2.00
Attachment: Bucket	CASE, SWEEPSTER	72M	\$150.00	\$300.00	\$500.00	\$200.00	\$2.00
Attachment: Broom Bucket	CASE	N/A	NC	NC	NC	NC	NC
Attachment: Auger of any diameter	CASE SWEEPSTER	60B	\$200.00		\$600.00	\$200.00	\$2 OO
Attachment: 1' - 5' Milling Planer	CASE, MCMILLEN	X1475,X1495	\$150.00	\$300.00	\$500.00	\$200.00	\$2 00
Attachment: Trencher of any width	UNIVERSAL	AP300	\$300.00	\$600.00	\$1.200.	\$200.00	\$2.00
HYDRO-SEEDER	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	1						_11/_B
HYDRO-SEEDER			ļ				
Trk. Mtd. 1,500 - 2,500 Gal.	ii)						
JOINT SEALER		 				. <u></u> .	
3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal.				!			
Double Boiler Type Tank - opening 16"x24"							
Maximum Heat Input - Diesel 290,000 BTU		1					
Incl. Full Sweep Mixer with 2 horizontal paddles	T T						
LIGHT TOWERS PORT.			 				
4 - 1,000 watt bulbs					·		
LOWBOY							
with two drops in deck height - min 35 T		1					
MANLIFT SP		 	— —				
40 ft.							
MANLIFT SP		 	 				

Equipment Description	Equipment Offered fo	r Lease/Rental	ease/Rental Rate of Equipmen Without Delivery/ Without Operator		Equipment Delivery Fee		
W/SUCTION & DISCHARGE HOSES	Manufacturer's Name	Model/Serial #			\$ /Month	1st Mile	Vaa M
WORK PLATFORM SP						TOC MITE	Add. M
SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP							
SL 35' High Platform 1,500# CAP	İ						

WV-10 Approved / Revised 12/16/15

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

	ing the date of this certification: or.	ontinuously in West Virginia for four (4) years immediately preced-
	 Bidder is a partnership, association or corporation resident business continuously in West Virginia for four (4) years 	t vendor and has maintained its headquarters or principal place of immediately preceding the date of this certification;
	 Bidder is a resident vendor partnership, association, o of bidder held by another entity that meets the applical 	r corporation with at least eighty percent of ownership interest ble four year residency requirement; or.
	☐ Bidder is a nonresident vendor which has an affiliate or sub-	osidiary which employs a minimum of one hundred state residents
2.	Application is made for 2.5% vendor preference for the Bidder is a resident vendor who certifies that, during the working on the project being bid are residents of West Virginmediately preceding submission of this bid; or,	the reason checked: life of the contract, on average at least 75% of the employees ginia who have resided in the state continuously for the two years
3.	employs a minimum of one hundred state residents, and completing the project which is the subject of the bidder average at least seventy-five percent of the bidder's emp	he reason checked: of one hundred state residents, or a nonresident vendor which parters or principal place of business within West Virginia and d for purposes of producing or distributing the commodities or 's bid and continuously over the entire term of the project, on loyees or the bidder's affiliate's or subsidiary's employees are continuously for the two immediately preceding years and the
4. X	Application is made for 5% vendor preference for the Bidder meets either the requirement of both subdivisions (reason checked: f) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% vendor preference who Bidder is an individual resident vendor who is a veteran of the	is a veteran for the reason checked: e United States armed forces, the reserves or the National Guard our years immediately preceding the date on which the bid is
6.	parposes or producing or distributing the commodities or co	States armed forces, the reserves or the National Guard, if, for mpleting the project which is the subject of the vendor's bid and e at least seventy-five percent of the vendor's employees are
	Application is made for preference as a non-resident dance with West Virginia Code §5A-3-59 and West Virginia	small, women, and minority-owned business in access
or (b) ass	r understands if the Secretary of Revenue determines that a E ements for such preference, the Secretary may order the Direct assess a penalty against such Bidder in an amount not to exce ntracting agency or deducted from any unpaid balance on the	or of Purchasing to: (a) rescind the contract or purchase order;
the requir	omission of this certificate, Bidder agrees to disclose any reas izes the Department of Revenue to disclose to the Director of Pu quired business taxes, provided that such information does no ed by the Tax Commissioner to be confidential.	If Chasing appropriate information verificing that Diddenkees will
and n an	r hereby certifies that this certificate is true and accurate anything contained within this certificate changes during vision in writing immediately.	in all respects; and that if a contract is issued to Bidder the term of the contract, Bidder will notify the Purchas-
	: STATE EQUIPMENT, INC. Signed:	400
Date:6	6/29/16 Title:	GENERAL MANAGER
*Check any	any combination of preference consideration(s) indicated above, which j	you are entitled to receive.

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: STATE EQUIPMENT, INC.
Authorized Signature: Date: 6/29/16
State of WEST VIRGINIA
County of KANAWHA to-wit:
Taken, subscribed, and sworn to before me this 29 day of June, 20 16.
My Commission expires Much 27, 2021.
AFFIX SEAL HERE NOTARY PUBLIC Mare Liler

Purchasing Affidavit (Revised 08/01/2015)

lotary Public. State of West Virginia

My Commission Expires March 27, 2021