



# West Virginia Purchasing Division

2019 Washington Street, East  
Charleston, WV 25305  
Telephone: 304-558-2306  
General Fax: 304-558-6026  
Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

## Header

List View

### General Information

Procurement Folder: 216719

Procurement Type: Central Master Agreement

Vendor ID: 000000163567

Legal Name: ALL ACCESS RIGGING CO

Alias/DBA:

Total Bid: \$0.00

Response Date: 06/06/2016

Response Time: 16:55

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT1600000102

Published Date: 6/3/16

Close Date: 6/30/16

Close Time: 13:30

Status: Closed

Solicitation Description: EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Total of Header Attachments: 0

Total of All Attachments: 0



Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**State of West Virginia  
 Solicitation Response**

**Proc Folder :** 216719

**Solicitation Description :** EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

**Proc Type :** Central Master Agreement

Date issued	Solicitation Closes	Solicitation No	Version
	2016-06-30 13:30:00	SR 0803 ESR06061600000005891	1

**VENDOR**

000000163567  
 ALL ACCESS RIGGING CO

**FOR INFORMATION CONTACT THE BUYER**

Misty DeLong  
 (304) 558-8802  
 misty.m.delong@wv.gov

**Signature X** **FEIN #** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR	0.00000	EA	\$0.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #
72141702			

<b>Extended Description :</b>	<p>EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR</p> <p>Vendor should enter \$0.00 in the Oasis Commodity line. Vendor shall enter pricing for items being bid on Exhibit A Pricing page.</p>
-------------------------------	---

## Vendor Should Type Pricing Page Schedule

Please contact [misty.g.delong@wv.gov](mailto:misty.g.delong@wv.gov) for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
<b>AERIAL BUCKET TRUCK</b> Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position							
<b>AERIAL PLATFORM TRUCK</b> Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
<b>AERIAL PLATFORM TRUCK</b> Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom Rotation @ level position							
<b>AERIAL PLATFORM TRUCK</b> Elliott Model G50 or similar							
<b>AERIAL PLATFORM TRUCK</b> Elliott Model L55 or similar							
<b>ARROW BOARDS</b> 4' x 8' panel 15 lamp							
<b>ASPHALT DISTRIBUTOR</b> Trk. Mtd. w/spray bar							
<b>ASPHALT RECYCLER</b> KM T-2 or similar							
<b>ASPHALT RECYCLER</b> Self Loading - Stepp SRM 10x120 or similar							
<b>ASPHALT RECYLING ATTACHMENT</b> Endloader bucket - mounted, asphalt grinder/recycle attachment; min. 185 hp, app. 8,500 lb. wt. capable of grinding and remixing up to 12" deep and 48" wide pavement and base.							
<b>ASPHALT RECYLING ATTACHMENT</b> Zipper or similar							
<b>ASPHALT REMOVAL/RECYCLER</b> Benedetti or similar to							

## Vendor Should Type Pricing Page Schedule

Please contact [misty.g.delong@wv.gov](mailto:misty.g.delong@wv.gov) for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
<b>AUGER</b> Track Mtd.							
<b>AUGER</b> Truck Mtd.							
<b>BACKHOE</b> Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs. - 28,000 lbs. Working Weight							
<b>BACKHOE</b> Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs. - 35,800 lbs. Working Weight							
<b>BACKHOE</b> Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs. - 40,000 lbs. Working Weight							
Attachment: Grapple							
<b>BACKHOE</b> Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs. - 45,900 lbs. Working Weight							
<b>BACKHOE (HY-RAM)</b> Crawler 2,000 ft./lbs. min. 24,400 lbs. - 35,800 lbs. Excavator Size							
<b>BACKHOE (HY-RAM)</b> Crawler 2,000 ft./lbs. min. 36,000 lbs. - 42,900 lbs. Excavator Size							
Attachment: Grapple							
<b>BACKHOE (HY-RAM)</b> Crawler 2,000 ft./lbs. min. 43,000 lbs. - 60,000 lbs. Excavator Size							
<b>BACKHOE (HY-RAM)</b> Crawler 2,000 ft./lbs. min. 61,000 lbs. - 80,000 lbs. Excavator Size							
<b>HYRAM ATTACHMENT ONLY</b> 2,000 ft./lbs. min							
<b>BACKHOE</b>							

## Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Crawler with a thumb							
<b>BACKHOE LOADER</b> Rubber Tired 55-85 DHP							
<b>BACKHOE LOADER (HY-RAM)</b> Mtd. Hyd. Breaker 55-85 DHP D							
<b>BACKHOE LOADER (HO-RAM)</b> Mtd. Air Breaker 1,000 ft./lbs. min.							
<b>BACKHOE LOADER TRACTOR - Compact</b> Rubber Tired 20-30 HP max. height - 83"							
<b>BASE WIDENER SP</b> Shoulder Stone							
<b>BRUSH CHIPPER - up to 49 hp</b> Cutting size - 12" in diameter.							
<b>BRUSH CHIPPER - from 50 hp to 85 hp</b> Cutting size - 12" in diameter.							
<b>BULLDOZER</b> Crawler GD 65 -75 DHP D							
<b>BULLDOZER</b> Crawler GD 80 -90 DHP D							
<b>BULLDOZER</b> Crawler GD 100 -120 DHP D							
<b>BULLDOZER</b> Crawler GD 130 -140 DHP D							
<b>BULLDOZER</b> Crawler TC 150 - 250 EHP D							
<b>BULLDOZER</b> Crawler/Ripper TCP 181 - 250 EHP D							
<b>BULLDOZER</b> Crawler/Winch TCP 181 - 250 EHP D							
<b>CHIP SPREADER SP</b>							
<b>COLD MILLING - Stabilizer/Recycler</b> BOMAG MPH 364 R-2 or similar							

## Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
<b>COLD MILL PLANER</b> Self Loading - 2'							
<b>COLD MILL PLANER</b> Self Loading - 4'							
<b>COMPRESSOR</b> 125 - 160 CFM Portwhl.							
<b>COMPRESSOR</b> 170 - 210 CFM Portwhl.							
<b>COMPRESSOR</b> 250 - 300 CFM Portwhl.							
<b>COMPRESSOR</b> 350 - 375 CFM Portwhl.							
<b>COMPRESSOR</b> 600 CFM Portwhl.							
<b>COMPRESSOR</b> 700 - 800 CFM Portwhl.							
<b>CONCRETE MIXER</b> Trk. Mtd. 6.0 Cyd.							
<b>CONCRETE SAW</b> Full Depth CAP - 24" Blade							
<b>CONCRETE SAW</b> 12 1/2" Maximum Depth of Cut - 30" Blade							
<b>CONCRETE SAW</b> 15" Maximum Depth of Cut - 36" Blade							
<b>CONCRETE VIBRATORY SCREED</b> Air Powered - 36 ft. max.							
<b>CONVEYER</b> Port. Elev. W/Dumpster 2T min. @ 32 ° - Incline 18"Wx60'L PTO Gas or Diesel Engine Self-Elev.							
<b>CRACK SEALING MACHINE</b> Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D							
<b>CRACK SEALING MACHINE</b> Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel							

## Vendor Should Type Pricing Page Schedule

Please contact [misty.g.delong@wv.gov](mailto:misty.g.delong@wv.gov) for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
with Pump on Demand Features							
<b>CRACK SEALING MACHINE</b> Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor							
<b>CRACK SEALING MACHINE</b> Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor							
<b>CRANE 10 T Hyd.</b> Trk. Mtd. min. 18' Bed							
<b>CRANE 12 - 1/2 T Hyd.</b> Trk. Mtd. min. 18' Bed							
<b>CRANE 14 T Hyd.</b> Trk. Mtd. min. 18' Bed							
<b>CRANE 15 - 25 T</b> Hyd. Rough Terrain							
<b>CRANE 20 - 25 T</b> Cable D Crawler							
<b>CRANE 25 - 30 T</b> Cable, Trk. Mtd. G							
<b>CRANE 30 T Hyd.</b>							
<b>CRANE 35 T Hyd.</b>							
<b>CRANE 40 T Hyd.</b>							
<b>CRANE 50 T Hyd.</b>							
<b>CRANE 15 - 20 T</b> Truck Mounted Boom							
<b>CRANE 21 - 25 T</b> Truck Mounted Boom							
<b>CULVERT CLEANER</b> Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							

## Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
<b>CULVERT CLEANER</b> Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
<b>DITCH WITCH</b>							
<b>EQUIPMENT TRAILER</b> 10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
<b>EQUIPMENT TRAILER</b> 12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
<b>EQUIPMENT TRAILER</b> 14,000 GVWR 16' + 2' dovetail, with 24" wide x 60" wide long stand-up ramps with support leg and stand-up bar, spring assisted							
<b>EXCAVATOR - TELEBOOM</b> Track Mtd. SP 0.5 Cyd. D							
<b>EXCAVATOR - TELEBOOM</b> Truck Mtd. SP 0.5 Cyd. D							
<b>EXCAVATOR</b> w/McMillen extreme duty earth auger or similar							
<b>EXCAVATOR</b> Mini-Hyd. Track Mtd. 2,600 lbs. max.							
<b>EXCAVATOR</b> Mini-Hyd. Track Mtd. 6,500 lbs. max.							
<b>EXCAVATOR - 1/8 Cyd. 30 HP</b> D Track Width 5' out-to-out							
<b>EXCAVATOR - 1/5 Cyd. 44 HP</b> 11,000 lbs. Track Width 6' out-to-out							
<b>EXCAVATOR - 1/4 Cyd. 55 HP</b> D 14,000 lbs. Bucket, Track Width 6' out-to-out							
<b>EXCAVATOR ATTACHMENT</b> Plate compactor for 15,000-20,000 lb excavator							
<b>EXCAVATOR ATTACHMENT</b>							

## Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Hydraulic hammer for 15,000-20,000 lb excavator							
<b>FLATBED TRUCK</b> 1 Ton minimum with 22 ft. bed length minimum							
<b>FORCE FED LOADER</b> Athey Loader or similar							
<b>FORKLIFT TRUCK</b> Rough Terrain, 5 - 10 K lb. lift cap.							
<b>GRAPPLE ATTACHMENTS</b> for Skid Steer Loaders 72" - 78" attachments							
<b>HAMMER (DELMAG) PILE-D.</b> D8-22							
<b>HIGH FLOW SKID STEER</b>							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Auger of any diameter							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
<b>HYDRO-SEEDER</b>							
<b>HYDRO-SEEDER</b> Trk. Mtd. 1,500 - 2,500 Gal.							
<b>JOINT SEALER</b> 3 Cylinder, Tandem Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 16"x24" Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles							
<b>LIGHT TOWERS PORT.</b> 4 - 1,000 watt bulbs							
<b>LOWBOY</b> with two drops in deck height - min 35 T							
<b>MANLIFT SP</b> 40 ft.							

## Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
<b>MANLIFT SP</b> 60 ft.							
<b>MANLIFT SP</b> 80 ft.							
<b>MANLIFT SP</b> 125 ft. minimum to 135 ft. maximum							
<b>MESSAGE SIGN - PROGRAMMABLE</b>							
<b>MILLING PLANER SKID STEER</b>							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Auger of any diameter							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
<b>MORTAR MIXER</b> 6 CF 5 HP G							
<b>MOTOR GRADER</b> 35,000-45,000 lbs. class							
<b>PATCH TRAILER</b> DuraPatcher or similar							
<b>PATCH TRUCK</b> DuraMAXX or similar							
<b>PAVER - HOT MIX ASPHALT</b> Rubber-tired Paver							
<b>PAVER - HOT MIX ASPHALT</b> Track Paver							
<b>POLY PATCHER II</b> or simliar Double-boiler type mixer, Trl Mtd.							
<b>ROCKDRILL - SP</b> Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
<b>ROCK HAMMER FOR EXCAVATOR</b> 5000-7000 lbs. class							

## Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
<b>ROCK WAGON</b> 20 -30 T							
<b>ROLLER</b> 5 Ton with 2 steel drums							
<b>ROLLER</b> 10-15 Tons with 2 steel drums							
<b>ROLLER</b> 5 - 6 T PNEUTR TOW/Trk. Mtd.							
<b>ROLLER</b> 10 T PNEUTR							
<b>ROLLER</b> 7-15 T PNEUTR, Articulated							
<b>ROLLER SP</b> PNEUTR - 10K GVW G							
<b>ROLLER SP</b> PNEUTR - 20K GVW G							
<b>ROLLER - TRENCH VIB</b> Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L							
<b>ROLLER - VIB</b> SP 1 Drum 2XL 10 - 15 K GVW D							
<b>ROLLER - VIB</b> SP 1 Drum 2XL 10 - 20 K GVW D							
<b>SCREENERS, Material</b> Mobile - Diesel							
<b>SHADOW TRUCK w/Attenuator</b> min. 30,000 GVW	2005 INTERNATIONAL	4300 VIN 1HTMMAAM65H686943	275	1,100	4,000	175	2
<b>SHOULDER MAINTAINER SP</b> w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth							
<b>SPRAY PATCHER</b> Self-contained, Trl Mtd, spray-injection machine Self-supporting, rear mounted tri-fold articulating boom with fully counterweighted arm. Radius: Min 20'-10".							

## Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Vert.Stroke: 5' - 2' below pavement level.							
<b>STABILIZER (BO-MAG) SP</b> 250 HP min.							
<b>STRAW / MULCH BLOWER</b> Trk. Mtd.							
<b>STREET SWEEPER SP</b> 3.0 Cyd. (min.)	2004 FREIGHTLINER	FC80 VIN 1FVAB6BV74DM92250	350	1,400	4,000	100	2
<b>STREET SWEEPER SP</b> 8.0 Cyd. (min.)							
<b>STREET SWEEPER</b> Trlr. Type							
<b>STREET SWEEPER - HYDROSTATIC</b> Elgin Pelican III or similar							
<b>STREET SWEEPER - Towable</b> Self-Propelled							
<b>STREET SWEEPER - Truck-Mounted</b> 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
<b>TRACTOR</b> John Deere 6200 or similar							
Boom Mower Attachment to be used with the above Tractor							
Flail Mower Attachment to be used with the above Tractor							
Sicklebar Mower Attachment to be used with the above Tractor							
<b>TRAILER</b> 6 tons with ramps, minimum 18' length, 8.5' width							
<b>TRAILER - LowBoy</b> 35 - 50 ton - pony motor, self contained hydraulics							
<b>TRAFFIC SIGNALS - PORT</b> 2 Phase Operation D/E							
<b>TRENCH PAVER</b> Base Widening Machine							
<b>TRUCK - Heavy Industrial</b> 2 Axle Steel Bed							

## Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
TRUCK - Heavy Industrial 3 Axle Steel Bed							
TRUCK - Heavy Industrial 4 Axle Steel Bed							
TRUCK - Heavy Industrial 5 Axle Steel Bed							
TRUCK - Heavy Industrial 2 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial 3 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial 4 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial 5 Axle Aluminum "V" Bed							
TRUCK - Water Tanker - min 1500 gallons	1989VOLVO TANKER	4V2RCBMD7KU504190	795	3,180	12,000	150	2
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach	HP 35	HP- 35 1H9US3335FS196414	1,195	3,995	10,495	150	2
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach	HP 35	HP-35 1H9US3335FS196414	1,395	4,599	12,000	150	2
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach	N/A						
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach	N/A						
<b>UNDERBRIDGE PLATFORM</b> Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach	N/A						
<b>UNDERBRIDGE PLATFORM</b> Truck Mtd., Hyd. Min. 23 ft. horizontal reach (driver to be included)	ASPEN B-32 W/DRIVER	2013 FREIGHTLINER 1FVACWBS6DHFE7684	2,000	8,000	30,000	250	2
<b>VACUUM/SPRAY UNIT</b> Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
<b>VACUUM/STREET SWEEPER</b>							

## Vendor Should Type Pricing Page Schedule

Please contact [misty.g.delong@wv.gov](mailto:misty.g.delong@wv.gov) for an Excel version

### Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
<b>VAN - BOX</b> 21,000 or greater							
<b>VIBRATORY ROLLER with Water</b> 4 - 5 ton Steel Double Drum							
<b>VIBRATORY ROLLER with Water</b> 8 - 10 ton Steel Double Drum							
<b>WATER PUMPS - 3"</b> w/SUCTION & DISCHARGE HOSES							
<b>WATER PUMPS - 4"</b> w/SUCTION & DISCHARGE HOSES							
<b>WATER PUMPS - 6"</b> w/SUCTION & DISCHARGE HOSES							
<b>WATER PUMPS - 12"</b> w/SUCTION & DISCHARGE HOSES							
<b>WORK PLATFORM SP</b> SL 25' High Platform 1,500# CAP							
<b>WORK PLATFORM SP</b> SL 35' High Platform 1,500# CAP							