


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026 Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Solicitation Response

Proc Folder: 216719

Solicitation Description: EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Proc Type: Central Master Agreement

| Date issued | Solicitation Closes | Solicitation No | Version |
|-------------|------------------------|------------------------------|---------|
| | 2016-06-30 13:30:00 | SR 0803 ESR06291600000006322 | 1 |

VENDOR

000000215767

SUNBELT RENTALS

FOR INFORMATION CONTACT THE BUYER

Misty Delong (304) 558-8802 misty.m.delong@wv.gov

Signature X FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--|---------|------------|------------|-----------------------------|
| 1 | EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR | 0.00000 | EA | \$0.000000 | \$0.00 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 72141702 | | | | |

Extended Description:

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Vendor should enter \$0.00 in the Oasis Commodity line. Vendor shall enter pricing for items being bid on Exhibit A Pricing page.

Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

| | Equipment Offered for | or Lease/Rental | Wi | tal Rate of thout Deliv | 0.50 | Equipment Delivery Fee | |
|--|-----------------------|--------------------------|---------|----------------------------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| AERIAL BUCKET TRUCK | | | | | | | |
| Highway Rated TRK. MTD | | | | | | | |
| 50' Reach Min. 43.5' Radious 360 degrees | NO BID | | | | | | |
| Boom Rotation @ level position | | | | | | 1 | |
| AERIAL PLATFORM TRUCK | | | 14 | | | | |
| Highway Rated TRK. MTD | NO BID | | | | | | |
| 40' Reach Min. 360 degrees | но вш | | | | | | - |
| Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Highway Rated TRK. MTD | NO BID | | | | | | |
| 55' Reach Min. 360 degrees | но ви | 1 | | | | | |
| Boom Rotation @ level position | | | | | Í | | |
| AERIAL PLATFORM TRUCK | NO DED | | | | | | |
| Elliott Model G50 or similar | NO BID | | | | 39 | | |
| AERIAL PLATFORM TRUCK | NO DED | | | | | | |
| Elliott Model L55 or similar | NO BID | - 22 | | | | | |
| ARROW BOARDS | WANCO or ALLMAND | WTSP55-LSAC? 2200/SE ALT | 75 | 150 | 350 | 75 | 4 |
| 4' x 8' panel 15 lamp | WANCO OF ALLIVIAND | W13F35-LSAG7 2200/3E ALT | 15 | 150 | 350 | 75 | 1 |
| ASPHALT DISTRIBUTOR | NO PED | | | | | | |
| Trk. Mtd. w/spray bar | NO BID | | | | | | |
| ASPHALT RECYCLER | NO DED | | | | | | |
| KM T-2 or similar | NO BID | | | | | | |
| ASPHALT RECYCLER | NO DED | | | | | | |
| Self Loading - Stepp SRM 10x120 or similar | NO BID | | | | | | |
| ASPHALT RECYLING ATTACHMENT | | | | | | | |
| Endloader bucket - mounted, asphalt grinder/recycle | NO DED | | | | | | |
| attachment; min. 185 hp, app. 8,500 lb. wt. capable of | NO BID | | | | | | |
| grinding and remixing up to 12" deep and 48" wide | | | - | | | | |
| pavement and base. | | | | | | | |

Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

| | Equipment Offered f | or Lease/Rental | ease/Rental Rate of Equipme Without Delivery/ Without Operator | | very/ | Equipment Delivery Fee | |
|--|-----------------------------|--|--|-------------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| ASPHALT RECYLING ATTACHMENT | | | | | | | |
| Zipper or similar | NO DID | | | | | | |
| ASPHALT REMOVAL/RECYCLER | NO BID | | 1 | | | | |
| Benedetti or similar to | | | | | | | |
| AUGER | No DW | | | | | | |
| Track Mtd. | NO BID | | | | | | |
| AUGER | No DW | | | | | | |
| Truck Mtd. | NO BID | | | | | | |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 0.75 Cyd. | JOHN DEERE | 135CRTS | 500 | 1,490 | 3,900 | 100 | 2 |
| 24,000 lbs 28,000 lbs. Working Weight | | | | | | | |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 0.75 Cyd. | JOHN DEERE | 135CRTS | 500 | 1,490 | 3,900 | 100 | 2 |
| 29,000 lbs 35,800 lbs. Working Weight | 1 | | | | | 553,2575 | |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 1.00 Cyd. | JOHN DEERE OR KOBELCO | 160GLC or SK160 | 540 | 1,650 | 4,100 | 100 | 2 |
| 36,000 lbs 40,000 lbs. Working Weight | | The property of the second property of the se | N. DECEMPOSE | 1,34172,000 | | | |
| Attachment: Grapple | NO BID | | | | | | |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP | JOHN DEERE OR KOBELCO | 200CLC or SK210 | 600 | 1,650 | 4,500 | 200 | 2 |
| 42,700 lbs 45,900 lbs. Working Weight | | | | Š | | | |
| BACKHOE (HY-RAM) | | 1 | | | | | |
| Crawler 2,000 ft./lbs. min. | JOHN DEERE or HY-RAM INDECO | 135CRTS w/ HP2000LB | 900 | 1,850 | 4,000 | 100 | 2 |
| 24,400 lbs 35,800 lbs. Excavator Size | | | Dana da | 30.E00.0000 | | 574ZMTV | - |
| BACKHOE (HY-RAM) | | | | | | | |
| Crawler 2,000 ft./lbs. min. | JOHN DEERE or HY-RAM INDECO | 160DLC w/ HP2000LB | 1,200 | 3,200 | 8,500 | 100 | 2 |
| 36,000 lbs 42,900 lbs. Excavator Size | | | | | | | _ |
| Attachment: Grapple | NO BID | | | | | | |
| BACKHOE (HY-RAM) | | | | | | | |

| | Equipment Offered t | or Lease/Rental | ease/Rental Rate of Equipmen Without Delivery/ Without Operator | | | Equi | pment ery Fee |
|---|---------------------|--------------------|---|----------|--------------|-----------|------------------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| Crawler 2,000 ft./lbs. min. | JOHN DEERE W/ OKADA | 200CLC w/ TOP 205 | 1,300 | 4,000 | 10,487 | 200 | 5 |
| 43,000 lbs 60,000 lbs. Excavator Size | | | | | | | |
| BACKHOE (HY-RAM) | | | | | | | |
| Crawler 2,000 ft./lbs. min. | NO BID | | | | | | |
| 61,000 lbs 80,000 lbs. Excavator Size | | | | | | | |
| HYRAM ATTACHMENT ONLY | INDECO | LIDOOONAD | 500 | 1 205 | 0.000 | 05 | |
| 2,000 ft./lbs. min | INDECO | HP2000MB | 530 | 1,395 | 3,000 | 95 | 1 |
| BACKHOE | IOUN DEEDE/ TILIMB | IDO40 AMD | 000 | 050 | 0.000 | | |
| Crawler with a thumb | JOHN DEERE w/ THUMB | JD310 4WD | 380 | 950 | 2,900 | 95 | 1 |
| BACKHOE LOADER | IOUN PEEDE | IDO10 | | | | | |
| Rubber Tired 55-85 DHP | JOHN DEERE | JD310 | 250 | 690 | 1,489 | 95 | 1 |
| BACKHOE LOADER (HY-RAM) | JOHN DEEDE & MIDEO | IBO10 111D1000 | — | | | | |
| Mtd. Hyd. Breaker 55-85 DHP D | JOHN DEERE & INDECO | JD310 w/ HP1000 | 512 | 1,112 | 2,812 | 95 | 1 |
| BACKHOE LOADER (HO-RAM) | NO BID | | | | | | |
| Mtd. Air Breaker 1,000 ft./lbs. min. | No bib | | | | | | |
| BACKHOE LOADER TRACTOR - Compact | NO BID | | | | | | |
| Rubber Tired 20-30 HP max. height - 83" | NO BID | | | | | | |
| BASE WIDENER SP | NO BID | | 1 | | | | |
| Shoulder Stone | NO BID | | | | | | |
| BRUSH CHIPPER - up to 49 hp | | - Lorson variation | | | | | |
| Cutting size - 12" in diameter. | VERMEER | BC1000XL | 355 | 1,180 | 3,200 | 95 | 1 |
| BRUSH CHIPPER - from 50 hp to 85 hp | | | | | | | |
| Cutting size - 12" in diameter. | VERMEER | BC1000XL | 355 | 1,180 | 3,200 | 95 | 1 |
| BULLDOZER | | | | | | | |
| Crawler GD 65 -75 DHP D | JOHN DEERE | 450J | 350 | 1,200 | 3,200 | 110 | 2 |
| BULLDOZER | | | | //// | C1 (0.00000) | | |
| Crawler GD 80 -90 DHP D | JOHN DEERE | 550J | 450 | 1,600 | 3,599 | 200 | 2 |
| BULLDOZER | | | 00000000 | | 200000000 | 0000 FEB. | |
| Crawler GD 100 -120 DHP D | JOHN DEERE | 550j | 450 | 1,600 | 3,599 | 200 | 2 |

| | Equipment Offered f | or Lease/Rental | ease/Rental Rate of Equipmer Without Delivery/ Without Operator | | | Equip | Equipment Delivery Fee | |
|--|---------------------|-----------------------|---|----------|-----------|----------|---------------------------|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. | |
| BULLDOZER Crawler GD 130 -140 DHP D | JOHN DEERE | 750J | 850 | 2,650 | 7,500 | 200 | 3 | |
| BULLDOZER Crawler TC 150 - 250 EHP D | NO BID | | | | | | | |
| BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D | NO BID | | | | | | | |
| BULLDOZER Crawler/Winch TCP 181 - 250 EHP D | NO BID | | | | | | | |
| CHIP SPREADER SP | NO BID | | | | | | | |
| COLD MILLING - Stabilizer/Recycler BOMAG MPH 364 R-2 or similar | NO BID | | | | | | | |
| COLD MILL PLANER Self Loading - 2' | NO BID | | | | 0 | | | |
| COLD MILL PLANER Self Loading - 4' | NO BID | | | | | | | |
| COMPRESSOR 125 - 160 CFM Portwhl. | SULLIVAN | D185PJD | 100 | 235 | 520 | 95 | 1 | |
| COMPRESSOR 170 - 210 CFM Portwhl. | SULLIVAN | D185PJD | 100 | 235 | 520 | 95 | 1 | |
| COMPRESSOR 250 - 300 CFM Portwhl. | SULLIVAN or DOOSAN | DF375PDJD or HP375WCU | 175 | 499 | 1,498 | 95 | 1 | |
| COMPRESSOR 350 - 375 CFM Portwhl. | SULLIVAN or DOOSAN | DF375PDJD or HP375WCU | 175 | 499 | 1,498 | 95 | 1 | |
| COMPRESSOR 600 CFM Portwhl. | NO BID | | | | | | | |
| COMPRESSOR 700 - 800 CFM Portwhl. | SULLIVAN | DF900PHCUIG | 400 | 1,100 | 3,212 | 150 | 2 | |
| CONCRETE MIXER Frk. Mtd. 6.0 Cyd | MULTIQUIP | MC94PHPH84BC1 | 99 | 299 | 898 | 95 | 1 | |

| | Equipment Offered for | or Lease/Rental | ease/Rental Rate of Equipme Without Delivery/ Without Operator | | very/ | Equipment Delivery Fee | |
|---|-----------------------|-----------------|--|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| Trk. Mtd. 6.0 Cyd. | MULTIQUIP | МС94РНРН84ВС1 | 99 | 299 | 898 | 95 | 1 |
| CONCRETE SAW Full Depth CAP - 24" Blade | 65 HP SAW - HUSQVARNA | FS6600 | 300 | 800 | 2,200 | 95 | 1 |
| CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade | 65 HP SAW - HUSQVARNA | FS6600 | 300 | 800 | 2,200 | 95 | 1 |
| CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade | 65 HP SAW - HUSQVARNA | FS6600 | 300 | 800 | 2,200 | 95 | 1 |
| CONCRETE VIBRATORY SCREED Air Powered - 36 ft. max. | NO BID | | | | | | |
| CONVEYER Port. Elev. W/Dumpster 2T min. @ 32 ° - Incline 18"Wx60'L PTO Gas or Diesel Engine Self-Elev. | NO BID | | | | | | |
| CRACK SEALING MACHINE Trir. Mtd. Dbl. Drum, 100 - 125 GLN. D | NO BID | | | | | | |
| CRACK SEALING MACHINE Trl.: Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features | NO BID | | | | | | |
| CRACK SEALING MACHINE Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor | NO BID | | | | | | |
| CRACK SEALING MACHINE Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor | NO BID | | | | | | |
| CRANE 10 T Hyd. Trk. Mtd. min. 18' Bed | NO BID | | | | | | |
| CRANE 12 - 1/2 T Hyd. Trk. Mtd. min. 18' Bed | NO BID | | | | 1000000 | | |
| CRANE 14 T Hyd. Trk. Mtd. min. 18' Bed | NO BID | | | | | | |

Vendor Should Type Pricing Page Schedule

Please contact misty.g.delong@wv.gov for an Excel version

| ji | Equipment Offered f | or Lease/Rental | w | ntal Rate o ithout Deli thout Oper | | Equipment Delivery Fee | |
|---|----------------------------|------------------------|----------|--|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| CRANE 15 - 25 T Hyd. Rough Terrain | NO BID | | | | | | |
| CRANE 20 - 25 T | | | | | | | |
| Cable D Crawler | NO BID | | | | | | |
| CRANE 25 - 30 T Cable, Trk. Mtd. G | NO BID | | | | | | |
| CRANE 30 T Hyd. | NO BID | | | | | | |
| CRANE 35 T Hyd. | NO BID | | | | | | |
| CRANE 40 T Hyd. | NO BID | | | | | | |
| CRANE 50 T Hyd. | NO BID | | | | | | |
| CRANE 15 - 20 T Truck Mounted Boom | NO BID | | | | | | |
| CRANE 21 - 25 T Truck Mounted Boom | NO BID | | | | | | |
| CULVERT CLEANER Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min. | NO BID | | | | | | |
| CULVERT CLEANER Trk. Mtd. 65 - 80 GPM 2,000 PSI min. | NO BID | | | | | | |
| DITCH WITCH | VERMEER or TORO | TRX16 or RTX250 TRACKS | 130/ 150 | 350/ 450 | 900/ 1220 | 95 | 1 |
| EQUIPMENT TRAILER 10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch | ANDERSON 18FT TILT TRAILER | TI7185TCG | 60 | 185 | 530 | 100 | 1 |
| EQUIPMENT TRAILER 12,000 lbs - 14,000 lbs, tilt style deck | NO BID | i a | | | | | |

| | Equipment Offered f | or Lease/Rental | Wi | tal Rate of thout Deli | | Equipment Delivery Fee | |
|---|---------------------|-----------------|---------|---------------------------|-----------|---------------------------|-------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | |
| 16ft - 18 ft length to attach to a pintle hitch | | | | | | | |
| EQUIPMENT TRAILER | | | | | | | |
| 14,000 GVWR | NO BID | | 1 | | | | |
| 16' + 2' dovetail, with 24" wide x 60" wide long stand-up | NO DID | | | | | | |
| ramps with support leg and stand-up bar, spring assisted | | | | |) | | |
| EXCAVATOR - TELEBOOM | NO BID | | | | | | |
| Track Mtd. SP 0.5 Cyd. D | NO BID | | | | | | |
| EXCAVATOR - TELEBOOM | NO BID | | | | | | |
| Truck Mtd. SP 0.5 Cyd. D | NO BID | | | | | | |
| EXCAVATOR | NO BID | | | | | | |
| w/McMillen extreme duty earth auger or similar | NO BID | | | | | | |
| EXCAVATOR | DODGAT | 440.00.004 | 105 | 100 | 4.000 | | 2.00 |
| Mini-Hyd. Track Mtd. 2,600 lbs. max. | BOBCAT | 418 OR 324 | 185 | 490 | 1,200 | 95 | 1 |
| EXCAVATOR | DODGAT/ JOUN DEEDE | 5001000 | 205 | 200 | 4 405 | | |
| Mini-Hyd. Track Mtd. 6,500 lbs. max. | BOBCAT/ JOHN DEERE | E26/ 26G | 225 | 600 | 1,495 | 95 | 1 |
| EXCAVATOR - 1/8 Cyd. 30 HP | NO BID | | | | | | |
| D Track Width 5' out-to-out | NO BID | | | | | | |
| EXCAVATOR - 1/5 Cyd. 44 HP | DODGAT/ JOUN DEEDE | 550/500 | 000 | 200 | 0.400 | | |
| 11,000 lbs. Track Width 6' out-to-out | BOBCAT/ JOHN DEERE | E50/ 50G | 300 | 890 | 2,400 | 95 | 1 |
| EXCAVATOR - 1/4 Cyd. 55 HP | DODGAT/ JOUN DEEDS | 500/755 | 450 | 4.000 | 0.005 | | |
| D 14,000 lbs. Bucket, Track Width 6' out-to-out | BOBCAT/ JOHN DEERE | E80/ 75D | 450 | 1,200 | 2,925 | 110 | 1 |
| EXCAVATOR ATTACHMENT | NO BID | | | | | | |
| Plate compactor for 15,000-20,000 lb excavator | NO BID | | | | | | |
| EXCAVATOR ATTACHMENT | 2,412,4 | | | | | | |
| Hydraulic hammer for 15,000-20,000 lb excavator | OKADA | TOP60B | 290 | 780 | 1,795 | 100 | 1 |
| FLATBED TRUCK | NO BID | | | | | | |
| 1 Ton minimum with 22 ft. bed length minimum | NO DID | | | | | | |
| FORCE FED LOADER | NO BID | | | | | | |
| Athey Loader or similar | МО ФШ | | | 5 6 8 | | Ì | |
| 100 to 100 = 0 | · · | | L | Ų. | | | le le |

| | Equipment Offered t | or Lease/Rental | ease/Rental Rate of Equipme Without Delivery/ Without Operator | | very/ | Equipment Delivery Fee | |
|---|---------------------|-----------------|--|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| FORKLIFT TRUCK | JCB - 6000 LB CAP | JCB930 | 280 | 700 | 1,749 | 95 | 4 |
| Rough Terrain, 5 - 10 K lb. lift_cap. | JCB - 0000 LB CAP | 100930 | 200 | 700 | 1,749 | 95 | 1 |
| GRAPPLE ATTACHMENTS | BOBCAT | 7168340 | 70 | 185 | 450 | 0.5 | , |
| for Skid Steer Loaders 72" - 78" attachments | BOBCAT | / 100340 | /0 | 100 | 450 | 95 | 1 |
| HAMMER (DELMAG) PILE-D. | NO DID | | | | | | |
| D8-22 | NO BID | | | | | | |
| HIGH FLOW SKID STEER | BOBCAT | S650 | 255 | 750 | 1,900 | 95 | 1 |
| Attachment: Broom | 68' BOBCAT | 6905805 | 120 | 350 | 789 | 95 | 1 |
| Attachment: Bucket | BOBCAT | BUCKET | 50 | 125 | 300 | 95 | 1 |
| Attachment: Broom Bucket | BOBCAT | 6707144 | 200 | 475 | 1,300 | 95 | 1 |
| Attachment: Auger of any diameter | BOBCAT | AUGER36 | 85 | 225 | 595 | 95 | 1 |
| Attachment: 1' - 5' Milling Planer | BOBCAT | M7017 | 230 | 580 | 1,725 | 95 | 1 |
| Attachment: Trencher of any width | NO BID | | | | | | |
| HYDRO-SEEDER | FINN 600 GAL CAP | Т60Т | 250 | 625 | 1,712 | 95 | 2 |
| HYDRO-SEEDER | NO BID | | | | | | |
| Trk. Mtd. 1,500 - 2,500 Gal. | NO BID | | | | | | |
| JOINT SEALER | | | | | | | |
| 3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal. | | | | | | | |
| Double Boiler Type Tank - opening 16"x24" | NO BID | | | | | | |
| Maximum Heat Input - Diesel 290,000 BTU | NO BID | | | | | | |
| Incl. Full Sweep Mixer with 2 horizontal paddles | | | 3 | | | | |
| LIGHT TOWERS PORT. | TEREX | DI 4000 | 00 | 200 | 400 | 0.5 | |
| 4 - 1,000 watt bulbs | TEREX | RL4000 | 99 | 299 | 498 | 95 | 2 |
| LOWBOY | NO BID | | | | | | |
| with two drops in deck height - min 35 T | NO PID | | | | | | |
| MANLIFT SP | II O/ OFNIE | 10001 | 005 | 740 | 4.000 | 440 | |
| 40 ft. | JLG/ GENIE | 460SJ | 295 | 740 | 1,690 | 110 | 2 |
| MANLIFT SP | II G/ GENIE | 66061 | 440 | 077 | | | |
| 60 ft. | JLG/Genie | 600Sj | 410 | 975 | 1,890 | 110 I | 2 |

| | Equipment Offered t | or Lease/Rental | W | ease/Rental Rate of Equipmer Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|---|---------------------|-----------------|---------|---|-----------|----------|---------------------------|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. | |
| 60 ft. | JLG/Genie | 600Sj | 410 | 975 | 1,890 | 110 | 2 | |
| MANLIFT SP 80 ft. | JLG/ GENIE | 880SJ | 759 | 1,420 | 3,200 | 110 | 2 | |
| MANLIFT SP 125 ft. minimum to 135 ft. maximum | JLG | 1350SJP | 1,800 | 3,200 | 7,200 | 250 | 2 | |
| MESSAGE SIGN - PROGRAMMABLE | WANCO | WTMMBSLLA | 250 | 690 | 2,000 | 110 | 2 | |
| MILLING PLANER SKID STEER | BOBCAT | LAF5424 24" | 230 | 580 | 1,725 | 95 | 1 | |
| Attachment: Broom | SWEEPSTER | 2107MS240022 | 120 | 350 | 789 | 95 | 1 | |
| Attachment: Bucket | BOBCAT | BUCKET | 50 | 125 | 300 | 95 | 1 | |
| Attachment: Broom Bucket | BOBCAT | 6707144 | 200 | 475 | 1,300 | 95 | 1 | |
| Attachment: Auger of any diameter | BOBCAT | AUGER36 | 85 | 225 | 595 | 95 | 1 | |
| Attachment: 1' - 5' Milling Planer | BOBCAT | LAF5424 24" | 230 | 580 | 1,725 | 95 | 1 | |
| Attachment: Trencher of any width | NO BID | | | | | | | |
| MORTAR MIXER 6 CF 5 HP G | MULTIQUIP | MC94PH8HBC1 | 99 | 299 | 595 | 95 | 1 | |
| MOTOR GRADER 35,000-45,000 lbs. class | NO BID | | | | | | | |
| PATCH TRAILER DuraPatcher or similar | NO BID | | | | | | | |
| PATCH TRUCK DuraMAXX or similar | NO BID | | | | | | | |
| PAVER - HOT MIX ASPHALT Rubber-tired Paver | NO BID | | | | | | | |
| PAVER - HOT MIX ASPHALT Track Paver | NO BID | | | | | | | |
| POLY PATCHER II or simliar Double-boiler type mixer, Trl Mtd. | NO BID | | | | | | | |
| ROCKDRILL - SP | NO BID | 1 | | | | | | |

| | Equipment Offered for Lea | | ease/Rental Rate of Equipmen Without Delivery/ Without Operator | | Equip | pment ery Fee | |
|--|---------------------------|----------------|---|----------|-----------|------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| Hyd. Excav./Boom Mtd. 3" Holes/20" deep min. | NO BID | | | | | | |
| ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class | INDECO | HP4000MB | 700 | 2,100 | 4,500 | 95 | 1 |
| ROCK WAGON 20 -30 T | INGERSOLL RAND | 5070 | 375 | 1,485 | 4,000 | 100 | 2 |
| ROLLER 5 Ton with 2 steel drums | WACKER 5000# | RD12A | 210 | 630 | 1,290 | 95 | 1 |
| ROLLER 10-15 Tons with 2 steel drums | НАММ | HD+80VV | 300 | 700 | 2,000 | 300 | 2 |
| ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. | NO BID | | | | | | |
| ROLLER 10 T PNEUTR | NO BID | | | | | | |
| ROLLER 7-15 T PNEUTR, Articulated | JCB-VIBMAX | VM106D 84" | 375 | 1,485 | 4,000 | 100 | 1 |
| ROLLER SP PNEUTR - 10K GVW G | NO BID | | | | | | |
| ROLLER SP PNEUTR - 20K GVW G | NO BID | | | | | | |
| ROLLER - TRENCH VIB Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L | WACKER | RTX-SC2 | 300 | 900 | 2,190 | 95 | 1 |
| ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D | НАММ | 3307 | 495 | 1,370 | 3,600 | 125 | 2 |
| ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D | НАММ | H11IX | 525 | 1,500 | 3,750 | 125 | 2 |
| SCREENERS, Material Mobile - Diesel | NO BID | | | | | | |
| SHADOW TRUCK w/Attenuator min. 30,000 GVW | NO BID | | | | | | |

| | Equipment Offered for Lease/Rental | | ease/Rental Rate of Equipmen Without Delivery/ Without Operator | | | r Equipment Delivery Fee | |
|--|------------------------------------|----------------|---|----------|-----------|--------------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| SHOULDER MAINTAINER SP | | | | | | | |
| w/G (min. 67 HP) or w/D (min. 46 HP) | NO BID | | | | | | |
| asphalt or stone width, 1' to 6' and 6" to 12" depth | | | | | | | |
| SPRAY PATCHER | | | | | | | |
| Self-contained, Trl Mtd, spray-injection machine | | | | | | | |
| Self-supporting, rear mounted tri-fold articulating boom | NO BID | | | | | | |
| with fully counterweighted arm. Radius: Min 20'-10". | 1 | | | | | | |
| Vert.Stroke: 5' - 2' below pavement level. | | | | | | | |
| STABILIZER (BO-MAG) SP | | | | | | | |
| 250 HP min. | NO BID | | 1 | | | | |
| STRAW / MULCH BLOWER | | | | | | | |
| Trk. Mtd. | NO BID | | | | | | |
| STREET SWEEPER SP | LAVAGE OF BALL | | | | | | |
| 3.0 Cyd. (min.) | LAYMOR 2" BALL | 8HC | 290 | 900 | 1,900 | 95 | 1 |
| STREET SWEEPER SP | | | | | | | |
| 8.0 Cyd. (min.) | NO BID | | | | | | |
| STREET SWEEPER | | | | | | | |
| Trlr. Type | NO BID | | | | | | |
| STREET SWEEPER - HYDROSTATIC | | | | | | | |
| Elgin Pelican III or similar | NO BID | | | | | | |
| STREET SWEEPER - Towable | LAVAGE OF BALL | | | | | 0.000 | 977 |
| Self-Propelled | LAYMOR 2" BALL | 8HC | 290 | 900 | 1,900 | 95 | 1 |
| STREET SWEEPER - Truck-Mounted | | | | | | | |
| 4.0 C.Y. Min. hopper cap., water-spray system for dust control | NO BID | | | | | | |
| Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs | | | | | | | |
| TRACTOR | | | | | | | |
| John Deere 6200 or similar | NO BID | | 1 | | | | |
| Boom Mower Attachment to be used with the above Tractor | NO BID | | | | | | |
| Flail Mower Attqachment to be used with the above Tractor | NO BID | | | | | | |

| | Equipment Offered for Lease/Rental | | ease/Rental Rate of Equipmen. Without Delivery/ Without Operator | | | r Equipment Delivery Fee | |
|--|------------------------------------|----------------|--|----------|--|--------------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| Sicklebar Mower Attachment to be used with the above Tractor | NO BID | | | | | | |
| TRAILER | | | | | Processor Control State Contro | | |
| 6 tons with ramps, minimum 18' length, 8.5' width | NO BID | | | | | | |
| TRAILER - LowBoy | | | | | | | |
| 35 - 50 ton - pony motor, self contained hydraulics | NO BID | | | | | | |
| TRAFFIC SIGNALS - PORT | | | 1 | | | | |
| 2 Phase Operation D/E | NO BID | | | | | | |
| TRENCH PAVER | | | | | | | |
| Base Widening Machine | NO BID | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 2 Axle Steel Bed | NO BID | | | | V I | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 3 Axle Steel Bed | NO BID | | u. | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 4 Axle Steel Bed | NO BID | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 5 Axle Steel Bed | NO BID | | | | | | |
| TRUCK - Heavy Industrial | | | i i | | | | |
| 2 Axle Aluminum "V" Bed | NO BID | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 3 Axle Aluminum "V" Bed | NO BID | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 4 Axle Aluminum "V" Bed | NO BID | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 5 Axle Aluminum "V" Bed | NO BID | | | | | | |
| TRUCK - Water | | | | | | | |
| Tanker - min 1500 gallons | NO BID | | l | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach | NO BID | | | | | | |

| | Equipment Offered for Lease/Rental | | ease/Rental Rate of Equipmer Without Delivery/ Without Operator | | | r Equipment Delivery Fee | |
|---|------------------------------------|----------------|---|----------|-----------|--------------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach | NO BID | | | | | | |
| UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach | NO BID | | | | | | |
| UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach | NO BID | | | | | | |
| UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach | NO ID | | | | | | |
| UNDERBRIDGE PLATFORM Truck Mtd., Hyd. Min. 23 ft. horizontal reach (driver to be included) | NO BID | | | | | | |
| VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel | NO BID | | | | | | |
| VACUUM/STREET SWEEPER Self-Propelled, 4 Cyd., Gas, 5 ft wide path | NO BID | | | | | | |
| VAN - BOX 21,000 or greater | NO BID | | | | | | |
| VIBRATORY ROLLER with Water 4 - 5 ton Steel Double Drum | NO BID | | | | | | |
| VIBRATORY ROLLER with Water 8 - 10 ton Steel Double Drum | NO BID | 100 00 0000 | | | | | |
| WATER PUMPS - 3" w/SUCTION & DISCHARGE HOSES | MULTIQUIP | QP3TH | 50 | 130 | 349 | 95 | 1 |
| WATER PUMPS - 4" w/SUCTION & DISCHARGE HOSES | MULTIQUIP | QP4TJ | 90 | 225 | 598 | 95 | 1 |
| WATER PUMPS - 6" w/SUCTION & DISCHARGE HOSES | GORMAN RUPP | PA6D60-4045T | 520 | 1,800 | 3,400 | 200 | 2 |
| WATER PUMPS - 12" | NO BID | 1 | | | | | |

| ST S | Equipment Offered f | Equipment Offered for Lease/Rental | | ease/Rental Rate of Equipmen Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|---|---------------------------|------------------------------------|---------|---|-----------|----------|---------------------------|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. | |
| w/SUCTION & DISCHARGE HOSES | NO BID | | | | | | | |
| WORK PLATFORM SP SL 25' High Platform 1,500# CAP | JLG/ GENIE 1000# CAP ONLY | 2630ES | 150 | 375 | 750 | 95 | 1 | |
| WORK PLATFORM SP SL 35' High Platform 1,500# CAP | JLG/ GENIE 700# CAP | 3246ES | 180 | 450 | 900 | 95 | 1 | |

Sunbelt Rentals cannot claim Vendor Preference

WV-10 Approved / Revised 12/16/15

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

| | Application is made for 2.5% vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a padpossible processible processible. |
|------------|---|
| | Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; |
| | Bidder is a resident vendor partnership, association, or corporation with at least eighty percent of ownership interest of bidder held by another entity that meets the applicable four year residency requirement; or. |
| Ш | Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or, |
| 2. | Application is made for 2.5% vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or, |
| 3. | Application is made for 2.5% vendor preference for the reason checked: Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years and the vendor's bid; or, |
| 4. | Application is made for 5% vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or, |
| 5. | Application is made for 3.5% vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or, |
| 6. | Application is made for 3.5% vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years. |
| | Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules. Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business. |
| or (b) as: | inderstands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the nents for such preference, the Secretary may order the Director of Purchasing to: (a) rescind the contract or purchase order; sess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to racting agency or deducted from any unpaid balance on the contract or purchase order. |
| the requi | dission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and set the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid red business taxes, provided that such information does not contain the amounts of taxes paid nor any other information by the Tax Commissioner to be confidential. |
| und il di | pereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder bything contained within this certificate changes during the term of the contract, Bidder will notify the Purchassion in writing immediately. |
| | Sunbelt Rentals cannot claim Vendor Preference Signed: Signed: |
| Date: | Title: |
| *Check any | v combination of preference consideration(s) indicated above, which you are entitled to receive. |

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

WITNESS THE FOLLOWING SIGNATURE:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

STATE OF SOUTH CAROLINA

Purchasing Affidavit (Revised 08/01/2015)

Sunbelt Rentals, Inc. General Information

General Information

Sunbelt Rentals is one of the largest equipment rental companies in North America and has been established since 1983. Our extensive fleet exceeds \$5.0 billion and included general construction equipment, industrial tools, pumps and power generation equipment, trench shoring, scaffolding, remediation & restoration equipment and much more. We have 3 branches West Virginia and many more bordering in surrounding states; our corporate office is located at 2341 Deerfield Drive, Fort Mill, South Carolina 29715. Our website is www.sunbeltrentals.com

Local Contact Information

Primary contacts to service this contract:

David Tippie, Branch Manager #168 in Charleston, WV

Phone: 304-342-5000 / Cell: 304-741-1174 / Fax: 304-342-8829

Email: PCM168@sunbeltrentals.com

Fred Truman, Branch Manager #217 Saint Albans, WV

Phone: 304-766-6224 / Fax: 304-766-9796 / Email: PCM217@sunbeltrentals.com

Gregory Pritt, Outside Sales Representative

Phone: 304-342-5000 / Fax: 304-342-8829 / Email: gregory.pritt@sunbeltrentals.com

Eric Leach, Branch Manager #131 Ashland, KY

Phone: 606-928-8118 / Fax: 606-928-0087 / Email: PCM131@sunbeltrentals.com

Rocky Stephenson, Appalachian District Manager

Cell Phone: 248-760-6468 / Email: rocky.stephenson@sunbeltrentals.com

Contract execution, Certificates of Insurance - Sunbelt Rentals Contract Team

Phone: 800-508-4762 or 803-578-5136 / Fax: 803-578-6850 / Email: contractteam@sunbeltrentals.com

Sunbelt Rentals can service the entire State of West Virginia for this contract.

Equipment Information

The average age of Sunbelt's extensive fleet is <u>36 months</u> and exceeds \$5.0 billion in general construction equipment including industrial tools, pumps and power generation equipment, trench shoring, scaffolding, remediation & restoration equipment and much more.

Sunbelt maintains Standard Operating Procedures that dictate the maintenance schedule for all equipment owned by Sunbelt. Sunbelt's Service Managers and/or Shop Foremen perform quality checks of equipment on a daily basis. Service Managers/Shop Forman also maintain equipment service records on a daily basis. These records include manufacturer required post-delivery reports, test certificates, manufacturer required operator and service manuals, and other supporting documentation. All active equipment service records are maintained through the life of the equipment. Sunbelt currently employs 3,435 maintenance workers with an average work experience of 3.7 years.

Please see our website for a complete listing of available equipment and the services of our Special Divisions at www.sunbeltrentals.com.

Customer tools eliminate waste and maximize equipment utilization

- Sunbelt's Command Center- This web portal will provide Customer a global view of all
 equipment on rent and a historic look back on previous rental transactions. This includes
 invoicing, purchase order numbers, rented by name, equipment type and model, days on rent,
 total billings, etc. Reports can be set up to send on a regularly scheduled day and time and/or
 can pull the reports as needed. Please see Attached Online Account Management PDF for
 additional information.
- Access Sunbelt App Customer will have the capability to browse equipment, find nearby locations, rent equipment, request pickups and view frequent orders all from all from an iPhone, iPad or an Android smartphone. There is also the capability to view all of Customer's job sites on a map and to view specific contact details, equipment on rent and more.
- Reporting Customer will have the capability through the Web Portal to set up reports. These
 reports are on an ad hoc basis. Customer can set up these reports to send on a regularly
 scheduled day and time/or pull the reports as needed.
- Sunbelt Rentals can also provide Customer with Mid-Year and End of Year meetings/reviews.


Our Customer Service - "No Sweat" Guarantee

At Sunbelt Rentals we pride ourselves on our No Sweat Guarantee:

- 1) Satisfaction: We supply the right equipment, on time, serviced and ready to do the job at hand, or the rental that day is free.
- 2) On-Time Delivery: We deliver within 45 minutes of the quoted delivery time, or the rental that day is free.
- 3) Service: We repair or replace down equipment within 4 hours of the call for service, or the rental that day is free.
- 4) Availability: If you visit a Sunbelt Rentals location to rent a guaranteed stocked item that is unavailable, we will provide free delivery from another location directly to your job site.

We also offer our After-Hours Response. A quick response time for emergency after hours-delivery or service calls is very important. A local operational representative will respond to your after-hours call within 1 hour, or 1 day's rental is free.

On top of that we offer 24/7 customer service assistance. Our 1-800-No SWEAT number would put Customer in touch with a live customer service representative 24/7. As a result, we respond to 99.9% of our customer's calls in less than 1 hour and over 98.4% in less than 30 minutes.



State of West Virginia Request for Quotation 12 — Equip. Rental

Proc Folder: 216719

Doc Description: EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Proc Type: Central Master Agreement

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

w

25305

US

Corporate Office: Sunbelt Rentals, Inc.

Contract Team

2341 Deerfield Drive, Fort Mill, SC 29715

800-508-4762 / 803-578-5136

VENDOR

Vendor Name, Address and Telephone Number:Local Branch

SUNBELT RENTALS, INC. 1716 PENNSYLVANIA AVE. CHARLESTON, WV 25302

304-342-5000

FOR INFORMATION CONTACT THE BUYER

Misty Delong (304) 558-8802

misty.m.delong@wv.gov

Signature X

FEIN # 58-0415192

DATE June 29, 2016

All offers subject to all terms and conditions contained in this solicitation

Page: 1

FORM ID : WV-PRC-CRFQ-001

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

| Stephanie Ransone | |
|--|--|
| (Name, Title) | |
| Stephanie Ransone, Sr. Customer Contract Manager | |
| (Printed Name and Title) | |
| 2341 Deerfield Drive, Fort Mill, SC 29715 | |
| (Address) | |
| 800-508-4762 or 803-578-5136 / Fax: 803-578-6850 | |
| (Phone Number) / (Fax Number) | |
| contractteam@sunbeltrentals.com | |
| (email address) | |

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

| Sunbelt Rentals, Inc. |
|---|
| (Company) |
| , Sr. Customer Contract Manager |
| (Authorized Signature) (Representative Name, Title) |
| Stephanie Ransone, Sr. Customer Contract Manager |
| (Printed Name and Title of Authorized Representative) |
| June 29, 2016 |
| (Date) |
| 800-508-4762 or 803-578-6850 / Fax: 803-578-6850 |
| (Phone Number) (Fax Number) |

REQUEST FOR QUOTATION Equipment Lease/Rental WITHOUT Operator

quantity leased/rented for each of those items and the total value of lease/rental for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.

8.8 Contract Manager: During its performance of this Contract, the Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below:

Contract Manager: David Tippie, Manager #168 Charleston, WV

Telephone Number: 304-342-5000

Fax Number: 304-342-8829

Email Address: pcm168@sunbeltrentals.com

Primary contacts to service this contract:

David Tippie, Branch Manager #168 in Charleston, WV

Phone: 304-342-5000 / Cell: 304-741-1174 / Fax: 304-342-8829

Email: PCM168@sunbeltrentals.com

Fred Truman, Branch Manager #217 Saint Albans, WV

Phone: 304-766-6224 / Fax: 304-766-9796 / Email: PCM217@sunbeltrentals.com

Gregory Pritt, Outside Sales Representative

Phone: 304-342-5000 / Fax: 304-342-8829 / Email: gregory.pritt@sunbeltrentals.com

Eric Leach, Branch Manager #131 Ashland, KY

Phone: 606-928-8118 / Fax: 606-928-0087 / Email: PCM131@sunbeltrentals.com

Rocky Stephenson, Appalachian District Manager

Cell Phone: 248-760-6468 / Email: rocky.stephenson@sunbeltrentals.com

Contract execution, Certificates of Insurance - Sunbelt Rentals Contract Team

Phone: 800-508-4762 or 803-578-5136 / Fax: 803-578-6850 / Email: contractteam@sunbeltrentals.com

Equipment Rental WITHOUT Operator

Information Attachment

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The Vendor shall provide the 911 address or the most recent physical street address, city and state for the base location(s). If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified. If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

| Vendor Base Location: | |
|-----------------------|-----------------|
| SUNBELT RENTA | LS |
| 1716 PENNSYLV | MANIA AVE. |
| CHARLESTON, V | VY 25302 |
| Vendor Base Location: | |
| SUNBELT RENTA | 1 25 |
| 6580 MACCORN | |
| ST. ALBANS, WY | 25177 |
| Vendor Base Location: | |
| SUNBELT RENTA | 4 |
| 12501 PAUL COF | FEY BOULEVARD |
| ASHLAND, KY | 11102 |

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or " $\sqrt{}$ " beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

| X STATEWIDE | 图 | | | |
|-------------|--------------------|------------|-------------------|------------|
| Barbour | 1075 202 202 | Kanawha | 题 | Pocahontas |
| Berkeley | 100 100 100 | Lewis | | Preston |
| Boone | ¥: | Lincoln | B): | Putnam |
| Braxton | (a) | Logan | 30 | Raleigh |
| Brooke | | McDowell | 100 | Randolph |
| Cabell | 100 E | Marion | \$10 200 | Ritchie |
| Calhoun | 8 | Marshall | (20) | Roane |
| Clay | 150 200 | Mason | 100 | Summers |
| Doddridge | A | Mercer | 10 | Taylor |
| Fayette | 產 | Mineral | 10 | Tucker |
| Gilmer | 经 | Mingo | 靈 | Tyler |
| Grant | 聯 | Monongalia | 77 | Upshur |
| Greenbrier | 200 | Monroe | 32 | Wayne |
| Hampshire | | Morgan | 22 | Webster |
| Hancock | 遊 | Nicholas | 2 | Wetzel |
| Hardy | 影 | Ohio | 900 000 900 | Wirt |
| Harrison | 362 (41) | Pendleton | 87 | Wood |
| Jackson | 25 | Pleasants | 級 | Wyoming |
| Jefferson | 差 | | \$75 | , |