



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Jump to:

Welcome, Lu Anne Cottrill

Procurement

Budgeting

Accounts Receivable

Accounts Payable

Solicitation Response(SR) Dept: 0210 ID: ESR01101700000003134 Ver.: 1 Function: New Phase: Final Modified by batch , 01/10/2017

Header @ 3

List View

General Information

Contact

Default Values

Discount

Document Information

Procurement Folder: 260530

Procurement Type: Central Master Agreement

Vendor ID:

Legal Name: STATE ELECTRIC SUPPLY COMPANY

Alias/DBA:

Total Bid: \$0.00

Response Date:

Response Time:

SO Doc Code: CRFQ

SO Dept: 0210

SO Doc ID: ISC1700000013

Published Date: 12/29/16

Close Date: 1/10/17

Close Time: 13:30

Status: Closed

Solicitation Description:

Total of Header Attachments: 3

Total of All Attachments: 3



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Solicitation Response

Proc Folder : 260530
Solicitation Description : Addendum 1 - Computer Data Cable
Proc Type : Central Master Agreement

Date issued	Solicitation Closes	Solicitation Response	Version
	2017-01-10 13:30:00	SR 0210 ESR01101700000003134	1

VENDOR
000000200562 STATE ELECTRIC SUPPLY COMPANY

Solicitation Number: CRFQ 0210 ISC1700000013

Total Bid : \$0.00 Response Date: 2017-01-10 Response Time: 10:23:26

Comments:

FOR INFORMATION CONTACT THE BUYER Stephanie L Gale (304) 558-8801 stephanie.l.gale@wv.gov

Signature on File	FEIN #	DATE
-------------------	--------	------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	E-Catalog	0.00000	LS	\$661,551.900000	\$0.00

Comm Code	Manufacturer	Specification	Model #
26121634			

Extended Description :	E-Catalog - If Vendor is submitting a bid online, Vendor should enter \$0.00 in the Oasis commodity line. Vendor shall enter pricing into the Attachment A Pricing Excel page. See section 18 of Instructions to Bidders.
------------------------	---

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	ESTIMATED QUANTITY	EXTENDED PRICING	DELIVERY DAYS	PRODUCT CATEGORY	MODEL	DRAWING	PIECE	SERIAL NUMBER	SPECIFICATION	SIZE	COLOR	PICTURE FILE NAME
00000020562	3-MCTBN50-C	State Electric Supply	3-M	CTBN50-C	26121634	PLASTIC CABLE TIES, 7 1516" IN LENGTH, 100PK M PART # 3-M06226 OR EQUAL		PK	\$1.80	50	\$90.00	5									
00000020562	CADCAT32HP	State Electric Supply	Caddy	CAT32HP	26121634	CABLE SUPPORT J-HOOK ERICO PART # CAT3 OR EQUAL		EA	\$1.80	500	\$900.00	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-M88-SUPER-3/4X66FT	State Electric Supply	3-M	88-SUPER-3/4X66FT	26121634	ELECTRICAL TAPE, 3-M SCOTCH SUPER 88 3/4" X 66FT OR EQUAL		EA	\$4.00	200	\$800.00	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MMP-1.4X11	State Electric Supply	3-M	MP-1.4X11	26121634	3M MOLDABLE PUTTY STIX PART # 3M-MPS-24 OR EQUAL		EA	\$14.25	50	\$712.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	ARTLV1	State Electric Supply	Arlington	LV1	26121634	SINGLE GANG LOW VOLTAGE MOUNTING BRACKETS, ARLINGTON PART # LV-1 OR EQUAL		EA	\$0.90	500	\$450.00	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	VEL189645	State Electric Supply	Velcro	189645	26121634	3/4" X 25YDS LONG BLACK VELCRO IN A ROLL VELCRO PART# 189645 OR EQUAL		EA	\$20.00	30	\$600.00	5									
00000020562	3-MSTD-0-9 (FILLED)	State Electric Supply	3-M	STD-0-9 (FILLED)	26121634	WIRE MARKER DISPENSER 0 THRU 9 ON A ROLL STD-0-9 (FILLED) OR EQUAL		EA	\$29.00	10	\$290.00	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-0	State Electric Supply	3-M	SDR-0	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 0 PART# SDR-0 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-1	State Electric Supply	3-M	SDR-1	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 1 PART# SDR-1 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-2	State Electric Supply	3-M	SDR-2	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 2 PART# SDR-2 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-3	State Electric Supply	3-M	SDR-3	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 3 PART# SDR-3 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-4	State Electric Supply	3-M	SDR-4	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 4 PART# SDR-4 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-5	State Electric Supply	3-M	SDR-5	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 5 PART# SDR-5 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-6	State Electric Supply	3-M	SDR-6	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 6 PART# SDR-6 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-7	State Electric Supply	3-M	SDR-7	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 7 PART# SDR-7 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-8	State Electric Supply	3-M	SDR-8	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 8 PART# SDR-8 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	3-MSDR-9	State Electric Supply	3-M	SDR-9	26121634	WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 9 PART# SDR-9 OR EQUAL		EA	\$1.85	30	\$55.50	5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	CP12096-703	State Electric Supply	Chatsworth	12096-703	26121634	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS, MOUNTING HARDWARE INCLUDED CHATSORTH PART# 12096-703 OR EQUAL		EA	\$310.00	20	\$6,200.00	5									
00000020562	HOFEDR19FM45U	State Electric Supply	Hoffman	EDR19FM45U	26121634	DISTRIBUTION RACKS; ALUMINUM BASE COLOR OF BLACK MUST BE APPROXIMATELY 15" IN DEPTH; APPROXIMATELY 25" IN WIDTH; & 84" HEIGHT GREAT LAKES PART# GLRR-1984BA OR EQUAL		EA	\$96.11	40	\$3,844.40	5									
00000020562	BELXH6M451146122, B	State Electric Supply	Belden	XH6M451146122, 9BF1-141001 and HVMP014201	26121634	72" NETWORKING CABINET; CABINET WILL INCLUDE THE FOLLOWING: CASTERS, LEVELERS, GROUND LUG, TWO PAIR SQUARE HOLE RAILS, M6 HARDWARE, BOTTOM GLAND, TOP GLAND, 10K FAN TOP, PERFORATED MESH FRONT DOOR, PERFORATED MESH REAR DOOR, TWO SOLID SIDE PANELS, TWO 9411-1602 POWER STRIPS INTERNAL 8729-PD-3 FRONT, 8429-PR-3-0001 SPOTWELDED REAR TWO 8436-01-SP-3 SIDES BELDEN PART# XDP84-3-150046 OR EQUAL	XH6M451146122 - Cabinet 9BF1-141001 - PDU and HVMP014201 - Lacing Bar	EA	\$1,725.00	10	\$17,250.00	7									
00000020562	BELXH6M421146122, B	State Electric Supply	Belden	XH6M421146122, 9BF1-141001 and HVMP014201	26121634	72" NETWORKING CABINET; CABINET WILL INCLUDE THE FOLLOWING: CASTERS, LEVELERS, GROUND LUG, TWO PAIR SQUARE HOLE RAILS, M6 HARDWARE, BOTTOM GLAND, TOP GLAND, 10K FAN TOP, PERFORATED MESH FRONT DOOR, PERFORATED MESH REAR DOOR, TWO SOLID SIDE PANELS, TWO 9411-1602 POWER STRIPS INTERNAL 8729-PD-3 FRONT, 8429-PR-3-0001 SPOTWELDED REAR TWO 8436-01-SP-3 SIDES BELDEN PART# XDP72-3-150012 OR EQUAL	XH6M421146122 - Cabinet 9BF1-141001 - PDU and HVMP014201 - Lacing Bar	EA	\$1,715.00	10	\$17,150.00	7									
00000020562	GLCB40E-2936WVCC	State Electric Supply	Great Lakes	840E-2936WVCC	26121634	72" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS VENTED FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 16 POSITION POWER STRIP W/ CIRCUIT BREAKER & 12' CORD; CASTERS; 84" X 29" W X 36" D; GREAT LAKES PART # 840E-2936WVCC OR EQUAL		EA	\$1,825.00	10	\$18,250.00	7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
00000020562	GLCT20E-2936WVCC	State Electric Supply	Great Lakes	720E-2936WVCC	26121634	72" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS VENTED FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; PAIR OF SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 16 POSITION POWER STRIP W/ CIRCUIT BREAKER & 12' CORD; CASTERS; 72" H X 29" W X 36" D GREAT LAKES PART # 720E-2936WVCC OR EQUAL		EA	\$1,575.00	10	\$15,750.00	7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

[illegible]

[illegible]

TOTAL: \$661,551.90

2-POST OPEN FRAME RACK



Two-Post Rack
with shelves

Populated Two-Post Rack with
vertical cable management

INDUSTRY STANDARDS

UL 2416 Listed; File No. E230874
cUL Listed per CSA C22.2 No. 182.4; File No. E230874

EIA 310-D

APPLICATION

Designed for use in network, server, and telecommunication rooms, 2-Post Open Frame Racks satisfy basic functional requirements for structuring cable. Racks are available in 3-in. or 6-in. column widths.

FEATURES

- Range of heights from 4 ft. to 9 ft. (24U to 58U) to match capacity requirements; 19-in. Rack Packages are 7-ft. high
- Side rails are tapped on both sides with 12-24UNC threads for quick installation
- EIA Universal 5/8 in. - 5/8 in. - 1/2 in. vertical mounting hole pattern matches industry standards
- RU markings on both front and back of uprights make it easier to mount equipment
- Packed unassembled in individual cartons; assembly hardware (including twenty 12-24 mounting screws) is furnished for convenient storage and installation
- Convenient rack and cable manager packages offered with either one or two 6-in. cable managers; includes one-piece hinged cover

SPECIFICATIONS

- Frame is a strong and lightweight aluminum (6063-T6 alloy), extruded or formed, with RU markings on both front and back of uprights

FINISH

RAL 9005 black polyester powder paint or milled aluminum

LOAD RATING

Do not exceed the following recommended load ratings.

Floor Mount Rack - 1000 lb. (453.6 kg)
One-Sided Solid Shelf - 150 lb. (68.0 kg)
Double-Sided Shelf - 300 lb. (136.1 kg)
One-Sided Vented Shelf - 150 lb. (68.0 kg)
Double-Sided Vented Shelf - 300 lb. (136.1 kg)
Adjustable Vented Shelf - 60 lb. (27.2 kg)
Keyboard/Monitor Shelf - 200 lb. (90.7 kg)

BULLETIN: DMAX, DOFR2

Standard Product 3-in. Column

Catalog Number	AxBxC in.	AxBxC mm	Description	Finish	Rack Units	Nominal Frame Height
EDR19FM24U	48.00 x 20.25 x 15.00	1219 x 514 x 381	19-in. rack	Black	24	4 ft.
EDR19FM38U	72.00 x 20.25 x 15.00	1829 x 514 x 381	19-in. rack	Black	38	6 ft.
EDR19FM45U	84.00 x 20.25 x 15.00	2134 x 514 x 381	19-in. rack	Black	45	7 ft.
EVR19FM45U	84.00 x 20.25 x 15.00	2134 x 514 x 381	19-in. rack	Mill	45	7 ft.
EDR19FM51U	96.00 x 20.25 x 15.00	2438 x 514 x 381	19-in. rack	Black	51	8 ft.
EVR19FM51U	96.00 x 20.25 x 15.00	2438 x 514 x 381	19-in. rack	Mill	51	8 ft.
EDR19FM58U	108.00 x 20.25 x 15.00	2743 x 514 x 381	19-in. rack	Black	58	9 ft.
EVR19FM58U	108.00 x 20.25 x 15.00	2743 x 514 x 381	19-in. rack	Mill	58	9 ft.
EDR23FM24U	48.00 x 24.25 x 15.00	1219 x 616 x 381	23-in. rack	Black	24	4 ft.
EDR23FM38U	72.00 x 24.25 x 15.00	1829 x 616 x 381	23-in. rack	Black	38	6 ft.
EDR23FM45U	84.00 x 24.25 x 15.00	2134 x 616 x 381	23-in. rack	Black	45	7 ft.
EVR23FM45U	84.00 x 24.25 x 15.00	2134 x 616 x 381	23-in. rack	Mill	45	7 ft.
EDR23FM51U	96.00 x 24.25 x 15.00	2438 x 616 x 381	23-in. rack	Black	51	8 ft.
EVR23FM51U	96.00 x 24.25 x 15.00	2438 x 616 x 381	23-in. rack	Mill	51	8 ft.



Standard Product 3-in. Column with Cable Manager

Catalog Number	AxBxC in.	AxBxC mm	Description	Finish	Rack Units	Nominal Frame Height
EDR19FM45UCM1	84.00 x 27.50 x 18.00	2134 x 699 x 457	19-in. rack package, 1 cable manager, DV6D7	Black	45	7 ft.
EDR19FM45UCM2	84.00 x 34.75 x 18.00	2134 x 883 x 457	19-in. rack package, 2 cable managers, DV6D7/	Black	45	7 ft.



Standard Product 6-in. Column

Catalog Number	AxBxC in.	AxBxC mm	Description	Finish	Rack Units	Nominal Frame Height
EDR19FM45U6	84.00 x 20.28 x 18.00	2134 x 515 x 457	19-in. rack	Black	45	7 ft.
EDR19FM51U6	96.00 x 20.28 x 18.00	2438 x 515 x 457	19-in. rack	Black	51	8 ft.

2-Post Rack Package
(CABLETEK Vertical Cable Managers shown
with alternate mounting location)




19-in. Shelf Depths



8-Foot and 9-Foot Racks Only
(Width and Depth dimensions
identical to 7-foot rack)

2-POST OPEN FRAME RACK HARDWARE KIT



Kit consists of (12) 3/8-16x1.00 hex head screws; (12) 3/8 split washers; and (12) 3/8-16 hex nuts.

BULLETIN: DOFRY
Standard Product

Catalog Number	Description
E2PKIT	2-Post Open Frame Rack hardware kit


CONCRETE EXPANSION BOLT ANCHOR KIT



BULLETIN: DACCY
Standard Product

Catalog Number	Description
ESBDK	(4) 3/8x3.75 expansion bolt kit

Notes



Fast Ethernet Media Converter

10/100Base-TX to 100Base-FX (ST) Multi-Mode, 2 km (1.24 mi)

Part No.: **506519**

The Intellinet Network Solutions Fast Ethernet Media Converter was specifically designed to offer the network designer a device for migration from copper-based Ethernet to Fiber Ethernet. Now migration or expansion of existing networks can be achieved with minimum cost and complexity. The converter is completely transparent to the network so the network performs exactly the way it did before – only now it can support both copper and fiber mediums.

Expands the Size of an Existing Network

Provides fiber connectivity to Ethernet segments, allowing for even further networking expansion between extended workgroups. Also provides building-to-building connectivity without the need for the cost and disruption associated with the installation of additional routers.

Enhances the Distance between Networking Devices

Connecting the converter to fiber segments can further extend distances between networking nodes. This can be achieved by direct connection between the converter and a fiber-based node or networking device.

Cabling Flexibility

Network managers can install fiber cabling anywhere within a network without changing the arrangement of copper-based Ethernet. The compact size of the converter allows it to be easily deployed in any narrow desktop location or to be used in a wall-mount installation. Several converters can be simultaneously installed into a 19" rack-mountable chassis.

Features:

- Data transfer rate: 100 Mbps
- One 10/100Base-TX RJ45 port, maximum distance 100 m / 300 ft.
- RJ45 port with Auto MDI/MDI-X support and auto-negotiation
- One 100Base-FX multi-mode Fiber ST duplex port
- Fiber distance support: up to 2 km / 1.24 mi (62.5/125 or 50/125 μ m cable)
- Wavelength: 1310 nm
- Flow control
- Status LEDs for power and Link/TX for both ports
- External power adapter, 5 V DC

- Functions as a stand-alone converter or can be used with the 14-slot media converter chassis, model 507356
- Three-Year Warranty

Specifications:

Standards

- IEEE 802.3 (Twisted Pair Ethernet)
- IEEE 802.3u (Twisted Pair/Fiber Optic Fast Ethernet)

General

- Media support:
 - 100Base-TX Cat3 or higher UTP/STP RJ45, EIA/TIA 568
 - 100Base-FX multi-mode 62.5/125 or 50/125 μ m Fiber
- Connectors:
 - One RJ45 port, 100Base-TX
 - One Fiber ST duplex port, 100Base-FX
- Distances:
 - 2 km / 1.24 mi (62.5/125 or 50/125 μ m fiber cable)
 - 100 m / 300 ft (RJ45 cable)
- Wavelength: 1310 nm
- Min. TX power: -22 dBm
- Max. TX power: -12 dBm
- RX sensitivity: -30 dBm
- Signal loss: 2 dB/km
- Certifications: FCC Class B, CE

LEDs

- Power
- LINK/ACT for RJ45 port
- LINK/ACT for Fiber ST port
- 100 Mbps link speed indicator for RJ45 port
- Optical signal input LED
- Full-/half duplex

Power

- External power adapter, 5 VDC, 1 A
- Power consumption: 2.5 watts (maximum)

Environmental

- Metal housing
- Dimensions: 107 (L) x 70 (W) x 26 (H) mm (4.2 x 2.8 x 1.0 in.)
- Weight: 500 g (1.1 lbs.)
- Operating temperature: 0 – 70°C (32 – 158°F)
- Operating humidity: 10 – 90% RH, non-condensing
- Storage temperature: -45 – 80°C (-49 – 176°F)

Package Contents

- Fast Ethernet Media Converter
- External power adapter
- User manual

