



BRIDGEPORT EQUIPMENT AND TOOL

435 W. MYLES AVE.

PENNSBORO, WV 26415

304-659-2917

FAX SHEET

DATE: 7/14/2014

07/14/16 09:55:22
WV Purchasing Division

TO: GUY NISBERT

FAX NUMBER: 304-558-3970

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

219 WASHINGTON ST. E.

CHARLESTON, WV 25305

BUYER: GUY NISBERT

SOLICITATION NUMBER: CRFQ 0310 DNR1600000045

SOLICITATION CLOSES: 7/14/2016

TIME: 1:30 PM

NOTE: BID FILED ON LINE IN OASIS.

RON GARDNER



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Request for Quotation
13 - Equipment

Proc Folder: 157938

Doc Description: Holly River SP Utility Tractor, Front Loader & Backhoe

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2016-06-02	2016-06-30 13:30:00	CRFQ 0310 DNR1600000045	1

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Name, Address and Telephone Number:

BRIDGEPORT EQUIPMENT AND TOOL
1504 OAKHURST DRIVE
CHARLESTON, WV 25314
304-659-2917

FOR INFORMATION CONTACT THE BUYER

Guy Nisbet
(304) 558-2596
guy.l.nisbet@wv.gov

Signature X

FEIN #

34-1800484

DATE

6/28/2016

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Natural Resources, Parks and Recreation Section to establish a contract for the one time purchase of a four (4) wheel drive utility tractor with front loader and backhoe for Holly River State Park, 680 State Park Road, Hacker Valley, WV. 26222. per the bid requirements, specifications and terms and conditions of the solicitation as attached herein.

INVOICE TO	SHIP TO
SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US	SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Agricultural Tractors	1.00000	EA	\$24,015.00	\$24,015.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	PER SPECIFICATION	5065E

Extended Description :
Utility Tractor per specifications outlined in 3.1.1

INVOICE TO	SHIP TO
SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US	SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Agricultural Tractors	1.00000	EA	\$6,109.00	\$6,109.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	PER SPECIFICATION	H240

Extended Description :
Front Loader per specifications outlines in 3.1.2

RECEIVED TIME JUL. 14. 9:20AM

INVOICE TO	SHIP TO
SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US	SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Agricultural Tractors	1.00000	EA	\$8,555.00	\$8,555.00

Comm Code	Manufacturer	Specification	Model #
25101901	WALLENSTEIN	AS PER SPECIFICATION	GX920G

Extended Description ;
Backhoe per specifications outlines in 3.1.3

DNR160000045	Document Phase Final	Document Description Holly River SP Utility Tractor, Front Loader & Backhoe	Page 4 of 4
---------------------	--------------------------------	--	-----------------------

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Request for Quotation
13 - Equipment

Proc Folder: 157938

Doc Description: Addendum No.01;Holly River Utility Tractor w/Loader/Backhoe

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2016-06-16	2016-06-30 13:30:00	CRFQ 0310 DNR1600000045	2

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Name, Address and Telephone Number:

BRIDGEPORT EQUIPMENT AND TOOL
1504 OAKHURST DRIVE
CHARLESTON, WV 25314
304-659-2917

FOR INFORMATION CONTACT THE BUYER

Guy Nisbet
(304) 558-2598
guy.l.nisbet@wv.gov

Signature X *Ronald A. Gardner* FEIN # 34-1800484

DATE 7/12/2016

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

Addendum

Addendum No.01 issued to publish and distribute the attached information to the vendor community.

Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Natural Resources, Parks and Recreation Section to establish a contract for the one time purchase of a four (4) wheel drive utility tractor with front loader and backhoe for Holly River State Park, 680 State Park Road, Hacker Valley, WV. 26222. per the bid requirements, specifications and terms and conditions of the solicitation as attached herein.

INVOICE TO	SHIP TO
SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US	SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Agricultural Tractors	1.00000	EA	\$24,105.00	\$24,105.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	AS PER SPECIFICATION	5065E

Extended Description :
Utility Tractor per specifications outlined in 3.1.1

INVOICE TO	SHIP TO
SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US	SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Agricultural Tractors	1.00000	EA	\$6,109.00	\$6,109.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	AS PER SPECIFICATION	H240

Extended Description :
Front Loader per specifications outlines in 3.1.2

RECEIVED TIME JUL 14 9:20AM

INVOICE TO		SHIP TO	
SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US		SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Agricultural Tractors	1.00000	EA	\$8,555.00	\$8,555.00

Comm Code	Manufacturer	Specification	Model #
25101901	WALLENSTEIN	AS PER SPECIFICATION	GX920G

Extended Description :
 Backhoe per specifications outlines in 3.1.3

SOLICITATION NUMBER: CRFQ 0310 DNR1600000045**Addendum Number: No.01**

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

Addendum issued to publish and distribute the attached documentation to the vendor community.

1. Vendor submitted questions and Agency responses.

No other Changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

RECEIVED TIME JUL. 14. 9:20AM

ATTACHMENT A

Revised 6/8/2012

RECEIVED TIME JUL. 14. 9:20AM

**CRFQ 0310 DNR160000045
Holly River State Park
Utility Tractor and Equipment
Vendor submitted Questions and Agency responses
06/09/2016**

We would like to request consideration of modifying the solicitation to the following which we can meet.

Contract Item #2-Front Loader

3.1.2.2 Front loader must have a minimum lift capacity of 3,060 lbs.

Agency Response: Change specification From: Front loader must have a minimum lift capacity of 3,400 lbs. To: Front loader must have a minimum lift capacity now changed to 3,060 lbs.

3.1.2.4 Explanation of minimum reach at ground level.

Agency Response: Reach at ground level is measuring from the center of the front tires to the bottom front edge of the bucket while sitting level on the ground.

3.1.2.4 Front loader must have a minimum reach of 85 inches at ground level, and a minimum lift height of 116 inches.

Agency Response: (No Change in Specification) a minimum height of 116" inches is 17" inches shorter, and nearly 1.5 feet difference resulting in a much smaller front loader than needed to load and transport dirt and logs onto other equipment.

Contract Item #3-Backhoe

3.1.3.1 Backhoe must have a minimum digging depth of 7ft 10 inches

Agency Response: Change specification From: Backhoe must have a minimum digging depth of 8 feet; To: must have a minimum digging depth of 7ft 10 inches.

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: _____

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding

BRIDGEPORT EQUIPMENT AND TOOL

Company

Ralph A. Gardner

Authorized Signature

6/28/2016

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Request for Quotation
13 - Equipment

Proc Folder: 157938

Doc Description: Addendum No.02; Holly River Utility Tractor w/Loader/Backhoe

Proc Type: Central Purchase Order

Date issued	Solicitation Closes	Solicitation No	Version
2016-06-29	2016-07-14 13:30:00	CRFQ 0310 DNR1600000045	3

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Name, Address and Telephone Number:

BRIDGEPORT EQUIPMENT AND TOOL
1504 OAKHURST DRIVE
CHARLESTON, WV 25314
304-659-2917

FOR INFORMATION CONTACT THE BUYER

Guy Nisbet
(304) 558-2596
guy.l.nisbet@wv.gov

Signature X *Ronald A. Gardner* FEIN # 34-1800484

DATE 7/12/2016

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum

Addendum No.02 issued to publish and distribute the attached information to the vendor community.

Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Natural Resources, Parks and Recreation Section to establish a contract for the one time purchase of a four (4) wheel drive utility tractor with front loader and backhoe for Holly River State Park, 680 State Park Road, Hacker Valley, WV. 26222 per the bid requirements, specifications and terms and conditions of the solicitation as attached herein.

SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US		SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US	
--	--	--	--

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Agricultural Tractors	1.00000	EA	\$24,015.00	\$24,015.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	AS PER SPECIFICATION	5065E

Extended Description :

Utility Tractor per specifications outlined in 3.1.1

SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US		SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US	
--	--	--	--

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Agricultural Tractors	1.00000	EA	\$6,109.00	\$6,109.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	AS PER SPECIFICATION	H240

Extended Description :

Front Loader per specifications outlines in 3.1.2

RECEIVED TIME JUL 14 9:20AM

INVOICE TO:	SHIP TO:
SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222-8470 US	SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Agricultural Tractors	1.00000	EA	\$8,555.00	\$8,555.00

Comm Code	Manufacturer	Specification	Model #
25101901	WALLENSTEIN	AS PER SPECIFICATION	GX920G

Extended Description :

Backhoe per specifications outlines in 3.1.3

DNR1600000045	Document Phase Final	Document Description Addendum No.01; Holly River Utility Tractor w/Loader/Backhoe	Page 4 of 4
---------------	--------------------------------	--	-----------------------

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

SOLICITATION NUMBER: CRFQ 0310 DNR160000045

Addendum Number: No.02

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

Addendum issued to publish and distribute the attached documentation to the vendor community.

1. To move Bid Opening Date as noted below;
Bid Opening was: 06/30/2016 at 1:30 PM. EST.
Bid Opening NOW: 07/14/2016 at 1:30 PM. EST.

No other Changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

RECEIVED TIME JUL. 14. '16 9:20AM

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: _____

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

BRIDGEPORT EQUIPMENT AND TOOL

Company

Paul A. Gardner

Authorized Signature

7/12/2016

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.
Revised 6/8/2012



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Request for Quotation
13 - Equipment

Proc Folder: 157938

Doc Description: Addendum No.03;Holly River Utility Tractor w/Loader/Backhoe

Prbc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2016-06-30	2016-07-14 13:30:00	CRFQ 0310 DNR1600000045	4

BID RECEIVING LOCATION:

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR:

Vendor Name, Address and Telephone Number:

BRIDGEPORT EQUIPMENT AND TOOL
1504 OAKHURST DRIVE
CHARLESTON, WV 25314
304-659-2917

FOR INFORMATION CONTACT THE BUYER

Guy Nisbet
(304) 558-2596
guy.l.nisbet@wv.gov

Signature X

FEIN # 34-1800484

DATE 7/12/2016

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum

Addendum No. 03 issued to publish and distribute the attached information to the vendor community.

Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Natural Resources, Parks and Recreation Section to establish a contract for the one time purchase of a four (4) wheel drive utility tractor with front loader and backhoe for Holly River State Park, 680 State Park Road, Hacker Valley, WV. 26222. per the bid requirements, specifications and terms and conditions of the solicitation as attached herein.

INVOICE TO	SHIP TO
SUPERINTENDENT DIVISION OF NATURAL RESOURCES, HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US	SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Agricultural Tractors	1.00000	EA	\$24,105.00	\$24,105.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	AS PER SPECIFICATION	5065E

Extended Description :

Utility Tractor per specifications outlined in 3.1.1

INVOICE TO	SHIP TO
SUPERINTENDENT DIVISION OF NATURAL RESOURCES, HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV26222-8470 US	SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Agricultural Tractors	1.00000	EA	\$6,109.00	\$6,109.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	AS PER SPECIFICATION	H240

Extended Description :

Front Loader per specifications outlines in 3.1.2

RECEIVED TIME JUL 14 9:20AM

INVOICE TO:	SHIP TO:
SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222-8470 US	SUPERINTENDENT DIVISION OF NATURAL RESOURCES HOLLY RIVER STATE PARK 680 STATE PARK RD HACKER VALLEY WV 26222 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Agricultural Tractors	1.00000	EA	\$8,555.00	\$8,555.00

Comm Code	Manufacturer	Specification	Model #
25101901	WALLENSTEIN	AS PER SPECIFICATION	GX920G

Extended Description :
 Backhoe per specifications outlines in 3.1.3

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: _____

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input checked="" type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

BRIDGEPORT EQUIPMENT AND TOOL

Company

Ronald A. Gardner

Authorized Signature

7/12/2016

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.
Revised 6/8/2012

SOLICITATION NUMBER: CRFQ 0310 DNR1600000045

Addendum Number: No.03

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

Addendum issued to publish and distribute the attached documentation to the vendor community.

1. To revise equipment specification 3.1.1.10. of the Solicitation.

3.1.1.10 originally read (Engine transmission must feature a Power Shuttle.)

3.1.1.10 is changed to now read (Engine must have a standard transmission with both forward and reverse gears).

No other Changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

RECEIVED TIME JUL. 14. 9:20AM

Exhibit A Pricing Page

Holly River State Park - Utility Tractor and Attachments

Item No.	Item Spec	Description	Brand submitted	Model Being Bid	Unit of Measure	Unit Price	Quantity	Extended Price
1	3.1.1	Four (4) wheel drive diesel Utility Tractor	JOHN DEERE	5065E 4WD	each	\$24,015.00-	1	24,015.00
2	3.1.2	Front Loader for Item 1 above	JOHN DEERE	H240	each	\$6,109.00	1	6,109.00
3	3.1.3	Backhoe for Item 1 above	WALLENSTEIN	GX920G	each	\$8,555.00	1	8,555.00
TOTAL BID AMOUNT (Includes shipping charges)								38,679.00

Page: 24/45

To: 13045583970

13046593276

JUL-14-2016 09:13 From: PENNSBORO ATU

RECEIVED TIME JUL. 14. 9:20AM

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

RONALD A. GARDNER SALES

(Name, Title)

RONALD A. GARDNER

(Printed Name and Title)

1504 OAKHURST DRIVE, CHARLESTON, WV 25314

(Address)

304-659-2917

304-659-3276

(Phone Number) / (Fax Number)


rgardner@bridgeportequip.com

(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

BRIDGEPORT EQUIPMENT AND TOOL

(Company)



RONALD A. GARDNER SALES

(Authorized Signature) (Representative Name, Title)

RONALD A. GARDNER SALES

(Printed Name and Title of Authorized Representative)

6/28/2016

(Date)

304-659-2917

304-659-3276

(Phone Number) (Fax Number)

Revised 05/04/2016

RECEIVED TIME JUL 14 9:20AM

REQUEST FOR QUOTATION
Holly River State Park – Utility Tractor with Front Loader and Backhoe

23

SPECIFICATIONS

1. **PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Natural Resources, Parks and Recreation Section to establish a contract for the one time purchase of a four wheel drive utility tractor with front loader and backhoe for Holly River State Park, 680 State Park Road, Hacker Valley, WV. 26222.
2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
 - 2.1 **“Contract Item”** means utility tractor, front loader and backhoe as more fully described by these specifications.
 - 2.2 **“Pricing Page”** means the pages, contained in wvOASIS or attached as Exhibit “A”, upon which Vendor should list its proposed price for the Contract Items.
 - 2.3 **“Solicitation”** means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.
 - 2.4 **“Three-point hitch”:** A 3 point hitch is composed of three movable arms. The two lower arms—the hitch lifting arms—are controlled by the hydraulic system, and provide lifting, lowering, and even tilting to the arms. The upper center arm—called the top link—is movable, but is usually not powered by the tractor’s hydraulic system. Each arm has an attachment device to connect implements to the hitch.
 - 2.5 **“Category 2, 3 Point Hitch”:** This category is usually intended for tractors 55-95 Horsepower with top link Pins 1” diameter and lift Arm Pins are 1 1/8” diameter.
 - 2.6 **“DUAL MID VALVES”:** Dual mid valves is used for equipping and controlling the front loader on the tractor.
 - 2.7 **“Power Shuttle”:** A power shuttle is an additional unit used in transmissions and is generally used in agricultural tractors. While the vehicle is moving forwards, the driver can pull a lever that makes it stop and go backwards at the same speed. Power Shuttles are also known under various trade names including Power Reverser.

Revised 10/27/2014

RECEIVED TIME JUL. 14. 9:20AM

REQUEST FOR QUOTATION
Holly River State Park -- Utility Tractor with Front Loader and Backhoe

24

3. GENERAL REQUIREMENTS:

3.1 Mandatory Contract Item Requirements: Contract Item must meet or exceed the mandatory requirements listed below.

3.1.1 Contract Item #1 - Four (4) Wheel Drive Utility Tractor

- 3.1.1.1** Must be a four wheel drive.
- 3.1.1.2** Engine horsepower must a minimum of (55) fifty-five to a maximum of (75) seventy-five horsepower (HP).
- 3.1.1.3** Must have power take off (PTO) with a minimum of (45) forty-five HP to a maximum of (65) sixty-five HP.
- 3.1.1.4** Must have a diesel engine with a minimum of (3) three cylinders.
- 3.1.1.5** Must have power steering.
- 3.1.1.6** Must include a (3) three point hitch with a minimum rating of Category 2 and minimum lift capacity of 3,100 lbs.
- 3.1.1.7** Must be equipped with a Roll-Over Protection System.
- 3.1.1.8** Must be equipped with dual mid-valves with joystick control.
- 3.1.1.9** Must have 6-ply Agricultural (non-turf) weight loaded tires.
- 3.1.1.10** Engine transmission must feature a Power Shuttle.

Revised 10/27/2014

RECEIVED TIME JUL. 14. 9:20AM

REQUEST FOR QUOTATION
Holly River State Park – Utility Tractor with Front Loader and Backhoe

25

3.1.2 Contract Item #2 - Front Loader

- 3.1.2.1 Minimum width of front loader must be 70 inches.
- 3.1.2.2 Front loader must have a minimum lift capacity of 3,400 lbs.
- 3.1.2.3 Front loader must have a mechanical self-leveling feature.
- 3.1.2.4 Front loader must have a minimum reach of 85 inches at ground level, and a minimum lift height of 133 inches.
- 3.1.2.5 Front loader must be installed on and integrate with the utility tractor Item 3.1.1 above.

3.1.3 Contract Item #3 - Backhoe

- 3.1.3.1 Backhoe must have a minimum digging depth of 8 feet.
- 3.1.3.2 Backhoe must have a minimum reach of 10 feet and a minimum undercut of 1 foot.
- 3.1.3.3 Backhoe bucket must be a minimum of 18”.
- 3.1.3.4 Backhoe must have a minimum boom lift capacity of 800 lbs.
- 3.1.3.5 Backhoe must have a minimum bucket digging force of 3,500 lbs.
- 3.1.3.6 Backhoe must be installed on and integrate with the utility tractor, Item 3.1.1 above.

4. CONTRACT AWARD:

4.1 Contract Award: The Contract is intended to provide Agencies with a purchase price for the Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest TOTAL BID AMOUNT as shown on the Pricing Page.

4.2 Pricing Page: Vendor should complete the Pricing Page by filling in the lump sum unit cost and extended cost for the Utility Tractor including the Front Loader and Backhoe. Vendor should complete the Pricing Page in full as failure to complete the Pricing Page in its entirety may result in Vendor's bid being disqualified.

Revised 10/27/2014

RECEIVED TIME JUL. 14. 9:20AM

REQUEST FOR QUOTATION
Holly River State Park – Utility Tractor with Front Loader and Backhoe

26

Vendor should type or electronically enter the information into the Pricing Page to prevent errors in the evaluation.

Vendor is required to identify Brand and Model Numbers of Equipment being submitted using the Exhibit "A" Pricing Page; this must be submitted with vendor's submitted bid response. Vendor should submit any product brochures for the equipment they are bidding with their submitted bid response. This information may be required before award of contract

Vendor's who wish to respond to a Centralized Request for Quotation (CRFQ) online may submit information through the State's wvOASIS Vendor Self Service (VSS). Vendors should download the Exhibit "A" Pricing Page that is attached separately to the CRFQ and published to the VSS. Vendors must complete this form with their pricing information and equipment being submitted and include it as an attachment to their online response.

If unable to respond online Vendor must submit the Exhibit "A" Pricing Page in their entirety with your bid prior to the scheduled bid opening date and time.

5. PAYMENT:

5.1 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

Revised 10/27/2014

RECEIVED TIME JUL. 14. 9:20AM

REQUEST FOR QUOTATION
Holly River State Park – Utility Tractor with Front Loader and Backhoe

27

6. DELIVERY AND RETURN:

- 6.1 Shipment and Delivery:** Vendor shall ship the Contract Items immediately after being awarded this Contract and receiving a purchase order. Vendor shall deliver the Contract Items within ten (10) calendar days after receiving a Purchase Order. Contract Items must be delivered to Agency at Holly River State Park, 680 State Park Road, Hacker Valley, WV 26222, contact Superintendent Ben McCune 304-777-7737 for delivery arrangements.

Equipment is to be delivered in accordance with Manufactures ready for delivery and operational condition per the Manufactures recommendations. This includes but is not limited to:

1. Engine Oil level checked and ok
2. Steering housing fluid level ok
3. Battery fluid ok
4. Radiator coolant level ok
5. Belt tensions ok
6. Hydraulic lines, fittings, connections and components checked for leaks
7. Hydraulic reservoirs are filled to correct operating levels.
8. As required by the Manufacture for delivery to the customer

- 6.2 Late Delivery:** The Agency placing the order under this Contract must be notified in writing if the shipment of the Contract Items will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the Contract, and/or obtaining the Contract Items from a third party.

Any Agency seeking to obtain the Contract Items from a third party under this provision must first obtain approval of the Purchasing Division.

- 6.3 Delivery Payment/Risk of Loss:** Vendor shall deliver the Contract Items F.O.B. destination to the Agency's location.
- 6.4 Return of Unacceptable Items:** If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable, or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.

Revised 10/27/2014

RECEIVED TIME JUL. 14. 9:20AM

REQUEST FOR QUOTATION
Holly River State Park – Utility Tractor with Front Loader and Backhoe

28

6.5 Return Due to Agency Error: Items ordered in error by the Agency will be returned for credit within (thirty) 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

7. VENDOR DEFAULT:

7.1. The following shall be considered a vendor default under this Contract.

7.1.1. Failure to provide Contract Items in accordance with the requirements contained herein.

7.1.2. Failure to comply with other specifications and requirements contained herein.

7.1.3. Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.

7.1.4. Failure to remedy deficient performance upon request.

7.2. The following remedies shall be available to Agency upon default.

7.2.1. Immediate cancellation of the Contract.

7.2.2. Immediate cancellation of one or more release orders issued under this Contract.

7.2.3. Any other remedies available in law or equity.

Revised 10/27/2014

RECEIVED TIME JUL 14 9:20AM

WV-10
Approved / Revised
12/16/15

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with *West Virginia Code, §5A-3-37*. (Does not apply to construction contracts). *West Virginia Code, §5A-3-37*, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

1. Application is made for 2.5% vendor preference for the reason checked:

- Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
- Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification;
- Bidder is a resident vendor partnership, association, or corporation with at least eighty percent of ownership interest of bidder held by another entity that meets the applicable four year residency requirement; or,
- Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,

2. Application is made for 2.5% vendor preference for the reason checked:

- Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

3. Application is made for 2.5% vendor preference for the reason checked:

- Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years and the vendor's bid; or,

4. Application is made for 5% vendor preference for the reason checked:

- Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

5. Application is made for 3.5% vendor preference who is a veteran for the reason checked:

- Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

6. Application is made for 3.5% vendor preference who is a veteran for the reason checked:

- Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

7. Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with *West Virginia Code §5A-3-59* and *West Virginia Code of State Rules*.

- Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) rescind the contract or purchase order; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: BRIDGEPORT EQUIPMENT AND TOOL

Signed: *Ronald A. Jordan*

Date: 6/28/2016

Title: SALES

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: BRIDGEPORT EQUIPMENT AND TOOL

Authorized Signature: *Ronald A. Gardner* Date: 6/28/2016

State of WV

County of Ritchie, to-wit:


Taken, subscribed, and sworn to before me this 28 day of June, 2016

My Commission expires March 10, 2019

AFFIX SEAL HERE

NOTARY PUBLIC *Kenna S DAVIS*

Purchasing Affidavit (Revised 08/01/2015)





Sales Manual

US / Canada

Specifications

Specs | Compare Related Models (javascript:fetchCompetitorModels1
(this.form,'GETCOMPMODELS')) | Compare All Models (javascript:fetchCompetitors1
(this.form,'GETCOMPALL')) | Printer-Friendly Version | Export to Excel (javascript:void(0)) |
Change Display Options (javascript:void(0))

JOHN DEERE 5065E (2016)

OFFICIAL TEST

Nebraska Test number

Factory Observed

ENGINE

Manufacturer

John Deere PowerTech 3029

Engine family

Aspiration

Turbocharged

Cylinders/Displacement, cu. in. (L)

2.9 L
3/179 cu in.

Cylinder Liners

Wet Sleeved

Fuel tank capacity, US Gal. (L) (Open;
Cab)

Standard

68.0; 82 L
18.0; 21.0 U.S. gal.

Optional

Underhood muffler

Yes

PERFORMANCE

Advertised PTO hp (kW) @ Rated rpm	36 @ 2100 rpm SAE kW 49 @ 2100 rpm SAE PTO hp
Official PTO hp (kW) @ Rated rpm	---
@ Standard PTO @ Eng rpm	---
Maximum @ Eng rpm	---
Advertised Engine hp (kW) @ Rated speed	50 @ 2100 rpm kW 67 @ 2100 rpm engine hp
Max Unballast Drawbr hp (kW) @ Eng rpm	---
Maximum Torque (PTO) @ rpm, lb-ft (Nm)	---
Max Torque Rise (80% rtd spd) @ Eng rpm	---
Maximum Torque Rise % (PTO) @ Eng rpm	---

FUEL USE, U.S. GAL./HR & HP HR/GAL. AT:

PTO @ Rated Eng rpm	---
Standard PTO Speed @ Eng speed	---
Maximum PTO Power @ Eng rpm	---
Maximum Engine Power @ Eng rpm	---
Max Unballasted Drawbar Power @ Eng rpm	---
75% Load, Full Engine rpm (Unballasted)	---
75% Load @ Reduced rpm (Unballasted)	---

TRANSMISSION

Std. Transmission; Forward/Reverse	9F/3R SyncShuttle
Opt. Transmission; Forward/Reverse	12F/12R PowrReverser
Reverser	Optional
On-the-Go Shifting (Yes/No/Partial)	Partial
Clutch; Wet/Dry	Dry on 9F/3R SyncShuttle; Wet on 12F/12R PowrReverser
Creeper	Option on 9F/3R transmission models

POWER TAKE-OFF (PTO)

Standard	Independent 540
Optional	Independent 540E (12x12)
PTO Speeds @ Engine rpm	540 @ 2400 rpm
PTO Actuation	Mechanical (lever on 9x3); Electrohydraulic with Wet Clutch (12x12)

HYDRAULICS

Type	Open Center
Pump Rated Output, GPM (L/min.)	---
Standard	68.9 L/min 18.2 gpm
Optional	---
Rated Flow @ One SCV, GPM (L/min.)	43.1 L/min 11.4 gpm
Max Output @ SCV Couplers, GPM (L/min.)	---
Maximum Operating Pressure, psi (kPa)	---
Maximum Hydraulic Power, hp (kW)	---
Hitch Draft Control Load Sense Type	Mechanical

Remote Control Valves Available 1 (2 opt.)

Hitch Category (SAE Designation) 2; convertible to 1

Hitch Lift Cap. lb (kg) @24 in. Bhnd Lift Pt. ---

OECD ---

Standard ---

Optional ---

Hitch Lift Cap. lb (kg) @24 in. Bhnd Lift Pt. (SAE) ---

Standard 1448 kg
3192 lb

Optional ---

Hitch Lift Cap. lb (kg) @24 in. Bhnd Lift Pt. (ASAE) ---

Standard ---

Optional ---

Sensing type Top Link

Joystick SCV control 2WD- FIX MFWD-Std

FINAL DRIVE

Type Planetary

Differential controls Mechanical (Pedal)

Availability ---

Front No

Front & Rear No

Engage On-the-Go Rear Differential Lock Yes

Axle Type Flanged
Brakes, Type and Control Hydraulic Wet Disc

OPERATOR STATION

Rollover Protective Structure, OOS ---
Rigid - Foldable - Telescopic, Foldable, 2-Post
Platform - Flat/Straddle Straddle
Gearshift Location - Console/Floor Floor, on the side
Cab ---
Doors LH door (RH door optional)
Platform - Flat/Straddle Straddle
dB(A) Rating ---
Seat Suspension System ---

ZWD DIMENSIONS

Wheelbase, in. (mm) 2050 mm
80.7 in.
Front Tread Range, in. (mm) ---
Rear Tread Range, in. (mm) ---
Minimum Rear Tread Setting, in. (mm) ---
Front Axle Clearance, in. (mm) 480 mm
18.8 in.
Turning Radius w/Brakes, ft (m) 3.1 m
10.6 ft
Turning Radius w/o Brakes, ft (m) 3.5 m
11.6 ft
Unballasted Operating Weight, lb (kg) ---

Approx. Ship Wgt, lb (kg) Open; Cab

MFWD DIMENSIONS

Wheelbase, in. (mm)	2050 mm 80.7 in.
Front Tread Range, in. (mm)	---
Front Axle Clearance, in. (mm)	340 mm 13.4 in.
Turning Radius w/Brakes, ft (m)	---
Turning Radius w/o Brakes, ft (m)	---
Limited Slip Differential	---
Unballasted Operating Weight, lb (kg)	---
Approx. Ship Wgt, lb (kg) Open; Cab	2300; 2550 kg 5070; 5620 lb

4WD DIMENSIONS

Wheelbase, in. (mm)	---
Wheel Tread, Min. to Max. in. (mm)	---
Turning Radius w/o Brakes, ft (m)	---
Nebraska Test Unballasted w/Duals, lb (kg)	---
Unballasted Weight, lb (kg)	---

STANDARD TIRES

2WD	---
Front	7.5 - 16, R1
Rear	16.9 - 28, R1

MFWD

Front

9.5 - 24, R1

Rear

16.9 - 28, R1

4WD

Track widths

MISCELLANEOUS

Country of Manufacture

Pune, India

Ballasting Restrictions, lb (kg)

*Notes

[Home \(http://dlrdoc.deere.com/sales/salesmanual/index.html\)](http://dlrdoc.deere.com/sales/salesmanual/index.html) | [Feedback \(http://dlrdoc.deere.com/sales/salesmanual/feedback_form.html\)](http://dlrdoc.deere.com/sales/salesmanual/feedback_form.html) | [Help \(http://dlrdoc.deere.com/sales/salesmanual/en_US/help/faq.html\)](http://dlrdoc.deere.com/sales/salesmanual/en_US/help/faq.html) | [Privacy & Data \(http://www.deere.com/privacy_and_data/privacy_and_data_us.page\)](http://www.deere.com/privacy_and_data/privacy_and_data_us.page) | [Legal \(http://www.deere.com/en_US/footer/legal.page\)](http://www.deere.com/en_US/footer/legal.page)

Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Availability of products, product features, and other content on this site may vary by model and geographic region. Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.
Copyright © 2016 Deere & Company. All Rights Reserved.



Sales Manual

US / Canada

Specifications

[Specs](#) | [Compare Related Models \(javascript:fetchCompetitorModels1 \(this.form,'GETCOMPMODELS'\)\)](#) | [Compare All Models \(javascript:fetchCompetitors1 \(this.form,'GETCOMPALL'\)\)](#) | [Printer-Friendly Version](#) | [Export to Excel \(javascript:void\(0\)\)](#) | [Change Display Options \(javascript:void\(0\)\)](#)

JOHN DEERE H240 MSL ON 5E FINAL TIER 4 (FT4) 3-CYL (5045E, 5055E, 5065E, 5075E)

TECHNICAL DRAWING

Technical drawing

[View diagram \(JavaScript:void\(0\)\)](#)

TRACTOR

Model	5E Final Tier 4 (FT4) 3-Cyl (5045E, 5055E, 5065E, 5075E)
Front tire	320/85 R24 BKT (12.4 R24)
Rear tire	420/85 R30 BTK (16.9)
Front axle configuration	
Wheelbase	81 in.
Pump capacity, gpm	11 gpm
Rated pressure, psi	2828 psi

LOADER

Leveling configuration Mechanical Self Leveling (MSL)


Product Specification for H240 MSL on 5E Final Tier 4 (FT4) 3-Cyl (5045E, 5055E, 506... Page 2 of 4

Bucket, used	General Purpose 1850 mm 73 in.
Bucket weight, lb (kg)	178 kg, 392 lb
Lift capacity at full height, lb (kg)	---
Measured at pivot (U)	1170 kg 2579.4 lb
Measured at 500 mm ahead of pivot (V)	---
Measured at 800 mm ahead of pivot (V)	1319 kg 2907.9 lb
Lift capacity at 59 in. (1500 mm), lb (kg)	---
Measured at pivot (W)	1636 kg 3606.8 lb
Measured at 500 mm ahead of pivot (X)	---
Measured at 800 mm ahead of pivot (X)	1579 kg 3481.1 lb
Boom breakout force, lbf (kgf)	---
Measured at pivot (Y)	2169 kgf 4781.8 lbf
Measured at 500 mm ahead of pivot (Z)	---
Measured at 800 mm ahead of pivot (Z)	1838 kgf 4052.1 lbf
Bucket rollback force capacity, lbf (kgf)	---
At maximum height (VV)	1837 kgf 4049.9 lbf
At 59-in. (1500-mm) lift height (XX)	3084 kgf 6799.1 lbf
At ground-level line (ZZ)	3033 kgf 6686.6 lbf
Dimensions	---

Product Specification for H240 MSL on 5E Final Tier 4 (FT4) 3-Cyl (5045E, 5055E, 506... Page 3 of 4

Maximum lift height, in. (mm) (A)	3351 mm 131.9 in.
Clearance	---
At full height - bucket level, in. (mm) (B)	3157 mm 124.3 in.
At full height - bucket dumped, in. (mm) (C)	2500 mm 98.4 in.
Overall length (I+F), ft (m)	4.2 m 13.8 ft
Overall height in carry position, ft (m) (J)	---
Digging depth, in. (mm) (H)	69.0 mm 2.7 in.
Reach	---
At maximum height, in. (mm) (D)	965.7 mm 38 in.
At ground level - bucket level, in. (mm) (F)	2248.0 mm 88.5 in.
Bucket angle	---
Dump angle, degrees (E)	-58.8 degree (angle)
Rollback angle, degrees (G)	42 degree (angle)
Dump angle, ground	-109 degree (angle)
Cycle times	---
Loader raise, seconds	4.5 seconds
Loader lower, seconds	3.1 seconds
Bucket dump, seconds	3.6 seconds
Bucket rollback, seconds	3.6 seconds
Date collected	---

WALLENSTEIN



WALLENSTEIN RANCHO GX 920

For contractors and landscapers that need to dig deep, but not in their pockets, the Ranchho GX920 makes the grade. The large GX920 extends the usefulness of 30-100 HP tractors with digging capabilities of 9-feet deep. Trenching for footings and excavating to spec becomes quick and easy without the added expense of a single-purpose excavator. The digging bucket is built using AR400-strength steel, ensuring rugged longevity.

The Ranchho can be mounted on a subframe, 3-point hitch or skidsteer. All are easy to disconnect and re-attach on the go without wasting time.

new improved stability with bigger 3 1/2" diameter stabilizer cylinders on all 920 models


VERTICAL STABILIZERS

Dig closer to objects such as buildings and foundations while maintaining stability with the optional hydraulic vertical stabilizers. Available for GX720, GX920, GX920XT.



GX 920

BACHHOE




The GX920 provides a 2-foot flat bottom at the maximum digging depth.

BUSHINGS

Hardened steel bushings are installed on all the main pivot points of the GX720 and GX920, including swing, boom, dipper and bucket. High quality bushings add life to the Ranchho by reducing the wear and tear as you dig and swing.



RANCHHO BACKHOES




GX 920XT


**WALLENSTEIN
RANCHHO**

EXTENDIBLE GX920XT BACKHOE

The Wallenstein Ranchho digs even deeper with the Extendible GX920XT model. Capable of hydraulically extending an extra 24" to dig 11' 4" deep, the extendible dipper stick gives you the extra reach when you need it. When contracted, the bucket and dipper stick curl up tight to the boom for easy travel and compact storage.



GX 920XT



The GX920XT extends an extra 24" and provides a 2-foot flat bottom at the maximum digging depth.

**GET TO THE
BOTTOM
OF THINGS**