D&D Coatings

CRFI 0705 LOT 170000000606

### 3-Year Warranty - Floor Coating

The warranty protects against cracking, peeling, fading, flashing or discoloring of the coating and is in effect from the date of installation. The warranty is only in effect on floor coating applications by D&D or its appointees. In the event of any of the aforementioned, D&D will repair and/or replace the coating at no additional cost to the user.

The warranty does not apply in the case of:

- Improper substrate construction resulting in loss of bond of coated surface due to moisture from within, under or adjacent to the concrete surface.
- Acts of nature or fire, smoke, or water damage.
- Vandalism acts that cause damage to the coating.
- Incorrect maintenance practices such as using a 175-rpm auto scrub machine resulting in a smoked look on the surface or exposure of the product to higher concentrations of acidic/alkaline cleaning solutions than that for which the product is designed. Maintenance procedures are discussed and provided to all users.
- Deep gouges in coating resulting from the movement of heavy objects with unprotected feet across flooring.
- Scratches from furniture with unprotected feet. D&D includes furniture protection items with installation and will repair any damage caused by those protection devices during the 3-year warranty period. D&D is not responsible for scratches from furniture where chair feet have been removed or fallen off.

During the 3-year warranty period, if any issues arise, you should contact your Salesperson for consultation. If the situation warrants repair, a certified installer will visit the site and repair work will be scheduled and performed on a timely basis.

This warranty supersedes any other warranty or other representation, whether written or oral.

08/26/16 10:09:41



Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Request for Information 06 — Building Supply

,	Proc Folder: 240106		
ł	Doc Description: RF  - F Proc Type: Request for I		
Date Issued	Solicitation Closes	Solicitation No	Version
2016-08-11	2016-09-13 13:30:00	CRFI 0705 LOT1700000006	1

FOR INFORMATION CONTACT THE BUYER		
Michelle L Childers (304) 558-2063		
michelle.l.childers@wv.gov		
Signature X DAWN HE FEIN#	30-0497800	DATE 8/23/16
All offers subject to all terms and conditions contained in this collected		

### ADDITIONAL INFORMATION.

The WV Lottery is issuing this Request for Information for the purpose of gathering information to develop procurement specifications by identifying available floor coatings, customer service and support requirements, as well as other related capabilities and methodologies that best fit the State of West Virginia necks for a replacement of the current floor coating. Information provided will assist the WV Lottery in developing specifications and will assist in the procurement process

INVOICE TO		SHIP TO	
ACCOUNTS PAYABLE LOTTERY PO BOX 2067		PURCHASING LOTTERY 900 PENNSYLVANIA AVE	
CHARLESTON	WV25327-2067	CHARLESTON	WV 25302
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	
1	HIGH SHEEN FLOOR COATING	0.00000	SF	

Comm Code	Manufacturer	Specification	Model #	
47131802				.5

**Extended Description:** 

HIGH SHEEN FLOOR COATING

### WEST VIRGINIA LOTTERY

#### REQUEST FOR INFORMATION

The WV Lottery is issuing this *Request for Information* for the purpose of gathering information to develop procurement specifications by identifying available floor coatings, customer service and support requirements, as well as other related capabilities and methodologies that best fit the State of West Virginia's needs for a replacement of the current floor coating. Information provided will assist the WV Lottery in developing specifications and will assist in the procurement process.

### **CURRENT ENVIRONMENT**

The WV Lottery Building contains 6854 square of Resilient flooring and 5208 square feet is of Ceramic flooring. All covered flooring is in environmentally controlled climate with temperature ranges of 68 degree to 74 degrees Fahrenheit. The existing coating has reached the end of its service life and the Agency wishes to obtain floor coating options.

FLOOR	RESILIENT SQ FT	CERAMIC SQ FT
TOTAL	6854	5208

#### PURPOSE:

The WV Lottery plans to solicit quotations for the replacement of the flooring. The new floor coating shall have a high gloss finish and will not require waxing. The high gloss finish shall remain intact for a period of three years. Material may be acrylic, epoxy, polyurethane, etc., requiring two coats or less. Coating shall be lead-free and guaranteed for a minimum of three years.

#### **RESPONSE REQUIREMENTS:**

1. There will not be a contract as a result of this RFI and the State is not liable for any cost incurred by vendors in replying to this RFI. If an RFQ/RFP is issued, the information provided by the vendors in response to this RFI will assist the State of West Virginia in developing the procurement document. This RFI does not obligate the State to reply to the RFI responses, to issue an RFQ/RFP, or to include any RFI provisions or responses provided by the vendors in any RFQ/RFP.

### INSTRUCTIONS TO VENDORS RESPONDING TO A REQUEST FOR INFORMATION

- REVIEW DOCUMENTS THOROUGHLY: The attached documents contain a solicitation for information only. Please read these instructions and all documents attached in their entirety.
- 2. VENDOR QUESTION DEADLINE: Vendors may submit questions relating to this Solicitation to the Purchasing Division. Questions must be submitted in writing. All questions must be submitted on or before the date listed below and to the address listed below in order to be considered. A written response will be published in a Solicitation addendum if a response is possible and appropriate. Non-written discussions, conversations, or questions and answers regarding this Solicitation are preliminary in nature and are non-binding. Submitted e-mails should have the solicitation number in the subject line.

Question Submission Deadline: 08/30/2016, by 09:00 AM.EDT.

Submit Questions to: Michelle Childers, Senior Buyer

2019 Washington Street, East

Charleston, WV. 25305

Email: michelle.l.childers@wv.gov

- 3. VERBAL COMMUNICATION: Any verbal communication between the Vendor and any State personnel is not binding.
- 4. RESPONSE SUBMISSION:

The RFI response must be no more than 50 typed pages using 11 point font or larger, with borders no less than 1/2 inch. The RFI number shall be typed on each page, and all pages will be numbered.

All responses must be delivered to the Purchasing Division at the address listed below on or before the date and time of the Submission Deadline. Any response received by the Purchasing Division staff is considered to be in the possession of the Purchasing Division and will not be returned for any reason. The Purchasing Division will not accept responses, modifications of responses, or any other documentation associated with the response by email. Acceptable delivery methods include hand delivery, delivery by courier, or facsimile. ELECTRONIC RESPONSES THROUGH WVOASIS ARE NOT BEING ACCEPTED FOR THIS SOLICITATION. The response delivery address is:

Department of Administration, Purchasing Division 2019 Washington Street East Charleston, WV 25305-0130

FAX NUMBER FOR RESPONSES IS: (304)558-3970

Responses should contain the following information on the face of the envelope or the response may be rejected by the Purchasing Division:

REQUEST FOR INFORMATION: CRFI LOT1700000006

**BUYER: Michelle Childers** 

RESPONSE OPENING DATE: 09/13/2016
RESPONSE OPENING TIME: 1:30 PM. EDT.

- 5. RESPONSE OPENING: Responses submitted for this Solicitation will be opened at the location identified for RESPONSE SUBMISSION (above) on the date at time listed above. Delivery of a response after the opening date and time may result in the response being discarded. For purposes of this Solicitation, a response is considered delivered when the response is time stamped by the official Purchasing Division time clock.
- 6. ADDENDUM ACKNOWLEDGMENT: Changes or revisions to this Solicitation will be made by an official written addendum issued by the Purchasing Division. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgment Form, a copy of which is included with each Addendum issued. Failure to acknowledge addenda may result in the response being discarded. The addendum acknowledgment should be submitted with the response.
- 7. COMMUNICATIONS LIMITATIONS: In accordance with West Virginia Code of State Rules §148-1-6.6, communication with the State of West Virginia or any of its employees regarding this Solicitation during the solicitation period, except through the Purchasing Division, is strictly prohibited without prior Purchasing Division approval. From the date the Request for Information is issued and the until after the Response Opening Date and Time, contact regarding this solicitation between Vendors responding to this solicitation and individuals employed by the State is restricted to the Buyer listed above as the contact for Vendor Questions.
- 8. DISCLOSURE: Vendor's response to this Solicitation is considered a public document and will be disclosed to the public in accordance with the laws, rules, and policies governing the West Virginia Purchasing Division. Those laws include, but are not limited to, the Freedom of Information Act found in West Virginia Code §§29B-1-1 et seq. and the competitive bidding laws found in West Virginia Code §§5A-3-1 et seq., 5-22-1 et seq., and 5G-1-1 et seq.

If a Vendor considers any part of its response to be exempt from public disclosure, Vendor must so indicate by specifically identifying the exempt information, identifying the exemption that applies, providing a detailed justification for the exemption, segregating the exempt information from the general response information, and submitting the exempt information as part of its response but in a segregated and clearly identifiable format. Failure to comply with the

foregoing requirements will result in public disclosure of the Vendor's response without further notice. A Vendor's act of marking all or nearly all of its response as exempt is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor's act of marking a response or any part thereof as "confidential" or "proprietary" is not sufficient to avoid disclosure and WILL NOT BE HONORED. A legend or other statement indicating that all or substantially all of the response is exempt from disclosure is not sufficient to avoid disclosure and WILL NOT BE HONORED. Additionally, pricing or cost information will not be considered exempt from disclosure and requests to withhold publication of pricing or cost information WILL NOT BE HONORED.

Vendor will be required to defend any claimed exemption for nondisclosure in the event of an administrative or judicial challenge to the State's nondisclosure. Vendor must indemnify the State for any costs incurred related to any exemptions by the Vendor. Any questions regarding the applicability of the various public records laws should be addressed to Vendor's own legal counsel prior to response submission.



### APPLICATIONS

Terrazzo/Granite/Marble Ceramic/Porcelain/Quarry Tile Concrete

VCT

LVT

LVP

Roll Vinyl

Wood

Never wax again.

# onecure

The UV Curable Coating

www.onecure.net

CRFI-0705-LOT 1700000006

## LASTING SEAUTY WITHOUT THE UPKEEP

In the 21" Century, floors shouldn't be so hard to maintain. Traditional finishes fade too fast and require constant upkeep while newer longer-lasting finishes require too much dry time to be practical. Even LVT and other vinyls sold as no-maintenance break down over time with heavy traffic.

OneCure\* modernizes floor maintenance through the power of UV curing. OneCure scientifically delivers long-lasting gloss without the constant upkeep or downtime. The 100% solids UV curable material dries immediately, covers in one coat and requires no burnishing or buffing. It's also easy to clean and can be spot repaired.

## INSTANT RETURN TO SERVICE

With traditional air drying, solvents must evaporate for a coating to dry. This lengthy evaporation process release pollutants into the air. With UV curing, there are no solvents to evaporate and no pollutants. The coating also doesn't dry until exposed to UV so you can rework as needed. The flooring is then cured immediately through UV exposure.


## ENVIRONMENTAL PEACE OF MIND

One Cure is a green technology:

- VOC content < 0.5%
- 100% solids
- No chemical stripping
- · Low chemical waste



# OneCure maintains its gloss over time vs. wax



OneCure-treated floors maintain a high gloss finish over time while traditional floors fade day after day, requiring constant upkeep.





# chacure

"Your product is phenomenal! It not only shines better, it also shows no signs of wear. A very cost effective investment."

> Patrick T. Stemper General Manager Badger ToyotaLift

"We selected several high traffic floors in our buildings and are very impressed with the results."

Building and Grounds Supervisor East Troy Community School District





Go to www.onecure.net to learn more

## SIGNIFICANT COST SAVINGS

OneCure® delivers up to a 50% savings over a two-year time frame compared to traditional finishes. The cost of initial application is more than offset by the elimination of stripping, scrubbing and burnishing over a two-year period.

## IMPRESSIVE DURABILITY

OneCure is far more stain resistant than traditional finishes such as wax, and also far more scratch resistant than wax and water-based urethane in double-rub testing using steel wool.

## THE ONECURE STORY

DIC has an over 100-year history as a chemical manufacturing company. In 2010, a UV bulb manufacturer introduced us to the site-applied UV floor coating market and we've been developing One-Cure ever since.

While our competition primarily focuses on water-based UV coatings, we focused first on 100% solids UV coatings to provide quicker return to service, better durability and greater stain resistance. We spent several years conducting trials with our partner flooring experts, reformulating OneCure until it satisfied the most demanding customers.

We first developed OneCure for VCT but quickly expanded to other resilient and hard surface floors. Today, we offer a full lineup of high performance UV floor coatings that significantly reduce floor maintenance and save you money.



Established in 1908 as a manufacturer of printing inks, parent company DIC is a multinational organization with annual sales of more than \$7.5 billion, operations in more than 60 countries/territories and over 20,000 employees. The company has expanded its mainstay organic pigments and synthetic resins businesses while at the same time cultivating world-class related core technologies. DIC has leveraged these technologies to build a broad portfolio encompassing materials and finished products. This has enabled the company to respond to market needs by providing customers in the automotive, electronics, food packaging, housing and other industries with solutions that bring "color" and "comfort" to people's lives. Today DIC is redoubling its efforts to contribute to environmental protection and to the realization of a safe and sustainable society.

DIC IMAGING PRODUCTS USA, LLC
7300 South 10th Street
Oak Creek, WI 53154
414-856-3230
EMAIL US AT ONECURE@DICIMAGING.COM

www.onecure.net

© 2016 DIC Imaging Products USA, LLC. All rights reserved.

35-0497800