



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





## State of West Virginia Solicitation Response

Proc Folder: 254019

Solicitation Description: Dutch Hollow Bridge Concrete Box Beams and Bridge Rail

Proc Type: Central Purchase Order

 
 Date issued
 Solicitation Closes
 Solicitation Response
 Version

 2016-12-22 13:30:00
 SR
 0803 ESR12221600000002907
 1

VENDOR

VS0000001756

**CXT INC** 

Solicitation Number: CRFQ 0803 DOT1700000043

**Total Bid:** \$74,827.02 **Response Date:** 2016-12-22 **Response Time:** 11:06:46

**Comments:** 

FOR INFORMATION CONTACT THE BUYER

Misty Delong (304) 558-8802 misty.m.delong@wv.gov

Signature on File FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	955 1/2 square feet - 21 Inch Exterior Box Beam	955.50000	SF	\$54.400000	\$51,979.20

Comm Code	Manufacturer	Specification	Model #	
30101700				

**Extended Description:** 

Box beam shall be 7 pieces - each piece shall be 3 feet 0 inches x 45 feet 6 inches.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	273 square feet - 21 Inch Exterior Box Beam	273.00000	SF	\$54.400000	\$14,851.20

Comm Code	Manufacturer	Specification	Model #	
30101700				

**Extended Description:** 

Box beam shall be two pieces - each piece shall be 3 feet 0 inches x 45 feet 6 inches.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Elastomeric laminated bearing pads (B-2)	4.00000	EA	\$100.000000	\$400.00

Comm Code	Manufacturer	Specification	Model #	
30101700				

**Extended Description:** 

Pads must be 1 13/16 inches X 4 3/4 inches X 15 1/2 inches

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Elastomeric laminated bearing pads (B-1)	16.00000	EA	\$126.000000	\$2,016.00

Comm Code	Manufacturer	Specification	Model #	
30101700				

Extended Description :

Pads must be 1 13/16 inches X 4 3/4 inches X 28 inches.

Line	Comm Ln	Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	Swedged rebar	anchor bolt or #8 deformed	18.00000	EA	\$5.250000	\$94.50
Comm Code	Ma	anufacturer	Specification		Model #	
30101700			Opcomodion		model #	
Extended De	scription :	Bolt or rebar must be 1 inch	n X 2 foot 0 inch	es		
Line	Comm Ln	Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6		ubber preformed joint filler	2.00000	EA	\$130.000000	\$260.00
	· •	•				
Comm Code	Ma	nufacturer	Specification		Model #	
			-			
30101700 Extended Dea	scription :	Joint filler must be two inch	es thick. Joint fil	ller must be 6	3 7/16 inches X 31	feet 11 1/16 inches.
Extended De						
	Comm Ln		es thick. Joint fil	ller must be 6 Unit Issue	Unit Price \$3.000000	feet 11 1/16 inches.  Ln Total Or Contract Amount \$12.00
Extended Des	Comm Ln Sponge re	Desc	Qty 4.00000	Unit Issue	Unit Price	Ln Total Or Contract Amount
Extended Des	Comm Ln Sponge re	Desc ubber preformed joint filler	Qty	Unit Issue	Unit Price \$3.000000	Ln Total Or Contract Amount
Extended Des	Comm Ln Sponge ro	Desc ubber preformed joint filler	Qty 4.00000 Specification	Unit Issue EA	Unit Price \$3.000000 Model #	Ln Total Or Contract Amount \$12.00
Line 7 Comm Code 30101700 Extended Des	Comm Ln Sponge re Ma	Desc ubber preformed joint filler anufacturer  Joint filler must be 2 inches	Qty 4.00000  Specification  thick. Joint filler	Unit Issue EA	Unit Price \$3.000000 Model # /4 inches X 11 1/8	Ln Total Or Contract Amount \$12.00
Line 7 Comm Code 30101700 Extended Des	Comm Ln Sponge re Ma	Desc ubber preformed joint filler anufacturer  Joint filler must be 2 inches	Qty 4.00000  Specification  thick. Joint filler	Unit Issue EA r must be 4 3	Unit Price \$3.000000 Model # /4 inches X 11 1/8	Ln Total Or Contract Amount \$12.00 B inches.
Line 7 Comm Code 30101700 Extended Des	Comm Ln Sponge re Ma	Desc ubber preformed joint filler anufacturer  Joint filler must be 2 inches	Qty 4.00000  Specification  thick. Joint filler	Unit Issue EA	Unit Price \$3.000000 Model # /4 inches X 11 1/8	Ln Total Or Contract Amount \$12.00
Line 7 Comm Code 30101700 Extended Des	Comm Ln Sponge re  Ma scription :  Comm Ln Sponge re	Desc ubber preformed joint filler anufacturer  Joint filler must be 2 inches	Qty 4.00000  Specification  thick. Joint filler	Unit Issue EA r must be 4 3	Unit Price \$3.000000 Model # /4 inches X 11 1/8	Ln Total Or Contract Amount \$12.00 B inches.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
9	Sponge rubber preformed joint filler	2.00000	EA	\$400.000000	\$800.00
Comm Code	Manufacturer	Specification		Model #	
30101700					
Extended Des	Scription: Joint filler must be 1 inch the	hink. Joint filler n	nust be 1 foot	8 inches X 31 fee	t 11 1/16 inches.
Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
10	Sponge rubber washer	32.00000	EA	\$3.500000	\$112.00
Comm Code	Manufacturer	Specification		Model #	
30101700					
	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
Line 11	Comm Ln Desc Bridge Rail	<b>Qty</b> 75.00000	Unit Issue LF	Unit Price \$21.500000	Ln Total Or Contract Amount \$1,612.50
11		75.00000			
11 Comm Code	Bridge Rail			\$21.500000	
Comm Code 30121703	Manufacturer  Scription: Bridge rail must conform to	75.00000  Specification  o standards set focude inserts, ha	LF	\$21.500000 <b>Model #</b>	
Comm Code 30121703 Extended Des	Manufacturer  scription: Bridge rail must conform to Bridges. Bridge rail must ir attached to beams by fabri	75.00000  Specification  standards set followed inserts, had cator.	LF orth in section ardware, post	\$21.500000  Model #  1 607 of the WVD0 s and guardrail (see	\$1,612.50  OH Standard Specifications of Roads and see plans for detail). Bridge rail must be
Comm Code 30121703 Extended Des	Manufacturer  Scription: Bridge rail must conform to Bridges. Bridge rail must ir attached to beams by fabri	75.00000  Specification  Standards set finclude inserts, hacator.	LF orth in section ardware, post	\$21.500000  Model #  607 of the WVDC and guardrail (see	\$1,612.50  OH Standard Specifications of Roads and the plans for detail). Bridge rail must be  Ln Total Or Contract Amount
Comm Code 30121703	Manufacturer  scription: Bridge rail must conform to Bridges. Bridge rail must ir attached to beams by fabri	75.00000  Specification  standards set followed inserts, had cator.	LF orth in section ardware, post	\$21.500000  Model #  1 607 of the WVD0 s and guardrail (see	\$1,612.50  OH Standard Specifications of Roads and see plans for detail). Bridge rail must be
Comm Code 30121703 Extended Des	Manufacturer  Scription: Bridge rail must conform to Bridges. Bridge rail must ir attached to beams by fabri	75.00000  Specification  Standards set finclude inserts, hacator.	LF orth in section ardware, post	\$21.500000  Model #  607 of the WVDC and guardrail (see	\$1,612.50  OH Standard Specifications of Roads and the plans for detail). Bridge rail must be  Ln Total Or Contract Amount
Comm Code 30121703 Extended Des Line 12 Comm Code	Manufacturer  Scription: Bridge rail must conform to Bridges. Bridge rail must in attached to beams by fabri  Comm Ln Desc  Post tension bearing plates	Specification  Standards set for the cator.  Output  O	LF orth in section ardware, post	\$21.500000  Model #  n 607 of the WVD0 s and guardrail (see	\$1,612.50  OH Standard Specifications of Roads and the plans for detail). Bridge rail must be  Ln Total Or Contract Amount
Comm Code 30121703 Extended Des	Manufacturer  Scription: Bridge rail must conform to Bridges. Bridge rail must ir attached to beams by fabri  Comm Ln Desc  Post tension bearing plates  Manufacturer	Specification  Standards set finclude inserts, hacator.  Qty  8.00000  Specification	orth in section ardware, post  Unit Issue  EA	\$21.500000  Model #  n 607 of the WVD0 s and guardrail (see	\$1,612.50  OH Standard Specifications of Roads and the plans for detail). Bridge rail must be  Ln Total Or Contract Amount

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
13	Post tension bearing plates	2.00000	EA	\$20.000000	\$40.00

Comm Code	Manufacturer	Specification	Model #	
30101700				

**Extended Description:** 

The plates shall be 5 inches X 5 inches X 1 1/4 inches.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
14	Post Tension Bar	91.50000	LF	\$9.500000	\$869.25

Comm Code	Manufacturer	Specification	Model #	
30101700				

**Extended Description:** 

The post tension bar must be 1 inch diameter and include nuts. There shall be 3 pieces each measuring 30 feet 6 inches long.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
15	Post tension bar	34.50000	LF	\$9.500000	\$327.75

Comm Code	Manufacturer	Specification	Model #	
30101700				

**Extended Description:** 

Post tension bar shall be 1 inch diameter. The bar shall be 2 pieces, each piece shall measure 17 feet 3 inches. The post tension bar shall come with nuts and the total length shall be 34 1/2 linear feet.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
16	Asymmetrical Thrie Beam Transition Section	4.00000	EA	\$265.030000	\$1,060.12

Comm Code	Manufacturer	Specification	Model #	
30101700				

**Extended Description:** 

Each beam shall be 6 feet 3 inches and the total quantity shall be 4. Transition sections must be supplied but NOT attached.



**Purchasing Divison** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia **Request for Quotation** 06 - Building Supply

Proc Folder: 254019

Doc Description: Dutch Hollow Bridge Concrete Box Beams and Bridge Rail

Proc Type: Central Purchase Order

**Date Issued Solicitation Closes** Solicitation No Version 2016-12-09 2016-12-22 **CRFQ** 0803 DOT1700000043 13:30:00

**BID RECEIVING LOCATION** 

**BID CLERK** 

**DEPARTMENT OF ADMINISTRATION** 

PURCHASING DIVISION

2019 WASHINGTON ST E

**CHARLESTON** 

WV

25305

US

V			

Vendor Name, Address and Telephone Number:

Concrete a division of CXT, Inc.
Box 265
Ly. WV 2618A

FOR INFORMATION CONTACT THE BUYER

Misty Delong (304) 558-8802 misty.m.delong@wv.gov

Signature X

91-1498605 DATE 12-22-16

All offers subject to all terms and conditions contained in this solicitation

Page: 1

FORM ID: WV-PRC-CRFQ-001

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the
Contract Administrator and the initial point of contact for matters relating to this Contract.
(Name, Title)  ASON Norman, Project Manager  (Printed Name and Title)  P.O. BOX 265, Waverly WV 210184  (Address)  304-464-441  (Phone Number) / (Fax Number)  (email address)
CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.
Carr Concrete a division of CXT, Inc.
(Anthorized Signature) (Representative Name, Title)
(Printed Name and Title of Authorized Representative)  Project Manager  (Printed Name and Title of Authorized Representative)
12-22-16 (Date)
304-464-4441 364-464-4013 (Phone Number) (Fax Number)

## STATE OF WEST VIRGINIA Purchasing Division

## **PURCHASING AFFIDAVIT**

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

## **DEFINITIONS:**

WITNESS THE FOLLOWING GLOVES

NOTARY PUBLIC WIND! KAPRAUN CARR CONCRETE CORP. P.O. BOX 265 WAVERLY, WV 26184

My Commission Expires February 8, 2020 =

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:
Vendor's Name: Carr Concret a division of CXT Inc.
Authorized Signature:
State of
County of Wood, to-wit:
Taken, subscribed, and sworn to before me this $22$ day of, 2016.
My Commission expires
AFFIX SEAL HERE  OFFICIAL SEAL STATE OF WEST VIRGINIA

Purchasing Affidavit (Revised 08/01/2015)