

667 TECHNOLOGY CIRCLE WINDSOR, CO 80550-3126 PH: (800) 224-4605 (970) 686-6595

FAX: (970) 686-6594

WEB: www.BioSystemsInc.com

May 12, 2017

Mark Atkins
Dept of Administration, Purchasing Div.
2019 Washington Street East
Charleston, WV 25305

Dear Mr. Atkins,

Can you please provide me with a bid tabulation after the bid opening to my e-mail address at <a href="mailto:dwisely@biosystemsinc.com">dwisely@biosystemsinc.com</a>


hank you,

Doug Wisely

3

1212 1/15 BL Unit

05/15/17 09:15:40 WW Purchasine Division



State of West Virginia Request for Quotation 07 - Chemicals

Proc Folder: 323513

Doc Description: PAVEPRO (or EQUAL) ASPHALT SOLVENT

Proc Type: Central Master Agreement Date Issued Solicitation Closes Solicitation No 2017-04-24 Version 2017-05-16 **CRFQ** 0803 DOT1700000079 13:30:00

**BID CLERK** 

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV

25305

US

Vendor Name, Address and Telephone Number:

Biosystems Inc.

but technology Circle

Windsor co 80550

970-686-6595

FOR INFORMATION CONTACT THE BUYER

Mark A Atkins (304) 558-2307

mark.a.atkins@wv.gov

Signature X

84-152-3011

DATE 5/12/17

erms and conditions contained in this solicitation

Page: 1

FORM ID: WV-PRC-CRFQ-001

#### ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways (WVDOH), District Five (D-5), to establish an open-end contract for PAVEPRO (or EQUAL) ASPHALT SOLVENT per attached documents.

INVOICE TO	SHIP TO	
DIVISION OF HIGHWAYS DISTRICT FIVE PO BOX 99	STATE OF WEST VI	RGINIA NS AS INDICATED BY ORDER
BURLINGTON WV26710	N. O.	
US	No City	WV 99999
Line Comm La Des-	US	

Line Comm Ln Desc	Qty	Unit Issue Unit Price	
275-GALLON TOTE (each) OF PAVEPRO OR EQUAL	8.00000	FA 33 4	Total Price
Comm Code Manufacturer		\$ 4625.00	\$37,000.00

Commence		H 11 = 0.00	<b>あるいのの。の</b>
Comm Code Manufacturer			
30121600	Specification		
Bid william la	0: 0	Model #	
BioSystems Inc.	B10170HF	40000	
Extended Decades	OUPIUTIT	PPHF176	1
Extended Description :			
PAVERO OF FOLIAL Assistance			

PAVEPRO or EQUAL Asphalt Solvent supplied in 275-gallon tote (each).

INVOICETO		SHIPTO	
DIVISION OF HIGHWAYS DISTRICT FIVE PO BOX 99		STATE OF WEST VI	
BURLINGTON	WV26710	No City	WV 99999
Line Comm Ln Desc		US	

	Line					
ļ.,	riile	Comm Ln Desc	04			
12	2	55-GALLON DOUBLES	Qty	Unit Issue	Unit Price	
		55-GALLON DRUM OF PAVEPRO OR EQUAL	20.00000	DRUM		Total Price
		ON EQUAL		DRUM	\$992.00	at in couls
					1 12.00	\$19,840.00
10	omm Code	Manufacturer				

		TP 1 12.00	$\Phi^{(0)}$ , $870.00$
Comm Code Manufacturer			11 13 10.00
30121600	Specification	Modelin	
210010 Lanco Lan	$\mathcal{D} := \mathcal{D}$	Model #	
Biosystems Inc.	DIO PRO HE	RPHESS	
Extended Description :	20110111	BPHF55	
PAVEPRO or EQUAL Asphalt Solvent	· · · · · · · · · · · · · · · · · · ·		

PAVEPRO or EQUAL Asphalt Solvent supplied in 55-gallon drum.

INVOICE TO .		SKIPTO	
DIVISION OF HIGHWAYS DISTRICT FIVE		STATE OF WEST VIR	RGINIA
PO BOX 99		VARIOUS LOCATION	IS AS INDICATED BY ORDER
BURLINGTON	WV26710	No City	
US		1	WV 99999
		US	

_	Comm Ln Desc 5-GALLON PAIL OF PAVEPRO OR EQUAL	Qty 20.00000	Unit Issue PAIL	Unit Price	Total Price
Comm Code 30121600	and detaile.	Specifica	ation	\$95.00	\$1900.00
Extended Desc PAVEPRO or i	BIOSYSTEMS Inc.	Bio Pro	OHF	Model# BPHF09	5

PAVEPRO or EQUAL Asphalt Solvent supplied in 5-gallon pail.

SCHEDULE OF EVENTS

Line 2

**Event** 

Technical Questions due by:

**Event Date** 2017-05-02

	DOT1700000079	Dunger	Document Description PAVEPRO (or EQUAL) ASPHALT	Page 4 of 4
٠			SOLVENT	

### ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

# CRFQ 0803 DOT1700000079 REQUEST FOR QUOTATION PAVEPRO or Equal – ASPHALT SOLVENT

- 7.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
- 7.1.4 Failure to remedy deficient performance upon request.
- 7.2 The following remedies shall be available to Agency upon default.
  - 7.2.1 Immediate cancellation of the Contract.
  - 7.2.2 Immediate cancellation of one or more release orders issued under this Contract.
  - 7.2.3 Any other remedies available in law or equity.

#### 8. MISCELLANEOUS:

- **8.1 No Substitutions:** Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- **8.2 Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 8.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities or items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: DUN WISCN	
Telephone Number: 970-080-0595	
Fax Number: 970-686-6594	
Email Address: dwisen @biosystemsing con	<b>Y</b>

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract. (Printed Name and Title) Circle Windsor, CO 80550 (Address) (Phone Number) / (Fax Number) (email address) CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration. Authorized Signature) (Representative Name, Tick

(Phone Number) (Fax Numb

WV-10 Approved / Revised 12/16/15

### State of West Virginia

## **VENDOR PREFERENCE CERTIFICATE**

Certification and application is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

<u>1</u> .	Application is made for 2.5% vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification.
	Bidder is a resident vendor partnership, acceptation, and a state of the date of this certification;
	Bidder is a resident vendor partnership, association, or corporation with at least eighty percent of ownership interest of bidder held by another entity that meets the applicable four year residency requirement; or,
<u></u>	and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or.
2.	Application is made for 2.5% vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% vendor preference for the reason checked:  Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are vendor's bid; or,
4.	Application is made for 5% vendor preference for the reason checked:  Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5,	Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is
6.	Application is made for 3.5% vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and residents of West Virginia who have resided in the state continuously for the two immediately preceding years.  Application is made for preference as a second residence of the vendor's employees are
	dance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules.  Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, womenand minority-owned business.
requiren or (b) as the conti	inderstands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the nents for such preference, the Secretary may order the Director of Purchasing to: (a) rescind the contract or purchase order; racting agency or deducted from any unpaid balance on the contract or purchase.
By submauthorize the required deemed	pission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and red business taxes, provided that such information does not contain the amounts of taxes paid nor any other information by the Tax Commissioner to be confidential.
Bidder h	pereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder sion in writing immediately.
Bidder:	Doug Wisely, Biosystems Inc. signed: Jun 1957
Date:	Title: President
	combination of preference consideration(s) indicated above, which you are entitled to receive.

## REQUEST FOR QUOTATION PAVEPRO ASPHALT SOLVENT, OR EQUAL = 05170235

	<del></del>	·				
	<del></del>		CRFQ 0803 DOT170000	0079		 
ltem Number	Estimated Quantity	Unit of Measure	Description		Init Cost	Extended Amount
1	8	Tote (each)	275-Gallon tote of PAVEPRO, or equal: BIO PRO HF	\$	4,625.00	\$ 37,000.00
2	20	Drum	55-Gallon drum of PAVEPRO, or equal: BIO PRO HF	\$	992.00	\$ 19,840.00
3	20	Pail	5-Gallon pail of PAVEPRO, or equal: BIO PRO HF	\$	95.00	\$ 1,900.00
	GRAND TO	ĀL				\$ 58,740.00

### STATE OF WEST VIRGINIA **Purchasing Division**

## **PURCHASING AFFIDAVIT**

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not

#### **DEFINITIONS:**

NOTARY ID 20174006095 MY COMMISSION EXPIRES 02/08/21

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

### WITNESS THE FOLLOWING SIGNATURE: Vendor's Name: **Authorized Signature** State of County of Taken, subscribed, and sworn to before me this My Commission expires **AFFIX SEAL HERE** NOTARY PUBLIC **Emily Baird** Furchasing Affidavit (Revised 08/01/2015) **NOTARY PUBLIC** STATE OF COLORADO

## SYSTEMS, Inc. Bio Pro HF Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 5/01/2017 Supersedes: 01/27/2011 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Name: Bio Pro HF Product Form: Mixture

### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Uses of the substance/mixture: Biodegradable tar and asphalt remover, degreaser.

#### 1.3 Details of the supplier of the safety data sheet

BioSystems, Inc.

667 Technology Circle

Windsor, CO 80550

T (970)686-6595, Toll Free (800)224-4605

F (970)686-6594 www.biosystemsinc.com

Emergency telephone number: PERS: (800)633-8253

**SECTION 2: Hazards Identification** 

### 2.1 Classification of the substance or mixture GHS-US Classification

H315

Flam. Liq. 4 H227 Skin Sens. 1 H317 Asp. Tox. 1 H304

Skin Irrit. 2
2.2 Label Elements

**GHS-US labelling** 

Hazard pictograms (GHS-US):





Signal word (GHS-US): Danger Hazard Statements (GHS-US):

H227 – combustible liquid

H304 - May be fatal if swallowed and enters airways

H315- Causes skin irritation

H317- May cause an allergic skin reaction

Precautionary statements (GHS-US):

P210 - Keep away from heat, open flames, sparks, No smoking

P261 - Avoid breathing vapours

P264 - Wash hands, forearms and face thoroughly after handling

P272 – Contaminated work clothing must not be allowed out of the workplace.

P280 – Wear eye protection, face protection, protective clothing, protective gloves

P301+P310 – IF SWALLOWED: immediately call a doctor, a POISON CENTER

P302+P352 – If on skin: Wash with plenty of soap and water P303+P361+P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P321 - Specific treatment (see first aid instructions on this label)

P331 - Do NOT induce vomiting

P332+P313 – If skin irritation occurs: Get medical advice/attention P362 – Take off contaminated clothing and wash before reuse

P333+P313 – If skin irritation or rash occurs: Get medical advice/attention

P362+P364 – Take off contaminated clothing and wash it before reuse

P370+P378 – in case of fire: Use dry sand, foam, sand, dry extinguishing powder to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 – Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3 Other Hazards No additional information available

2.4 Unknown acute toxicity (GHS-US) No data available

SECTION 3: Composition/information on ingredients

#### 3.1 Substance: Not applicable

#### 3.2 Mixture:

Name	Product identifier	%
d-Limonene	(CAS No) 5989-27-5	60-100

**SECTION 4: First aid measures** 

#### 4.1 Description of first aid measures

First aid measures general: If exposed or concerned, get medical attention/advice. Show this SDS to the doctor in attendance. Wash contaminated clothing before reuse. Never give anything to an unconscious person.

First-aid measures after inhalation: IF INHALED: remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention. If breathing is difficult, supply oxygen. If breathing has stopped, give artificial respiration.

First-aid measure ofter skin contact: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. Get medical attention immediately.

First-aid measures after eye contact: IF IN EYES: immediately flush with plenty of water for at least 15 min. remove contact lenses if present and easy to do so. Get medical attention immediately. Continue rinsing.

First-aid measures after ingestion: IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention immediately.

## SYSTEMS, Inc. Bio Pro HF Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 5/01/2017 Supersedes: 01/27/2011 Version: 1.0

#### 4.2 Most important symptoms and effects, acute & delayed

Symptoms/injures after inhalation: May be fatal if swallowed and enters airways.

Symptoms/injuries after skin contact: Causes skin irritation. May cause an allergic skin reaction

Symptoms/injuries after eye contact: Direct contact with eyes is likely to be irritating.

Symptoms/injuries after ingestion: May cause gastrointestinal irritation.

4.3 Indication of any immediate medical attention and special treatment needed: No additional information.

**SECTION 5: Firefighting measures** 

#### 5.1 Extinguishing media

Suitable extinguishing media: Water spray. Foam. Dry Powder. Sand. Water fog.

#### 5.2 Special hazards arising from the substance mixture

Fire hazard: Combustible liquid.

Explosion hazard: Product is not explosive.

Reactivity: No additional information available.

#### 5.3 Advice for firefighters

Firefighting instructions: Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment. Prevent human exposure to fire, fumes, smoke and products of combustion.

Protection during firefighting: Do not enter fire area without proper. protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

*General measures*: Ventilate area and avoid breathing vapors. Put on personal protective equipment.

**6.2 Environmental precautions:** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid use of any ignition source near spill.

#### 6.3 Methods and material for containment and cleaning up

For containment: Contain any spills with non-combustible materials (e.g. sand, earth and vermiculite) to prevent migration and entry into sewers streams. Place in a suitable container for disposal in accordance with the waste regulations (see section 13).

#### **SECTION 7: Handling and storage**

Store in original container in well ventilated areas at temperatures below 140°F. Store in closed containers away from heat or sources of ignition and oxidizing materials. Protect damage to containers.

SECTION 8: Exposure controls/personal protection

#### 8.1 Control Parameters

d-Limonene (5989-27-5)	
Remark (ACGIH)	OELs not established
Remark (OSHA)	OELs not established

#### 8.2 Exposure Controls

Appropriate engineering controls: Provide adequate ventilation. This should be achieved by the used of local exhaust ventilation and good general extraction. Ensure eyewash and shower stations are available in workplace.









#### Personal protective equipment:

Skin and body protection: Oil resistant gloves and apron are recommended. Suggested glove materials are: Neoprene, Nitrate/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Minimize bodily exposure. Promptly remove soiled clothing and wash before reuse.

Eye protection: Protective safety glasses recommended. Respiratory protection: Under normal circumstances, when adequate ventilation exists, no protective equipment is necessary. If workers are exposed to concentrations above the exposure limit, use NIOSH approved respirators.

**SECTION 9: Phsyical and chemical properties** 

#### 9.1 Information on basic physical and chemical properties

Physical state: Liquid

Color: Orange Odor: Citrus

Odor Threshold: Not measured

pH: Not measured

Relative evaporation (butylacetate=1): <1

Melting point: Not measured

## BOSYSTEMS, Inc. BIO Pro HF Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 5/01/2017 Supersedes: 01/27/2011 Version: 1.0

Freezing point: Not measured

Boiling point: 171°C Flash point: >141°F (PMCC)

Auto-ignition temperature: Not measured Decomposition temperature: Not measured Flammability (solid, gas): Not measured

Vapour pressure: 2

Relative vapor density (air = 1): 4.7

Solubility: emulsifiable Log Kow: Not measured

Viscosity, kinematic: Not measured Viscosity, dynamic: Not measured Oxidising properties: Not measured Explosive limits: No data available

#### **SECTION 10: Stability and reactivity**

10.1 Reactivity: No additional information available.

**10.2 Chemical stability:** Stable under recommended handling and storage conditions (See section 7).

10.3 Possibility of hazardous reactions: No additional information available

**10.4 Conditions to avoid:** No flames, no sparks. Eliminate all sources of ignition. Temperatures over 60° C (140° F).

10.5 Incompatible materials: None known.

10.6 Hazardous decomposition products: None known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity: Not classified

Skin corrosion/irritation: Causes skin irritation

Respiratory or skin sensitization: May cause an allergic reaction.

Germ cell mutagenicity: Not classified Carcinogenicity: Not classified Reproductive toxicity: Not classified

Specific target organ toxicity (single exposure): Not classified.

Specific target organ toxicity (repeated exposure): Not classified Aspiration hazard: May be fatal if swallowed and enters airways.

Symptoms/injuries after inhalation: May be fatal if swallowed and

enters airways

Symptoms/injuries after skin contact: Causes skin irritation. May cause an allergic reaction.

Symptoms/injuries after ingestion: May cause gastrointestinal irritation.

#### **SECTION 12: Ecological information**

12.1 Toxicity Ecology – general: No information available

12.2 Persistence and degradability

Bio Pro HF

Persistence and degradability

Biodegradable

12.3 Bioaccumulative potential: No additional information12.4 Mobility in soil: No additional information available12.5 Other adverse effects: No additional information

#### **SECTION 13: Disposal Considerations**

#### 13.1 Waste treatment methods

Waste treatment methods: Do not discharge wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations: Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

#### **SECTION 14: Transport Information**

In accordance with DOT

Transport document description: NA 1993 Combustible liquid, N.O.S.

(Contanis: Citrus Terpenes), 3, III

DOT NA no.: NA 1993

Proper Shipping Name (DOT): Combustible liquid, n.o.s. (Contanis:

Citrus Terpenes)

Department of Transportation (DOT) Hazard Classes: 3 - Class 3

Packing group (DOT): III - Minor Danger

DOT Quantity Limitations Cargo aircraft/rail (49 CFR 175.75): 220L DOT Vessel Stowage Location: A – The material may be stowed on deck or under deck on cargo/passenger vessels

#### **UN Number**

UN-No. (ADR): Not applicable

UN-No. (IMDG): 1993

UN-No. (IATA): Not applicable UN-No. (AND): Not applicable UN-No. (RID): Not applicable

#### UN proper shipping name

Proper Shipping Name (ADR): Not applicable

Proper Shipping Name (IMDG): Flammable liquid, N.O.S.

Proper Shipping Name (IATA): Not applicable Proper Shipping Name (AND): Not applicable Proper Shipping Name (RID): Not applicable

Transport Document description (IMDG): NA 1993 Flammable liquid,

N.O.S., 3, III,

## SYSTEMS, Inc. Bio Pro HF Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 5/01/2017 Supersedes: 01/27/2011 Version: 1.0

**SECTION 15: Regulatory information** 

#### 15.1 US Federal regulations

Bio Pro HF	
SARA Section 311/312 Hazard	Immediate (acute) health hazard
classes	

15.2 International regulations: No additional information

15.3 US State regulations

California Proposition 65: This product contains no chemicals Known to the state of California to cause cancer, birth defects or other reproductive harm.

**SECTION 16: Other information** 

Indication of changes: Revision 1.0: New SDS created

Revision date: 08/15/2015

\*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.\*