

BIO SYSTEMS, Inc.

667 TECHNOLOGY CIRCLE
WINDSOR, CO 80550-3126

PH: (800) 224-4605 (970) 686-6595
FAX: (970) 686-6594
WEB: www.BioSystemsInc.com

May 12, 2017

Mark Atkins
Dept of Administration, Purchasing Div.
2019 Washington Street East
Charleston, WV 25305

Dear Mr. Atkins,

Can you please provide me with a bid tabulation after the bid opening to my e-mail address at dwisely@biosystemsinc.com

Thank you,


Doug Wisely

51212 1/15 BR United Parcel

100

05/15/17 09:15:40
WV Purchasing Division



667 TECHNOLOGY CIRCLE
WINDSOR, CO 80550-3126

PH: (800) 224-4605 (970) 686-6595
FAX: (970) 686-6594
WEB: www.BioSystemsInc.com

May 12, 2017

Mark Atkins
Dept of Administration, Purchasing Div.
2019 Washington Street East
Charleston, WV 25305

Dear Mr. Atkins,

Can you please provide me with a bid tabulation after the bid opening to my e-mail address at dwisely@biosystemsinc.com

Thank you,


Doug Wisely



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 07 - Chemicals

Proc Folder: 323513

Doc Description: PAVEPRO (or EQUAL) ASPHALT SOLVENT

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2017-04-24	2017-05-16 13:30:00	CRFQ 0803 DOT1700000079	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number:

BioSystems Inc.
 667 Technology Circle
 Windsor CO 80550
 970-686-6595

FOR INFORMATION CONTACT THE BUYER

Mark A Atkins
 (304) 558-2307
 mark.a.atkins@wv.gov

Signature

FEIN #

84-152-3011

DATE

5/12/17

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways (WVDOH), District Five (D-5), to establish an open-end contract for PAVEPRO (or EQUAL) ASPHALT SOLVENT per attached documents.

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT FIVE PO BOX 99 BURLINGTON WV26710 US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV 99999 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	275-GALLON TOTE (each) OF PAVEPRO OR EQUAL	8.00000	EA	\$2910.00	\$23,280.00

Comm Code	Manufacturer	Specification	Model #
30121600	BioSystems Inc.	Bio Slide	BS275

Extended Description :
PAVEPRO or EQUAL Asphalt Solvent supplied in 275-gallon tote (each).

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT FIVE PO BOX 99 BURLINGTON WV26710 US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV 99999 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	55-GALLON DRUM OF PAVEPRO OR EQUAL	20.00000	DRUM	\$622.00	\$12,440.00

Comm Code	Manufacturer	Specification	Model #
30121600	BioSystems Inc.	BioSide	BS55

Extended Description :
PAVEPRO or EQUAL Asphalt Solvent supplied in 55-gallon drum.

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT FIVE PO BOX 99 BURLINGTON WV26710 US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV 99999 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	5-GALLON PAIL OF PAVEPRO OR EQUAL	20.00000	PAIL	\$75.00	\$1500.00

Comm Code	Manufacturer	Specification	Model #
30121600	Biosystems Inc.	BioSlide	BS05

Extended Description :
PAVEPRO or EQUAL Asphalt Solvent supplied in 5-gallon pail.

SCHEDULE OF EVENTS

Line	Event	Event Date
2	Technical Questions due by:	2017-05-02

DOT1700000079	Document Phase Draft	Document Description PAVEPRO (or EQUAL) ASPHALT SOLVENT	Page 4 of 4
---------------	--------------------------------	--	-----------------------

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

CRFQ 0803 DOT1700000079
REQUEST FOR QUOTATION
PAVEPRO or Equal – ASPHALT SOLVENT

7.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.

7.1.4 Failure to remedy deficient performance upon request.

7.2 The following remedies shall be available to Agency upon default.

7.2.1 Immediate cancellation of the Contract.

7.2.2 Immediate cancellation of one or more release orders issued under this Contract.

7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

8.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.

8.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.

8.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities or items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.


8.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: DOUG WISEN
Telephone Number: 970-686-10595
Fax Number: 970-686-10594
Email Address: dwise@biosystemsinc.com

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Doug Wisely, President
(Name, Title)
Doug Wisely, President
(Printed Name and Title)
667 Technology Circle Windsor, CO 80550
(Address)
970-686-6595 / 970-686-6594
(Phone Number) / (Fax Number)
dwisely@biosystemsinc.com
(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Biosystems, Inc.
(Company)
Doug Wisely, President
(Authorized Signature) (Representative Name, Title)

Doug Wisely, President
(Printed Name and Title of Authorized Representative)

5/12/17
(Date)

970-686-6595 / 970-686-6594
(Phone Number) (Fax Number)

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

1. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or,**
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification;
 Bidder is a resident vendor partnership, association, or corporation with at least eighty percent of ownership interest of bidder held by another entity that meets the applicable four year residency requirement; **or,**
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or,**
2. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or,**
3. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years and the vendor's bid; **or,**
4. **Application is made for 5% vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or,**
5. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or,**
6. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
7. **Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with *West Virginia Code* §5A-3-59 and *West Virginia Code of State Rules*.**
 Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) rescind the contract or purchase order; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: DOUG WISELY, BioSystems Inc.

Signed: _____

Date: 5/12/17


Title: President

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

REQUEST FOR QUOTATION
PAVEPRO ASPHALT SOLVENT, OR EQUAL - 05170235

EXHIBIT_A PRICING PAGE

CRFQ 0803 DOT1700000079

Item Number	Estimated Quantity	Unit of Measure	Description	Unit Cost	Extended Amount
1	8	Tote (each)	275-Gallon tote of PAVEPRO, or equal: Bio Slide	\$ 2,910.00	\$ 23,280.00
2	20	Drum	55-Gallon drum of PAVEPRO, or equal: Bio Slide	\$ 622.00	\$ 12,440.00
3	20	Pail	5-Gallon pail of PAVEPRO, or equal: Bio Slide	\$ 75.00	\$ 1,500.00
GRAND TOTAL				\$	37,220.00

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Douglas Wisch, Biosystems Inc.

Authorized Signature: [Signature] Date: 5-12-17

State of Colorado

County of weld, to-wit:

Taken, subscribed, and sworn to before me this 12th day of May, 2017.


My Commission expires 02/08, 2021.

AFFIX SEAL HERE

NOTARY PUBLIC

[Signature]

Purchasing Affidavit (Revised 08/01/2015)



BIO SYSTEMS, Inc. Bio Slide Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 5/01/2017 Supersedes: 01/27/2011 Version: 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE OF THE COMPANY UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product name: Bio Slide

Product form: Mixture

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use of the substance/mixture: Biodegradable asphalt release agent

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

BioSystems, Inc.

667 Technology Circle

Windsor, CO 80550

T (970)686-6595, Toll Free (800)224-4605, F(970)686-6594

www.biosystemsinc.com

1.4 EMERGENCY TELEPHONE NUMBER: PERS: (800)633-8253

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS-US CLASSIFICATION: Not Classified

2.2 LABEL ELEMENTS:

GHS-US LABELLING: No labelling applicable

2.3 OTHER HAZARDS: No additional information available

2.4 UNKNOWN ACUTE TOXICITY (GHS-US): No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCE: Not applicable

3.2 MIXTURE

NAME	PRODUCT IDENTIFIER	%
Contains no hazardous ingredients at levels requiring disclosure by the OSHA Hazard Communication Standard (29 CFR 1910.1200)		

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

FIRST-AID MEASURES GENERAL: If exposed or concerned, get medical attention/advice. Show this SDS to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.

FIRST-AID MEASURES AFTER INHALATION: IF INHALED: Remove to fresh air and keep at rest in a comfortable position for breathing.

FIRST-AID MEASURES AFTER SKIN CONTACT: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes.

FIRST-AID MEASURES AFTER EYE CONTACT: IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Continue rinsing.

FIRST-AID MEASURES AFTER INGESTION: IF SWALLOWED: Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention if you feel unwell.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

SYMPTOMS/INJURIES AFTER INHALATION: May cause respiratory irritation.

SYMPTOMS/INJURIES AFTER SKIN CONTACT: May cause skin irritation.

SYMPTOMS/INJURIES AFTER EYE CONTACT: Direct contact with the eyes is likely to be irritating.

SYMPTOMS/INJURIES AFTER INGESTION: May cause gastrointestinal irritation.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: No additional information available

SECTION 5: FIREFIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA: Water spray. Foam. Dry powder. Sand. Water fog.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

FIRE HAZARD: Product is not flammable

EXPLOSION HAZARD: Product is not explosive

REACTIVITY: No additional information available

5.3 ADVISE FOR FIREFIGHTERS

FIREFIGHTING INSTRUCTIONS: Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment. Prevent human exposure to fire, fumes, smoke and products of combustion.

PROTECTION DURING FIREFIGHTING: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

GENERAL MEASURES: Ventilate area and avoid breathing vapors. Put on personal protective equipment.

6.2 ENVIRONMENTAL PRECAUTIONS

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid use of any ignition near spill.

6.3 METHODS AND MATERIAL FOR CONTAINMENT

FOR CONTAINMENT: Contain any spills with non-combustible materials (e.g. sand, earth, and vermiculite) to prevent migration and entry into sewers or streams. Place in a suitable container for disposal in accordance with the waste regulations (see section 13).

SECTION 7: HANDLING AND STORAGE

Store in original container in well ventilated areas at temperatures below 140°F. Store in closed containers away from heat or sources of ignition and oxidizing materials. Protect damage to containers.

BIO SYSTEMS, Inc. Bio Slide Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 5/01/2017 Supersedes: 01/27/2011 Version: 1.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Not applicable

8.2 EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation. This should be achieved by the use of local exhaust ventilation and good general extraction. Ensure eyewash and shower stations are available in workplace.

PERSONAL PROTECTIVE EQUIPMENT: Gloves. Protective goggles.



SKIN AND BODY PROTECTION: Minimize bodily exposure. Promptly remove soiled clothing and wash before reuse.

RESPIRATORY PROTECTION: Under normal circumstances, when adequate ventilation exists, no protective equipment is necessary. If workers are exposed to concentrations above the exposure limit, use NIOSH approved respirators. .

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

COLOR: Amber

ODOR: Mild odor

ODOR TREATMENT: Not measured

PH: Not measured

RELATIVE EVAPORATION RATE (BUTYLACETATE=1): Not measured

MELTING POINT: Not measured

FREEZING POINT: Not measured

BOILING POINT: >300°F

FLASH POINT: >300°F

AUTO-IGNITION TEMPERATURE: Not measured

DECOMPOSITION TEMPERATURE: Not measured

FLAMMABILITY (SOLID, GAS): Not measured

VAPOR PRESSURE: Not measured

RELATIVE VAPOUR DENSITY AT 20° C: Not measured

RELATIVE DENSITY: Not measured

SOLUBILITY: Emulsifiable

LOG KOW: Not measured

VISCOSITY, KINEMATIC: Not measured

VISCOSITY, DYNAMIC: Not measured

OXIDISING PROPERTIES: Not measured

EXPLOSIVE LIMITS: Not measured

9.2 OTHER INFORMATION

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No additional information available

10.2 CHEMICAL STABILITY

Stable under recommended handling and storage conditions (see section 7).

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No additional information available

10.4 CONDITIONS TO AVOID

Open flame. Heat. Temperatures over 49° C (120°F).

10.5 INCOMPATIBLE MATERIALS

None known.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

None known.

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

ACCUTE TOXICITY: Not classified

SKIN CORROSION/IRRITATION: Not classified

SERIOUS EYE DAMAGE/IRRITATION: Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION: Not classified

GERM CELL MUTAGENICITY: Not classified

CARCINOGENICITY: Not classified

REPRODUCTIVE TOXICITY: Not classified

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE): Not classified

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE): Not classified

ASPIRATION HAZARD: Not classified

SYMPTOMS/INJURIES AFTER INHALATION: May cause respiratory irritation.

SYMPTOMS/INJURIES AFTER SKIN CONTACT: May cause skin irritation.

SYMPTOMS/INJURIES AFTER EYE CONTACT: Direct contact with the eyes is likely to be irritating.

SYMPTOMS/INJURIES AFTER INGESTION: May cause gastrointestinal irritation.

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY

ECOLOGY – GENERAL: No information available

12.2 PERSISTENCE AND DEGRADABILITY

BIO SLIDE

Persistence and degradability	Biodegradable
-------------------------------	---------------

12.3 BIOACCUMULATIVE POTENTIAL

No additional information available

12.4 MOBILITY IN SOIL

No additional information available

12.5 OTHER ADVERSE EFFECTS

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

WASTE TREATMENT METHODS: Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit. **WASTE DISPOSAL RECOMMENDATIONS:** Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

BIO SYSTEMS, Inc. Bio Slide Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date:
5/01/2017 Supersedes: 01/27/2011 Version: 1.0

SECTION 14: TRANSPORT INFORMATION

In accordance with DOT – Not hazardous for transport
TRANSPORT BY SEA: No additional information available
AIR TRANSPORT: No additional information

SECTION 15: REGULATORY INFORMATION

15.1 US FEDERAL REGULATIONS

BIO SLIDE

All chemical substances in this product are listed in the EPA (Environment Protection Agency), TSCA (Toxic Substance Control Act), Inventory or are exempt

SARA section 311/312 Hazard classes	None.
-------------------------------------	-------

15.2 INTERNATIONAL REGULATIONS

No additional information available

15.3 US STATE REGULATIONS

CALIFORNIA PROPOSITION 65

This product contains no chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

SECTION 16: OTHER INFORMATION

INDICATION OF CHANGES: Revision 1.0: New SDS created

REVISION DATE: 08/15/2015

NFPA HEALTH HAZARD: 0 – Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA FIRE HAZARD: 0 – Materials that will not burn.

NFPA Reactivity: 0 – Normally stable, even under fire exposure conditions, and are not reactive with water.


HMIS III RATING

HEALTH: 0

FLAMMABILITY: 0

PHYSICAL: 0

PERSONAL PROTECTION:



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.