



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





## State of West Virginia Solicitation Response

Proc Folder: 296462

Solicitation Description: Magnetic Particle Processor

Proc Type: Central Purchase Order

Date issued	Solicitation Closes	Solicitation Response	Version
	2017-02-09 13:30:00	SR 1400 ESR02091700000003721	1
	13.30.00		

VENDOR

000000230284

VWR INTL INC

Solicitation Number: CRFQ 1400 AGR1700000010

**Total Bid :** \$0.00 **Response Date:** 2017-02-09 **Response Time:** 12:13:57

**Comments:** 

FOR INFORMATION CONTACT THE BUYER

Linda B Harper (304) 558-0468 linda.b.harper@wv.gov

Signature on File FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

netic Particle Processor w/PCR	1.00000	EA			
Manufacturer	Specification		Model #		
Extended Description : Magnetic Particle Processor w/PCR Head					
	Manufacturer	Manufacturer Specification	Manufacturer Specification	Manufacturer Specification Model #	

Unit Issue

Qty

Line

Comm Ln Desc

Unit Price

**Ln Total Or Contract Amount** 

Comments: UNABLE TO GET RECOMMENDED ITEM FROM SUPPLIER IN TIME FOR BID NO ALTERNATE LOCATED.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Real-Time PCR on-site Software Training for 1/2 day	1.00000	EA		

Comm Code I	Manufacturer	Specification	Model #
41100000			
Extended Description :	Real-Time PCR on-site Soft	ware Training for 1/2 day	

Comments: UNABLE TO GET RECOMMENDED ITEM FROM SUPPLIER IN TIME FOR BID NO ALTERNATE LOCATED .

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Shipping & Handling	1.00000	EA		

Comm Code	Manufacturer	Specification	Model #
78121603			
<b>Extended Description</b>	: Shipping & Handling		

Comments: UNABLE TO GET RECOMMENDED ITEM FROM SUPPLIER IN TIME FOR BID NO ALTERNATE LOCATED.