



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header @ 1

List View

General Information | [Contact](#) | [Default Values](#) | [Discount](#) | [Document Information](#)

Procurement Folder: 333921

Procurement Type: Central Master Agreement

Vendor ID: 000000188484

Legal Name: ALL STATES LEASING LLC

Alias/DBA:

Total Bid: \$0.00

Response Date: 08/15/2017

Response Time: 9:39

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT1800000008

Published Date: 8/7/17

Close Date: 8/16/17

Close Time: 13:30

Status: Closed

Solicitation Description: ADDENDUM_2: EQUIPMENT LEASE/RENTAL W/O

Total of Header Attachments: 1

Total of All Attachments: 1



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder : 333921

Solicitation Description : ADDENDUM_2: EQUIPMENT LEASE/RENTAL W/O OPERATOR

Proc Type : Central Master Agreement

Date issued	Solicitation Closes	Solicitation Response	Version
	2017-08-16 13:30:00	SR 0803 ESR08151700000000573	1

VENDOR
000000188484 ALL STATES LEASING LLC

Solicitation Number: CRFQ 0803 DOT1800000008

Total Bid : \$0.00 **Response Date:** 2017-08-15 **Response Time:** 09:39:08

Comments:

FOR INFORMATION CONTACT THE BUYER
 Mark A Atkins
 (304) 558-2307
 mark.a.atkins@wv.gov

Signature on File	FEIN #	DATE
--------------------------	---------------	-------------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Vendor shall use Exhibit_A Pricing Page(s) for bid pricing.	0.00000	EA	\$0.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #
72141702			

Extended Description :	<p>EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR PER EXHIBIT A, PRICING PAGE AND INFORMATION ATTACHMENT FORM:</p> <p>Note: Vendor shall use Exhibit_A Pricing Page(s) for bid pricing. If bidding online vendor should enter \$0.00 in the Oasis commodity line.</p>
-------------------------------	--

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK Elliott Model L55 or similar							
ARROW BOARDS 4' x 8' panel 15 lamp							
ASPHALT DISTRIBUTOR Trk. Mtd. w/spray bar							
ASPHALT RECYCLER KM T-2 or similar							
ASPHALT RECYCLER Self Loading - Stepp SRM 10x120 or similar							
ASPHALT RECYLING ATTACHMENT Endloader bucket - mounted, asphalt grinder/recycle attachment; min. 185 hp, app. 8,500 lb. wt. capable of grinding and remixing up to 12" deep and 48" wide pavement and base.							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
ASPHALT RECYCLING ATTACHMENT Zipper or similar							
ASPHALT REMOVAL/RECYCLER Benedetti or similar to							
ATTENUATOR - Trailer Mounted must meet NCHRP 350 TL-3							
AUGER Track Mtd.							
AUGER Truck Mtd.							
BACKHOE Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs. - 28,000 lbs. Working Weight							
BACKHOE Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs. - 35,800 lbs. Working Weight							
BACKHOE Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs. - 40,000 lbs. Working Weight Attachment: Grapple							
BACKHOE Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs. - 45,900 lbs. Working Weight							
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 24,400 lbs. - 35,800 lbs. Excavator Size							
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 36,000 lbs. - 42,900 lbs. Excavator Size Attachment: Grapple							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 43,000 lbs. - 60,000 lbs. Excavator Size							
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 61,000 lbs. - 80,000 lbs. Excavator Size							
HYRAM ATTACHMENT ONLY 2,000 ft./lbs. min							
BACKHOE Crawler with a thumb							
BACKHOE LOADER Rubber Tired 55-85 DHP							
BACKHOE LOADER (HY-RAM) Mtd. Hyd. Breaker 55-85 DHP D							
BACKHOE LOADER (HO-RAM) Mtd. Air Breaker 1,000 ft./lbs. min.							
BACKHOE LOADER TRACTOR - Compact Rubber Tired 20-30 HP max. height - 83"							
BACKHOE LOADER TRACTOR - Mini 25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar							
BASE WIDENER SP Shoulder Stone							
BRUSH CHIPPER - up to 49 hp Cutting size - 12" in diameter.							
BRUSH CHIPPER - from 50 hp to 85 hp Cutting size - 12" in diameter.							
BULLDOZER Crawler GD 65 -75 DHP D							
BULLDOZER Crawler GD 80 -90 DHP D							
BULLDOZER Crawler GD 100 -120 DHP D							
BULLDOZER							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1600000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Crawler GD 130 -140 DHP D							
BULLDOZER Crawler TC 150 - 250 EHP D							
BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D							
BULLDOZER Crawler/Winch TCP 181 - 250 EHP D							
CHIP SPREADER SP							
COLD MILLING - Stabilizer/Recycler BOMAG MPH 364 R-2 or similar							
COLD MILL PLANER Self Loading - 2'							
COLD MILL PLANER Self Loading - 4'							
COMPRESSOR 125 - 160 CFM Portwhl.							
COMPRESSOR 170 - 210 CFM Portwhl.							
COMPRESSOR 250 - 300 CFM Portwhl.							
COMPRESSOR 350 - 375 CFM Portwhl.							
COMPRESSOR 600 CFM Portwhl.							
COMPRESSOR 700 - 800 CFM Portwhl.							
CONCRETE MIXER Trk. Mtd. 6.0 Cyd							
CONCRETE SAW Full Depth CAP - 24" Blade							
CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade							
CRACK SEALING MACHINE Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 12 - 1/2 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 14 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 15 - 25 T Hyd. Rough Terrain							
CRANE 20 - 25 T Cable D Crawler							
CRANE 25 - 30 T Cable, Trk. Mtd. G							
CRANE 30 T Hyd.							
CRANE 35 T Hyd.							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
CRANE 40 T Hyd.							
CRANE 50 T Hyd.							
CRANE 15 - 20 T Truck Mounted Boom							
CRANE 21 - 25 T Truck Mounted Boom							
CULVERT CLEANER Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER Trk. Mtd. 65 - 80 GPM 2,000 PSI min.	VACALL	1215			10500 ⁰⁰	200 ⁰⁰	4 ⁰⁰
CULVERT CLEANER - radio remote controlled Microtraxx or Similar 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation, to clean 48" to 60" round culverts							
CULVERT CLEANER - radio remote controlled Microtraxx or Similar 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, to clean 36" to 48" round culverts							
DITCH WITCH							
EQUIPMENT TRAILER 10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER 12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER 14,000 GVWR 16' + 2' dovetail, with 24" wide x 60" wide long stand-up ramps with support leg and stand-up bar, spring assisted							
EXCAVATOR - TELEBOOM							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Track Mtd. SP 0.5 Cyd. D							
EXCAVATOR - TELEBOOM							
Truck Mtd. SP 0.5 Cyd. D							
EXCAVATOR w/McMillen extreme duty earth auger or similar							
EXCAVATOR Mini-Hyd. Track Mtd. 2,600 lbs. max.							
EXCAVATOR Mini-Hyd. Track Mtd. 6,500 lbs. max.							
EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP Track Width 10' out-to-out							
EXCAVATOR - 1/8 Cyd. 30 HP D Track Width 5' out-to-out							
EXCAVATOR - 1/5 Cyd. 44 HP 11,000 lbs. Track Width 6' out-to-out							
EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket, Track Width 6' out-to-out.							
EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator.							
EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT Swivel head with ditching bucket							
FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum							
FLATLINER - attachment for a skid steer Profilograph and bump grinder in one							
FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap.							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
GENERATOR - TRAILER MOUNTED:							
30 kw							
45 kw							
60 kw							
80 kw							
100 kw							
125 kw							
175 kw							
200 kw							
230 kw							
300 kw							
400 kw							
500 kw							
600 kw							
800 kw							
1,000 kw							
2,000 kw							
GRAPPLE ATTACHMENTS for Skid Steer Loaders 72" - 78" attachments							
HEATER - Trailer Mounted, Diesel 22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar							
HAMMER (DELMAG) PILE-D. D8-22							
HIGH FLOW SKID STEER							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Auger of any diameter							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
HYDRO-SEEDER							
HYDRO-SEEDER							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Trk. Mtd. 1,500 - 2,500 Gal.							
JOINT SEALER 3 Cylinder, Tandem Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 18"x24" Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT. 4 - 1,000 watt bulbs							
LOWBOY with two drops in deck height - min 35 T							
MANLIFT SP 40 ft.							
MANLIFT SP 60 ft.							
MANLIFT SP 80 ft.							
MANLIFT SP 125 ft. minimum to 135 ft. maximum							
MESSAGE SIGN - PROGRAMMABLE							
MILLING PLANER SKID STEER							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Auger of any diameter							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
MORTAR MIXER 6 CF 5 HP G							
MOTOR GRADER 35,000-45,000 lbs. class							
PATCH TRAILER DuraPatcher or similar							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1600000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
PATCH TRUCK DuraMAXX or similar							
PAVER - HOT MIX ASPHALT Rubber-tired Paver							
PAVER - HOT MIX ASPHALT Track Paver							
POLY PATCHER II or similar Double-boiler type mixer, Trl Mtd.							
PRESSURE WASHER/Hot Water 120" Min, 700-3000 psi Min.							
RECLAIMER 43,000 lbs min weight, 350 HP, 96" milling head 0 - 18" cutting depth range							
ROCKDRILL - SP Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class							
ROCK TRUCK - ARTICULATED 20 -30 T							
ROLLER 5 Ton with 2 steel drums							
ROLLER 10-15 Tons with 2 steel drums							
ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd.							
ROLLER 10 T PNEUTR							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
ROLLER 7-15 T PNEUTR, Articulated							
ROLLER SP PNEUTR - 10K GVW G							
ROLLER SP PNEUTR - 20K GVW G							
ROLLER - TRENCH VIB Dual Drum Approx. 10 HP, Approx. 2.5ft W x 8.3 ft L							
ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D							
ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D							
SAND BLASTER 200 lb. hopper min.							
SCREENERS, Material Mobile - Diesel							
SHADOW TRUCK w/Attenuator min. 30,000 GVW							
SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth							
SPRAY PATCHER Self-contained, Tri Mtd, spray-injection machine Self-supporting, rear mounted tri-fold articulating boom with fully counterweighted arm. Radius: Min 20'-10". Vert. Stroke: 5' - 2' below pavement level.							
STABILIZER (BO-MAG) SP 250 HP min.							
STRAW / MULCH BLOWER Trk. Mtd.							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
STREET SWEEPER SP 3.0 Cyd. (min.)							
STREET SWEEPER SP 8.0 Cyd. (min.)	SCHWARZE	A7			10000 ⁰⁰	200 ⁰⁰	4 ⁰⁰
STREET SWEEPER Trlr. Type							
STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar							
STREET SWEEPER - Towable Self-Propelled							
STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
TAMPER/COMPACTOR - Vibratory 650 min. blows per minute							
TRACTOR John Deere 6200 or similar							
Boom Mower Attachment to be used with the above Tractor							
Flail Mower Attachment to be used with the above Tractor							
Sicklebar Mower Attachment to be used with the above Tractor							
TRAILER 6 tons with ramps, minimum 18' length, 8.5' width							
TRAILER - FLATBED TRI-AXLE 22,500 GVWR, 23 ft. with dove tail, Air Breaks							
TRAILER - LowBoy 35 - 50 ton - pony motor, self contained hydraulics							
TRAFFIC SIGNALS - PORT 2 Phase Operation D/E							
TREE TRIMMER - Power Mechanical Trimmer - Track Up to 53' Reach - Kwik-Trim Takeuchi TB260 or similar							
TREE TRIMMER - Telescoping Trimmer Power Train - Track Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar							
TRENCH PAVER							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Base Widening Machine							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
TRUCK - Heavy Industrial 2 Axle Steel Bed							
TRUCK - Heavy Industrial 3 Axle Steel Bed							
TRUCK - Heavy Industrial 4 Axle Steel Bed							
TRUCK - Heavy Industrial 5 Axle Steel Bed							
TRUCK - Heavy Industrial 2 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial 3 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial 4 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial 5 Axle Aluminum "V" Bed							
TRUCK - Water Tanker - min 1500 gallons							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach							
UNDERBRIDGE PLATFORM Truck Mtd., Hyd. Min. 23 ft. horizontal reach (driver to be included)							

Vendor Should Type Pricing Page Schedule

CRFQ 0803 DOT1800000008

Exhibit A

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
VACUUM/JETTER SEWER CLEANER Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm 2000+ CFM Vacuum Pump, 2200+ PSI water pump							
VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
VAN - BOX 21,000 or greater							
VIBRATORY ROLLER with Water 4 - 5 ton Steel Double Drum							
VIBRATORY ROLLER with Water 8 - 10 ton Steel Double Drum							
WATER PUMPS - 3" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 4" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 6" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 12" w/SUCTION & DISCHARGE HOSES							
WELDER - PORTABLE 225 AMP min. -- GASOLINE powered							
WELDER - PORTABLE 225 AMP min. -- DIESEL powered							
WORK PLATFORM SP SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP SL 35' High Platform 1,500# CAP							

Equipment Rental WITHOUT Operator
CRFQ 0803 DOT1800000008
Information Attachment Form

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid is delivered by the Vendor or picked up by the WVDOH. The Vendor shall provide the 911 address or the most physical street address, city and state for the base location(s). If the Vendor fails to provide the base location information on this Information Attachment Form, the Vendor's bid may be disqualified. If additional space is needed for additional locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

Vendor Base Location:	
0912 BUE 8880	
11353 EAST PIKE RD	
CAMBRIDGE OHIO 43725	
Vendor Base Location:	
Vendor Base Location:	

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or "✓" in the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed the Vendor's bid is for Statewide.

STATEWIDE			
Barbour		Kanawha	Pocahontas
Berkeley		Lewis	Preston
Boone		Lincoln	Putnam
Braxton		Logan	Raleigh
✓ Brooke		McDowell	Randolph
Cabell		Marion	Ritchie
Calhoun	✓	Marshall	Roane
Clay		Mason	Summers
Doddridge		Mercer	Taylor
Fayette		Mineral	Tucker
Gilmer		Mingo	Tyler
Grant		Monongalia	Upshur
Greenbrier		Monroe	Wayne
Hampshire		Morgan	Webster
✓ Hancock		Nicholas	Wetzel
Hardy	✓	Ohio	Wirt
Harrison		Pendleton	Wood
Jackson		Pleasants	Wyoming
Jefferson			