



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 13 — Equipment

Proc Folder: 349318

Doc Description: 48" Refrigerated Trailers for Food Warehouse

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2017-08-10	2017-08-29 13:30:00	CRFQ 1400 AGR1800000001	1

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON
 US

WV 25305

VENDOR

Vendor Name, Address and Telephone Number:

Matheny Motor Truck Company
 450 Matheny Lane
 Mineral Wells WV 26150
 304-769-5860 x 3601

08/29/17 09:32:18
 WV Purchasing Division

FOR INFORMATION CONTACT THE BUYER

Guy Nisbet
 (304) 558-2596
 guy.l.nisbet@wv.gov

Signature X

FEIN # 55-032-0770

DATE 8/28/2017

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

**Request for Quotation
Refrigerated Food Trailer**

The West Virginia Purchasing Division is soliciting bids on behalf of Agency the West Virginia Department of Agriculture to establish a contract for the one time purchase of 2017 or current year 48 foot refrigerated semi-trailer for the Agency's food warehouse located in Ripley, WV. per-the bid requirements, specifications, terms and conditions that are apart of the solicitation and attached hereto.

INVOICE TO		SHIP TO	
PROCUREMENT OFFICER 304-558-2221		AUTHORIZED RECEIVER 304-558-0573	
AGRICULTURE DEPARTMENT OF ADMINISTRATIVE SERVICES		AGRICULTURE DEPARTMENT OF FOOD DISTRIBUTION PROGRAM	
1900 KANAWHA BLVD E		4496 CEDAR LAKES RD	
CHARLESTON WV25305-0173		RIPLEY WV 25271	
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	48" Refrigerated Trailers	3.00000	EA	\$84,915.00	\$254,745.00

Comm Code	Manufacturer	Specification	Model #
25181719	Utility Trailer	2017 48' trailer that meets all specifications	VS2RA

Extended Description :

Vendor needs to submit Brand, Model and Year of equipment being submitted. Vendors Should submit Exhibit A with their online response.

AGR1800000001	Document Phase Draft	Document Description 48" Refrigerated Trailers for Food Warehouse	Page 3
---------------	--------------------------------	--	---------------


ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Jack Cummings - Sales Consultant
 (Name, Title)
Jack Cummins - Sales Consultant
 (Printed Name and Title)
4125 1st Ave Nitro WV 25143
 (Address)
304-769-5860 x 3601 and fax 304-769-5866
 (Phone Number) / (Fax Number)
jcummings@mathenymotors.com
 (email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Matheny Motor Truck Company
 (Company)
 Jack Cummings - Sales Consultant
 (Authorized Signature) (Representative Name, Title)

Jack Cummings - Sales Consultant
 (Printed Name and Title of Authorized Representative)

8/28/2017
 (Date)

304-769-5860 x 3601 and fax 304-769-5866
 (Phone Number) (Fax Number)

Exhibit A - Pricing Page

48 Foot Refrigerated Trailers

Description	Model No/Brand Name	Unit of Measure	Unit Price	Quantity	Extended Amount
48' Reefer Trailers with a 6,000 capacity.	2017 Utility Trailer model number VS2RA 48'	Each	\$84,915.00	3	\$254,745.00
Bidder / Vendor Information				TOTAL BID AMOUNT:	
Name: Matheny Motor Truck Company					
Address: 50 Matheny Lane					
Mineral Wells WV 26150					
Phone: 304-769-5860 x 3601					
email Address: jcummings@mathenymotors.com					
Signature:					

West Virginia Ethics Commission



Disclosure of Interested Parties to Contracts

Pursuant to W. Va. Code § 6D-1-2, a state agency may not enter into a contract, or a series of related contracts, that has/have an actual or estimated value of \$100,000 or more until the business entity submits to the contracting state agency a Disclosure of Interested Parties to the applicable contract. In addition, the business entity awarded a contract is obligated to submit a supplemental Disclosure of Interested Parties reflecting any new or differing interested parties to the contract within 30 days following the completion or termination of the applicable contract.

For purposes of complying with these requirements, the following definitions apply:

"Business entity" means any entity recognized by law through which business is conducted, including a sole proprietorship, partnership or corporation.

"Interested party" or *"Interested parties"* means:

- (1) A business entity performing work or service pursuant to, or in furtherance of, the applicable contract, including specifically sub-contractors;
- (2) the person(s) who have an ownership interest equal to or greater than 25% in the business entity performing work or service pursuant to, or in furtherance of, the applicable contract. (This subdivision does not apply to a publicly traded company); and
- (3) the person or business entity, if any, that served as a compensated broker or intermediary to actively facilitate the applicable contract or negotiated the terms of the applicable contract with the state agency. (This subdivision does not apply to persons or business entities performing legal services related to the negotiation or drafting of the applicable contract.)

"State agency" means a board, commission, office, department or other agency in the executive, judicial or legislative branch of state government, including publicly funded institutions of higher education: Provided, that for purposes of W. Va. Code § 6D-1-2, the West Virginia Investment Management Board shall not be deemed a state agency nor subject to the requirements of that provision.

The contracting business entity must complete this form and submit it to the contracting state agency prior to contract award and to complete another form within 30 days of contract completion or termination.

This form was created by the State of West Virginia Ethics Commission, 210 Brooks Street, Suite 300, Charleston, WV 25301-1804. Telephone: (304)558-0664; fax: (304)558-2169; e-mail: ethics@wv.gov; website: www.ethics.wv.gov.

West Virginia Ethics Commission

Disclosure of Interested Parties to Contracts

Contracting business entity: Matheny Motor Truck Company

Address: 50 Matheny Lane, Mineral Wells WV 26150

Contracting business entity's authorized agent: Jack Cummings

Address: 4125 1st Ave, Nitro WV 25143

Number or title of contract: AGR1800000001

Type or description of contract: Reefer Trailers

Governmental agency awarding contract: Department of Agriculture

Names of each Interested Party to the contract known or reasonably anticipated by the contracting business entity (attach additional pages if necessary):

- Tim Matheny
Matheny Motor Truck Company

Signature: [Handwritten Signature] Date Signed: 8/28/2017


Check here if this is a Supplemental Disclosure.

Verification

State of WV, County of Kanawha

I, Monica Whitt, the authorized agent of the contracting business entity listed above, being duly sworn, acknowledges that the Disclosure herein is being made under oath and under the penalty of perjury.

Taken, sworn to and subscribed before me this 28 day of August, 2017.



[Handwritten Signature]
Notary Public's Signature

To be completed by State Agency:
Date Received by State Agency:
Date submitted to Ethics Commission:
Governmental agency submitting Disclosure:

VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

1. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification;
 Bidder is a resident vendor partnership, association, or corporation with at least eighty percent of ownership interest of bidder held by another entity that meets the applicable four year residency requirement; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years and the vendor's bid; or,
4. **Application is made for 5% vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
7. **Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with *West Virginia Code* §5A-3-59 and *West Virginia Code of State Rules*.**
 Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) rescind the contract or purchase order; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Matheny Motor Truck Company

Signed: 

Date: 8/28/2017

Title: Sales Consultant

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL OTHER CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Matheny Motor Truck Company

Authorized Signature: *Jason C. [Signature]* Date: 8/28/2017

State of WV

County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 28 day of August, 2017

My Commission expires December 25, 2018.



NOTARY PUBLIC *Monica C. White*

Specifications (☞ = Option to Base Model)

1-Model & Payload Capacity

<i>MODEL</i>	VS2RA
<i>PAYLOAD CAPACITY</i>	55,000 LBS EVENLY DISTRIBUTED PAYLOAD CAPACITY
<i>GROSS VEHICLE WEIGHT RATING</i>	65,000 LBS GVWR

2-Dimensions

<i>LENGTH</i>	☞ 48'0" OVERALL LENGTH
<i>OVERALL HEIGHT</i>	13'6" O/A HEIGHT ON 46-1/2" FIFTH HT FOR 107-1/8" POST HT
<i>WIDTH</i>	102-3/8" OVERALL WIDTH

3-Deck

<i>DECK TYPE</i>	STRAIGHT DECK
------------------	---------------

4-Front Subframe

<i>FRONT SUBFRAME</i>	4-1/4" DEEP BOX BEAM DESIGN FRONT SUBFRAME
<i>APPROACH PLATE</i>	☞ 3GA (1/4" NOM) HIGH STRENGTH STEEL APPROACH PLATE (TWO PIECE CONSTRUCTION)
<i>KINGPIN PLATE</i>	☞ 5/16" HIGH STRENGTH STEEL KINGPIN PLATE
<i>KINGPIN TYPE</i>	AAR HARDNESS CRUCIFORM KINGPIN
<i>KINGPIN LOCATION</i>	36" KINGPIN LOCATION
<i>CONDUIT</i>	(1) CONDUIT THROUGH FRONT SUB 30-1/2" FROM C/L ON ROADSIDE
<i>COVER PLATE</i>	EXTRUDED ALUM COVER ON FRONT FACE OF APPROACH PLATE

5-Support Legs

<i>SUPPORT LEG LOCATION</i>	SUPPORT LEG LOCATION OF 105" FROM C/L OF KINGPIN
<i>SUPPORT LEG CRANK LOCATION</i>	ROADSIDE SUPPORT LEG CRANK LOCATION
<i>SUPPORT LEG BRACING</i>	BOLT ON SUPPORT LEG X-BRACING W/7GA 3-1/4" DEEP HIGH STRENGTH STEEL CHANNEL
<i>SUPPORT LEGS</i>	JOST MODEL A401 ENHANCED 50,000 LBS CAPACITY SUPPORT LEGS WITH 10" X 10" CUSHION FOOT

6-Frame, Rails & Crossmembers

<i>BOTTOM RAILS</i>	11" DEEP HEAVY DUTY EXTRU ALUM BOTTOM RAILS, TAPERED FRT & REAR
---------------------	---

*CROSSMEMBERS FRONT SUB
TO LEGS*

4" ALUM I BEAM CMEMS W/(4) RIVET ENDCLIPS ON 12" C/L FRONT
SUB TO SUPPORT LEGS

*CROSSMEMBERS OVER
SUPPORT LEGS*

(5) 4" STEEL I BEAM CMEMS W/(4) RIVET ENDCLIPS ON 12" C/L OVER
SUPPORT LEGS.

*CROSSMEMBERS LEGS TO
REAR SUB*

5-1/2" ALUM I SHAPE CMEMS W/(4) RIVET ENDCLIPS ON 12" C/L
SUPPORT LEGS TO REAR SUB

*CROSSMEMBERS OVER REAR
SUBFRAME*

4" STEEL I BEAM CMEMS W/(4)RIVET ENDCLIPS ON 12" C/L W/STD
REINF OF (1) ADDL CMEM IN REAR 34"

*TIRE PROTECTION PLATES AT
REAR*

⇒ 14GA X 24" X 15'0" GALV STEEL TIRE PROTECTOR PLATES AT REAR
SUBFRAME

7-Rear Subframe

RUBBER DOCK BUMPERS

(1) PAIR RUBBER DOCK BUMPERS 2" PROUD

*VERTICAL & HORIZONTAL
DOCK BUMPER*

DOT HIGH STR VERT W/NONSLP CORTN HORIZ 22" MAX BTM OF
HORIZ TO GRD W/IN LESS THAN 4" O.A.W. EA SIDE

8-Suspension/Axles/Actuation

*SLIDER SUSPENSION
LOCATION*

70" REAR SUSPENSION LOCATION AND 166" FORWARD SUSPENSION
LOCATION FOR 96" OF SLDR TRAVEL

OIL SEALS

FEDERAL MOGUL NATIONAL 5-STAR OIL SEAL (SPINDLE MOUNT)
REQD FOR STD 5-YR WHEEL END WARRANTY

AIR BRAKE CHAMBERS

BENDIX EVERSURE 3030 AIR BRAKE CHAMBERS

AIR ACTUATION

ONE TANK AIR ACTUATION SYSTEM W/SPRING BRAKES

SLACK ADJUSTERS

BENDIX VERSAJUST AUTOMATIC SLACK ADJUSTERS FOR USE
W/BENDIX EVERSURE OR TSE BRAKE CHAMBERS

AIRRIDE DUMP VALVES

⇒ ****NOTE**** This trailer does not have a dump valve due to the Surelok device

BRAKE LINING STYLE

HENDRICKSON HXS BRAKE LINING STYLE FOR USE W/ INTRAAX

AXLE SPINDLE NUTS

HENDRICKSON PRECISION SPINDLE NUT *REQD FOR STD 5-YR
WHEEL END WARRANTY*

*HUB PILOTED SYS
W/OUTBOARD DRUMS FOR
16-1/2" X 7" BRAKES*

10 STUD HUB-PILOTED SYSTEM WITH OUTBOARD CAST DRUMS
WITH 16-1/2" X 7" BRAKES

*ANTILOCK BRAKE SYSTEMS
(ABS)*

BASE SPEC BENDIX TABS-6 ADVANCED W/ROLL STABILITY 2S/1M
ABS

*WHEEL BEARING
LUBRICATION*

MOBIL LUBE HD PLUS 80W-90 OIL

ANTI-DOCK WALK DEVICES

⇒ HENDRICKSON SURELOK ANTI-DOCK WALK DEVICE

HUBCAPS

FEDERAL MOGUL "NON-VENTED" HUBCAP *REQD FOR STD 5-YR
WHEEL END WARRANTY*

AXLE MANUFACTURER

HENDRICKSON "VENTED" AXLES

AXLE SPINDLE TYPE

*WHEEL BEARINGS (CONES)
AND RACES (CUPS)
MANUFACTURER*

*HENDRICKSON AIRRIDE
SYSTEMS WITH INTEGRAL
AXLES*

*SLIDER PIN RELEASE
MECHANISM*

N-SPINDLE TYPE

GENERAL BEARINGS (CONES) AND RACES (CUPS)

*BASE SPEC:HEND ULTRAA-K AIRRIDE/ SLDR SYS,INCLS 49" AXL
SPRD,HD SLDR & ZERO MAINT DAMPING (ZMD)*

*HENDRICKSON QUIK DRAW AIR OPERATED SLIDER REPOSITIONING
SYSTEM*

9-Front Wall

FRONT CORNER POST

.080 EXTRU ALUM 4-3/4" RADIUS FRONT CORNER POST

FRONT WALL POSTS

*1" "J" EXTRU ALUM FRT WALL POST W/(2) ADDL 3-1/4" DEEP STEEL
REEFER UNIT SUPPORT POSTS*

FRONT PANELS

.040 ALUM FRONT PANELS

*REEFER UNIT AIR RETURN
BULKHEADS*

☞ THERMO KING C-600 REFRIGERATION UNIT

*GLADHANDS AND
RECEPTACLE*

*GLADHANDS (W/SCREEN) AND RECEPTACLE MOUNTED ON AN
ALUM EXTRU OFFSET TO R/S 30"*

FRONT CORNER POST INSERTS

STAINLESS STEEL FRONT CORNER POST INSERTS

*REFRIGERATION UNIT
OPENING COVER*

*SHEET METAL COVER (INCLS SEALANT FULL PERIMETER OF
OPENING)*

*PREP FOR THERMO
KING/CARRIER REEFER UNIT*

*PREP FOR LARGE FRONT MOUNT THERMO KING/CARRIER REEFER
UNIT *****W/O ELECTRIC STANDBY******

10-Side Walls

SIDE PANELS

.040 ALUM FLAT SIDE PANELS

SIDE POSTS

*1" "J"SHAPE EXTRU ALUM SIDE POST W/16"MAX C/L FROM FRT TO
REAR OF SUPT LEGS W/24" C/L LEGS TO REAR*

11-Roof

TOP RAILS

6-3/8" HEAVY DUTY EXTRUDED ALUM TOP RAILS

ROOF SKIN

.025 ONE PIECE ALUM COIL ROOF SKIN

ROOF BOWS

1" EXTRU ALUM "J" SHAPED ROOF BOWS ON 48" C/L

12-Rear Doors

*REAR CASE & BUCKPLATE
MATERIAL*

*☞ **NOTE** SST Rear Door Case for Roll-up Door*

REAR DOOR ROLLUP TYPE

*☞ WHITING COLDSAVER ROLL UP DOOR 2" W/PPW ALUM FACE INCLS
LED ID/CLR LGTS*

REQUIRED INFORMATION:
If Applicable, please provide the
Roll-Up Door Specification#:

Yes R/U Dr Spec#

No

>>

INSTALL REAR LIFT GATE

⇒ FURNISH AND INSTALL MAXON BMR BOLT-ON LIFTGATE W/O HEADER KIT FOR USE WITH PREP OPTION

PREP FOR REAR LIFT GATE

⇒ PREP FOR MAXON BMR(BOLT-ON OR WELD-ON)LIFTGATE (R/U DOOR ONLY) INCL LOWERED BOLT-ON S/T/T LGTS

14-Floor

FLOOR TYPE

⇒ 1-3/8" NOM H.D. EXTRU ALUM DUCT FLOOR KNURLED

TROUGHS

⇒ **NOTE** EXTRU ALUM TROUGH AT FRONT ONLY

DRAINS

(2) DRAINS FRONT AND (2) REAR

REAR THRESHOLD

⇒ **NOTE** Roll up door Rear Threshold

FLOOR REINFORCEMENT

⇒ 36" ADDL EXTRU ALUM I SHAPED CORES FOR TOTAL OF 72" FOR DUCT FLOOR IN CENTER 68" OF WIDTH

FORK LIFT REINFORCING

BEARING GRID SYS AT REAR W/HDWD FILLERS FULL LENGTH & ALUM I CORES REAR 36" OF FLR IN CTR 68"

STUB POSTS

SIDEWALL STUB POST ON 48" C/L

15-Insulation

INSULATION TYPE

POLYURETHANE INSULATION FOAMED IN PLACE

FRONT WALL THICKNESS

4" THICK FRONT WALL

SIDE WALL THICKNESS

⇒ 3" SIDE WALL INSULATION

ROOF THICKNESS

3" THICK ROOF

FLOOR THICKNESS

3" THICK FLOOR

CROSSMEMBER FLOOR FILLERS

HARDWOOD FLOOR FILLERS FULL LENGTH

FLOOR UNDERSKIN

.035 VERSITEX COIL FLOOR UNDERSKIN

16-Lining

FRONT WALL LINING

.065 (NOM) VERSITEX-UTILITY VR2U FRONT WALL LINING

SIDE WALL LINING

⇒ .085 (NOM) VERSITEX-UTILITY VR3U SIDE WALL LINING ***SEE NOTES FOR DISCLAIMER***

ROOF LINING

.065 (NOM) VERSITEX-UTILITY VR2U ROOF LINING

Quote ID 829-1DBT081617-10640

8/16/2017

C:\Users\Public\UTM\DQS\CustQt32.rpt

WEARBAND

⇒ 6" EXTRA HEIGHT EXTRUDED ALUM STD DUTY WEARBAND TOTAL OF 16" INCL REINFORCING BEHIND WEARBAND

LOGISTIC RAILS

⇒ 2 - (1) ROW SERIES "E" GALV RECESS MTD LOG TRACK ON SIDE WALLS

REQUIRED INFORMATION:

Locate E-track. _____ inches from centerline of track to top of floor.

>>

17-Electrical System

MAIN HARNESS

UTM MOISTURE RESISTANT "MULTI- PURPOSE" HARNESS W/INTERNAL GROUND AND 7-WAY PLUG

ELECTRICAL RECEPTACLE

7-WAY ELECTRICAL RECEPTACLE W/O CIRCUIT BREAKERS

CLEARANCE LIGHT QUANTITY

0-1-2-5 D.O.T. MINIMUM CLEARANCE LIGHT QUANTITY

SIDE MOUNTED DIRECTIONAL LIGHT

GROTE SUPERNOVA LED COMBO SIDE MTD DIR/CLRN LIGHT ON BRACKET BELOW BOTTOM RAIL EACH SIDE

STOP/TAIL/TURN LIGHTS

GROTE 4" L.E.D. (10-DIODE) STOP/ TAIL/TURN LIGHTS (2) PER SIDE WITH BLACK SNAP-IN FLANGE

LICENSE LIGHT

GROTE MICRONOVA L.E.D. LICENSE LIGHT

CONSPICUITY TAPE LOCATION

CONSPICUITY TAPE ON BOTTOM RAILS AND AT REAR OF TRAILER (FOR D.O.T. MINIMUM LOCATION)

CONSPICUITY TAPE

FACTORY CHOICE CONSPICUITY TAPE

UPPER CLEARANCE LIGHTS

FACTORY CHOICE LED UPPER SIDE RAIL CLEARANCE LIGHTS WITH 3" MOUNTING HOLE C/L

LOWER CLEARANCE LIGHTS

GROTE MICRONOVA LED PC RATED LIGHT

ABS (ANTI-LOCK) WARNING LIGHT

GROTE MICRONOVA L.E.D. PC RATED LIGHT

STOP/TAIL/TURN LIGHT CONFIGURATION

GROUPED STOP/TAIL/TURN LIGHTS

REAR HEADER CLEARANCE LIGHTS

GROTE MICRONOVA L.E.D. PC RATED GROMMET MOUNTED REAR HEADER ID/ CLR LIGHTS

18-Finish Specifications

TOP FRONT & TOP SIDE RAIL FINISH

NATURAL ALUM FINISH TOP FRONT & TOP SIDE RAILS

BOTTOM SIDE RAIL FINISH

NATURAL ALUM FINISH BOTTOM SIDE RAILS

FRONT CORNER POST FINISH

NATURAL ALUMINIUM FINISH FRONT CORNER POSTS

FRONT PANEL FINISH

PREPAINTED WHITE FRONT PANELS

SIDE PANEL FINISH

PREPAINTED WHITE SIDE PANELS

Quote ID 829-1DBT081617-10640

8/16/2017

C:\Users\Public\UTM\DQS\CustQt32.rpt

<i>REAR DOOR PANEL FINISH</i>	☞ **NOTE** PREPAINTED WHITE ALUMINUM REAR DOOR PANELS
<i>FRONT APPROACH PLATE FINISH</i>	NATURAL ALUM FINISH FRONT APPROACH PLATE
<i>FRONT SUBFRAME ASSEMBLY FINISH</i>	FRONT SUBFRAME FULLY IMMERSSED IN BLACK RUST PREVENTATIVE FINISH (ZERO VOC HOT DIP)
<i>SUPPORT LEG FINISH</i>	UTM BLACK SCHARPF ON SUPPORT LEGS
<i>REAR SUBFRAME FINISH</i>	UTM BLACK SCHARPF ON REAR SUBFRAME
<i>REAR CASE FINISH</i>	SATIN FINISH STAINLESS STEEL REAR CASE
<i>VRTCL & HORZNTL DOCK BMPR FINISH</i>	UTM BLACK ENAMEL FINISH ON HORIZ DOCK BUMPER; BLACK SCHARPF ON VERTICAL DOCK BUMPER
<i>ROOF EXTERIOR FINISH</i>	NATURAL ALUM ROOF EXTERIOR FINISH
<i>FRONT CORNER POST INSERT FINISH</i>	STAINLESS STEEL FINISH FRONT CORNER POST INSERTS

19-Miscellaneous

<i>MUDFLAP TYPE</i>	BLACK PLASTIC ANTI-SAIL MUDFLAPS W/UTM LOGO, MTD WITH STEEL REINFORCING STRAPS
<i>PERMIT HOLDER</i>	☞ TRUCKLITE #97960 ROUND PERMIT HOLDER MOUNTED ON FRONT WALL LOWER R/S
<i>FHWA INSPECTION REPORT</i>	☞ FHWA INSPECTION REPORT COPY EMAILED TO DEALER SALESPERSON FOR EACH UNIT REQUIRED INFORMATION: <u>Send the FHWA report to the following email address:</u> >>

20-Tires and Wheels

<i>22.5"X8.25"STANDARD WIDTH WHEELS</i>	☞ 8 - 22.5X8.25 ALCOA CLEAN BUFF ULTRA ONE ALUMINUM 10 H/P ULTRA7
<i>22.5" STANDARD PROFILE TIRES</i>	☞ 8 - 11R 22.5 MICH X-LINE ENERGY-T 14PLY 40.90" T/D, LOAD RNG 'G' MAX SPEED RATED @75 MPH

Special Instructions

None.