4-Apr-2019 12:34 Unknown



Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Request for Quotation 13 - Equipment

Proc Folder: 558157 Doc Description: Energy Savings - Lights Project Proc Type: Central Purchase Order

Version Date Issued Solicitation Closes Solicitation No 2019-03-22 2019-04-04 CRFQ 0211 GSD1900000019 13:30:00

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION 2019 WASHINGTON ST E

CHARLESTON

25305

US

WV

VENDOR

Vendor Name, Address and Telephone Number:

140 E Commercial Street, Suite1

Wood Dale IL, 60191

2019 APR -4 PM 12: 54

W PULLHASING

FOR INFORMATION CONTACT THE BUYER

Linda B Harper (304) 558-0468

linda.b.harper@wv.gov

Signature X

FEIN# 20 - 5825048 DATE

All offers subject to all terms and conditions contained in this solicitation



Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130 State of West Virginia Request for Quotation 13 — Equipment

| Proc Folder: 558157 | | | | | |
|---------------------|--|-------------------------|---------|--|--|
| Do | Doc Description: Energy Savings - Lights Project | | | | |
| Pn | Proc Type: Central Purchase Order | | | | |
| Date Issued | Solicitation Closes | Solicitation No | Version | | |
| 2019-03-22 | 2019-04-04 13:30:00 | CRFQ 0211 GSD1900000019 | 1 | | |

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

VENDOR

Vendor Name, Address and Telephone Number:

140 E Commercial Street, Suite1

Wood Dale IL, 60191

| FOR | INFORMATION | CONTACT | THE BUYER |
|-----|-------------|---------|-----------|

Linda B Harper (304) 558-0468

linda.b.harper@wv.gov

Signature X FEIN #
All offers subject to all terms and conditions contained in this solicitation

FEIN # 20 - 5825048

DATE

AUDITIONAL PROPERTY (SEE

The West Virginia Purchasing Division for the Agency, The West Virginia Department of Administration's, General Services Division is soliciting bids from qualified vendors to establish a "One-Time" contract for the purchase of LED Light Fixtures and Accessories per the Specifications, Terms & Conditions and bid requirements as attached.

| BHYOICE TO | | SHIP TO | |
|---|---------|--|----------|
| DEPARTMENT OF ADMIN GENERAL SERVICES DIV 112 CALIFORNIA AVENU | ISION | STATE OF WEST VIRG JOBSITE - SEE SPECIF | |
| CHARLESTON | WV25305 | No City | WV 99999 |
| us | | us | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|----------------------------------|----------|------------|------------|-------------|
| 1 | Light emitting diode LED fixture | 37.00000 | EA | \$278 | \$10,286 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|----------------------------------|--------------|--|
| 39111544 | AOK | LED Canopy with occupancy sensor | AOK - 40WiDB | |

Extended Description :

3.1.1 Barron Lighting Group, Trace Lite RCL Series, or equal.

| INVOICE TO | | SHIP TO | |
|--|---------|---|----------|
| DEPARTMENT OF ADMIN GENERAL SERVICES DIV 112 CALIFORNIA AVENUI | ISION | STATE OF WEST VIR JOBSITE - SEE SPEC | |
| CHARLESTON | WV25305 | No City | WV 99999 |
| US | | us | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price | |
|------|----------------------------------|----------|------------|------------|-------------|--|
| 2 | Light emitting diode LED fixture | 41.00000 | EA | \$295 | \$12,095 | |
| | | | | | | |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------------------------------|------------------------|
| 39111544 | Dallalila | 2X4 Troffer with emergency backup and | BLSO-LTR24-36W35KD1-EM |
| | Britelite | occupancy sensor | W490 |

Extended Description :

3.1.2 Metalux Cruz Series, AMSEM 24CZ-LD5-40SE-S-UNV-EL7W-L835-CD1-SVPD1-RV-U, or equal.

| INVOICE TO | | SHIP TO | |
|-----------------------|--------------|---|----------|
| DEPARTMENT OF ADMIN | VISION | STATE OF WEST VIRO JOBSITE - SEE SPECI | |
| 112 CALIFORNIA AVENUI | E, 5TH FLOOR | | |
| CHARLESTON | WV25305 | No City | WV 99999 |
| us | | US | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|----------------------------------|----------|------------|------------|-------------|
| 3 | Light emitting diode LED fixture | 30.00000 | EA | \$278 | \$8,340 |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|---------------------------------------|------------------------|
| 39111544 | Britelite | 2X4 Troffer with emergency backup and | BLSO-LTR24-36W35KD1-EM |
| | Differite | occupancy sensor | W490 |

Extended Description:

3.1.3 Metalux Cruz Series AMSGEN 24CZ-LD5-40SE-S-UNV-ETRD-L835-CD1-SVPD1-DV-U, or equal.

| BRYCICE TO | | SHIP TO | |
|---|---------|---|----------|
| DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION 112 CALIFORNIA AVENUE, 5TH FLOOR | | STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS | |
| CHARLESTON | WV25305 | No City | WV 99999 |
| us | | us | |

| Line | Comm Ln Desc | Qty | Unit lasue | Unit Price | Total Price |
|------|--|---------|------------|------------|-------------|
| 4 | Interior lighting fixtures and accessories | 8.00000 | EA | \$91 | \$728 |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|-----------------------------------|----------------------------------|
| 39111500 | Greengate | Operable in range of -40F to 125F | OXC-P extreme temperature sensor |

Extended Description :

3.1.4 Greengate OXC-P extreme temperature sensors, or equal.

| BRYCICE TO | | SHIP TO | |
|--|---------|---|----------|
| DEPARTMENT OF ADMIN GENERAL SERVICES DIV 112 CALIFORNIA AVENUE | ISION | STATE OF WEST VIRO JOBSITE - SEE SPECI | |
| CHARLESTON | WV25305 | No City | WV 99999 |
| us | | US | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|----------------------------------|-----------|------------|------------|-------------|
| 5 | Light emitting diode LED fixture | 155.00000 | EA | \$147 | \$22,785 |
| | | | | | |

| Comm Code | Manufacturer | Specification | Model # |
|-----------|--------------|-----------------------------------|---------------------|
| 39111544 | Britelite | 2X4 Troffer with occupancy sensor | BLSO-LTR24-36W35KD1 |

Extended Description :

3.1.5 Metalux Cruz series Type AMS 24CZ-LD5-40SE-S-UNV-L835-CDI-SVPD1-DV-U, or equal.

| BAYOICE TO | | 07 PHB | |
|--|---------|---|----------|
| DEPARTMENT OF ADMIN GENERAL SERVICES DIV 112 CALIFORNIA AVENUE | ISION | STATE OF WEST VIR JOBSITE - SEE SPEC | |
| CHARLESTON | WV25305 | No City | WV 99999 |
| us | | US | |

Received: 7082369412

| Line | Comm Ln Dasc | Qty | Unit issue | Unit Price | Total Price |
|------|-----------------------------------|----------|------------|-------------|----------------|
| 6 | Light emitting diode LED fixture | 45.00000 | EA | \$77 | \$3,465 |
| • | Eight entituing glode LED lixture | -0.0000 | | \$/1 | \$3,400 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|-----------------|--------------------|--|
| 39111544 | Britelite | 2X2 LED Troffer | BLSO-LTR22-24W35KD | |

Extended Description :

3.1.6 Metalux Cruz Series 22CZ-LD5-39E-S_UNV-L835-CD1-U, or equal.

| INVOICE TO | | 84学70 | |
|----------------------|--------------|---|----------|
| DEPARTMENT OF ADMI | | STATE OF WEST VIR JOBSITE - SEE SPEC | |
| 112 CALIFORNIA AVENU | E, 5TH FLOOR | | |
| CHARLESTON | WV25305 | No City | WV 99999 |
| US | | us | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|--|-----------|------------|------------|-------------|
| 7 | Interior lighting fixtures and accessories | 100.00000 | EA | \$59 | \$5,900 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|---------------|---|---------------|--|
| 39111500 | Cooper/ Eaton | Integrated photocell with adaptive daylight harvesting | OSW - P - 010 | |

Extended Description :

3.1.7 COOPER/EATON controller OSW-P-010, or equal.

| HAVOICE TO | | BHP TO | |
|---|---------|--|----------|
| DEPARTMENT OF ADMINIS GENERAL SERVICES DIVIS 112 CALIFORNIA AVENUE, 8 | ION | STATE OF WEST VIRI JOBSITE - SEE SPEC | |
| CHARLESTON | WV25305 | No City | WV 99999 |
| us | | US | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|--|-----------|------------|------------|-------------|
| 8 | Interior lighting fixtures and accessories | 200,00000 | EA | \$5 | \$1,000 |

Apr 4 2019 12:45pm **7082369412**

EQ - CLIP - U

4-Apr-2019 12:43 Unknown

Comm Code Manufacturer Specification 39111500

Extended Description :

3.1.8 Seismic Lighting Fixture Clamp, COOPER EATON EQ-CLIP-U, or equal.

Cooper/ Eaton

| INVOICE TO | | SHIP TO | |
|---|---------|---|----------|
| DEPARTMENT OF ADMINIS GENERAL SERVICES DIVIS 112 CALIFORNIA AVENUE. | SION | STATE OF WEST VIR JOBSITE - SEE SPEC | |
| CHARLESTON | WV25305 | No City | WV 99999 |
| us | | us | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|--|----------|------------|------------|-------------|
| 9 | Interior lighting fixtures and accessories | 40.00000 | EA | \$120 | \$4,800 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|-----------|--|
| 39111500 | Hubbell | Motion Sensor | ATP 1500C | |

Extended Description:

3.1.9 Hubbell ATP 1500C motion detector w/Acuity Sensor switch Low 35 Power relay included, or equal.

| intermental | E PER ER PER PER | |
|-------------|---------------------------|------------|
| Line | <u>Event</u> | Event Date |
| 1 | Question Deadline 3:00 pm | 2019-03-28 |

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Received: 7082369412

| Charlie Engasser, VP Business Development | |
|---|-------|
| (Name, Title) Charlie Engasser, VP Business Development | |
| (Printed Name and Title) 140 E Commercial Street, Suite 1, Wood Dale, IL 60191 | 1001- |
| (Address) | |
| (708) 236 -9411 / (708) 236 - 9412 | |
| (Phone Number) / (Fax Number) | |
| cengasser@ognigroup.com | |
| (email address) | |

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

| Ogni Inc. | |
|---|--|
| (Company) | |
| afer | |
| (Authorized Signature) (Representative Name, Title) | |
| Charlie Engasser, VP Business Development | |
| (Printed Name and Title of Authorized Representative) | |
| 04/04/2019 | |
| (Date) | |
| (708) 236 -9411 / (708) 236 - 9412 | |
| (Phone Number) (Fax Number) | |

ADDENDUM ACKNOWLEDGEMENT FORM **SOLICITATION NO.:**

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Received: 7082369412

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

| Addendum Numbers Received: (Check the box next to each addendum | received) |
|---|--|
| Addendum No. 1 Addendum No. 2 Addendum No. 3 Addendum No. 4 Addendum No. 5 | Addendum No. 6 Addendum No. 7 Addendum No. 8 Addendum No. 9 Addendum No. 10 |
| I further understand that any verbal reprediscussion held between Vendor's repre- | receipt of addenda may be cause for rejection of this bid. resentation made or assumed to be made during any oral resentatives and any state personnel is not binding. Only reded to the specifications by an official addendum is |
| Ogni Inc. | |
| Company | |
| Care | |
| Authorized Signature | |
| 04/04/2019 | |
| Date | |

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and; (1) the debt owed is an amount greater than one thousand dollers in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter sieven of the W. Vo. Code, workers' compensation premium, penult fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, panalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers compensation premium, peneity or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, Including any interest or additional panalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to meintein mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a rapsyment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsnever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the banefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monatary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

| Vendor's Name: Ogni Inc. | | · · · · · · · · · · · · · · · · · · · | |
|---|------------------|---------------------------------------|--|
| Authorized Signature: | | _ Date: | 104/2019 |
| State of Illinois | | ., | 8 |
| County of Dipage to with | . · | N00. | |
| Taken, subscribed, and swom to before me this 4.7 day | or Asxi | | 20日. |
| My Commission expires Feb 15 | , 20 <u>17</u> . | | |
| AFFIX SEAL HERE | NOTARY PUBLIC | March 1 | 144 |
| MIGUEL MATIAS | | / | g Affidevit (Re vised 01/19/201 |


Official Seal Metary Public - State of Illinois My Commission Expires Feb 15, 2023



Page: 1 of 2

BriteLite LED Slim (1.97") TROFFER **BLSO-LTRXX-WWCCKDS**

White Power coat finish





经独特额



Length: 47.717"(1212mm) Width: 23.74" (603mm) Height: 1.97" (50mm) Weight: 17 lbs



PHYSICAL SPECIFICATION: 2 X 2
Length: 23.74 (603mm)
Width: 23.74" (603mm)
Height: 1.97" (50mm) Weight: 10 lbs

PRODUCT DESCRIPTION:

The BLSO-LTR22/24 Slim LED troffer fixture is a design based on the idea of green energy. It saves over 50% energy compared to fluorescent troffers. The BLSO-LTR22/24 accepts 100-277VAC, and has high lumen efficiency of 125-130Lm/W.

FEATURES:

- 50,000 Hours L70Lifespan
- ETL and DLC® Premium 4
- Size 2×4 available watt 24W
- Size 2×2 available watt 36W
- CCT Available: 3500K, 4000K, 5000K
- 125Lm+/W
- Optional: microwave sensor
- Internal Driver
- Standard PC diffuser
- 0-10V Dimming
- sensor optional

APPLICATION:

- Residential Buildings, Home, Office, Meeting
- School, Library, Factory, Warehouse, Hotel; Parking Garage, Hospital, Commercial Center;
 Supermarket, Shopping mall;
- · Train, Bus station, airport etc.

TESTED DATA:

- Technical Requirements Version: 4
- · Classification: Premium
- Light Output: 3000im-6250im
- Wattage: 24w (2x2) 36w (2X4)
- Efficacy: >125 lm/W
- Power Factor: >.90
- . CCT: 3500K, 4000K, 5000 K
- CRI: >80
- THD: <15 %
- Frequency: 50-60Hz
- Input Voltage: AC120-277V
- IP Rating: IP20
- Working Environment: -4°F-113°F
- Beam Angle: 120°
- Dimming Compatible: Yes
- · Mercury Content: No Hg
- Lens: Polycarbonate

WARRANTY:

BriteLite LED warrants that our LED products will be free from defects in materials and workmanship for a period of five (5) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and



BriteLite LED Slim (1.97") TROFFER Fixtures BLSO-TLR22/24 Series


Page: 2 of 2

Ordering Information:

| Family | Size (xx) | Wattage (WW) | Controls (D) | CCT (CCK) | Sensor option (S) |
|----------|-----------|--------------|-------------------------|----------------------------|---------------------|
| | 22 = 2X2 | 24 = 24W | D= 0-10V Dimmable | 35K = 3500K | 1 = Microwave senso |
| BLSO-LTR | 24 = 2X4 | 36 = 36W | Blank= Non- Dimmable | 40K = 4000K 50K = 5000K | (Biank) = No sensor |

Sensor:

Product picture:



Product features :

This module is a microwave sensor equipped with Doppler technology, It can be hidden in the lights made from various

Non-metal materials without damaging the exterior of the lighting and the lights can turn on or off lights automatically based on your setting. This advantage helps to upgrade traditional fixtures for operation convenience and energy savings.

Technical parameters:

Frequency: 5.8GHz ±75MHz
 Rated voltage: 8~18V/DC
 Rated current: 20mA

Output level: 0-10V(2-light level)Emissive power: Approx. 1mW


♦ Mounting height: 2~4M


Detection range: **ф12M** (ceiling mount)

Time and light Settings will be as per the customers requirement.

◆ Lux setting: 50Lux ±10Lux

Product measurement : 68.5(L) * 21.5 (W) * 3.5mm(D)







LEO GARAGE CANOPY LIGHT

AOK LED LIGHT CO., LTD.

IDA SERIES

APPLICATION

- · Premium Square Garage Light with low-glare illumination and high-energy efficiency.
- AOK ID series Canopy Garage Light is a low-profile fixture with high-design elements. This series was designed with performance and sesthetics in mind for an excellent value.

PERFORMANCE

- Lumens Per Watt(LPW): Up to T30Im/ w
- . Advanced garage optic designed for throwing light in the right places

DURABLE

- · Silver industrial grade powder coat finish
- * IP65 rated ready for tough environments

OPTIONS FOR EVERY GARAGE

- * Beauty plate retrofitting incumbent technology
- · Glare shield for reducing motorists glare
- Integrated Smart occupancy sensor

RECOMMENDED USE

- Parking garages
- . Security and perimeter lighting
- Exterior canopies

CERTIFICATIONS/LISTINGS
















up to 130lm/w


up to 130km/w

IDB SERIES



| | Fixture Spin Featigue |
|---------------|--|
| HQU508G | Sever Powder Conted Aluminum Gray polyests |
| LENS ASSEMBLY | UV-stabilized accyliopolymeter with polycar liquate lens with precision individual uptics for quitonn liturimation |
| MOUNTING | intenced to be suffece mounted or pendant incurried for use with conduit or pipe having 1/2" NPT thread |


PHOTOMETRY



AVERAGE BEAM ANGLE (50%):139.2 DEG

IDA UNITed

C0/180 le:1770 70,4,70,4 C90/270 le:1770 6,86,65,8



ORDERING INFORMATION



40WiDA 40WOB SOMEDA

SOWYOR

00s-Without sensor SNa Motion sensor

Pid=Photocell

3070×3000K 80CFI 4070~4000K 80CFJ 5070=5000K BOCKI 5770=5700K 80CPI



NW-100-277V










AOK LED LIGHT CO., LTD.


FIXTURE DIMENSIONS






| A B | ¢ | 0 |
|--------------------------|-----------------|-------------|
| 25.8cm/10.17 25:8cm/10.1 | 7 (5.8cm/2.29°) | 0.3cm/4.04° |








| | 6 | |
|---------------|-------------|------------|
| ф26.5ст/10.4" | 5.55cm/2.2* | 5.4cm/2.5° |


Dimensions of 40W and 60W models

CONSTRUCTION FEATURES


- 1. Die casting fixture housing
- 2. Top level performance driver 1-10V dimmable
- 3. Reflector
- 4. Optical grade polycarbonate cover
- 5. Occupancy sensor
- Light source,PC6 board with top level performance LEDs system efficacy up to 130LM/w
- 7. Gasket



CONSTRUCTION FEATURES




- 1. Installation adaptor plate
- 2. Top level performance light source system efficacy up to 130km/w
- 3. Top level performance driver 1-10V dimmable
- 4. Optical grade polycarbonate cover
- 5. Die casting fixture body
- 6. Occupancy Sensor
- 7. Reflector



The iDB series supports >5 different installation applications

MULTIPLE APPLICATIONS OF IDA SERIES



The iDA series supports both vertical and horizontal installations

TECHINICAL SPECIFICATIONS

| MODE | w ris | Steap | region to one and transport that the 1900. | EPH acy onn S | 54 e.3% | W. | We writing type |
|---------------|-------|---------|--|---------------|-----------|--------------|-----------------|
| AOR-MARDA | 400 | Square | 4956 E | 130,91 | IP652/K08 | 6.6(b)(3kg) | Celling/ |
| AOK-60MIDA | 500 | Sciuare | 7611.47 | 137.16 | 1P5564K08 | | |
| SCIENCIA-XCVA | 400 | Round | 49558 | 130.91 | IPSSA KON | 6.6(hs(3kg) | Pendant Mount |
| ACIK-60WHDB | 600 | Round | 7579.82 | 137.56 | 1965&808 | (6.6)bs(3kg) | |



BOARD OF SUPERVISORS

Hilda L. Solis

rk Ridley Thon Sheila Kuehl Janice Hahn

Kathryn Barger

COUNTY OF LOS ANGELES DEPARTMENT OF CONSUMER AND BUSINESS AFFAIRS

Received: 7082369412

"To Enrich Lives Through Effective and Caring Service"



Joseph M. Nicchitta

Joel Avala

Rafael Carbaia Chief Deputy

March 05, 2019

Ramu Adusumilli, President OGNI INC. (D/B/A) THE OGNI GROUP 4415 HARRISON STREET, STE 504 HILLSIDE, IL 60162

CBE LD. # 086591 Status: MBE

Dear Ramu Aduşumilli,

Congratulations! Your firm has been recertified as an eligible participant in the County of Los Angeles Community Business Enterprise (CBE) Program. This recertification is valid until March 05, 2021.

The County of Los Angeles Department of Consumer and Business Affairs (DCBA) reserves the right to request additional information and/or conduct an on-site visit at any time to verify any documentation submitted by the applicant. If there are any changes during this certification period, you are required to notify DCBA immediately.

We would also like to thank you for registering your business with the County's Vendor Registration website (WebVen) at http://camisvr.co.la.ca.us/webven. You are now eligible to participate in the County's on-line access to open bids, be placed on bid lists generated by County departments looking for prospective vendors and periodically be notified automatically via email of County bids by specific commodities/services.

Again, congratulations on your recertification. If you have any questions, please call (855) 230-6430 or email us at cbesbe@dcba.lacountv.gov and refer to the identification number above.

Sincerely,

Joseph M. Nicchitta Director

CHRISTIAN OLMOS

Program Chief, Office of Small Business

JMN: CO