


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 548843

Solicitation Description: Equipment Upgrades Bell TH67 206B, N67876, S/N: 5220 Helicop

Proc Type: Central Purchase Order

2019-03-13 SR 0215 ESR03131900000004178 1	Date issued	Solicitation Closes	Solicitation Response	Version
13:30:00		2019-03-13 13:30:00	SR 0215 ESR03131900000004178	1

VENDOR

VC0000023262

WYSONG ENTERPRISES INC

Solicitation Number: CRFQ 0215 AVN1900000003

Total Bid : \$0.00 **Response Date:** 2019-03-13 **Response Time:** 13:25:30

Comments:

FOR INFORMATION CONTACT THE BUYER

Melissa Pettrey (304) 558-0094 melissa.k.pettrey@wv.gov

Signature on File FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Lump sum cost to remove and install	0.00000	LS	\$363,000.000000	\$0.00
	new equipment				

Comm Code	Manufacturer	Specification	Model #	
78181800				

Extended Description:

Vendor must fill out the Exhibit A Pricing Page and submit with the bid. Section B of the Exhibit A - Pricing Page is for evaluation purposes only and this amount will not be included in the award total.



Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Request for Quotation

13 - Equipment

Proc Folder: 548843

Doc Description: Equipment Upgrades Bell TH67 206B, N67876, S/N: 5220 Helicop

Proc Type: Central Purchase Order

Version Date Issued Solicitation Closes Solicitation No 2019-02-27 2019-03-13 CRFQ 0215 AVN1900000003 13:30:00

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

W

25305

US

VENDOR

Vendor Name, Address and Telephone Number:

Wysong Exterprises, Inc. 2695 Highway 75 Blomntville, TN 37617 423-325-6900

FOR INFORMATION CONTACT THE BUYER

Melissa Pettrey (304) 558-0094

melissa.k.pettrey@wv.gov

FEIN# 62-1381242

DATE 3/13/19

All offers subject to all terms and conditions contained in this solicitation

Page: 1

FORM ID: WV-PRC-CRFQ-001

Contract Administrator and the initial point of contact for matters relating to this Contract.
Wysong Enterprises, Inc (Name, Title) Your Schreuder, Director of Operations (Printed Name and Title) 2965 Highway 75, Blountville, TN 37617 (Address) 423-325-6900 423-325-6905 (Phone Number) / (Fax Number) PSChreuder & Wysong us 9. com (email address)
CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.
Company) Paul Schneul Director of Operations (Authorized Signature) (Representative Name, Title) Paul Schneuder (Printed Name and Title of Authorized Representative) 3-13-2019 (Date)

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the

(Phone Number) (Fax Number)

REQUEST FOR QUOTATION Avionics and Equipment Upgrades Bell TH67/certified 206B, N67876, SN: 5220

10. VENDOR DEFAULT:

- 10.1. The following shall be considered a vendor default under this Contract.
 - 10.1.1. Failure to perform Contract Services in accordance with the requirements contained herein.
 - 10.1.2. Failure to comply with other specifications and requirements contained herein.
 - 10.1.3. Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
 - 10.1.4. Failure to remedy deficient performance upon request.
 - 10.2. The following remedies shall be available to Agency upon default.
 - 10.2.1. Immediate cancellation of the Contract.
 - 10.2.2. Immediate cancellation of one or more release orders issued under this contract.

11.1. Contract Manager: During its performance of this Contract, Vendor must designate

and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this

10.2.3. Any other remedies available in law or equity.

11. MISCELLANEOUS:

Contract. \ below.	endor should list its Contract manager and his or her contact information
Contract Manage	er: tay/ Schneyder
Telephone Numb	er: 423-325-6900
Fax Number:	423-325-6905
Email Address:	Pschreuder @ wysongusg.com

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received: (Check the box next to each addendum received)	
Addendum No. 1 Addendum No. 6 Addendum No. 2 Addendum No. 7 Addendum No. 3 Addendum No. 8 Addendum No. 4 Addendum No. 9 Addendum No. 5 Addendum No. 10	
I understand that failure to confirm the receipt of addenda may be cause for rejection of I further understand that any verbal representation made or assumed to be made during discussion held between Vendor's representatives and any state personnel is not bindin the information issued in writing and added to the specifications by an official addendubinding.	any orai g. Only
Company Authorized Signature The Company Authorized Signature	
Date	

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

ALLIANZ GLOBAL CORPORATE & SPECIALTY - AVIATION

Allianz (II)

Date Issued:

March 23, 2018

Certificate No. 004

Certificate Holder:

State Of West Virginia 2019 Washington Street East P.O. Box 50130

Charleston, WV 25305-0130

Named Insured:

Wysong Enterprises, Inc. 2695 Highway 75

Blountville, TN 37617

The above Named Insured is at this date insured with Allianz Global Risks US Insurance Company for the Limits of Coverage stated below:

Policy Number:

A3GA000807918AM

Policy Effective Dates:

March 22, 2018 to

March 22, 2019

Both at 12:01 AM local time at the Named Insured's mailing address shown above

AVIATION GENERAL LIABILITY	LIMITS OF INSURANCE
General Aggregate Limit	\$Not Applicable
Each Occurrence	\$10,000,000
Damage to Premises Rented to you	\$150,000
	The state of the s
Products/Completed Operations Aggregate	\$10,000,000
Personal & Advertising Injury Aggregate	\$10,000,000
Medical Expense (any one person)	\$10,000
Hangarkeepers' Liability	
Each Loss	\$15,000,000
Each Aircraft	\$5,000,000
Hangarkeeper's Liability Deductible	
Each Turbine Powered Aircraft	\$5,000
Each Other Aircraft	\$5,000
Property Damage Deductible	*******
Each Turbine Powered Aircraft	\$5,000
Each Other Aircraft	\$5,000
Each Non-Aircraft claim	\$5,000

For Informational Purposes Only

This certificate or verification of insurance is not an insurance policy and does not amend, extend or alter the coverage and/or limits afforded by the policies listed herein. Notwithstanding any requirement, term or condition of any contract or other document, with respect to which this certificate or verification of insurance may be issued or may pertain, the insurance afforded by the policies described herein is subject to all terms, exclusions and conditions of such policies.

Issued by:

Allianz Global Corporate & Specialty - Aviation

Aviation Operations 1 Progress Point Parkway O'Fallon, MO 63368

Page 1 of 1

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.


"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

Vendor's Name: Wysong Enterprises, Inc. Authorized Signature: Paul Schreuder Date: 01-16-2019 State of County of Sullivan, to-wit: Taken, subscribed, and sworn to before me this day of 2019. AFFIX SEAL HERE

Purchasing Affidavit (Revised 01/19/2018)





U.S. Department of Transportation

Federal Aviation
Administration

JAN Q 5 reso

Plan Number: E-EA-00010-U

[G-SO-803]

Mr. Stephen R. Wysong Wysong Enterprises, Inc. 300 Piney Avenue Piney Flats, TN 37686

Dear Mr. Wysong:

The Federal Aviation Administration (FAA) has approved your enclosed antidrug plan as a member of the National Association for Drug Free Employees (NADE), Inc., Consortium. Our previous approval of your plan E-GL-00149-U [D-SO-054] is rescinded.

This approval is contingent on your continuing association with the NADE Consortium as specified in your plan. You are required by the antidrug regulation to be continuously covered by an FAA-approved program, and therefore, must obtain approval from this office prior to changing programs (e.g., joining another carrier's program, or transferring to another consortium). Even though you have contracted with an FAA-approved consortium to assist you with this program, you are responsible for complying with all aspects of the FAA antidrug regulation.

Your plan has been issued a new identification number shown at the top of this letter.

Sincerely,

William R. McAndrew

Manager, Drug Abatement Division

Office of Aviation Medicine

Enclosure

cc: NADE Consortium

UNITED STATES OF AMERICA DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

Air Agency Certificate

Number W3ER617N

This certificate is issued to Wysong Enterprises, Inc. whose business address is

2695 Highway 75 Blountville, TN 37617

upon finding that its organization complies in all respects with the requirements of the Federal Aviation Regulations relating to the establishment of an Air Agency, and is empowered to operate an approved Repair Station

with the following ratings:

Limited Radio
Limited Instrument
Limited Airframe (04/04/2001)
Limited Powerplant (03/06/2008)

This certificate, unless canceled, suspended, or revoked, shall continue in effect INDEFINITELY

Date issued:

October 24, 1996

By direction of the Administrator Walter & Burn

WALTER H. BEVAN

MANAGER ACE-FSDO-19

This Certificate is not Cransferable, and any major change in the basic facilities, or in the location thereof, shall be immediately reported to the appropriate regional office of the federal aviation administration

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both

FAA Form 8000-4 (1-67)

SUPERSEDES FAA FORM 390.

AFS Electronic Forms System - v2.2

Operations Specifications

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	01/31/2012	11/17/2015	6
002 Definitions and Abbreviations	01/12/2012	10/27/2015	5
003 Ratings and Limitations	01/30/2004	10/27/2015	8
004 Summary of Special Authorizations and Limitations	09/23/1998	10/27/2015	8
007 Designated Persons	12/19/2006	10/27/2015	4
Antidrug and Alcohol Misuse Prevention Program	07/17/2009	10/27/2015	2

Operations Specifications

A001 . Issuance and Applicability

HQ Control: 01/31/2012

HQ Revision:

05d

a. These operations specifications are issued to Wysong Enterprises, Inc., a certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:

2695 Highway 75

Blountville, Tennessee 37617

Mailing Address: 2695 Highway 75

Blountville, Tennessee 37617

- b. The holder of these operations specifications is the holder of certificate number W3ER617N and shall hereafter be referred to as the "certificate holder".
- c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until

e.

Delegated authorities:

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by David D Alderman, Principal Maintenance Inspector (CE19) [1] EFFECTIVE DATE: 11/17/2015, [2] AMENDMENT #: 6 DATE: 2015.11.17 07:42:32 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Branscomb, Stephanie, Quality Assurance

Date

12.2.15

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by David D Alderman, Principal Maintenance Inspector (CE19) [1] EFFECTIVE DATE: 10/27/2015, [2] AMENDMENT #: 5 DATE: 2015.10.27 10:23:21 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Branscomb, Stephanie, Quality Assurance

Date

Operations Specifications

A002. **Definitions and Abbreviations**

HQ Control:

01/30/04

HQ Revision:

040

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in the Title 14 Code of Federal Regulations (CFR) Regulations and Title 49 United States Code as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

Bilateral Aviation Safety Agreement

An executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an

(BASA)

Agreement for the Promotion of Aviation Safety.

Certificate Holder

In these operations specifications the term "certificate holder" shall mean the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.

CFR

Code of Federal Regulations

Class rating

As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.

Domestic Repair

Station

A certificated repair station located in the United States.

Exemption

An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of CFR 14, Part 11.

FAA Accountable Manager

A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

FAA Form 8000-4-1

The FAA Form 8000-4-1 has been replaced with the form contained within this operations specifications application (OPSS) for the generation of the 14 CFR Part 145 Repair Station Operations Specifications.

Foreign Repair Station

A certificated repair station located outside of the United States.

Geographic Authorization

An approval provided to a foreign repair station to perform maintenance support under contract for a U.S. air carrier, or operator of U.S. - registered aircraft under 14 CFR Part 129, at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to the need of a U.S. air carrier or Part 129 foreign operator for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.

JAA

Joint Aviation Authority

Print Date: 8/30/2004

A002-1 Wysong Enterprises, Inc.

Operations Specifications

JAA Accountable

The manager who has corporate authority for ensuring that all maintenance Manager required by the customer can be financed and carried out to the standard

required by the JAA full member Authority.

Limited Rating

Rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios,

instruments, accessories, and/or parts.

Limited Ratings -**Specialized Services** Rating issued for a special maintenance function when the function is performed in accordance with a specification or data acceptable to the

Administrator.

Line Maintenance

Any unscheduled maintenance resulting from unforeseen events; or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.

Maintenance

The inspection, overhaul, repair, preservation, and the replacement of parts, but

excludes preventive maintenance.

Maintenance Implementation Procedures (MIP) Procedures for implementing the provisions of a BASA that apply to

maintenance.

MOE

Maintenance Organization Exposition - Pertains to Joint Aviation Authority member countries that use an MOE in place of a Repair Station Manual and a

Quality Control Manual.

Preventive Maintenance As defined in Appendix A subparagraph (c) of 14 CFR Part 43.

QCM

Quality Control Manual

RSM

Repair Station Manual

Substantial Maintenance

Any activity involving a C-check (routine airframe maintenance) or greater maintenance; any engine maintenance requiring case separation or teardown; and/or major alterations or major repairs performed on airframes, engines, or

Certificate No.: W3ER617N

propellers.

Operations Specifications

A003 . Ratings and Limitations

HQ Control: 01/30/2004

HQ Revision: 010

The Certificate Holder is authorized the following Ratings and/or Limitations:

Class Ratings

None Authorized

Limited Ratings

Rating Airframe	Manufacturer From the Capability list as amended.	Make/Model From the accepted Capability List, as amended.	Limitations Limited to maintenance, testing, repair and overhaul in accordance with the current manufacturer's maintenance manuals or data which is approved or accepted by the Administrator.
PowerPlant	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to maintenance, testing, and repair in accordance with the current manufactruer's maintenance manuals or data which is approved or accepted by the Adiministrator.
Radio	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to maintenance, testing, repair, and overhaul in accordance with current manufactruer's maintenance manuals or data which is approved or accepted by the Administrator.
Instruments	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to Altimeter and Automatid Pressure Altitude Reporting Systems. Altimeter Instrument and Automaatic Pressure Reporting System Test and Inspection in accordance with FAR Part 43, Appendix E only.

Limited Ratings - Specialized Services

Rating Specifications

Limitations

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by David D Alderman, Principal Maintenance Inspector (CE19) [1] EFFECTIVE DATE: 10/27/2015, [2] AMENDMENT #: 8 DATE: 2015.10.27 10:27:40 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Branscomb, Stephanie, Quality Assurance

1.07.12

Date

Operations Specifications

A004 . Summary of Special Authorizations and Limitations

HQ Control: 09/23/1998

HQ Revision:

010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

Reference Paragraphs

Conduct operations choosing to have an antidrug and alcohol misuse prevention

A449

Perform work, excluding continuous operations, at additional locations other than D100 at its primary Fixed Location.

b. The certificate holder is not authorized and shall not:

Has Evamptions	Reference Paragraphs
Use Exemptions.	A005
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Perform maintenance with NAA ratings where the scope of work is authorized by a BASA/MIP.	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by David D Alderman, Principal Maintenance Inspector (CE19) [1] EFFECTIVE DATE: 10/27/2015, [2] AMENDMENT #: 8 DATE: 2015.10.27 12:19:45 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Branscomb, Stephanie, Quality Assurance

Date

Operations Specifications

A007. Designated Persons

HQ Control: 12/19/2006

HQ Revision: 030

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 - Designated Persons to Apply for and Receive Authorizations

Title	Name	Parts Authorized	
President	Wysong, Stephen R.	A,D	
FAA Accountable Manager, 145 / Quality Assurance	Branscomb, Stephanie	A,D	

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 - Designated to Receive INFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by David D Alderman, Principal Maintenance Inspector (CE19) [1] EFFECTIVE DATE: 10/27/2015, [2] AMENDMENT #: 4

DATE: 2015.10.27 12:20:35 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Branscomb, Stephanie, Quality Assurance

Date

Operations Specifications

A449 . Antidrug and Alcohol Misuse Prevention Program

HQ Control: 07/17/2009

HQ Revision: 00a

Certificate No.: W3ER617N

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

Table 1

Location & Telephone of Antidrug and Alcohol Prevention Program Records:	
Telephone Number:	A1 (423) 325-6900
Address:	2695 Highway 25
Address:	N/A
City:	Blountville
State:	TN
Zip code:	37617

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
 - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
 - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by David D Alderman, Principal Maintenance Inspector (CE19) [1] EFFECTIVE DATE: 10/27/2015, [2] AMENDMENT #: 2 DATE: 2015.10.27 12:21:31 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Branscomb, Stephanie, Quality Assurance

Date

Operations Specifications

Table of Contents

Part D

	HQ CONTROL	EFFECTIVE	AMENDMENT
	DATE	Date	NUMBER
100 Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	10/27/2015	4

D100 . Work to be Performed at a Place Other Than the Repair HQ Control: 11/16/2004 Station Fixed Location(s) HQ Revision: 050

a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
Limited to work authorized IAW Paragraph A003.	Repair Station Manual, Section VI	N/A

- b. The certificate holder <u>may not</u> perform <u>continuous</u> operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. <u>Line Stations</u>. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.
- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by David D Alderman, Principal Maintenance Inspector (CE19) [1] EFFECTIVE DATE: 10/27/2015, [2] AMENDMENT #: 4

DATE: 2015.10.27 12:22:48 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Branscomb, Stephanie, Quality Assurance

Date

WYSONG ENTERPRISES, INC.

Tri-Cities Regional Airport P.O. Box 1083 Blountville, TN 37617

Repair Station #W3ER617N

Capabilities List

Manual Control Number 14

Assignment: Account Manager

Wysong Enterprises, Inc. Repair Station – Capabilities List Issue Date: 06-01-10 Revision 7

Table of Contents

Introduction/Manual Control	
Record of Revisions/List of Effective Pages	4
Capabilities List – 1 Limited Airframe	5
Capabilities List – 2 Limited Paint	6
Capabilities List – 3 Limited Radio	7-8
Capabilities List – 4 Powerplant	9
Capabilities List – 5 Limited Instruments	10
Total Number of Pages	10

Wysong Enterprises, Inc. Repair Station – Capabilities List Issue Date: 06-01-10 Revision 7

Introduction

The Capabilities List has been prepared in accordance with the Federal Aviation Regulations (FAR's) and the policies of Wysong Enterprises, Inc.

This Capabilities List specifies the units that this Repair Station is authorized to repair, alter, or maintain in accordance with the approved Inspection Procedures Manual. The purpose of the capabilities listing is to provide, in writing, a roster of the FAA-approved units that this Repair Station is authorized to return to service. This Repair Station will not maintain, alter, or repair any FAA-approved item for which it is not rated according to this capabilities list.

Each supervisor and inspector working for this repair station will have a current copy of this manual and should thoroughly understand its contents. It will also be available to other repair station personnel as well as to customers.

Manual Control

Each manual will have a control number and an assignment entry on the manual cover page. A master list containing the manual number, location and revision status will be kept in the President's Office.

The President will have any revision coordinated with the FAA FSDO office. Upon approval by the FAA, sufficient copies will be made and distributed to provide a current revision copy for each manual holder.

Upon receipt of a revision, each manual holder will be responsible for inserting the revised pages in its manual, record the revision on the manual's record of revision page and return the acknowledgment form (provided with the revision) to the President showing the holder has revised its manual.

A list of effective pages will be issued with each revision so each manual can be checked and kept current.

Wysong Enterprises, Inc. Repair Station — Capabilities List Issue Date: 08-02-17 Revision 13

Record of Revisions

		ecura of Kevisi	UIIS	•
Date Revision Made	Pages Revised	Revision #	Initials	Total # of Pages
January 30, 2004	Ail	O. I.	N/A-Previous revision	7
May 20, 2004	4,5	1	N/A-Previous revision	2 /
March 2, 2005	2,4,5,6,7,8,9	2	N/A-Previous revision	9 .
October 19, 2005	ALL	3	N/A-Previous revision	8
February 3, 2006	4, 8	4	N/A-Previous revision	8
May 16, 2006	4, 5, 6	5	N/A-Previous revision	8
March 6, 2008	4, 9	6	N/A-Previous revision	9
June 1, 2010	ALL	7	N/A-Previous revision	10
April 13, 2011	4, 5, 9	8	N/A- Previous revision	3
October 07, 2011	4, 5, 6	9	N/A Previous revision	3
July 12, 2012	4, 5	10	N/A Previous revision	2
July 13, 2012	4, 5	11	N/A Previous revision	2
January 28, 2014	4, 5, 6, 9	12	N/A Previous revision	4
August 02, 2017	4, 7, 8	13 .	Ik W	3

List of Effective Pages

Page	Rev.	Date
1	7	06/01/10
2	7	06/01/10
3	7	06/01/10 .
4	13	08/02/17
5	12	01/28/14
6	12	01/28/14
7	13	· 08/02/17
8	13	08/02/17
9	· 12	01/28/14
10	7	06/01/10

Wysong Enterprises, Inc. Repair Station - Capabilities List - 1 Issue Date: 01-28-14 Revision 12

CAPABILITIES LIST – 1 Airframe

Airframe

Agusta

109 Series

Bell

47, 204, 205, 206A, 206B, 206B-3, 206L, 206L-1, 206L-3, 206L-4, 212,

214, 222, 230, 407, 412, 427, 429, 430

Eurocopter

AS350 Series, EC130 series, BK-117 Series, EC135 series

MDHC

369D, 369E, 369FF, 500N

Beechcraft/

18, 19, 20, 30, 50, 60, 70, 80, 90

Raytheon Aerospace

100, 200, 300, 400 Series

Cessna

100, 200, 300, 400 Series

Mooney Aircraft

M-18 Series, M-19 Series, M-20 Series, 200 Series

Mitsubishi

MU-28 Series, MU-2 Series, MU-300 Series

Piper Aircraft

J-3 Series, J-4 Series, J-5 Series, PA-11 Series, PA-12, Series, PA-14 Series, PA-15 Series, PA-17 Series, PA-18 Series, PA-20 Series, PA-23 Series, PA-24 Series, PA-25 Series, PA-28 Series, PA-30 Series, PA-31 Series, PA-32 Series, PA-36 Series, PA-38 Series, PA-39 Series, PA-42

Series, PA-44 Series, PA-46 Series.

British Aerospace

Jetstream 31 Series

This authorization includes:

(1) Ground compass swings done in accordance with FAA Advisory Circular 43.13-1B, Chapter 12, Section 3, Paragraph 12-37. (2)Pitot static pressure system, altimeter, transponder and automatic pressure altitude reporting equipment tests and inspections in accordance with FAR Part 43 Appendix E and F.

Wysong Enterprises, Inc. Repair Station – Capabilities List - 2 Issue Date: 1-28-14 Revision 12

CAPABILITIES LIST - 2 Airframe limited to Paint

Airframe

Agusta

109 Series

Bell

47, 204, 205, 206A, 206B, 206B-3, 206L, 206L-1, 206L-3, 206L-4, 212,

214, 222, 230, 407, 412, 427, 429, 430

Eurocopter

AS350 Series, EC 130 series, BK-117 Series, EC 135 series

MDHC

369 D, 369E, 369FF, 500N

Beechcraft/

18, 19, 20, 30, 50, 60, 70, 80, 90

Raytheon Aerospace

100, 200, 300, 400 Series

Cessna

100, 200, 300, 400 Series

Mooney Aircraft

M-18 Series, M-19 Series, M-20 Series, 200 Series

Mitsubishi

MU-28 Series, MU-2 Series, MU-300 Series

Piper Aircraft

J-3 Series, J-4 Series, J-5 Series, PA-11 Series, PA-12, Series, PA-14 Series, PA-15 Series, PA-17 Series, PA-18 Series, PA-20 Series, PA-23 Series, PA-24 Series, PA-25 Series, PA-28 Series, PA-30 Series, PA-31 Series, PA-32 Series, PA-36 Series, PA-38 Series, PA-39 Series, PA-42

Series, PA-44 Series, PA-46 Series.

British Aerospace

Jetstream 31 Series

¹⁾ Limited to painting of these aircraft in accordance with Manufacturer's Maintenance Manuals or other methods or techniques and practices acceptable to the Manufacturer or Administrator.

Wysong Enterprises, Inc. Repair Station – Capabilities List - 3 Issue Date: 08-02-17 Revision 13

CAPABILITIES LIST – 3 Radio

Allied Signal (Bendix/King):

KY 195/B	KY 196/E		KY 196A
KY 197/E	KY 197A	-	KX 155
KX 155A	KTS 156	,	KX 165
KX 165A			

ARTEX ELT:

ELT 1000	МЕ406НМ	C406-1 NHM
ME406.ELT	B406-4	C406-2
ME406 ACE ELT	C406-1B	C406-2 HM
ME406 PORTABLE ELT	C406-1 HM	G406 ELT

SKYTRAC:

*ISAT-200A SERIES

NORTHERN AIRBORNE TECHNOLOGY:

*AA-95 SERIES	*AMS-43	*AMS-44
*AA-31		•

ANODYNE ELECTRONICS MANUFACTURING/COBHAM/WULFSBURG:

*AA-95 SERIES	*AM\$-43	*AMS-44
* A A 2 1		

Items with * in radio section are limited to software updates, adjustments and field maintenance authorized by Manufacturer only.

Wysong Enterprises, Inc. Repair Station — Capabilities List - 3 Issue Date: 08-02-17 Revision 13

GARMIN:

*CNX 80	*GAD 42	*GDL 49
*GNS 400 Series	*GDL 69/69A	*GNS 500 Series
*GPS 500	*GDL 90	*GNX 480
*MX 20	*GMA 340	*SL 40
*SL 30	*SL 70R	*GTX 327
*SL 70	*GTX 33H	*GTX 330/330D
*G1000 System	*G1000 H System	*G500 System
*G600 System	*GDU-620	*GAD 43
*GDL 88 Series	*GMX 200	*GNC 255
*GTR 225	*GTN 600 Series	*GTN 700 Series
*GPS 795/796	*GMX 200	*GMA350 Series
*GPS660	*GDL 39	*GPS 695/696
*GTX 345 Series	*GRA 55	

Items with * in radio section are limited to software updates, adjustments and field maintenance authorized by Manufacturer only.

Wysong Enterprises, Inc. Repair Station – Capabilities List - 4 Issue Date: 01-28-14 Revision 12

CAPABILITIES LIST - 4 POWERPLANT

Airframe

Allison/Rolls Royce

250-C18 series, 250-C20 series, 250-C28 series, 250-C30 series, 250-C40

series, 250-C47 series

Lycoming/Honeywell

T53 Series, LTC4B-8D, LTS-101 Series

Pratt & Whitney

PT6T-3, PT6T-3D, PW207D, PW207D1, R-985

Turbomeca

Arriel 1B series, 1D series, 2B series, 2D series

Continental/Lycoming

0-200 Series, O-470 series

¹⁾ Limited to Maintenance, testing, repair and inspection (excluding component overhaul) in accordance with the current manufacturer's maintenance manuals or data which is approved or accepted by the administrator..

Wysong Enterprises, Inc. Repair Station – Capabilities List - 5 Issue Date: 06-01-10 Revision 7

CAPABILITIES LIST - 5 LIMITED INSTRUMENT

Blind Encoders ACK A-30 Sandia SAE 5-35 TransCal SSD120 Series

1) Limited to adjustment only in accordance with the current manufacturer's maintenance manuals or data which is approved or accepted by the administrator.



2695 Hwy 75 Blountville, TN 37617 PH: 423-325-6900 FX: 423-325-6905

Corporate Resume Summary

Wysong Enterprises, Inc. was incorporated in February of 1989 by Mr. Stephen Wysong. Already having 15 years of avionics experience, which included the opening of the avionics department of Edwards & Associates (currently Bell Helicopter – Piney Flats), Mr. Wysong saw the opportunity to match his technical expertise with a growing need of television news broadcasters. While nothing was faster or more effective than a live, aerial feed from a helicopter hovering over the scene, the typical ship at that time was lacking the technical capability for the tasks desired by the media industry.

Mr. Wysong's knowledge of helicopter systems and electronics, along with his unmatched commitment to customer service, positioned Wysong to become the industry leader in the field of complex video and audio integrations on helicopters. Throughout our 25 year history Wysong has performed more than 175 such integrations on law enforcement and television news helicopters. Wysong Enterprises, a FAA 145 Repair Station since 1996, currently holds 4 FAA Supplemental Type Certificates (STC's) for products created to support and enhance airborne video and audio communications. These custom solutions fly proudly today benefitting both law enforcement as well as broadcast providers.

Wysong Enterprises is conveniently located on the south general aviation ramp at the Tri-Cities Regional Airport (KTRI). The Tri-Cities Airport is served by Delta, US Airways, and Allegiant Airlines. Wysong is also conveniently located 6 nautical miles from the Bell Helicopter acceptance facility in Piney Flats, TN.



The beautiful, rugged terrain of the Appalachian Mountains provides the perfect test bed for advanced avionics systems such as radar altimeters, synthetic vision, obstacle, terrain and warning systems. Wysong is an approved sales and installation facility for leading avionics manufacturers including Garmin, Bendix / King / Honeywell, Sagem Avionics, Cobham, Genesys, Technisonic, and others.



2695 Hwy 75 Blountville, TN 37617 PH: 423-325-6900 FX: 423-325-6905

Today, the Wysong team includes individuals with experience not only in helicopter modifications but also in CAD, CNC programming, and broadcast engineering to offer our clients dependable equipment integrations on their law enforcement platforms. Mr. Wysong continues to be actively involved in the daily management and operations of Wysong Enterprises.









2695 Hwy 75 Blountville, TN 37617 PH: 423-325-6900 FX: 423-325-6905

Project Manager:

The project manager will serve as the point of contact and ensure that all work is performed to the specifications of West Virginia Aviation Division.

Paul Schreuder Sales Manager pschreuder@wysongusa.com 423.325.6900 Office location: Blountville, TN

Mr. Schreuder has 35 years of experience in aviation and marketing, and holds an Airline Transport Pilot Certificate for Rotorcraft-Helicopters and Multi-Engine Airplanes.

Other key Wysong personnel (all at the Blountville, TN location):

Steve Wysong
President
steve@wysongusa.com

Rodney Wysong
Vice-President
Rodney@wysongusa.com

Tom Irmeger
Director Sales and Marketing
tirmeger@wysongusa.com

Stephnie Branscomb FAA Coordinator stef@wysongusa.com

James McCoy Avionics Supervisor jmccoy@wysongusa.com

Bob Shepard Engineering Supervisor bshepard@wysongusa.com



2695 Hwy 75 Blountville, TN 37617 PH: 423-325-6900 FX: 423-325-6905

UNITED STATES OF AMERICA DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

Air Agency Certificate

Number W3ER617N

This certificate is issued to Wysong Enterprises, Inc. whose business address is

2695 Highway 75 Blountville, TN 37617

upon finding that its organization complies in all respects with the requirements of the Federal Aviation Regulations relating to the establishment of an Air Agency, and is empowered to operate an approved Repair Station

with the following ratings:
Limited Radio
Limited Instrument
Limited Airframe (04/04/2001)
Limited Powerplant (03/06/2008)

This certificate, unless canceled, suspended, or revoked, shall continue in effect INDEFINITELY

Date issued:

October 24, 1996

By direction of the Administrator Waltu H Sur

WALTER H. BEVAN

MANAGER ACE-FSDO-19

This Certificate is not Transferable, and any major change in the basic facilities, or in the location thereof, shall be immediately reported to the appropriate regional office of the federal aviation administration

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both

FAA Form 8000-4 (1-67)

SUPERSEDES FAA FORM 390.

AFS Electronic Forms System - v2.2



2695 Hwy 75 Blountville, TN 37617 PH: 423-325-6900 FX: 423-325-6905

(References)

Georgia State Patrol Jeff Gehrlich 1900 Airport Rd Kennesaw GA 30144 jgehrlich@gsp.net 770.528.5439 (1) Bell 407 Law Enforcement Completion, 2014

New York Police Dept.
United States Dept of Justice
c/o Helinet Technologies
Ron Magocsi
New York NY
rmagocsi@helinet.com
917.929.8002

- (2) Bell 412 Video Downlink Integration, 2012-2013
- (7) Bell 407 Law Enforcement Integration, 2011-2014


Charlotte Police Dept. Eric Kelley Charlotte NC wkelly@cmpd.org 704.359.4623 (2) Bell 407 Law Enforcement Completion, 2012

Osceola County Sheriff George Freeman Kissimmee FL 407.348.1100 gfree@osceola.org (3) Bell OH 58 Law Enforcement Completion, 2008-2010

New York City Dept. of Environmental Protection Police c/o Helicopter Flight Services John Kjekstad New York NY 212.355.0801 johnkjekstad@yahoo.com (1) Bell 407 Law Enforcement Completion, 2009



502 Eagle Mountain Rd Drive 216 miles, 3 h 23 min to 2695 State Highway 75, Blountville, TN



502 Eagle Mountain Rd

Charleston, WV 25311

Get on I-64 E/I-77 S in Charleston from Airport Rd and **Greenbrier St**

5 min (2.9 mi) Head northwest on Eagle Mountain Rd toward Airport Rd 0.2 mi 2. Turn left onto Airport Rd 0.8 mi 3. Continue onto Greenbrier St 1.7 mi Turn left to merge onto I-64 E/I-77 S toward **Beckley**

0.2 mi

Follow I-77 S and I-81 S to TN-357 S/Airport Pkwy in Sullivan County. Take exit 63 from I-81 S

3 h 15 min (210 mi) * 5. Merge onto I-64 E/I-77 S A Partial toll road 58.1 mi Keep right at the fork to continue on I-77 S Partial toll road 👔 Entering Virginia 66.7 mi Take exit 40 to merge onto I-81 S/US-52 N toward 7. Bristol Continue to follow I-81 S Entering Tennessee 85.1 mi Take exit 63 for TN-357 toward Tri-Cities Airport 0.2 mi Continue on TN-357 S/Airport Pkwy. Drive to TN-75 S 4 min (2.8 mi) Turn left onto TN-357 S/Airport Pkwy 2.4 mi Take the TN-75 ramp to Air Cargo/NE State Tech 10. 0.2 mi Turn right onto TN-75 S 11. $0.2 \, \mathrm{mi}$

2695 State Highway 75, Blountville, TN

These directions are for planning purposes only. You may find that construction projects, traffic, weather, or other events may cause conditions to differ from the map results, and you should plan

your route accordingly. You must obey all signs or notices regarding your route.

Exhibit A - Pricing Page

Bell TH67/certified 206B, S/N 5220 (N67876)

CRFQ:	
Vendor:	

Section A:

Item #1: Vendor is to provide the Lump Sum amount for Items listed below

	Description	Unit of	Estimated	Extended
Item		Measure	Quantity	Cost
	Remove interior and exterior paint and repaint the interior and exterior per Agency specifications as per Section 4.1.1.1 and			
1	related Exhibit E.	Lump Sum	1	\$ 54,000.00
2	Remove designated equipment in Section 4.1.2 and provide and install new equipment in Section 4.1.3.	Lump Sum	1	\$ 309,000.00
			Section A:	\$363,000.00

Section B:

Vendor to enter nautical miles (NM) below to calculate flight time to fly Round Trip from Yeager Airport (CRW) in Charleston, WV. Round Trip Cost Calculation will be based on the straight line distance of the vendor's facility from Yeager Airport (CRW) in Charleston, WV in nautical miles divided by aircraft nominal airspeed multiplied by the Agency's billing rate per hour multiplied by two.

Description		Per Trip
120	NM to vendor facility divided by 100 (KTAS) x \$600.00 (per hour) x 2 (roundtrip)	\$1,440.00
	Section B:	\$1,440.00

Section C:

Vendor to enter road mileage (RM) below to calculate travel time by car between Yeager Airport (CRW) in Charleston, WV and the vendor's facility. Mileage will be shortest distance between Yeager Airport (CRW) and the vendor's facility using Google Maps Driving Directions. 54.5 cents per mile is the current state of WV reimbursement mileage rate. Agency estimates making 4 trips to vendor during the 90 day period of contract.

g ,				
Description		Per Trip		
216	RM to vendor facility x 54.5 cents per mile x 2 (roundtrip) x 4 (estimated number of trips)	\$941.76		
	Section C:	\$941.76		
	Subtotal Section A:	\$363,000.00		
	Subtotal Section B:	\$1,440.00		
	Subtotal Section C:	\$941.76		
	Total Bid:	\$365,381.76		

^{*}Section B for evaluation purposes only, Section B amount will not be included in the award total.

^{*}Vendors must complete Exhibit A - Pricing Page in its entirety in legible form and submit with their bid.

^{*}In addition, Vendors are to submit with the bid an itemized pricing sheet to include parts and labor associated with each item to be installed under Section 4.1.3. The itemized list is for reference purposes only. Contract Award is based on the total lump sum bid not the itemization.

^{*}Section C for evaluation purposes only, Section C amount will not be included in the award total.