

BID RECEIVED LATE

BUYER Linda Harper

WITNESS Jessie L. Riley

DISQUALIFIED

Faxed → 7-9-18
26 Pages

* SEALED BID: Equipment Lease/Rental w/o Operator
BUYER: Mark Atkins, File #33
SOLICITATION NO.: CRFQ 0803 DOT1800000116
BID OPENING DATE: 07/11/2018
BID OPENING TIME: 1:30pm EDT
FAX NUMBER: 304-558-3970



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 12 - Equip. Rental

Proc Folder: 455828

Doc Description: EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2018-06-26	2018-07-11 13:30:00	CRFQ 0803 DOT1800000116	1

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

Vendor Name, Address and Telephone Number:

Varner Construction LLC

PO Box 243

Durbin WV 26264

304-456-4509

FOR INFORMATION CONTACT THE BUYER

Mark A Atkins

(304) 558-2307

mark.a.atkins@wv.gov

Signature X

FEIN #

37-1508771

DATE

7-7-18

All offers subject to all terms and conditions contained in this solicitation

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways (WVDOH), to establish an open-end contract to provide Equipment for Lease/Rental without Operator for use at West Virginia Division of Highways' locations throughout the State of West Virginia, per attached documents.

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER	
No City	WV99999	No City	WV 99999
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Vendor shall use Exhibit_A Pricing Pages for bid pricing.	0.00000	EA		See Price Sheets

Comm Code	Manufacturer	Specification	Model #
72141702			

Extended Description :

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR:

Note: Vendor shall use Exhibit_A Pricing Pages for bid pricing and Exhibit_B Information Attachment Form.

If vendor is submitting a bid online, Vendor should enter \$0.00 in the Oasis commodity line.

Vendor shall enter pricing into the Exhibit_A Pricing Page and complete the Exhibit_B Information Attachment Form and attach with bid. See section 18 of Instructions to Bidders.

Line	Event	Event Date
1	Technical Questions due by 2:00pm EDT:	2018-06-29

DOT1800000116	Document Phase Final	Document Description EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR	Page 3 of 3
----------------------	--------------------------------	---	-----------------------

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

REQUEST FOR QUOTATION
CRFQ 0803 DOT1800000116
(DOT6618C057)
Equipment Lease/Rental WITHOUT Operator

- 8.8 Contract Manager:** During its performance of this Contract, the Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below:

Contract Manager: Kenneth Varner
Telephone Number: 304-456-4509 or 4505
Fax Number: 304-456-4510
Email Address: Varner@frontier.net.net

**Equipment Rental WITHOUT Operator
INFORMATION ATTACHMENT FORM**

Base Location:

The Vendor should identify the Base Location and any other potential Base Locations where the lease/rented equipment may be delivered from, by the Vendor or picked up by the WVDOH. The Vendor should provide the 911 address or the most recent physical street address, city and state for each Base Location. If the Vendor fails to provide the Base Location(s) information on the Information Attachment Form, the Vendor's bid may be disqualified. You may duplicate this page, if additional space is needed. This list does not determine sole Base Locations for a Vendor, but provides the WVDOH a base for determining potential mileage.

Vendor Base Location:	
Varner Construction LLC	
4256 Staunton Parkersburg Tapk	
Durbin WV 26204	
Vendor Base Location:	
Vendor Base Location:	

Counties Bid:

Vendor should complete this section by identifying the counties serviced. Vendor shall place an "X" or "√" beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties serviced, it will be assumed that the Vendor's bid is for Statewide.

"X" or "√"		"X" or "√"		"X" or "√"	
X	STATEWIDE				
	Barbour		Kanawha		Pocahontas
	Berkeley		Lewis		Preston
	Boone		Lincoln		Putnam
	Braxton		Logan		Raleigh
	Brooke		McDowell		Randolph
	Cabell		Marion		Ritchie
	Calhoun		Marshall		Roane
	Clay		Mason		Summers
	Doddridge		Mercer		Taylor
	Fayette		Mineral		Tucker
	Gilmer		Mingo		Tyler
	Grant		Monongalia		Upshur
	Greenbrier		Monroe		Wayne
	Hampshire		Morgan		Webster
	Hancock		Nicholas		Wetzel
	Hardy		Ohio		Wirt
	Harrison		Pendleton		Wood
	Jackson		Pleasants		Wyoming
	Jefferson				

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM LIFT 80 foot lift minimum							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK Elliott Model L55 or similar							
ARROW BOARDS 4' x 8' panel 15 lamp							
ASPHALT DISTRIBUTOR Trk. Mtd. w/spray bar							
ASPHALT RECYCLER KM T-2 or similar							
ASPHALT RECYCLER Self Loading - Stepp SRM 10x120 or similar							
ASPHALT RECYLING ATTACHMENT Endloader bucket - mounted, asphalt grinder/recycle attachment; min. 185 hp, app. 8,500 lb. wt. capable of							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
grinding and remixing up to 12" deep and 48" wide pavement and base.							
ASPHALT RECYLING ATTACHMENT Zipper or similar							
ASPHALT REMOVAL/RECYCLER Benedetti or similar to							
ATTENUATOR - Trailer Mounted must meet NCHRP 350 TL-3							
AUGER Track Mtd.							
AUGER Truck Mtd.							
BACKHOE Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs. - 28,000 lbs. Working Weight	Hitachi 120-2	12N38559		1,333	4,000	85	3
BACKHOE Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs. - 35,800 lbs. Working Weight	Hitachi 120-2	12N38559		1,500	4,500	85	3
BACKHOE Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs. - 40,000 lbs. Working Weight Attachment: Grapple	Hitachi 200LC-5	HITAMD300466		1,600	5,000	85	3
BACKHOE Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs. - 45,900 lbs. Working Weight	Hitachi 200LC-5	HITAMD300466		1,600	5,000	85	3
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 24,400 lbs. - 35,800 lbs. Excavator Size	Hitachi 120-2	12N38559	1,300	3,500	10,000	85	3
BACKHOE (HY-RAM)							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Crawler 2,000 ft./lbs. min. 36,000 lbs. - 42,900 lbs. Excavator Size							
Attachment: Grapple							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 43,000 lbs. - 60,000 lbs. Excavator Size							
BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 61,000 lbs. - 80,000 lbs. Excavator Size							
HYRAM ATTACHMENT ONLY 2,000 ft./lbs. min							
BACKHOE Crawler with a thumb	John Deere	75D	700	1,800	5,400	85	3
BACKHOE LOADER Rubber Tired 55-85 DHP	2006 Volvo	BL160 4x4		900	2,700	85	3
BACKHOE LOADER (HY-RAM) Mtd. Hyd. Breaker 55-85 DHP D							
BACKHOE LOADER (HO-RAM) Mtd. Air Breaker 1,000 ft./lbs. min.							
BACKHOE LOADER TRACTOR - Compact Rubber Tired 20-30 HP max. height - 83"							
BACKHOE LOADER TRACTOR - Mini 25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar							
BASE WIDENER SP Shoulder Stone	Blaw Knox (have 2)		400	2,000	5,800	100	5
BRUSH CHIPPER - up to 49 hp Cutting size - 12" in diameter.							
BRUSH CHIPPER - from 50 hp to 85 hp Cutting size - 12" in diameter.							
BULLDOZER Crawler GD 65 -75 DHP D							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
BULLDOZER Crawler GD 80 -90 DHP D	John Deere 650H	T0650HX942108	500	1,300	3,500	85	3

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
BULLDOZER Crawler GD 100 -120 DHP D	John Deere 700H	TD700HX942108	600	1,800	5,400	95	3
BULLDOZER Crawler GD 130 -140 DHP D	CAT D6N Dozer	CAT00D6NTAKM01240	600	2,600	8,000	150	4
BULLDOZER Crawler TC 150 - 250 EHP D	CAT D8H	46A12282	900	3,000	9,000	180	5
BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D							
BULLDOZER Crawler/Winch TCP 181 - 250 EHP D							
CHIP SPREADER SP							
COLD MILLING - Stabilizer/Recycler BOMAG MPH 364 R-2 or similar							
COLD MILL PLANER Self Loading - 2'							
COLD MILL PLANER Self Loading - 4'							
COMPRESSOR 125 - 160 CFM Portwhl.							
COMPRESSOR 170 - 210 CFM Portwhl.							
COMPRESSOR 250 - 300 CFM Portwhl.							
COMPRESSOR 350 - 375 CFM Portwhl.							
COMPRESSOR 600 CFM Portwhl.							
COMPRESSOR							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
700 - 800 CFM Portwhl.							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
CONCRETE MIXER Trk. Mtd. 6.0 Cyd.							
CONCRETE SAW Full Depth CAP - 24" Blade							
CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade							
CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade							
CRACK SEALING MACHINE Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 12 - 1/2 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 14 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 15 - 25 T Hyd. Rough Terrain							
CRANE 20 - 25 T Cable D. Crawler							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
CRANE 25 - 30 T Cable, Trk. Mtd. G							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
CRANE 30 T Hyd.							
CRANE 35 T Hyd.							
CRANE 40 T Hyd.							
CRANE 50 T Hyd.							
CRANE 15 - 20 T Truck Mounted Boom							
CRANE 21 - 25 T Truck Mounted Boom							
CULVERT CLEANER Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
CULVERT CLEANER - radio remote controlled Microtraxx or Similar 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation, to clean 48" to 60" round culverts							
CULVERT CLEANER - radio remote controlled Microtraxx or Similar 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, to clean 36" to 48" round culverts							
DITCH WITCH							
EQUIPMENT TRAILER 10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
EQUIPMENT TRAILER 12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER 14,000 GVWR 16' + 2' dovetail, with 24" wide x 60" wide long stand-up ramps with support leg and stand-up bar, spring assisted							
EXCAVATOR - TELEBOOM Track Mtd. SP 0.5 Cyd. D	Gradall	XL4100	800	2,500	7,500	100	3
EXCAVATOR - TELEBOOM Truck Mtd. SP 0.5 Cyd. D							
EXCAVATOR w/McMillen extreme duty earth auger or similar							
EXCAVATOR Mini-Hyd. Track Mtd. 2,600 lbs. max.							
EXCAVATOR Mini-Hyd. Track Mtd. 6,500 lbs. max.							
EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP Track Width 10' out-to-out							
EXCAVATOR - 1/8 Cyd. 30 HP D Track Width 5' out-to-out							
EXCAVATOR - 1/5 Cyd. 44 HP 11,000 lbs. Track Width 6' out-to-out							
EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket, Track Width 6' out-to-out							
EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
EXCAVATOR ATTACHMENT Swivel head with ditching bucket							
FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum							
FLATLINER - attachment for a skid steer Profilograph and bump grinder in one							
FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap.	Gradall	542D35	400	1,333	4,000	150	3
FORKLIFT TRUCK 6,000 # Load Cap., Min. 63 HP							
GENERATOR - TRAILER MOUNTED:							
30 kw							
45 kw							
60 kw							
80 kw							
100 kw							
125 kw							
175 kw							
200 kw							
230 kw							
300 kw							
400 kw							
500 kw							
600 kw							
800 kw							
1,000 kw							
2,000 kw							
GRAPPLE ATTACHMENTS for Skid Steer Loaders 72" - 78" attachments	150		200	600	2,000	100	3

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
HEATER - Trailer Mounted, Diesel 22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar							
HAMMER (DELMAG) PILE-D. D8-22							
HYDRO-SEEDER							
HYDRO-SEEDER Trk. Mtd. 1,500 - 2,500 Gal.	FINN	T170/SLA2191	300	1,600	4,300	50	3
JOINT SEALER 3 Cylinder, Tandem Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 16"x24" Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT. 4 - 1,000 watt bulbs	Have 3		100	500	1,500	35	3
LOWBOY with two drops in deck height - min 35 T							
MANLIFT SP 40 ft.							
MANLIFT SP 60 ft.							
MANLIFT SP 80 ft.							
MANLIFT SP 125 ft. minimum to 135 ft. maximum							
MESSAGE SIGN - PROGRAMMABLE							
MORTAR MIXER 6 CF 5 HP G							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
MOTOR GRADER 35,000-45,000 lbs. class	CAT (have 3)	120G	500	200	5,000	50	3
PATCH TRAILER DuraPatcher or similar							
PATCH TRUCK DuraMAXX or similar							
PAVER - HOT MIX ASPHALT Rubber-tired Paver	Blaw Know (have 3)	0494-012	400	2,000	5,800	50	3
PAVER - HOT MIX ASPHALT Track Paver	Lee Boy (have 4)		400	2,000	5,800	50	3
POLY PATCHER II or simliar Double-boiler type mixer, Trl Mtd.							
PRESSURE WASHER/Hot Water 120° Min, 700-3000 psi Min.							
RECLAIMER 43,000 lbs min weight, 350 HP, 96" milling head 0 - 18" cutting depth range							
ROCKDRILL - SP Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class							
ROCK TRUCK - ARTICULATED 20 -30 T	CAT (have 2)		900	2,300	6,500	100	5
ROLLER 5 Ton with 2 steel drums	CAT (have 2)	DCB34B 51"	270	1,350	3,800	50	4
ROLLER 10-15 Tons with 2 steel drums	Hypac Articulated	C766B	270	1,350	3,800	50	4
ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd.							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
ROLLER 10 T PNEUTR							
ROLLER 7-15 T PNEUTR, Articulated							
ROLLER SP PNEUTR - 10K GVW G							
ROLLER SP PNEUTR - 20K GVW G							
ROLLER - TRENCH VIB Dual Drum Approx. 10 HP, Approx. 2.5ft W x 8.3 ft L	Wacker	RT82	200	600	1,800	35	3
ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D	HAMM 3410	H1690223	400	1,200	3,600	50	3
ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D	HAMM 3410	H1690223	400	1,200	3,600	50	3
SAND BLASTER 200 lb. hopper min.							
SCREENERS, Material Mobile - Diesel	NordBerge	CV40-D 1853	500	200	6,000	50	3
SHADOW TRUCK w/Attenuator min. 30,000 GVW							
SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth	Blaw Know (have 2)		400	200	5,800	50	262D
SKID STEER - HIGH FLOW	CAT	262D	500	1,200	2,900	100	3
Attachment: Broom	CAT	BP18		500	1,200	100	3
Attachment: Bucket	CAT	included with skidsteer					
Attachment: Broom Bucket							
Attachment: Auger of any diameter	CAT				800	100	3
Attachment: 1' - 5' Milling Planer	CAT	PC306		1,300	3,800	100	3

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
Attachment: Trencher of any width	CAT	T9		450	1,300	100	3
Attachment: Jackhammer - Caterpillar CAT H55D S or equal							
Attachment: Concrete Slab Dowel							
SKID STEER - MILLING PLANER	CAT	257B			2,695	35	3
Attachment: Broom							
Attachment: Bucket	CAT				500	35	3
Attachment: Broom Bucket							
Attachment: Auger of any diameter	CAT				1,600	35	3
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width	BOBCAT				1,500	35	3
SPRAY PATCHER Self-contained, Trl Mtd, spray-injection machine Self-supporting, rear mounted tri-fold articulating boom with fully counterweighted arm. Radius: Min 20'-10". Vert.Stroke: 5' - 2' below pavement level.							
STABILIZER (BO-MAG) SP 250 HP min.							
STRAW / MULCH BLOWER Trk. Mtd.	Finn	B70T SE-3389	200	590	1,775	35	3
STREET SWEEPER SP 3.0 Cyd. (min.)							
STREET SWEEPER SP 8.0 Cyd. (min.)							
STREET SWEEPER Trlr. Type							
STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar							
STREET SWEEPER - Towable Self-Propelled							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$/Day	\$/Week	\$/Month	1st Mile	Add. Mi.
STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
TAMPER/COMPACTOR - Vibratory 650 min. blows per minute							
TRACTOR John Deere 6200 or similar							
Boom Mower Attachment to be used with the above Tractor							
Flail Mower Attachment to be used with the above Tractor							
Sicklebar Mower Attachment to be used with the above Tractor							
TRAILER 6 tons with ramps, minimum 18' length, 8.5' width							
TRAILER - FLATBED TRI-AXLE 22,500 GVWR, 23 ft. with dove tail, Air Breaks							
TRAILER - FLATBED - Two Axles 20,000# Payload Cap. Min.Width 8.5', Min.Length 24'							
TRAILER - LowBoy 35 - 50 ton - pony motor, self contained hydraulics							
TRAFFIC SIGNALS - PORT 2 Phase Operation D/E							
TREE TRIMMER - Power Mechanical Trimmer - Track Up to 53' Reach - Kwik-Trim Takeuchi TB260 or similar							
TREE TRIMMER - Telescoping Trimmer Power Train - Track Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar							
TRENCH BOX Various Sizes - Vendor provide sizes available							
TRENCH PAVER Base Widening Machine					5,800	100	3
TRUCK - Heavy Industrial							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
2 Axle Steel Bed							
TRUCK - Heavy Industrial							
3 Axle Steel Bed	Ford			1,800	5,400	1	1
TRUCK - Heavy Industrial	MACK			2,000	6,000	1	1
4 Axle Steel Bed							
TRUCK - Heavy Industrial							
5 Axle Steel Bed							
TRUCK - Heavy Industrial							
2 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial							
3 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial							
4 Axle Aluminum "V" Bed							

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
TRUCK - Heavy Industrial 5 Axle Aluminum "V" Bed							
TRUCK - Water Tanker - min 1500 gallons							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach							
UNDERBRIDGE PLATFORM Truck Mtd., Hyd. Min. 23 ft. horizontal reach (driver to be included)							
VACUUM/JETTER SEWER CLEANER Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm 2000+ CFM Vacuum Pump, 2200+ PSI water pump							
VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
VAN - BOX 21,000 or greater							
VIBRATORY ROLLER with Water 4 - 5 ton Steel Double Drum	Bomag	1450	300	900	1,500	50	4

**CRFQ 0803 DOT1800000116
(DOT6618C057)**

Vendor Should Type Price Page Schedule

Exhibit A Pricing Pages

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
VIBRATORY ROLLER with Water 8 - 10 ton Steel Double Drum	Hydro Pack		270	1,350	3,800	50	4
WATER PUMPS - 3" w/SUCTION & DISCHARGE HOSES	Honda (have 2)		35	140	420	50	3
WATER PUMPS - 4" w/SUCTION & DISCHARGE HOSES	Honda		45	450	480	50	3
WATER PUMPS - 6" w/SUCTION & DISCHARGE HOSES	Godwin (have 2)	9817		500	1,500	50	3
WATER PUMPS - 12" w/SUCTION & DISCHARGE HOSES							
WELDER - PORTABLE 225 AMP min. -- GASOLINE powered							
WELDER - PORTABLE 225 AMP min. -- DIESEL powered							
WORK PLATFORM SP SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP SL 35' High Platform 1,500# CAP							

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Varner Construction LLC


Authorized Signature: Kenneth H. Varner Date: 7-7-18

State of West Virginia

County of Pocahontas, to-wit:

Taken, subscribed, and sworn to before me this 7 day of July, 2018

My Commission expires 3-24, 2019



NOTARY PUBLIC Sandra M. Varner

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Kenneth Varner Owner
(Name, Title)
Kenneth H Varner
(Printed Name and Title)
Po Box 243 Durbin WV 26264
(Address)
304-456-4509 or 4505 304-456-4510
(Phone Number) / (Fax Number)
Varner@frontiernet.net
(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Varner Construction LLC
(Company)
Kenneth H Varner Owner
(Authorized Signature) (Representative Name, Title)
Kenneth H. Varner, Owner
(Printed Name and Title of Authorized Representative)
7-7-18
(Date)
304-456-4509 Fax 304-456-4510
(Phone Number) (Fax Number)

