




The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.



Jump to:  Go



Home



Personalize



Accessibility



App Help



About



Welcome, Lu Anne Cottrill

[Procurement](#)

[Budgeting](#)

[Accounts Receivable](#)

[Accounts Payable](#)

Solicitation Response(SR)

Dept: 0803

ID: ESR01221900000003349

Ver.: 1

Function: New

Phase: Final

Modified by batch , 01/23/2019

Header 1

List View

General Information

Contact

Default Values

Discount

Document Information

Procurement Folder: 521712

Procurement Type: Central Master Agreement

Vendor ID: 000000202582



Legal Name: MIDDLETOWN TRACTOR SALES

Alias/DBA:

Total Bid: \$407,649.00

Response Date: 01/22/2019



Response Time: 16:10

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT1900000060

Published Date: 1/11/19

Close Date: 1/23/19

Close Time: 13:30

Status: Closed

Solicitation Description: ADDENDUM 1 15 FT BATWING
ROT. MOWER W/ HITCH

Total of Header Attachments: 1

Apply Default Values to Commodity Lines

View Procurement Folder



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Solicitation Response

Proc Folder : 521712

Solicitation Description : ADDENDUM 1 15 FT BATWING ROT. MOWER W/ HITCH TRACTOR ATTCH.

Proc Type : Central Master Agreement

Date issued	Solicitation Closes	Solicitation Response	Version
	2019-01-23 13:30:00	SR 0803 ESR01221900000003349	1

VENDOR

000000202582

MIDDLETOWN TRACTOR SALES

Solicitation Number: CRFQ 0803 DOT19000000060

Total Bid : \$407,649.00

Response Date: 2019-01-22

Response Time: 16:10:04

Comments:

FOR INFORMATION CONTACT THE BUYER

Crystal Rink
(304) 558-2402
crystal.g.rink@wv.gov

Signature on File

FEIN #

DATE

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	15 FT BATWING STYLE ROTARY MOWER W/ HITCH TRACTOR	20.00000	EA	\$20,382.450000	\$407,649.00

Comm Code	Manufacturer	Specification	Model #
21101708			

Extended Description :	15 FT BATWING STYLE ROTARY MOWER WITH HITCH TRACTOR ATTACHMENT
------------------------	--

Comments: Attachment: R15 Specs



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Request for Quotation
19 — Highways

Proc Folder: 521712

Doc Description: ADDENDUM 1 15 FT BATWING ROT. MOWER W/ HITCH TRACTOR ATTCH.

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2019-01-11	2019-01-23 13:30:00	CRFQ 0803 DOT1900000060	2

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV

25305

US

VENDOR

Vendor Name, Address and Telephone Number:

MIDDLETOWN TRACTOR SALES
2050 BOYERS DRIVE
FAIRMONT WV 26554
(304) 366-4690

FOR INFORMATION CONTACT THE BUYER

Crystal Rink
(304) 558-2402
crystal.g.rink@wv.gov

Signature X

FEIN # 550547155

DATE 01/22/2019

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR 15 FT BATWING STYLE ROTARY MOWER WITH HITCH TRACTOR ATTACHMENT PER THE ATTACHED DOCUMENTS.

INVOICE TO	SHIP TO
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV26201 US	DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV 26201 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	15 FT BATWING STYLE ROTARY MOWER W/ HITCH TRACTOR	20.00000	EA	\$20,382.45	\$407,649.00

Comm Code	Manufacturer	Specification	Model #
21101708	JOHN DEERE	15FT FLEX WING ROTARY CUTTER	R15

Extended Description :

15 FT BATWING STYLE ROTARY MOWER WITH HITCH TRACTOR ATTACHMENT

SCHEDULE OF EVENTS


Line	Event	Event Date
1	MANDATORY PRE-BID MEETING	2019-01-03
2	VENDOR QUESTION DEADLINE	2019-01-09

DOT1900000060	Document Phase Final	Document Description ADDENDUM 1 15 FT BATWING ROT. MOWER W/ HITCH TRACTOR ATTCH.	Page 3 of 3
---------------	--------------------------------	---	-----------------------

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

Exhibit A**CRFQ DOT1900000060****BATWING ROTARY MOWER**

Item No.	Description:	Make/Model & Year	Estimated Unit Quantity	Unit Price	Item Total Cost
1	ONE COMPLETE UNIT: 15'ft. Batwing Rotary Mower	JOHN DEERE/R15 FLEX WING ROTARY/2019	20	\$20,382.45	\$407,649.00
Total Bid Cost					

Vendor Information

Company Name: MIDDLETOWN TRACTOR SALES

Contract Manager: TABATHA CRONIN/SALES

Address: 2050 BOYERS DRIVE, FAIRMONT WV 26554


Phone: (304) 366-4690

Fax: (304) 366-4698

Email: TMERRETT@MIDDLETOWNTRACTOR.COM

Signature: 

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

 / Sales

(Name, Title)

TABATHA CRONIN/SALES

(Printed Name and Title)

2050 BOYERS DRIVE, FAIRMONT WV 26554

(Address)

(304) 366-4690 / (304) 366-4698

(Phone Number) / (Fax Number)

TMERRETT@MIDDLETOWNTRACTOR.COM

(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through WV OASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

MIDDLETOWN TRACTOR SALES

(Company)

 / Sales

(Authorized Signature) (Representative Name, Title)

TABATHA CRONIN/SALES

(Printed Name and Title of Authorized Representative)

01/22/2019

(Date)

(304) 366-4690 / (304) 366-4698

(Phone Number) (Fax Number)

West Virginia Ethics Commission



Disclosure of Interested Parties to Contracts

Pursuant to W. Va. Code § 6D-1-2, a state agency may not enter into a contract, or a series of related contracts, that has/have an actual or estimated value of \$1 million or more until the business entity submits to the contracting state agency a Disclosure of Interested Parties to the applicable contract. In addition, the business entity awarded a contract is obligated to submit a supplemental Disclosure of Interested Parties reflecting any new or differing interested parties to the contract within 30 days following the completion or termination of the applicable contract.

For purposes of complying with these requirements, the following definitions apply:

"Business entity" means any entity recognized by law through which business is conducted, including a sole proprietorship, partnership or corporation, but does not include publicly traded companies listed on a national or international stock exchange.

"Interested party" or "Interested parties" means:

- (1) A business entity performing work or service pursuant to, or in furtherance of, the applicable contract, including specifically sub-contractors;
- (2) the person(s) who have an ownership interest equal to or greater than 25% in the business entity performing work or service pursuant to, or in furtherance of, the applicable contract. (This subdivision does not apply to a publicly traded company); and
- (3) the person or business entity, if any, that served as a compensated broker or intermediary to actively facilitate the applicable contract or negotiated the terms of the applicable contract with the state agency. (This subdivision does not apply to persons or business entities performing legal services related to the negotiation or drafting of the applicable contract.)

"State agency" means a board, commission, office, department or other agency in the executive, judicial or legislative branch of state government, including publicly funded institutions of higher education: Provided, that for purposes of W. Va. Code § 6D-1-2, the West Virginia Investment Management Board shall not be deemed a state agency nor subject to the requirements of that provision.

The contracting business entity must complete this form and submit it to the contracting state agency prior to contract award and to complete another form within 30 days of contract completion or termination.

This form was created by the State of West Virginia Ethics Commission, 210 Brooks Street, Suite 300, Charleston, WV 25301-1804. Telephone: (304)558-0664; fax: (304)558-2169; e-mail: ethics@wv.gov; website: www.ethics.wv.gov.

West Virginia Ethics Commission

Disclosure of Interested Parties to Contracts

(Required by W. Va. Code § 6D-1-2)

Name of Contracting Business Entity: MIDDLETOWN TRACTOR SALES

Address: 2050 BOYERS DRIVE, FAIRMONT WV 26554

Name of Authorized Agent: TABATHA CRONIN/SALES

Address: 2050 BOYERS DRIVE, FAIRMONT WV 26554

Contract Number: DOT1900000060

Contract Description: 15FT BATWING ROTARY MOWER

Governmental agency awarding contract: DOT

☐ Check here if this is a Supplemental Disclosure

List the Names of Interested Parties to the contract which are known or reasonably anticipated by the contracting business entity for each category below (attach additional pages if necessary):

- 1. Subcontractors or other entities performing work or service under the Contract**

☒ Check here if none, otherwise list entity/individual names below.

2. Any person or entity who owns 25% or more of contracting entity (not applicable to publicly traded entities)

☒ Check here if none, otherwise list entity/individual names below.

3. Any person or entity that facilitated, or negotiated the terms of, the applicable contract (excluding legal services related to the negotiation or drafting of the applicable contract)

☒ Check here if none, otherwise list entity/individual names below.

Signature: Klara Maria Cronin

Date Signed: 01/22/2019

Notary Verification

State of West Virginia, County of Taylor

I, TABATHA CRONIN, the authorized agent of the contracting business entity listed above, being duly sworn, acknowledge that the Disclosure herein is being made under oath and under the penalty of perjury.

Taken, sworn to and subscribed before me this 22 day of February, 2017.


Notary Public's Signature

To be completed by State Agency:

Date Received by State Agency: _____

Date submitted to Ethics Commission: _____

Governmental agency submitting Disclosure: _____



STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §81-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: MIDDLETOWN TRACTOR SALES

Authorized Signature: *Saletha Brown*


Date: 01/22/2019

State of WV

County of Taylor, to-wit:

Taken, subscribed, and sworn to before me this 22 day of January, 2019

My Commission expires 09-30, 2019.



NOTARY PUBLIC *Beatrice K. Stevens*

Purchasing Affidavit (Revised 01/19/2018)

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: DOT1900000060

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

MIDDLETOWN TRACTOR SALES

Company


Authorized Signature

01/22/2019

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.
Revised 6/8/2012

SOLICITATION NUMBER: CRFQ DOT1900000060

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- ☐ | Modify bid opening date and time
- ☐ | Modify specifications of product or service being sought
- ☒ | Attachment of vendor questions and responses
- ☒ | Attachment of pre-bid sign-in sheet
- ☐ | Correction of error
- ☐ | Other

Description of Modification to Solicitation:

1. To answer vendor questions
 2. To provide pre-bid meeting sign-in sheets
- No other changes at this time
- Bid opening remains January 23, 2019 at 1:30 PM EST

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

CRFQ 0803 DOT1900000060

ADDENDUM 1-ANSWERS TO VENDOR QUESTIONS

BATWING ROTARY MOWER

The original language in contract will be listed first with question and answer to follow below.

1. 3.1.2.2 Cutting height shall be 1 inch to 16 inches maximum.

Question # 1: Would a minimum cutting height of 1 ½" (RC4715) or 2" (RC5615) be acceptable?

Answer: Yes, will accept

2. 3.1.4.1 Mower hitch shall be a ball type self-leveling hitch clevis with safety tow chains.

Question # 1: Would a greasable hitch pin which swivel/rotation (Bar-Tite) be acceptable?

Question # 2: Our hitch consists of a 360 degree swivel (with grease fittings) and bolt on clevis. Drawbar connection requires a pin. Would this be considered as an acceptable hitch for the solicitation?

Answer: Yes, will accept

3. 3.1.6.4 Mower wing hinges shall be maintenance free minimum of 1-inch hinge diameter.

Question: Will hinges that have several grease fittings be considered, as ours come standard for proper lubrication.

Answer: Yes, will accept

4. 3.1.6.6 Mower deck shall be single deck type minimum deck thickness of 7-gauge steel.

Question # 1: Will a double deck be acceptable? 7 gauge top with a 12 gauge bottom.

Question # 2: Would a double deck including 7 gauge and 10 gauge (RC615) be acceptable?

Answer: Yes, will accept

5. Hydraulics 3.1.8.1 Shall have hydraulic wing lift with spring assist for unfolding and fold up to a minimum of 90 degrees for transporting.

Question # 1: Would double action wing cylinders be acceptable to allow positive movement of wings in any position- not spring assisted (RC4715)?

Answer: yes, will accept

6. Wheels & Suspension 3.1.9.1 Shall have a minimum of 8 wheels with 26 x 9 x 14.5 minimum tire size severe duty agricultural tires foam filled with a minimum ply rating of 24.

Question # 1: Would 25.5" be acceptable?

Question # 2: The spec states a foam filled tire size of 29x9x14.5. Would the size of 27 ¾ x 14.5 be acceptable?

Answer: Will change to read: 3.1.9.1 Shall have a minimum of 8 wheels with standard size tires of manufactures model being bid with ribbed style tires foam filled and a minimum ply rating of 20

7. 3.1.9.2 Shall have torsional suspension.

Question # 1: Would Parallel Pivot on center axle (RC4715) be acceptable shown below?

Question # 2: Would steel spring suspension be acceptable as shown below on RC5615?

Answer: yes, will accept

8. 6.1 Delivery Time: Vendor shall deliver standard orders within 120 working days after orders are received. Vendor shall ship all orders in accordance with the above schedule and shall not hold orders until a minimum delivery quantity is met. A completed pilot model for inspection must be provided within 90 working day(s) after receipt of the purchase agreement by the successful vendor. Working day is defined as any week day, Monday thru Friday, excluding Federal and State Holidays.

Question: Regarding delivery time 6.1 Is the 120 working days after the approval of the pilot model or when the bid is first awarded?

Answer: Standard orders within 120 working days after orders are received.

9. Miscellaneous Question:

Can the nineteen units be dropped shipped to the Division of Highways Equipment Division 83 Brushy Fork Rd. Crossing Buckhannon WV 26201 and final assembly and check over be completed at the location by our technicians?

Answer: Yes, keep in mind the total on the pricing sheet is **ESTIMATE** only. But you can ship the total amount ordered on each order for the life of contract.

PRE-BID CONFERENCE
SIGN IN SHEET

Request for Quotation Number: CRFQ 0803 DOT 1900000060 Date: 11/3/19

Project Description:

15 FT. Batwing Style Rotary Mower w/Hitch Tractor Attachment

PLEASE PRINT LEGIBLY. THIS INFORMATION IS ESSENTIAL TO CONTACT THE ATTENDEES IN A TIMELY MANNER. FAILURE TO DO SO
MAY RESULT IN DELAYS IN YOUR COMPANY GETTING IMPORTANT BID INFORMATION.

Firm Name: _____
Firm Address: _____
_____ Pam Hall
_____ WVDOH
Representative Attending: _____
Phone Number: _____
Fax Number: _____
Email Address: _____

Firm Name: _____
Firm Address: _____
_____ WVDOH - DOT
_____ Buildings
Representative Attending: _____ Dusty Smith
Phone Number: _____
Fax Number: _____
Email Address: _____

Firm Name: _____
Firm Address: _____
_____ WVDOH
_____ Equip. Div.
_____ Marcia Lee
Representative Attending: _____
Phone Number: _____
Fax Number: _____
Email Address: _____

Firm Name: _____
Firm Address: _____
_____ WVDOH - DOT
_____ Todd Campbell
Representative Attending: _____
Phone Number: _____
Fax Number: _____
Email Address: _____

Firm Name: _____
Firm Address: _____
_____ WVDOH - DOT
_____ Maria Catalano
Representative Attending: _____
Phone Number: _____
Fax Number: _____
Email Address: _____

Firm Name: _____
Firm Address: _____

Representative Attending: _____
Phone Number: _____
Fax Number: _____
Email Address: _____

**PRE-BID CONFERENCE
SIGN IN SHEET**

Request for Quotation Number: CRFQ 0803 DOT 1900000060 Date: 11/3/19

Project Description: 15 FT. Batwing Style Rotary Mower w/Hitch Tractor Attachment

PLEASE PRINT LEGIBLY. THIS INFORMATION IS ESSENTIAL TO CONTACT THE ATTENDEES IN A TIMELY MANNER. FAILURE TO DO SO MAY RESULT IN DELAYS IN YOUR COMPANY GETTING IMPORTANT BID INFORMATION.

Firm Name: Middletown Tractor Sales
Firm Address: 8050 Bayers Drive
Fairmont WV 26034

Representative Attending: Mike Shaver & Tabitha Crain
Phone Number: 304-316-4090
Fax Number: 304-316-4098
Email Address: Mike@middletowntractor.com

Firm Name: Land Pride
Firm Address: 5025 E. North St
Selina, KS 67402

Representative Attending: 1 - Ned Lewis
Phone Number: 937-725-3168
Fax Number: _____
Email Address: Ned.Lewis@landpride.com

Firm Name: State Equipment, Inc
Firm Address: 560 New Goff Mountain Rd
Charleston, WV 25313

Representative Attending: Seth Gardner
Phone Number: 304-776-4405
Fax Number: 304-776-4409
Email Address: Seth@stateequipment.com

Firm Name: Bridgeport Equipment & Tool
Firm Address: 435 W. MYLES AVE
PENNSBORO, WV 26415

Representative Attending: RON GARDNER
Phone Number: 304-659-2917
Fax Number: 304-659-3276
Email Address: rgardner@bridgeportequip.com

Firm Name: Bridgeport Equipment & Tool
Firm Address: 1504 Oakhurst Drive
Charleston, WV 25314

Representative Attending: Brandon Neville
Phone Number: 304-744-0555
Fax Number: 304-744-0556
Email Address: bneville@bridgeportequip.com

Firm Name: _____
Firm Address: _____

Representative Attending: _____
Phone Number: _____
Fax Number: _____
Email Address: _____

PRE-BID CONFERENCE
SIGN IN SHEET

Request for Quotation Number: CRFQ 0803 DOT 1900000060 Date: 11/3/19

Project Description: 15 FT. Batwing Style Rotary Mower w/Hitch Tractor Attachment

PLEASE PRINT LEGIBLY. THIS INFORMATION IS ESSENTIAL TO CONTACT THE ATTENDEES IN A TIMELY MANNER. FAILURE TO DO SO
MAY RESULT IN DELAYS IN YOUR COMPANY GETTING IMPORTANT BID INFORMATION.

Firm Name: Hall Manufacturing Inc "BushWhacker"
Firm Address: P.O. Box 5787
North Little Rock AR 72119
Representative Attending: Donald Clements
Phone Number: 501 350 5071
Fax Number: 501 945 0072
Email Address: dclements@bushwhacker.com

Firm Name: The Tractor Guys, LLC
Firm Address: 87 Wiseman Run Rd
Salem WV 26426
Representative Attending: Cliff Snodgrass
Phone Number: 304-517-0239
Fax Number:
Email Address: csnodgrass@PARCS.com

Firm Name: The Tractor Guys, LLC
Firm Address: 87 Wiseman Run Rd
Salem WV 26426
Representative Attending: Patrick Holguin
Phone Number: 304 782 4111
Fax Number:
Email Address: pholguin@PARCS.com

Firm Name:
Firm Address:
Representative Attending:
Phone Number:
Fax Number:
Email Address:

Firm Name:
Firm Address:
Representative Attending:
Phone Number:
Fax Number:
Email Address:

Firm Name:
Firm Address:
Representative Attending:
Phone Number:
Fax Number:
Email Address:

PRE-BID CONFERENCE
SIGN IN SHEET

Request for Quotation Number: CRFQ 0803 DOT 1900000060 Date: 11/3/19

Project Description: 15 FT. Batwing Style Rotary Mower w/Hitch Tractor Attachment

PLEASE PRINT LEGIBLY. THIS INFORMATION IS ESSENTIAL TO CONTACT THE ATTENDEES IN A TIMELY MANNER. FAILURE TO DO SO MAY RESULT IN DELAYS IN YOUR COMPANY GETTING IMPORTANT BID INFORMATION.

Firm Name: Boox Tractor
Firm Address: 15668 Seneca Trail N
Lewisburg, WV 24901
Representative Attending: Isaac Parker
Phone Number: 304-645-1711 Ext 516
Fax Number:
Email Address: Isaac@booxtractor.com

Firm Name:
Firm Address:
Representative Attending:
Phone Number:
Fax Number:
Email Address:

Firm Name:
Firm Address:
Representative Attending:
Phone Number:
Fax Number:
Email Address:

Firm Name:
Firm Address:
Representative Attending:
Phone Number:
Fax Number:
Email Address:

Firm Name:
Firm Address:
Representative Attending:
Phone Number:
Fax Number:
Email Address:

Firm Name:
Firm Address:
Representative Attending:
Phone Number:
Fax Number:
Email Address:



DON CLEMENTS

TERRITORY MANAGER

P.O. BOX 5787
NORTH LITTLE ROCK, AR 72119

CELL: 501.350.5071 | FAX: 501.945.0072
DCLEMENTS@BUSH-WHACKER.COM



Mike Shaver
Corporate Sales Manager



Make Your Main Factor...Middletown Tractor

2050 Boyers Drive
Fairmont, WV 26554
Exit 133 off I-79

304-366-4690
Cell: 304-657-1624
Toll Free 1-877-98DEERE

mike@middletownttractor.com

NED LEWIS
TERRITORY MANAGER

6088 State Route 138
Hillsboro, OH 45133
CELL: 937-725-3168
ned.lewis@landpride.com



CONSISTENTLY
LEADING THE WAY

Division of Great Plains Mfg., Inc.
1525 E. North St. | P.O. Box 5060 | Salina, KS 67402-5060 | www.landpride.com

Quality & Integrity Since 1984 www.boonetractor.com

BOONE TRACTOR

Serving Virginia - North Carolina - West Virginia

Isaac Dasher / Sales

304-645-1711 Ext. 516

Isaac@BooneTractor.com

15668 Seneca Trail N. Lewisburg WV 24901



Ph: 740-373-6686
Fax: 740-373-3895
Cell: 740-336-9295

15 Acme Street
Marietta, OH 45750

BRANDON NEVILLE
Sales Manager

bneville@bridgeportequip.com



Now in 7 Locations in West Virginia, Ohio, and Kentucky!

www.bridgeportequip.com




Ph: 304-659-2917
Fax: 304-659-3276
Cell: 304-997-6354

435 W. Myles Avenue
Pennsboro, WV 26416

RON GARDNER
Sales

rgardner@bridgeportequip.com



Now in 10 Locations in West Virginia, Ohio, and Kentucky!

www.bridgeportequip.com




Kubota, Skidsteer, CASE IH, New Holland, Woods, Timberline

Patrick Holguin
Sales Department
304-782-4111

87 Wiseman Run Road
Salem, WV 26426
Fax 304-782-3271
Email: pholguin@parcs.com

WORK HARD PLAY HARDER...PARCS

www.PARCS.com



Kubota, Skidsteer, CASE IH, New Holland, Woods, Timberline

THE Taylor Gayside
Cliff Snodgrass
Chief Operating Officer
304-517-0239

242 West Main Street
Salem, WV 26426
Cell 304-517-0239
Email: csnodgrass@parcs.com

WORK HARD PLAY HARDER...PARCS

www.PARCS.com

Quote ID :18705067Customer Name : WV DOH

Product features, prices and specifications are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Products, product features, and other content on this site may only be accurate for products marketed and sold in North America.
Copyright © 1994- 2019 Deere & Company. All Rights Reserved.

File Created: 22-Jan-2019

2019 JOHN DEERE R15 Flex wing Rotary Cutter

Frames

Frontal suspension

Casting front link

All models come standard with a casting front link that connects the machines to the hitch.



Casting front link



Casting front link

Front suspension

As an option, for M- and R- specs, there is a front suspension. This feature is designed for a smoother ride during longer hours on the tractor. It isolates the movement of the machines from the tractor, resulting in less stress on the machine and less bouncing. The machine will follow the terrain while being isolated from the tractor's bounce.



Front suspension



Front suspension




Front suspension

Frames

Hitch

John Deere offers three different types of hitches to connect to the tractor's drawbar.

Quote ID :18705067 Customer Name : WV DOH



Clevis hitch



Clevis hitch

Clevis – the clevis hitch is the standard hitch in base equipment for E-spec models and optional for M- and R-spec models.

Ball-type hitch



Ball-type hitch

The ball-type hitch allows for an extra 30-degree rotation compared to the clevis hitch. It works great for applications with high variations on angles and approaches.

Swivel hitch

The swivel hitch design allows for 360-degree rotation when working on levees and to comply with some roadside bids.

Quote ID :18705067Customer Name : WV DOH



Swivel hitch

Frames

Rear suspension



E-spec models



No suspension on E-spec models

E-spec models come standard with no suspension.

M-spec models



Standard suspension

M-spec models come standard with a spring suspension with an option to spec up to a torsional suspension

R-spec models


Quote ID :18705067Customer Name : WV DOH

R-spec models come standard with torsional suspension. Torsional suspension is designed with the already-proven technology on John Deere windrowers. It includes rubber tubes which absorb the movement of the axle, resulting in improved isolation of the machine and producing a uniform cut.

It has minimum maintenance requirements and a reinforced axle to support the toughest applications.



Torsional suspension



Rubber tubes absorb axle movement

Frames

Decks and shields



Cutting chamber

All flex-wing models are equipped with a redesigned cutting chamber that consist of a single deck, which allows a larger-volume area to process more material.

- E spec – 11-gauge, 3.03-mm (0.12-in.) deck thickness
- M spec – 10-gauge, 3.42-mm (0.135-in.) deck thickness
- R spec – 7-gauge, 4.55-mm (0.18-in.) deck thickness

Dome deck



Dome deck

The rotary cutters have a clear top dome deck for easy cleaning and less material accumulation.

Quote ID :18705067 Customer Name : WV DOH

Integrated baffles



Integrated baffles help with material distribution along the width of the machine, making for a more uniform discharge.

Integrated baffles

Standard deck ring



All R-spec models come standard with a deck ring to protect the deck from the blades moving up and down.

Standard deck ring

Chain shields



Every model comes standard with chain shields as base equipment.

Chain shields

Double chain shields



Double chains are optional and dealer installed.

Double chain shields

Cutting system

Blades

Confidential

Quote ID :18705067Customer Name : WV DOH

Suction blade



Suction blades are standard on all models with the blade pan or blade bar option. The machine will be equipped with the blade that is needed to lift the material and cut it.

Hammer blade

There is an option of a hammer blade. This design is intended to cut up to a 12.7-cm (5-in.) diameter on R-spec models without needing to change anything on the drivetrain.

NOTE: This option is dealer installed.

Cutting system

Blade rotation

All models come standard with outward rotation. This configuration helps with material distribution of the cut residue by not piling it in the center. The 4.6-m (15-ft) models have the option to be ordered with inward rotation. This is designed to comply with bids, and will not have the benefit of the material distribution update.


NOTE: The inward rotation option will have a special lead time; check with a dealer for more information.

Wheels

Tires

There are three types of tires offered depending on the model.

Laminated tire



Laminated tire

Laminated tires are puncture-proof and are ideal for machines that will not leave the mowing area. They are not for highways or high speeds.

Pneumatic tire

Pneumatic tires are ideal for highways and high transport speeds.

Quote ID :18705067Customer Name : WV DOH



Pneumatic tire

Foam-filled tire



Foam-filled tire

Foam-filled tires are puncture proof and work ideal for high transport speeds and highways. They are also ideal for roadside mowers that will be moving the machine around often.

NOTE: The R-spec machines (3.05, 4.6, and 6.1 m [10, 15, and 20 ft]) come standard with a five-bolt tire and sealed bearings on hubs on the three different tire options.

Product Specification Details :

Manufacturer Model

John Deere R15

Capacity

Cutting width	4.6
Cutting height	25.4-406.4
Cutting capacity (diameter)	101.6
Cutting chamber depth	254

Tractor compatibility

Tractor PTO HP range	41
Tractor PTO	540 or 1,000
Static Vert Drawbar Load Rating	---

Hitch

Type	Standard self-level hitch clevis with 57.2-cm (22.5-in.) narrow-profile width
Category	---
Hitch width	---
Jackstand	Mechanical jackstand in base for all machines. Hydraulically operated height, stays vertical while raising/lowering.

Dimensions

Transport width	9.1 ft (2.8 m) at wing wheels
Overall width	4.7
Overall length	5.3
Deck shape	Easy-clean dome-shaped top deck
Deck type	Single dome deck
Deck thickness	7 gauge - 4.55
Upper	---



Quote ID :18705067Customer Name : WV DOH

Lower	---
Shirt thickness	3 gauge - 6
Hinges	Intermittent cast steel segments - maintenance-free single 2.5-cm (1-in.) diameter full-length hinge pin
Approx. weight	2838
Drivelines	
Size	---
Main	CV ASAE Category 5, splined telescoping profiles
Connecting	ASAE Category 5, splined telescoping profiles
Protection	---
Main	---
Connecting	No-seize, slip-clutch driveline
Gearcases	
Number	4
HP rating	---
Transfer	186
Transfer	250
Center	93
Center	125
Outer	93
Outer	125
Blades	
Thickness	13
Width	102
Type	Suction or hammer blade
Overlap	152
Blade rotation	---
Blade tip speed	---
540 RPM	79.2
540 RPM	259.8
1000 RPM	80.5
1000 RPM	284
Material flow system	---
Blade holder	---
Diameter	---
Type	Round stump jumper and standard deck rings for maximum protection of blades and blade carrier against obstruction damage
Type	Option of double blade bar for extra shredding
Hydraulics	
Wing lift	Independent; includes spring assist unfolding
Wing flex	For transport: upward 90
Wheels	
Type	---
Option 1	Sealed bearing on hubs
Option 1	5-bolt, laminated: 21x5.25x9
Option 2	5-bolt, 24PR severe-duty ag): 26x9x14.5
Option 2	5-bolt, 24PR severe-duty ag foam filled: 26x9x14.5
Suspension	Torsional suspension
Row width adjustment	Yes
Wing-leveling adjustment	Easy adjust turnbuckle with bearing
Shielding	
Front	Single-row chain guard
Rear	Single-row chain guard
Warranty	
Gearboxes	Five years
Key Specs	
Cutting width	4.6
Cutting capacity (diameter)	101.6
Tractor PTO HP range	41
Transport width	9.1 ft (2.8 m) at wing wheels

Quote ID :18705067Customer Name : WV DOH

Deck thickness - upper - lower

Shirt thickness

Approx. weight

Drivelines - Size - Main

Blade tip speed - 540 rpm - 1000 rpm

Gearboxes

Additional information

Date collected

7 gauge - 4.55

3 gauge - 6

2838

CV ASAE Category 6, splined telescoping profiles

87.8

Five years

Drivetrain

Gearbox

E-spec machines



55.9-kW (75-hp) gearbox

E-spec machines come with a 55.9-kW (75-hp) gearbox with a 5-year warranty.

M-spec machines



74.6-kW (100-hp) gearbox

M-spec machines come with a 74.6-kW (100-hp) gearbox in base, or an optional 93.2-kW (125-hp) R-spec gearbox, with a 5-year warranty.

R spec machines



93.2-kW (125-hp) gearbox

R spec machines come with a 93.2-kW (125-hp) gearbox with a 5-year warranty.

It is 25 percent bigger in size, internal components such as the output shaft and bearings are 25 percent larger, and it includes a sight glass for quick, easy oil checks.

Drivetrain

Driveline

Quote ID :18705067Customer Name : WV DOH

When ordering the 93.2-kW (125-hp) gearbox, it will be matched with a Category 6 main driveline. It is in base equipment for R-spec models and optional with the 93.2-kW (125-hp) gearbox on the M-spec models.

This driveline is built with stronger internal components that define it as a Category 6 and can withstand higher torques.

Options on drivelines for E-, M-, and R-spec models:

- E-spec models are available with 540 rpm size.
- M- and R-spec models have the option for 540, 1000 1 $\frac{3}{8}$ and 1000 1 $\frac{1}{4}$ size.



Category 6 driveline