

ROHRER

School & Commercial Bus Sales

August 3, 2018

Michelle Childers
Department of Administration
Purchasing Division
2019 Washington Street E
Charleston, WV 25305

Ref: PTR1900000001

RECEIVED

2018 AUG -2 PM 12:34

WV PURCHASING
DIVISION

Dear Michelle Childers:

Rohrer Bus Sales appreciates this opportunity to submit a bid for transit vehicles to the State of West Virginia. Our offerings, a Champion Challenger for classes A through F, meets the intent and letter of your specifications as well as amendment #1 and 2 with the following documentation, clarifications, deviations and/or explanations per your Required Bid Documentation Checklist.

Mandatory Bid Forms

Enclosure 1 Bid Forms

Includes the Following:

- Bid Form 1
- Bid Form 2
- Bid Form 3
- Bid Form 4
- Bid Form 5
- Bid Form 6
- Bid Form 7
- Bid Form 8
- Bid Form 9
- Bid Form 10
- Bid Document
- Certification Page
- Required Bid Documentation Check List
- Addendum Acknowledgment

Enclosure 2 Exhibit A Pricing Page

Section

Mandatory Documentation

- 3.1.11 Water Testing Procedure can be found on thumb drive labeled E1.
- 3.2 Ford E-450 Chassis to be utilized for this procurement. For additional information please see Ford E-Series Specifications on thumb drive labeled E2.
- 3.2 The wheelbase shall be 176" and 190" for the required classes.
- 3.3 Engine Ford 6.8L EFI Triton V-10 Gasoline Engine. Warranty is by Ford Motor Corporation under the power train warranty— 5yr/60,000 miles. For additional information please see Ford E-Series Specifications on thumb drive labeled E2.
- 3.5 Ford OEM Radiator and Colling System. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information on thumb drive labeled E2.
- 3.5.13 The High Idle System to be provided is the Intermotive Gateway 805. Literature can be found on thumb Drive Labeled E3. Minimum warranty – 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.8 Ford TorqShift 6 Speed Automatic Overdrive with Tow/Haul Mode Transmission. Warranty is by Ford Motor Corporation under the power train warranty— 5yr/60,000 miles. For additional information please see Ford E-Series Specifications on Thumb Drive labeled E2.
- 3.10.4 Back Up Camera- An REI Back Up Camera System is to be provided. It includes Camera and a 7" LCD screen. Literature and can be found on thumb drive labeled E4. Minimum warranty – 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.11.4 Tilt Wheel, Cruise Control, and Power Steering will all be Ford OEM. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.13 Ford OEM Heavy Duty Brakes are four wheel disc type: powered, self-adjusting, dual hydraulic with a brake hydro booster and four wheel anti-lock feature. 4 Wheel Disc Anti-Lock Brakes. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.14 Ford OEM Wheels will be 16-inch x 6-inch White-Painted Steel Wheels. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.15 Tires LT225/7Rx16E all season tires. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.

- 3.16.5 Alternator to be Ford OEM 225 Amp Alternator. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.16.6 Batteries- Gasoline chassis has (1) 650 Cold Cranking Amps (CCA) battery and (1) 625 CCA battery for a total of 1275 CCA's to meet WV spec. One Battery will remain under the hood. The second battery will be located on a stainless-steel tray on the curbside of the unit. Warranty 3yr/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.17.1 Radio provided will be an REI AM/ FM/ USB/ MP3 Radio with 6 speakers to include 1 speaker in the Driver's door. Literature can be found on thumb drive labeled E5. Warranty is by World Trans under add on equipment and is 2 year/ unlimited miles.
- 3.19 Champion Body Construction Method can be found on thumb drive labeled E6. Interior Height is 78". Overall Length is 25'.
- 3.19.15 Step Well Construction- Please see Champion Body Construction Method can be found on the thumb drive labeled E6.
- 3.22 Passenger Doors have a minimum clear opening of 30" wide by 80" High. Door will be equipped with an electric toggle switch for driver control and an exterior key switch. It will be equipped with an emergency release for manual operation. Warranty is by Champion Bus under add on equipment and is 2 year/ unlimited miles. For additional information please see Section 11 of the Body Construction Specifications located on thumb drive labeled E6. The Interlock and fast idle system information is located on thumb drive labeled E3.
- 3.23 Transpec Energy Absorbing Rear Bumper to be provided. Please see literature located on thumb drive labeled E7.
- 3.24 Wheel Chair Lift to be provided is a Braun Century 1000lb lift with a 37"x51" platform. For literature please see thumb drive labeled E-8.
- 3.24.9 The Interlock System to be provided is the Intermotive Gateway 805. Literature can be found on thumb Drive Labeled E3. Minimum warranty – 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.2 Front Heating and Air conditioning will be Ford OEM. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2. The Rear Heater provided will be two (2) Pro Air 35,000 BTU Heaters with two shut off valves. Literature can be found at thumb drive labeled E9. Warranty is by Champion Bus under add on equipment and is 2 year/ unlimited miles. Rear Air Conditioning- For this specification, Freon lines will be connected to an auxiliary TM-21 compressor in addition to a stand-alone Ford OEM compressor. An ACT ceiling mounted evaporator and a three-fan skirt mounted condenser will function independently of the Ford system. Thermostat and fan speed control wiring are remotely located to the driver's area. Warranty is 2 years/Unlimited miles. For Additional information on the thumb drive labeled E10, E11, and E12.

- 3.42 Two way radio prep to be provided to include grounding material at roof level, conduit, ground wire and pull cord. Minimum warranty – 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.44 Provision HD Recording System to be provided. Literature and can be found on thumb drive labeled E26. Minimum warranty – 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.45 Dual Purpose Safety Vent to be provided is a Transpec roof hatch. Literature and can be found on thumb drive labeled E27. Minimum warranty – 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.46 As these units are all equipped with Front Destination signs Storage boxes will be provided in place of storage compartments.
- 3.51 Rohrer Bus understands that they are responsible to coordinate and conduct two (2) one day training sessions. Dates to be mutually agreed upon with the addition of additional training days if necessary.
- 4.5-6 Overhead Luggage Racks to be provided on Classes E & F units. Minimum warranty – 3 years / 36,000 miles falls under Champion Add-on equipment.
- 4.5-6 High Back Passenger seats to be provided for Classes E & F. Warranty is by Champion under add on equipment and is 2 year/ unlimited miles. For additional information and color choices please see Seating Literature can be found on thumb drive at labeled E16.
- 6.7.4 Ford Dealerships in the state of WV will be able to provide warranty service for the Ford Chassis. For all Body and subsystem warranty repair work Rohrer Bus Sales will be first point of contact. Warranty repair work can be approved to be completed by agency, Rohrer Staff Members Or a 3rd party warranty repair facility convenient to the end user.
- 6.7.5 Warranty on Completed Vehicle- The warranty on the complete vehicle is 3 years/36,000 miles. Warranty on Basic Vehicle Structure-The Basic Body Vehicle Structure Warranty is 5 years/75,000 miles. The warranty on the frame suspension system is 3 years/36,000 miles.
- Warranty per specs on subsystems and components:
- | | |
|-------------------------|--|
| Engine | Five (5) Years or 60,000 Miles |
| Transmission | Five (5) Years or 60,000 Miles |
| Drive Axle | Five (5) Years or 60,000 Miles |
| Brake System | Three (3) Years or 36,000 Miles, Excluding Friction Material |
| Body Structure | Five (6) Years or 60,000 Miles |
| Air Conditioning | Two (3) Years/Unlimited Miles |
| Wheel Chair Lift System | Two (2) Years |
| All Add On Components | Three (3) Years, 36,000 Miles |

11.1.1 Please see the separate complete Mechanical Description of each Class of vehicles at the following Enclosures:

Enclosure 3 Class A- Mechanical Description

Enclosure 4 Class B- Mechanical Description

Enclosure 5 Class C- Mechanical Description

Enclosure 6 Class D- Mechanical Description

Enclosure 7 Class E- Mechanical Description

Enclosure 8 Class F- Mechanical Description

11.1.2 Floor Plans for each class of vehicle can be found at the following Enclosures:

Enclosure 9 Class A & B- Floor Plan

Enclosure 10 Class C, D, E, & F- Floor Plan

11.1.3 Ford Dealerships in the state of WV will be able to provide warranty service for the Ford Chassis. For all Body and subsystem warranty repair work Rohrer Bus Sales will be first point of contact. Warranty repair work can be approved to be completed by agency, Rohrer Staff Members Or a 3rd party warranty repair facility convenient to the end user.

11.1.4 Warranty on Completed Vehicle- The warranty on the complete vehicle is 3 years/36,000 miles. Warranty on Basic Vehicle Structure-The Basic Body Vehicle Structure Warranty is 5 years/75,000 miles. The warranty on the frame suspension system is 3 years/36,000 miles.

Warranty per specs on subsystems and components:

Engine	Five (5) Years or 60,000 Miles
Transmission	Five (5) Years or 60,000 Miles
Drive Axle	Five (5) Years or 60,000 Miles
Brake System	Three (3) Years or 36,000 Miles, Excluding Friction Material
Body Structure	Five (6) Years or 6,000 Miles
Air Conditioning	Two (3) Years/Unlimited Miles
Wheel Chair Lift System	Two (2) Years
All Add On Components	Three (3) Years, 36,000 Miles

11.1.5 Parts Depot- please refer to bid form 1.

11.1.6 All underbody plywood and steel, with the exception of the drive shaft, catalytic converter, engine, transmission, exhaust system, etc. are undercoated to protect against corrosion and provide additional sound deadening. The material is an abrasive-free petroleum black petroleum asphalt emulsion, formulated with corrosion inhibitors. All mechanisms (moving or stationary parts) that are affected or rendered useless by an application of sealant or insulation are protected, including vent canisters and drain pipes prior to undercoating. Undercoating design to pass a 5% salt spray test for a minimum 1000 hours.

11.1.7 Conversion Location

CHAMPION BUS, INC.
331 Graham Road
Imlay City, Michigan 48444

11.1.8 References:

Greater Roanoke Transit Company DBA/ Valley Metro
Tiffany Ollie
1108 Campbell Avenue S.E., 2nd Floor Roanoke, VA 24013
Phone (540)982-0305, Ext. 116
tollie@valleymetro.com

Freedom Transit
Tammy Sullivan
50 E Chestnut Street
Washington PA 15301
(724) 229-2827
tammy@freedom-transit.org

TANK
Andrew Aiello
General Manager
3375 Madison Pike Ft. Wright, KY 41017
Ph: (859) 814-2143
aaello@tankbus.org
www.tankbus.org

NJ Transit
Irene Felcon
1 Penn Plaza East Newark, NJ 07105
(973) 491-7354
ifelcon@njtransit.com

PA Department of General Services
Alfonzo Robinson
Commodity Specialist
555 Walnut Street Harrisburg, PA 17101
(717)346-8181
arobinson@pa.gov

Altoona Test can be located at on thumb drive labeled E28.

Additional Optional Pricing can be found at Enclosure 11.

Please contact us immediately at 1.800.735.3900 if any additional documentation is required.
Thanks again for your consideration!

Sincerely,
Andrew Clawson
Account Representative



ROHRER

1.800.735.3900 x 4152

410.980.1906 Cell

717.957.4884 Fax

aclawson@rohrerbus.com



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 36 -- Vehicles

Proc Folder: 457733

Doc Description: 176" - 190" Wheelbase Cutaway Vehicle

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2018-07-09	2018-07-24 13:30:00	CRFQ 0805 PTR1900000001	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number: Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
 2075 B West Main Street
 Waynesboro, VA 22980
 Attn: Andrew Clawson
 Direct: 804-357-1145

FOR INFORMATION CONTACT THE BUYER

Michelle L Childers
 (304) 558-2063
 michelle.l.childers@wv.gov

Signature X

FEIN # 232059976

DATE July 24, 2018

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the Division of Public Transit and any other state agency that desires to utilize its contract to establish an open-end contract for 176" - 190' Wheelbase Dual Rear Wheel (DRW) Cutaway vehicles with air conditioning, fixed seats, wheelchair securements and lift to provide specialized transportation services in an urban and suburban-rural environment, including hilly terrain and a severe operating climate suited to stop-start duty cycles.

INVOICE TO		SHIP TO	
ACCOUNTS PAYABLE PUBLIC TRANSIT DIVISION OF BLDG 5 RM 850 1900 KANAWHA BLVD E CHARLESTON US	WV25305-0432	GENERAL MANAGER PUBLIC TRANSIT DIVISION OF KANAWHA VALLEY REGIONAL TRANSPORTATION AUTHORITY 1550 FOURTH AVE CHARLESTON US	WV 25324

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	176" - 190" Wheelbase Cutaway Vehicle	1.00000	EA		

Comm Code	Manufacturer	Specification	Model #
25101502			

Extended Description :

176" - 190" Wheelbase Cutaway Vehicle

Vendor should type or clearly print the information into the Exhibit A-Pricing Page to prevent errors in the evaluation. If Vendor is submitting bid online Vendor must submit Exhibit A -Pricing Page as attachment. TOTAL BID FOR EVALUATION is the amount Vendor is to enter into wvOASIS commodity line when submitting. Notwithstanding the foregoing, the Purchasing Division may correct errors at its discretion.

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

19. MISCELLANEOUS:

- 19.1 No Substitutions:** Vendor shall supply only Vehicles as submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 19.2 Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 19.3 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: Andrew Clawson

Telephone Number: 804-357-1145

Fax Number: N/A

Email Address: aclawson@rohrebus.com

20. NOTIFICATION OF FEDERAL PARTICIPATION

Federal funding for this project is being provided by the Federal Transit Administration through various CFDA grants for 80% of the project cost. CFDA grants will be specified after award.

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #1

MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

**Location(s) of Technical Service Representative(s)
closest or in the State of West Virginia**

Name: Bert Wolfe Ford, Inc

Address: 1900 Patrick Street Plaza

Charleston, WV 25387

Telephone: (304)344-1601

Name: Turnpike Ford of Charleston/Marmet

Address: Route 61 Maccorkle Avenue

Marmet, WV 25315

Telephone: (304)925-0431

**Location(s) of Parts Distribution Center(s)
closest or in the State of West Virginia**

Name: Moses Ford Inc.

Address: 2001 Mccorkle Avenue SW

St. Albans, WV 25117

Telephone: 304-722-4900

Name: Stephens Auto Center

Address: Route 119 Lory Road

Danville, WV 25053

Telephone: 800-925-2411

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #2

**CERTIFICATION FOR AIR & WATER POLLUTION
MANDATORY BID FORM – MUST BE SUBMITTED WITH BID**

The Vendor certifies that the vehicles proposed:

ARE in compliance with the regulations in 40 CFR Part 85, 40 CFR Part 86, 40 CFR Part 600, Clean Water Act and the air/water pollution criteria established by the Environmental Protection Agency of the United States Government.

ARE NOT in compliance with the regulations in 40 CFR Part 85, 40 CFR Part 86, 40 CFR Part 600, Clean Water Act and the air/water pollution criteria established by the Environmental Protection Agency of the United States Government.

July 24, 2018

Date


Authorized Signature

Account Manager

Title

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
Company Name

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #3

**DISADVANTAGED BUSINESS ENTERPRISE
VENDORS/ MANUFACTURERS CERTIFICATION**

MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

(Check appropriate statement)

The Vendor, if a transit vehicle manufacturer, hereby certifies that it has complied with the requirements of 49 CFR Section 26.49 by submitting an annual DBE goal to the Federal Transit Administration (FTA). The goal has either been approved or not disapproved by FTA.

The Vendor, if a non-manufacturing supplier, hereby certifies that the manufacturer of the transit vehicle to be supplied has complied with the above-referenced requirement of 49 CFR Section 26.49.

July 24, 2018

Date


Authorized Signature

Account Manager

Title

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
Company Name

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #4

**BUY AMERICA CERTIFICATION
ROLLING STOCK
MANDATORY BID FORM – MUST BE SUBMITTED WITH BID**

Certificate of Compliance

The bidder or offeror hereby certifies that it will comply with the requirements of 49 U.S.C. § 5323(j), as amended and the applicable regulations of 49 CFR 661.12:

July 24, 2018

Date



Authorized Signature

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales

Company Name

Andrew Clawson

Name

Account Manager

Title

Certificate for Non-Compliance

The bidder or offeror hereby certifies that it cannot comply with the requirements of 49 U.S.C. § 5323(j), as amended, but may qualify for an exception to the requirement consistent and the applicable regulations in 49 CFR 661.7.

N/A

Date

Authorized Signature

Company Name

Name

Title

Revised 10/27/14

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #5

**FEDERAL MOTOR VEHICLE
SAFETY STANDARDS CERTIFICATION**

MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

The vendor hereby certifies that it shall submit, as required by Title 49 of the CFR, Part 663 - Subpart D, it's self-certification information stating that the vehicle(s) will comply with the relevant Federal Motor Vehicle Safety Standards issued by the National Highway Traffic Safety Administration in Title 49 of the Code of Federal Regulations, Part 571.

July 24, 2018

Date



Authorized Signature

Account Manager

Title

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
Company Name

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #6
U.S. Comptroller's Debarment List Certification
MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales hereby certifies that it

 IS or

IS NOT (specify one) included on the U.S. GSA's debarment and suspension information available at <https://www.sam.gov>.

July 24, 2018

Date



Authorized Signature

Account Manager

Title

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
Company Name

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #7

MANDATORY BID FORM – MUST BE SUBMITTED WITH BID
CERTIFICATION OF PRIMARY PARTICIPANT REGARDING
DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS

The Primary Participant (applicant for an FTA grant or cooperative agreement, or potential contractor for a major third party contract),

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales (COMPANY NAME) certifies to the best of its knowledge and belief, that it and its principals:

1. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
2. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
3. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (2) of this certification; and
4. Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

If the primary participant (applicant for an FTA grant, or cooperative agreement, or potential third party contractor) is unable to certify to any of the statements in this certification, the participant shall attach an explanation to this certification.)

THE PRIMARY PARTICIPANT (APPLICANT FOR AN FTA GRANT OR COOPERATIVE AGREEMENT, OR POTENTIAL CONTRACTOR FOR A MAJOR THIRD PARTY CONTRACT),

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales . CERTIFIES OR AFFIRMS THE TRUTHFULNESS AND ACCURACY OF THE CONTENTS OF THE STATEMENTS SUBMITTED ON OR WITH THIS CERTIFICATION AND UNDERSTANDS THAT THE PROVISIONS OF 31 U.S.C. SECTIONS 3801 ET SEQ. ARE APPLICABLE THERETO.



Signature and Title of Authorized Official

Andrew Clawson, Account Manager


REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #8
MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

***VENDOR'S CERTIFICATION OF
UNDERSTANDING AND ACCEPTANCE***

The Vendor hereby certifies that all Technical Specifications and Contract Terms and Conditions have been carefully reviewed, are fully understood and shall be adhered to in performance and completion of any contract resulting from this bid.

July 24, 2018
Date


Authorized Signature

Account Manger
Title

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
Company Name

SPECIFICATION COMPLIANCE

NOTE: Please check if what is offered is not in exact compliance with specifications. Any discrepancies must be listed as an attachment to the bid proposal. Exact dimensions and/or descriptions must be provided as a part of the Vendor's bid proposal when submitted.

- Bid proposal submitted meets and/or exceeds all specification requirements.
- Bid proposal submitted contains deviations from specification requirements. Detailed descriptions of these deviations have been provided with this bid proposal.

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #9
MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

CERTIFICATION OF RESTRICTIONS ON LOBBYING

The undersigned (Vendor, Contractor) certifies, to the best of his or her knowledge and belief, that:

1. No Federal appropriated funds have been paid or will be paid by or on behalf of the undersigned, to any person for influence or attempt to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress regarding the award of a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance, or the extension, continuation, renewal, amendment, or modification of any Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance.
2. If any funds other than Federal appropriated funds have been or will be paid to any person to influence or attempt to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or any employee of a Member of Congress in connection with any application for a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance, the undersigned assures that it will complete and submit Standard Form-LLL, "Disclosure of Lobbying Activities," Rev. 7-97; and
3. The undersigned understands that the language of this certification shall be included in the award documents for all sub awards at all tiers (including subcontracts, sub grants, sub agreements, and contracts under grants, loans (including a line of credit), cooperative agreements, loan guarantees, and loan insurance.

Undersigned understands that this certification is a material representation of fact upon which reliance is placed by the Federal government and that submission of this certification is a prerequisite for providing a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance for a transaction covered by 31 U.S.C. 1352. The undersigned also understands that any person who fails to file a required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

Rohrer Enterprises, Inc.

The (Vendor, Contractor) DBA/Rohrer Bus Sales, certifies or affirms the truthfulness and accuracy of each statement of its certification and disclosure, if any. In addition, the (Vendor, Contractor) understands and agrees that the provisions of 31 U.S.C. §§ 3801, et seq., apply to this certification and disclosure.

July 24, 2018
Date


Authorized Signature

Account Manager
Title

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

BID FORM #10

**CERTIFICATION OF COMPLIANCE WITH FTA'S
BUS TESTING REQUIREMENTS**

The undersigned (Vendor/Manufacturer) certifies that the vehicle offered in this procurement complies with 49 U.S.C. 5318, as amended by MAP-21, and FTA regulations, "Bus Testing," 49 CFR Part 665.

The undersigned understands that misrepresenting the testing status of a vehicle acquired with Federal financial assistance may subject the undersigned to civil penalties as outlined in the Department of Transportation's regulation on Program Fraud Civil Remedies, 49 CFR Part 31. In addition, the undersigned understands that FTA may suspend or debar a manufacturer under the procedures in 49 CFR Part 29.

July 24, 2018

Date



Authorized Signature

Account Manager

Title

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
Company Name

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

REQUIRED BID DOCUMENTATION CHECKLIST

Champion

Manufacturer: Bus, Inc. **Model Year:** 2019 **Model:** Challenger

Mandatory Bid Forms – must be submitted with bid:

- Bid Form #1: Locations of Technical Service Representatives and Parts Distribution Centers
- Bid Form #2: Certification for Air & Water Pollution
- Bid Form #3: Disadvantaged Business Enterprise Vendors/Manufacturers Certification
The vendor shall also supply with bid FTA TVM DBE Goal Concurrence for the Current Fiscal Year Approval Letter.
- Bid Form #4: Buy America Certification Rolling Stock
Should the Vendor be declared responsive and low bid, pursuant to Pre-Award and Post Delivery Audit Requirements, the Division will require the Vendor to submit documentation (with the bid or prior to any award) that lists:
 - 1) Component and sub-component parts of the rolling stock to be purchased identified by manufacturer of the parts, their country of origin and costs: and
 - 2) The location of the final assembly point for the rolling stock, including a description of the activities that will take place at the final assembly point and the cost of final assembly.
- Bid Form #5: Federal Motor Vehicle Safety Standards Certification
Vendor shall also supply with bid a breakdown of FMVSS standards to be met with proposed vehicle.
- Bid Form #6: U.S. Comptroller's Debarment List Certification
- Bid Form #7: Certification of Primary Participant Regarding Debarment, Suspension, and Other Responsibility Matters
- Bid Form #8: Vendor's Certification of Understanding and Acceptance
- Bid Form #9: Certification of Restrictions on Lobbying
- Bid Form #10: Certification of Compliance with FTA's Vehicle Testing Requirements
A copy of the vehicle testing report (if available) shall be included with the bid.
- Exhibit A Pricing Page

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

DOCUMENTATION TO BE SUBMITTED WITH BID:

- | <u>Section
Referenced</u> | |
|---|--|
| <input checked="" type="checkbox"/> 3.1.11 | Provide details of water testing procedures. |
| <input checked="" type="checkbox"/> 3.2 | Chassis: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.2 | Wheelbase: provide length of proposed wheelbase. |
| <input checked="" type="checkbox"/> 3.3 | Engine: gasoline: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.5 | Radiator and Cooling System: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.6 | High Idle System, provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.8 | Transmission: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.10.4 | Rear View Back-Up Camera: provide product description, warranty information and literature. |
| <input checked="" type="checkbox"/> 3.11.4 | Tilt Wheel, Cruise Control and Power Steering: provide product description. |
| <input checked="" type="checkbox"/> 3.13 | Brakes: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.14 | Wheels: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.15 | Tires: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.16.5 | Alternator: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.16.6 | Battery: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.17.1 | Radio/AM/FM/USB/MP3: provide product description, warranty information and product literature. |
| <input checked="" type="checkbox"/> 3.19 | Body Structure/Roof Specifications: provide a description of how construction/ conversion will take place and meet the specification requirements. Provide actual interior height and body length of proposed vehicle. |
| <input checked="" type="checkbox"/> 3.19.15 | Stepwell: provide a description of construction. |
| <input checked="" type="checkbox"/> 3.22 | Entrance, Exit, Lift and Emergency Exit Doors: Provide product description, dimensions, description of connection with interlock system, and locks to be provided. |

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

- 3.23 Rear Bumper: provide product description, warranty information and product literature.
- 3.24 Wheelchair Lift: provide product description, warranty information and product literature.
- 3.24.9 Interlock System: provide product description, warranty information and product literature.
- 3.26 Front and Rear Heating and Air Conditioning: provide product description, warranty information, product literature.
- 3.29 Flooring: provide a description of product to be used, samples of floor covering, colors to be used and assembly process.
- 3.30.1 Passenger Seats and Restraints: provide product description, warranty information and product literature.
- 3.30.2 Padded Grab Handle: provide product description.
- 3.30.11 Driver's Seat: provide product description, warranty information and product literature.
- 3.31 Wheelchair Securement System: provide product description, warranty information and product literature.
- 3.32 Mobility Aid/ Occupant Restraint Systems: provide product description, warranty information and product literature.
- 3.33.1 Exterior Mirrors: provide product description, warranty information and product literature.
- 3.37 Digital Destination Signs: provide product description, warranty information and product literature.
- 3.38 Passenger Signaling System: provide product description, warranty information and product literature.
- 3.39 Mobile PA System: provide product description, warranty information and product literature.
- 3.40 Fare Box Provision: provide description of provision.
- 3.41 Strobe Light: provide product description, warranty information and product literature.
- 3.42 Radio Install Prep: provide description of process.
- 3.44 Security Camera System Including Playback: provide product description, warranty information and product literature.

REQUEST FOR QUOTATION
176" – 190" Wheelbase Cutaway Vehicle

- 3.45 Dual Purpose Safety Vent: provide product description, warranty information and product literature.
- 3.46 Storage Compartment: provide information on proposed location.
- 3.51 Training: submit letter of understanding to the terms in this Section.
- 4.5-4.6 Overhead Luggage Rack: provide product description and product literature. Classes E&F
- 4.5-4.6 High Back Passenger Seating: provide product description, warranty information and product literature. Classes E & F
- 6.7.4 Warranty Provider Locations: provide names of providers in WV.
- 6.7.5 Warranties: provide information on warranties to be provided.
- 11.1.1 Complete mechanical description of vehicle, its construction and equipment including manufacturer's model name and/or number.
- 11.1.2 Proposed interior floor plans, showing detailed dimensions including the location of the wheelchair securement system.
- 11.1.3 Curb weight (empty weight) and gross vehicle weight rating (GVWR) of vehicle.
- 11.1.6 Rustproofing and Undercoating: provide product description, warranty information and product literature.
- 11.1.8 A list of five (5) users names, addresses, emails and telephone numbers who have been provided similar equipment.

- No Debt Affidavit
- Addendum Acknowledgement

West Virginia Ethics Commission
Disclosure of Interested Parties to Contracts

(Required by W. Va. Code § 6D-1-2)

Rohrer Enterprises, Inc.

Name of Contracting Business Entity: DBA/Rohrer Bus Sales Address: 2075 B West Main Street
Waynesboro, VA 22980

Name of Authorized Agent: Andrew Clawson Address: 2075 B W Main St, Waynesboro, VA

Contract Number: PTR1900000001 Contract Description: 176" - 190" Wheelbase Cutaway

Governmental agency awarding contract: Division of Public Transit

Check here if this is a Supplemental Disclosure

List the Names of Interested Parties to the contract which are known or reasonably anticipated by the contracting business entity for each category below (attach additional pages if necessary):

1. Subcontractors or other entities performing work or service under the Contract

Check here if none, otherwise list entity/individual names below.

2. Any person or entity who owns 25% or more of contracting entity (not applicable to publicly traded entities)

Check here if none, otherwise list entity/individual names below.

3. Any person or entity that facilitated, or negotiated the terms of, the applicable contract (excluding legal services related to the negotiation or drafting of the applicable contract)

Check here if none, otherwise list entity/individual names below.

Signature: [Handwritten Signature] Date Signed: July 24, 2018

Notary Verification

State of Pennsylvania, County of Perry:

I, Andrew Clawson, the authorized agent of the contracting business entity listed above, being duly sworn, acknowledge that the Disclosure herein is being made under oath and under the penalty of perjury.

Taken, sworn to and subscribed before me this 24th day of July, 2018.

[Handwritten Signature: Kay Hornberger]
Notary Public's Signature

To be completed by State Agency:
Date Received by State Agency: _____
Date submitted to Ethics Commission: _____
Governmental agency submitting Disclosure: _____

COMMONWEALTH OF PENNSYLVANIA
NOTARIAL SEAL
Kay Hornberger, Notary Public
Penn Twp., Perry County
My Commission Expires March 4, 2021
MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales

Authorized Signature: [Signature] Date: July 24, 2018

State of Pennsylvania

County of Perry, to-wit:

Taken, subscribed, and sworn to before me this 24th day of July, 2018.

My Commission expires 3-4, 2021.

AFFIX SEAL HERE COMMONWEALTH OF PENNSYLVANIA NOTARY PUBLIC

NOTARIAL SEAL
Kay Hornberger, Notary Public
Penn Twp., Perry County
My Commission Expires March 4, 2021
MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES

[Signature: Kay Hornberger]

Purchasing Affidavit (Revised 01/19/2018)



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 36 - Vehicles

Proc Folder: 457733

Doc Description: Addendum 1 - 176" - 190" Wheelbase Cutaway Vehicle

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2018-07-16	2018-08-02 13:30:00	CRFQ 0805 PTR1900000001	2

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number: Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
 2075 B West Main Street
 Waynesboro, VA 22980
 Attn: Andrew Clawson
 Direct: 804-357-1145

FOR INFORMATION CONTACT THE BUYER

Michelle L Childers
 (304) 558-2063
 michelle.l.childers@wv.gov

Signature X

FEIN # 232059976

DATE July 16, 2018

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum

Addendum No. 1 issued to modify the schedule of events as follows:

Questions deadline changed FROM: 7/16/2018 at 10:00 AM TO: 7/23/2018 at 10:00 AM.

Bid Opening changed FROM: 7/24/18 at 1:30 PM TO: 8/02/2018 at 1:30 PM

End of Addendum

Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the Division of Public Transit and any other state agency that desires to utilize this contract to establish an open-end contract for 176" - 190' Wheelbase Dual Rear Wheel (DRW) Cutaway vehicles with air conditioning, fixed seats, wheelchair securements and lift to provide specialized transportation services in an urban and suburban-rural environment, including hilly terrain and a severe operating climate suited to stop-start duty cycles.

INVOICE TO	SHIP TO
ACCOUNTS PAYABLE PUBLIC TRANSIT DIVISION OF BLDG 5 RM 650 1900 KANAWHA BLVD E CHARLESTON WV25305-0432 US	GENERAL MANAGER PUBLIC TRANSIT DIVISION OF KANAWHA VALLEY REGIONAL TRANSPORTATION AUTHORITY 1550 FOURTH AVE CHARLESTON WV 25324 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	176" - 190" Wheelbase Cutaway Vehicle	1.00000	EA		

Item Code	Manufacturer	Specification	Model #
25101502			

Extended Description :

176" - 190" Wheelbase Cutaway Vehicle

Vendor should type or clearly print the information into the Exhibit A-Pricing Page to prevent errors in the evaluation. If Vendor is submitting bid online Vendor must submit Exhibit A -Pricing Page as attachment. TOTAL BID FOR EVALUATION is the amount Vendor is to enter into wvOASIS commodity line when submitting. Notwithstanding the foregoing, the Purchasing Division may correct errors at its discretion.

SOLICITATION NUMBER: CRFQ PTR180000001

Addendum Number: 01

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- | Modify bid opening date and time
- | Modify specifications of product or service being sought
- | Attachment of vendor questions and responses
- | Attachment of pre-bid sign-in sheet
- | Correction of error
- | Other

Description of Modification to Solicitation:

This addendum is issued to modify the solicitation per the attached documentation and the following:

1. To modify the schedule of events as follows:

Questions deadline changed FROM: 7/16/2018 at 10:00 AM TO: 7/23/2018 at 10:00 AM.

Bid Opening changed FROM: 7/24/18 at 1:30 PM TO: 8/02/2018 at 1:30 PM

No other changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: _____

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
Company


Authorized Signature

July 16, 2018
Date



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 36 - Vehicles

Proc Folder: 457733

Doc Description: Addendum 2 - 176" - 190" Wheelbase Cutaway Vehicle

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2018-07-24	2018-08-02 13:30:00	CRFQ 0805 PTR1900000001	3

BID RECEIVING LOCATION
 BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR
 Vendor Name, Address and Telephone Number: Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
 2075 B West Main Street
 Waynesboro, VA 22980
 Attn: Andrew Clawson
 Direct: 804-357-1145

FOR INFORMATION CONTACT THE BUYER
 Michelle L Childers
 (304) 558-2063
 michelle.l.childers@wv.gov

Signature X  FEIN # 232059976 DATE July 24, 2018

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

Addendum

Addendum No. 2 issued to publish the agency answers to vendor questions.

End of Addendum

Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the Division of Public Transit and any other state agency that desires to utilize this contract to establish an open-end contract for 176" - 190" Wheelbase Dual Rear Wheel (DRW) Cutaway vehicles with air conditioning, fixed seats, wheelchair securements and lift to provide specialized transportation services in an urban and suburban-rural environment, including hilly terrain and a severe operating climate suited to stop-start duty cycles.

INVOICE TO		SHIP TO	
ACCOUNTS PAYABLE PUBLIC TRANSIT DIVISION OF BLDG 5 RM 650 1900 KANAWHA BLVD E CHARLESTON WV25305-0432 US		GENERAL MANAGER PUBLIC TRANSIT DIVISION OF KANAWHA VALLEY REGIONAL TRANSPORTATION AUTHORITY 1550 FOURTH AVE CHARLESTON WV 25324 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	176" - 190" Wheelbase Cutaway Vehicle	1.00000	EA		

Comm Code	Manufacturer	Specification	Model #
25101502			

tended Description :

176" - 190" Wheelbase Cutaway Vehicle

Vendor should type or clearly print the information into the Exhibit A-Pricing Page to prevent errors in the evaluation. If Vendor is submitting bid online Vendor must submit Exhibit A -Pricing Page as attachment. TOTAL BID FOR EVALUATION is the amount Vendor is to enter into wvOASIS commodity line when submitting. Notwithstanding the foregoing, the Purchasing Division may correct errors at its discretion.

SOLICITATION NUMBER: CRFQ PTR1900000001

Addendum Number: 02

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

-] Modify bid opening date and time
-] Modify specifications of product or service being sought
-] Attachment of vendor questions and responses
-] Attachment of pre-bid sign-in sheet
-] Correction of error
-] Other

Description of Modification to Solicitation:

This addendum is issued to modify the solicitation per the attached documentation and the following:

1. To publish agency answers to vendor questions.

No other changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: _____

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales
Company



Authorized Signature

July 24, 2018

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.
Revised 6/8/2012

REQUEST FOR QUOTATION
EXHIBIT A PRICING PAGE
176" - 190" Wheelbase Cutway Vehicle

VENDOR NAME: Rohrer Bus Sales
MANUFACTURER/MAKE/MODEL: Champion Challenger

CLASS	VEHICLE DESCRIPTION	UNIT PRICE PER VEHICLE	ESTIMATED QUANTITY	EXTENDED PRICE
A	176" Vehicle, Eight (8) Fixed Double Seats, Two (2) Wheelchair Positions with One (1) Fold Up Seat (Double), Rear Curbside Lift Location, Vinyl Logo and Stripes	\$ 73,790.00	5	\$ 368,950.00
B	176" Vehicle, Eight (8) Fixed Double Seats, Two (2) Wheelchair Positions with One (1) Fold Up Seat (Double), Rear Curbside Lift Location, Full Bus Body Paint or 3/4 Bus Body Paint with Expanded Graphics	\$ 77,625.00	5	\$ 388,125.00
C	Vehicle, Seven (7) Fixed Double Seats, Two (2) Wheelchair Positions with Two (2) Fold Up Seats (Double), Extended Wheelbase to 190", Front Wheel Chair Lift Location, Vinyl Logo and Stripes	\$ 74,860.00	5	\$ 374,300.00
D	Vehicle, Seven (7) Fixed Double Seats, Two (2) Wheelchair Positions with Two (2) Fold Up Seats (Double), Extended Wheelbase to 190", Front Wheel Chair Lift Location, Full Bus Body Paint or 3/4 Bus Body Paint with Expanded Graphics	\$ 78,745.00	5	\$ 393,725.00
E	Vehicle, Seven (7) Fixed Double Seats, Two (2) Wheelchair Positions with Two (2) Fold Up Seats (Double), Extended Wheelbase to 190", Front Wheel Chair Lift Location, Vinyl Logo and Stripes, Overhead Luggage Racks, High Back Seats	\$ 75,920.00	5	\$ 379,600.00
F	Vehicle, Seven (7) Fixed Double Seats, Two (2) Wheelchair Positions with Two (2) Fold Up Seats (Double), Extended Wheelbase to 190", Front Wheel Chair Lift Location, Full Bus Body Paint or 3/4 Bus Body Paint with Expanded Graphics Overhead Luggage Racks, High Back Seats	\$ 79,800.00	5	\$ 399,000.00
TOTAL BID FOR EVALUATION				\$ 2,303,700.00

*Complete form provided. The DPT may purchase more or less as needed.
 Note: These are only estimated quantities and do not reflect any guarantee of purchase.
 Please do not alter pricing page.

ROHRER

School & Commercial Bus Sales

CLASS A

Champion Challenger

STANDARD FEATURES	
Standard Body Construction Feature	Electrical System Features
<ul style="list-style-type: none"> • Fully Welded Steel Roll Cage Construction • 1.5X1.5" 16 Ga. Steel Body Superstructure • 14 Gauge Steel Stepwell • 16 Gauge Steel Wheel Wells • Top T-Slider Windows • Rear Escape Window • Integrated Track Seating into Body Construction • 5/8" CDX Plywood Floor • 2.54 Fiberglass Exterior Sidewalls • Galvanized Steel Skirts • Roof One Piece Composite • Stylish Fiberglass Rear Cap • Drip Rail Over Passenger Entry Door • Rust Inhibitor: Floor, Frame, Lower Sidewalls • Anti-Corrosion Protected Step Wells And Wings • Non-Slip Gerflor-Anthracite • Rubber White Step Nosings • London Smoke Interior • Fiat London Smoke Wire Bars • Carlsbad Ceiling • Right Hand Grab Rail • Left Hand Grab Rail With Stanchion And Modesty Panel • Black Kick Panel Under Seat Rail 	<ul style="list-style-type: none"> • 30" Electrical Entrance Door • Dual Batteries • All Battery Cable To Be 2/0 Sgx • Led Interior Dome Lights • Electrical Fuse Panel Located Above Driver • Led Dual Stepwell Lights • All Led Exterior Lighting
	Exterior Features
	<ul style="list-style-type: none"> • Black Steel Powder Coated Rear Bumper • Rosco Eurostyle Manual Exterior Mirrors • Rear Exhaust • Rear Mud Flaps • Foam Insulation 1/2" Thick - R Value 8 • Full Body Undercoating • Suspension, Chassis Front End Alignment • Eccentric CAM Replacement
	Ford QVM Certified Manufacturing
	ISO 9001:2000 Certified Facility

*Options Override Standard Features

BASE MODEL	
1	CHALLENGER 190-E450 FORD 6.8L GAS
FORD CHASSIS OPTIONS	
1	FORD E-450-176" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE
CHASSIS OPTIONS	
1	DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)
1	RUNNING BOARD, ROADSIDE ALUMINUM

1	BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)		
1	EXTENSION, TIRE VALVE STEM		
1	SPARE TIRE/WHEEL 16.0" SHIP LOOSE		
1	SUSPENSION, MOR/RYPDE REAR E450/350		
ELECTRICAL OPTIONS			
1	AS BUILT WIRING DIAGRAMS		
2	DEFROST FAN, EACH		
1	LIFT MASTER SWITCH W/INDICATOR LIGHT		
1	LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)		
1	LIGHT, REAR CENTER BRAKE "LED"		
1	LIGHTS, DOOR ACTUATED DOME		
1	LIGHTS, SIDEMARKER LED ONLY		
1	LIGHT, STROBE-ROOF MOUNTED		
REI AUDIO/VIDEO OPTIONS			
1	AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI		
1	MIC HANDHELD IN-DASH REI		
1	PAGE,SPEAKER EXTERIOR (EACH)		
1	BACK-UP CAMERA SYST 7" MON. & 1 CAM REI		
1	RADIO, TWO WAY PREP		
FLOORING OPTIONS			
25	GERFLOOR FLOORING PER FOOT (SIRIUS)	COLOR:	SELECT COLOR
1	UNDERBELLY TYVEK		
1	PLYWOOD, 5/8" PRESSURE TREATED FLOOR		
1	YELLOW STANDEE LINE		
1	YELLOW STEP EDGE NOSINGS		
CLIMATE CONTROL OPTIONS			
*	ACT A/C SYSTEMS		
1	ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER		
1	ELECTRIC HEATED ENTRANCE STEP (ONE STEP)		
1	HEAT CIRCULATION PUMP		
2	HEATER 35,000 BTU		
EXTERIOR OPTIONS			
1	BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL		
1	DRIP MOLDING OVER WINDOWS LARGE		
1	DOOR, REAR 37-1/8 X 56 W/2 WINDOWS		
1	WINDOWS BOTH SIDES OF REAR DOOR (2)		
1	FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL		
1	TRANSIGN,VISTA LED DESTINATION FRT/SIDE		
PARATRANSIT OPTIONS			
1	LIFT PKG BRAUN NCL1000FIBHB3451-2 403/4: INCLUDES: DUAL PANEL LIFT DOORS W WINDOWS, ADA LIFT LIGHTING, ADA ENTRY LIGHTING, PARK INTERLOCK, FAST IDLE, PRIORITY SEATING SIGNS, WHEELCHAIR LOCATION SIGNS		
2	POUCH, Q'STRAIT TIEDOWN - BLACK VINYL		
2	Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT		
8	STRAP QUICK SURELOK 16" EACH		
1	STORAGE BOX FOR BELTS - HOLDS 2 SETS		
SAFETY OPTIONS			
2	BLANKET, FIREPROOF 62" X 80"		
1	ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)		
1	EXIT BUZZER (1 PER BUS) "IN DASH"		
4	EXIT SWITCH (PER EXIT)		

1	FRESNAL LENS
1	GRAB RAILS, CEILING
1	KICK OUT WINDOW (ADDITIONAL)
1	KIT,BLOOD BORN DISEASE
1	MIRROR, INTERIOR 6.0" X 16.0"
1	MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD
1	SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES
3	STANCHION PADDING GRAY (1 SET)
1	STANCHION, W/MODESTY BEHIND DRIVER
1	STANCHION W/INTEGRATED RIGHT HAND GRAB
1	BARRIER, PLEXIGLASS
INTERIOR OPTIONS	
2	DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)
4	DECAL, "EMERGENCY EXIT"
1	DECAL, "NO-SMOKING"
1	DECAL, "SEAT BELT MUST BE WORN AT ALL..."
1	DECAL, "WATCH YOUR STEP"
1	DECAL, CLEARANCE HEIGHT
1	DECAL, STOPS AT ALL RAILROAD CROSSINGS
1	DECAL, VEHICLE MAKES SUDDEN & FREQ STOPS
1	FAREBOX PREP
1	PASSENGER, PULL CORD YELLOW
2	PASSENGER, PUSH BUTTON (PER LOCATION)
1	SIGNAL, CHIME 2-TONE (ADA)
PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)	
6	MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING
1	SEAT, 35" FSC TWO STEP FOLDAWAY FLIP
2	ICS DOUBLE, 1-ICS & 1-COMPANION
2	CHILD SAFETY LATCH SYSTEM FREEDMAN
PASSENGER SEATING FABRIC OPTIONS	
18	LEVEL 4 FABRIC UPGRADE (PER PASSENGER)
DRIVER SEATING OPTIONS	
1	SEAT, DRIVER/CO-PILOT SHIELD FORD/GM
DRIVER SEATING FABRIC OPTIONS	
1	LEVEL 4 FABRIC UPGRADE - DRIVER SEAT
SEAT BELT OPTIONS	
18	SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMETER SEATS OR FLIP SEATS)
5	SEAT BELT EXTENSION 24"
SEAT ACCESSORY OPTIONS	
9	FREEDMAN US ARM (FLIP UP)
UNLISTED FACTORY OPTIONS/ORDER NOTES	
1	Hood Scoops/Bilge Ports
2	11"x17" Laminated Electrical Schematics
1	EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND CLEAR OF LIFT, AND REFLECTIVE TAPE
1	Kubota Key Door Switch
1	Warning Light and Buzzer for WC Lift door when Interlock conditions are not met
1	RACK, PREP BIKE SPORTSWORKS E450 OEM
1	Need 37"x51" 1000lb lift- Wide Door Required
1	Lift Activation causes Hazard lights to flash

ROHRER

School & Commercial Bus Sales

CLASS B

Champion Challenger

STANDARD FEATURES	
Standard Body Construction Feature	Electrical System Features
<ul style="list-style-type: none"> • Fully Welded Steel Roll Cage Construction • 1.5X1.5" 16 Ga. Steel Body Superstructure • 14 Gauge Steel Stepwell • 16 Gauge Steel Wheel Wells • Top T-Slider Windows • Rear Escape Window • Integrated Track Seating into Body Construction • 5/8" CDX Plywood Floor • 2.54 Fiberglass Exterior Sidewalls • Galvanized Steel Skirts • Roof One Piece Composite • Stylish Fiberglass Rear Cap • Drip Rail Over Passenger Entry Door • Rust Inhibitor: Floor, Frame, Lower Sidewalls • Anti-Corrosion Protected Step Wells And Wings • Non-Slip Gerflor-Anthracite • Rubber White Step Nosings • London Smoke Interior • Flat London Smoke Wire Bars • Carlsbad Ceiling • Right Hand Grab Rail • Left Hand Grab Rail With Stanchion And Modesty Panel • Black Kick Panel Under Seat Rail 	<ul style="list-style-type: none"> • 30" Electrical Entrance Door • Dual Batteries • All Battery Cable To Be 2/0 Sgx • Led Interior Dome Lights • Electrical Fuse Panel Located Above Driver • Led Dual Stepwell Lights • All Led Exterior Lighting
	Exterior Features
	<ul style="list-style-type: none"> • Black Steel Powder Coated Rear Bumper • Rosco Eurostyle Manual Exterior Mirrors • Rear Exhaust • Rear Mud Flaps • Foam Insulation 1/2" Thick - R Value 8 • Full Body Undercoating • Suspension, Chassis Front End Alignment • Eccentric CAM Replacement
	Ford QVM Certified Manufacturing ISO 9001:2000 Certified Facility

*Options Override Standard Features

BASE MODEL	
1	CHALLENGER 190-E450 FORD 6.8L GAS
FORD CHASSIS OPTIONS	
1	FORD E-450-176" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE
CHASSIS OPTIONS	
1	DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)
1	RUNNING BOARD, ROADSIDE ALUMINUM

1	BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)		
1	EXTENSION, TIRE VALVE STEM		
1	SPARE TIRE/WHEEL 16.0" SHIP LOOSE		
1	SUSPENSION, MOR/RYPDE REAR E450/350		
ELECTRICAL OPTIONS			
1	AS BUILT WIRING DIAGRAMS		
2	DEFROST FAN, EACH		
1	LIFT MASTER SWITCH W/INDICATOR LIGHT		
1	LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)		
1	LIGHT, REAR CENTER BRAKE "LED"		
1	LIGHTS, DOOR ACTUATED DOME		
1	LIGHTS, SIDEMARKER LED ONLY		
1	LIGHT, STROBE-ROOF MOUNTED		
REI AUDIO/VIDEO OPTIONS			
1	AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI		
1	MIC HANDHELD IN-DASH REI		
1	PAGE, SPEAKER EXTERIOR (EACH)		
1	BACK-UP CAMERA SYST 7" MON. & 1 CAM REI		
1	RADIO, TWO WAY PREP		
FLOORING OPTIONS			
25	GERFLOOR FLOORING PER FOOT (SIRIUS)	COLOR:	SELECT COLOR
1	UNDERBELLY TYVEK		
1	PLYWOOD, 5/8" PRESSURE TREATED FLOOR		
1	YELLOW STANDEE LINE		
1	YELLOW STEP EDGE NOSINGS		
CLIMATE CONTROL OPTIONS			
*	ACT A/C SYSTEMS		
1	ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER		
1	ELECTRIC HEATED ENTRANCE STEP (ONE STEP)		
1	HEAT CIRCULATION PUMP		
2	HEATER 35,000 BTU		
EXTERIOR OPTIONS			
1	BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL		
1	DRIP MOLDING OVER WINDOWS LARGE		
1	DOOR, REAR 37-1/8 X 56 W/2 WINDOWS		
1	WINDOWS BOTH SIDES OF REAR DOOR (2)		
1	FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL		
1	TRANSIGN, VISTA LED DESTINATION FRT/SIDE		
PARATRANSIT OPTIONS			
1	LIFT PKG BRAUN NCL1000FIBHB3451-2 403/4: INCLUDES: DUAL PANEL LIFT DOORS W WINDOWS, ADA LIFT LIGHTING, ADA ENTRY LIGHTING, PARK INTERLOCK, FAST IDLE, PRIORITY SEATING SIGNS, WHEELCHAIR LOCATION SIGNS		
2	POUCH, Q'STRAIT TIEDOWN - BLACK VINYL		
2	Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT		
8	STRAP QUICK SURELOK 16" EACH		
1	STORAGE BOX FOR BELTS - HOLDS 2 SETS		
SAFETY OPTIONS			
2	BLANKET, FIREPROOF 62" X 80"		
1	ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)		
1	EXIT BUZZER (1 PER BUS) "IN DASH"		
4	EXIT SWITCH (PER EXIT)		

1	FRESNAL LENS
1	GRAB RAILS, CEILING
1	KICK OUT WINDOW (ADDITIONAL)
1	KIT,BLOOD BORN DISEASE
1	MIRROR, INTERIOR 6.0" X 16.0"
1	MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD
1	SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES
3	STANCHION PADDING GRAY (1 SET)
1	STANCHION, W/MODESTY BEHIND DRIVER
1	STANCHION W/INTEGRATED RIGHT HAND GRAB
1	BARRIER, PLEXIGLASS
INTERIOR OPTIONS	
2	DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)
4	DECAL, "EMERGENCY EXIT"
1	DECAL, "NO-SMOKING"
1	DECAL, "SEAT BELT MUST BE WORN AT ALL..."
1	DECAL, "WATCH YOUR STEP"
1	DECAL,CLEARANCE HEIGHT
1	DECAL,STOPS AT ALL RAILROAD CROSSINGS
1	DECAL,VEHICLE MAKES SUDDEN & FREQ STOPS
1	FAREBOX PREP
1	PASSENGER, PULL CORD YELLOW
2	PASSENGER, PUSH BUTTON (PER LOCATION)
1	SIGNAL, CHIME 2-TONE (ADA)
PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)	
6	MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING
1	SEAT, 35" FSC TWO STEP FOLDAWAY FLIP
2	ICS DOUBLE, 1-ICS & 1-COMPANION
2	CHILD SAFETY LATCH SYSTEM FREEDMAN
PASSENGER SEATING FABRIC OPTIONS	
18	LEVEL 4 FABRIC UPGRADE (PER PASSENGER)
DRIVER SEATING OPTIONS	
1	SEAT, DRIVER/CO-PILOT SHIELD FORD/GM
DRIVER SEATING FABRIC OPTIONS	
1	LEVEL 4 FABRIC UPGRADE - DRIVER SEAT
SEAT BELT OPTIONS	
18	SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMETER SEATS OR FLIP SEATS)
5	SEAT BELT EXTENSION 24"
SEAT ACCESSORY OPTIONS	
9	FREEDMAN US ARM (FLIP UP)
UNLISTED FACTORY OPTIONS/ORDER NOTES	
1	Hood Scoops/Bilge Ports
2	11"x17" Laminated Electrical Schematics
1	EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND CLEAR OF LIFT, AND REFLECTIVE TAPE
1	Kubota Key Door Switch
1	Warning Light and Buzzer for WC Lift door when Interlock conditions are not met
1	RACK,PREP BIKE SPORTSWORKS E450 OEM
1	Need 37"x51" 1000lb lift- Wide Door Required
1	Lift Activation causes Hazard lights to flash

1	Red Light at Emergency Exits
1	Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber
2	SAFETY VEST CLASS 1 XXL ORANGE
1	WHEEL CHOCKS, PAIR
1	WV 6 CAMERA PROVISION SYSTEM
1	FULL BODY PAINT

ROHRER

School & Commercial Bus Sales

CLASS C

Champion Challenger

STANDARD FEATURES	
Standard Body Construction Feature	Electrical System Features
<ul style="list-style-type: none"> Fully Welded Steel Roll Cage Construction 1.5X1.5" 16 Ga. Steel Body Superstructure 14 Gauge Steel Stepwell 16 Gauge Steel Wheel Wells Top T-Slider Windows Rear Escape Window Integrated Track Seating into Body Construction 5/8" CDX Plywood Floor 2.54 Fiberglass Exterior Sidewalls Galvanized Steel Skirts Roof One Piece Composite Stylish Fiberglass Rear Cap Drip Rail Over Passenger Entry Door Rust Inhibitor: Floor, Frame, Lower Sidewalls Anti-Corrosion Protected Step Wells And Wings Non-Slip Gerflor-Anthracite Rubber White Step Nosings London Smoke Interior Flat London Smoke Wire Bars Carlsbad Ceiling Right Hand Grab Rail Left Hand Grab Rail With Stanchion And Modesty Panel Black Kick Panel Under Seat Rail 	<ul style="list-style-type: none"> 30" Electrical Entrance Door Dual Batteries All Battery Cable To Be 2/0 Sgx Led Interior Dome Lights Electrical Fuse Panel Located Above Driver Led Dual Stepwell Lights All Led Exterior Lighting
	Exterior Features
	<ul style="list-style-type: none"> Black Steel Powder Coated Rear Bumper Rosco Eurostyle Manual Exterior Mirrors Rear Exhaust Rear Mud Flaps Foam Insulation 1/2" Thick - R Value 8 Full Body Undercoating Suspension, Chassis Front End Alignment Eccentric CAM Replacement
	Ford QVM Certified Manufacturing
	ISO 9001:2000 Certified Facility

*Options Override Standard Features

BASE MODEL	
1	CHALLENGER 190-E450 FORD 6.8L GAS
FORD CHASSIS OPTIONS	
1	FORD E-450-176" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE
CHASSIS OPTIONS	
1	DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)
1	RUNNING BOARD, ROADSIDE ALUMINUM

1	BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)		
1	EXTENSION, TIRE VALVE STEM		
1	SPARE TIRE/WHEEL 16.0" SHIP LOOSE		
1	SUSPENSION, MOR/RYPDE REAR E450/350		
ELECTRICAL OPTIONS			
1	AS BUILT WIRING DIAGRAMS		
2	DEFROST FAN, EACH		
1	LIFT MASTER SWITCH W/INDICATOR LIGHT		
1	LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)		
1	LIGHT, REAR CENTER BRAKE "LED"		
1	LIGHTS, DOOR ACTUATED DOME		
1	LIGHTS, SIDEMARKER LED ONLY		
1	LIGHT, STROBE-ROOF MOUNTED		
REI/AUDIO/VIDEO OPTIONS			
1	AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI		
1	MIC HANDHELD IN-DASH REI		
1	PAGE,SPEAKER EXTERIOR (EACH)		
1	BACK-UP CAMERA SYST 7" MON. & 1 CAM REI		
1	RADIO, TWO WAY PREP		
FLOORING OPTIONS			
25	GERFLOOR FLOORING PER FOOT (SIRIUS)	COLOR:	SELECT COLOR
1	UNDERBELLY TYVEK		
1	PLYWOOD, 5/8" PRESSURE TREATED FLOOR		
1	YELLOW STANDEE LINE		
1	YELLOW STEP EDGE NOSINGS		
CLIMATE CONTROL OPTIONS			
*	ACT A/C SYSTEMS		
1	ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER		
1	ELECTRIC HEATED ENTRANCE STEP (ONE STEP)		
1	HEAT CIRCULATION PUMP		
2	HEATER 35,000 BTU		
EXTERIOR OPTIONS			
1	BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL		
1	DRIP MOLDING OVER WINDOWS LARGE		
1	DOOR, REAR 37-1/8 X 56 W/2 WINDOWS		
1	WINDOWS BOTH SIDES OF REAR DOOR (2)		
1	FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL		
1	TRANSIGN.VISTA LED DESTINATION FRT/SIDE		
PARATRANSIT OPTIONS			
1	LIFT PKG BRAUN NCL1000FIBHB3451-2 403/4: INCLUDES: DUAL PANEL LIFT DOORS W WINDOWS, ADA LIFT LIGHTING, ADA ENTRY LIGHTING, PARK INTERLOCK, FAST IDLE, PRIORITY SEATING SIGNS, WHEELCHAIR LOCATION SIGNS		
2	POUCH, Q-STRAINT TIEDOWN - BLACK VINYL		
2	Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT		
8	STRAP QUICK SURELOK 16" EACH		
1	STORAGE BOX FOR BELTS - HOLDS 2 SETS		
SAFETY OPTIONS			
2	BLANKET, FIREPROOF 62" X 80"		
1	ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)		
1	EXIT BUZZER (1 PER BUS) "IN DASH"		
4	EXIT SWITCH (PER EXIT)		

1	FRESNAL LENS
1	GRAB RAILS, CEILING
1	KICK OUT WINDOW (ADDITIONAL)
1	KIT,BLOOD BORN DISEASE
1	MIRROR, INTERIOR 6.0" X 16.0"
1	MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD
1	SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES
3	STANCHION PADDING GRAY (1 SET)
1	STANCHION, W/MODESTY BEHIND DRIVER
1	STANCHION W/INTEGRATED RIGHT HAND GRAB
1	BARRIER, PLEXIGLASS
INTERIOR OPTIONS	
2	DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)
4	DECAL, "EMERGENCY EXIT"
1	DECAL, "NO-SMOKING"
1	DECAL, "SEAT BELT MUST BE WORN AT ALL..."
1	DECAL, "WATCH YOUR STEP"
1	DECAL, CLEARANCE HEIGHT
1	DECAL, STOPS AT ALL RAILROAD CROSSINGS
1	DECAL, VEHICLE MAKES SUDDEN & FREQ STOPS
1	FAREBOX PREP
1	PASSENGER, PULL CORD YELLOW
2	PASSENGER, PUSH BUTTON (PER LOCATION)
1	SIGNAL, CHIME 2-TONE (ADA)
PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)	
5	MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING
2	SEAT, 35" FSC TWO STEP FOLDAWAY FLIP
2	ICS DOUBLE, 1-ICS & 1-COMPANION
2	CHILD SAFETY LATCH SYSTEM FREEDMAN
PASSENGER SEATING FABRIC OPTIONS	
18	LEVEL 4 FABRIC UPGRADE (PER PASSENGER)
DRIVER SEATING OPTIONS	
1	SEAT, DRIVER/CO-PILOT SHIELD FORD/GM
DRIVER SEATING FABRIC OPTIONS	
1	LEVEL 4 FABRIC UPGRADE - DRIVER SEAT
SEAT BELT OPTIONS	
18	SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMETER SEATS OR FLIP SEATS)
5	SEAT BELT EXTENSION 24"
SEAT ACCESSORY OPTIONS	
9	FREEDMAN US ARM (FLIP UP)
UNLISTED FACTORY OPTIONS/ORDER NOTES	
1	Hood Scoops/Bilge Ports
2	11"x17" Laminated Electrical Schematics
1	EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND CLEAR OF LIFT, AND REFLECTIVE TAPE
1	Kubota Key Door Switch
1	Warning Light and Buzzer for WC Lift door when Interlock conditions are not met
1	RACK, PREP BIKE SPORTSWORKS E450 OEM
1	Need 37"x51" 1000lb lift- Wide Door Required
1	Lift Activation causes Hazard lights to flash

1	Red Light at Emergency Exits
1	Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber
2	SAFETY VEST CLASS 1 XXL ORANGE
1	WHEEL CHOCKS, PAIR
1	WV 6 CAMERA PROVISION SYSTEM

ROHRER

School & Commercial Bus Sales

CLASS D

Champion Challenger

STANDARD FEATURES	
Standard Body Construction Feature	Electrical System Features
<ul style="list-style-type: none"> • Fully Welded Steel Roll Cage Construction • 1.5X1.5" 16 Ga. Steel Body Superstructure • 14 Gauge Steel Stepwell • 16 Gauge Steel Wheel Wells • Top T-Slider Windows • Rear Escape Window • Integrated Track Seating into Body Construction • 5/8" CDX Plywood Floor • 2.54 Fiberglass Exterior Sidewalls • Galvanized Steel Skirts • Roof One Piece Composite • Stylish Fiberglass Rear Cap • Drip Rail Over Passenger Entry Door • Rust Inhibitor: Floor, Frame, Lower Sidewalls • Anti-Corrosion Protected Step Wells And Wings • Non-Slip Gerflor-Anthracite • Rubber White Step Nosings • London Smoke Interior • Flat London Smoke Wire Bars • Carlsbad Ceiling • Right Hand Grab Rail • Left Hand Grab Rail With Stanchion And Modesty Panel • Black Kick Panel Under Seat Rail 	<ul style="list-style-type: none"> • 30" Electrical Entrance Door • Dual Batteries • All Battery Cable To Be 2/0 Sgx • Led Interior Dome Lights • Electrical Fuse Panel Located Above Driver • Led Dual Stepwell Lights • All Led Exterior Lighting
	Exterior Features
	<ul style="list-style-type: none"> • Black Steel Powder Coated Rear Bumper • Rosco Eurostyle Manual Exterior Mirrors • Rear Exhaust • Rear Mud Flaps • Foam Insulation 1/2" Thick - R Value 8 • Full Body Undercoating • Suspension, Chassis Front End Alignment • Eccentric CAM Replacement
	Ford QVM Certified Manufacturing
	ISO 9001:2000 Certified Facility

*Options Override Standard Features

BASE MODEL	
1	CHALLENGER 190-E450 FORD 6.8L GAS
FORD CHASSIS OPTIONS	
1	FORD E-450-176" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE
CHASSIS OPTIONS	
1	DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)
1	RUNNING BOARD, ROADSIDE ALUMINUM

1	BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)		
1	EXTENSION, TIRE VALVE STEM		
1	SPARE TIRE/WHEEL 16.0" SHIP LOOSE		
1	SUSPENSION, MOR/RYPDE REAR E450/350		
ELECTRICAL OPTIONS			
1	AS BUILT WIRING DIAGRAMS		
2	DEFROST FAN, EACH		
1	LIFT MASTER SWITCH W/INDICATOR LIGHT		
1	LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)		
1	LIGHT, REAR CENTER BRAKE "LED"		
1	LIGHTS, DOOR ACTUATED DOME		
1	LIGHTS, SIDEMARKER LED ONLY		
1	LIGHT, STROBE-ROOF MOUNTED		
REI AUDIO/VIDEO OPTIONS			
1	AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI		
1	MIC HANDHELD IN-DASH REI		
1	PAGE,SPEAKER EXTERIOR (EACH)		
1	BACK-UP CAMERA SYST 7" MON. & 1 CAM REI		
1	RADIO, TWO WAY PREP		
FLOORING OPTIONS			
25	GERFLOOR FLOORING PER FOOT (SIRIUS)	COLOR:	SELECT COLOR
1	UNDERBELLY TYVEK		
1	PLYWOOD, 5/8" PRESSURE TREATED FLOOR		
1	YELLOW STANDEE LINE		
1	YELLOW STEP EDGE NOSINGS		
CLIMATE CONTROL OPTIONS			
*	ACT A/C SYSTEMS		
1	ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER		
1	ELECTRIC HEATED ENTRANCE STEP (ONE STEP)		
1	HEAT CIRCULATION PUMP		
2	HEATER 35,000 BTU		
EXTERIOR OPTIONS			
1	BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL		
1	DRIP MOLDING OVER WINDOWS LARGE		
1	DOOR, REAR 37-1/8 X 56 W/2 WINDOWS		
1	WINDOWS BOTH SIDES OF REAR DOOR (2)		
1	FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL		
1	TRANSIGN.VISTA LED DESTINATION FRT/SIDE		
PARATRANSIT OPTIONS			
1	LIFT PKG BRAUN NCL1000FIBHB3451-2 403/4: INCLUDES: DUAL PANEL LIFT DOORS W WINDOWS, ADA LIFT LIGHTING, ADA ENTRY LIGHTING, PARK INTERLOCK, FAST IDLE, PRIORITY SEATING SIGNS, WHEELCHAIR LOCATION SIGNS		
2	POUCH, Q-STRAINT TIEDOWN - BLACK VINYL		
2	Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT		
8	STRAP QUICK SURELOK 16" EACH		
1	STORAGE BOX FOR BELTS - HOLDS 2 SETS		
SAFETY OPTIONS			
2	BLANKET, FIREPROOF 62" X 80"		
1	ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)		
1	EXIT BUZZER (1 PER BUS) "IN DASH"		
4	EXIT SWITCH (PER EXIT)		

1	FRESNAL LENS
1	GRAB RAILS, CEILING
1	KICK OUT WINDOW (ADDITIONAL)
1	KIT,BLOOD BORN DISEASE
1	MIRROR, INTERIOR 6.0" X 16.0"
1	MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD
1	SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES
3	STANCHION PADDING GRAY (1 SET)
1	STANCHION, W/MODESTY BEHIND DRIVER
1	STANCHION W/INTEGRATED RIGHT HAND GRAB
1	BARRIER.PLEXIGLASS
INTERIOR OPTIONS	
2	DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)
4	DECAL, "EMERGENCY EXIT"
1	DECAL, "NO-SMOKING"
1	DECAL, "SEAT BELT MUST BE WORN AT ALL..."
1	DECAL, "WATCH YOUR STEP"
1	DECAL,CLEARANCE HEIGHT
1	DECAL,STOPS AT ALL RAILROAD CROSSINGS
1	DECAL,VEHICLE MAKES SUDDEN & FREQ STOPS
1	FAREBOX PREP
1	PASSENGER, PULL CORD YELLOW
2	PASSENGER, PUSH BUTTON (PER LOCATION)
1	SIGNAL, CHIME 2-TONE (ADA)
PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)	
5	MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING
2	SEAT, 35" FSC TWO STEP FOLDAWAY FLIP
2	ICS DOUBLE, 1-ICS & 1-COMPANION
2	CHILD SAFETY LATCH SYSTEM FREEDMAN
PASSENGER SEATING FABRIC OPTIONS	
18	LEVEL 4 FABRIC UPGRADE (PER PASSENGER)
DRIVER SEATING OPTIONS	
1	SEAT, DRIVER/CO-PILOT SHIELD FORD/GM
DRIVER SEATING FABRIC OPTIONS	
1	LEVEL 4 FABRIC UPGRADE - DRIVER SEAT
SEAT BELT OPTIONS	
18	SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMETER SEATS OR FLIP SEATS)
5	SEAT BELT EXTENSION 24"
SEAT ACCESSORY OPTIONS	
9	FREEDMAN US ARM (FLIP UP)
UNLISTED FACTORY OPTIONS/ORDER NOTES	
1	Hood Scoops/Bilge Ports
2	11"x17" Laminated Electrical Schematics
1	EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND CLEAR OF LIFT, AND REFLECTIVE TAPE
1	Kubota Key Door Switch
1	Warning Light and Buzzer for WC Lift door when Interlock conditions are not met
1	RACK,PREP BIKE SPORTSWORKS E450 OEM
1	Need 37"x51" 1000lb lift- Wide Door Required
1	Lift Activation causes Hazard lights to flash

1	Red Light at Emergency Exits
1	Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber
2	SAFETY VEST CLASS 1 XXL ORANGE
1	WHEEL CHOCKS, PAIR
1	WV 6 CAMERA PROVISION SYSTEM
1	FULL BODY PAINT

ROHRER

School & Commercial Bus Sales

CLASS E

Champion Challenger

STANDARD FEATURES	
Standard Body Construction Feature	Electrical System Features
<ul style="list-style-type: none"> • Fully Welded Steel Roll Cage Construction 1.5X1.5" 16 Ga. Steel Body Superstructure • 14 Gauge Steel Stepwell • 16 Gauge Steel Wheel Wells • Top T-Slider Windows • Rear Escape Window • Integrated Track Seating into Body Construction • 5/8" CDX Plywood Floor • 2.54 Fiberglass Exterior Sidewalls • Galvanized Steel Skirts • Roof One Piece Composite • Stylish Fiberglass Rear Cap • Drip Rail Over Passenger Entry Door • Rust Inhibitor: Floor, Frame, Lower Sidewalls • Anti-Corrosion Protected Step Wells And Wings • Non-Slip Gerflor-Anthracite • Rubber White Step Nosings • London Smoke Interior • Flat London Smoke Wire Bars • Carlsbad Ceiling • Right Hand Grab Rail • Left Hand Grab Rail With Stanchion And Modesty Panel • Black Kick Panel Under Seat Rail 	<ul style="list-style-type: none"> • 30" Electrical Entrance Door • Dual Batteries • All Battery Cable To Be 2/0 Sgx • Led Interior Dome Lights • Electrical Fuse Panel Located Above Driver • Led Dual Stepwell Lights • All Led Exterior Lighting
	Exterior Features
	<ul style="list-style-type: none"> • Black Steel Powder Coated Rear Bumper • Rosco Eurostyle Manual Exterior Mirrors • Rear Exhaust • Rear Mud Flaps • Foam Insulation 1/2" Thick - R Value 8 • Full Body Undercoating • Suspension, Chassis Front End Alignment • Eccentric CAM Replacement
	Ford QM Certified Manufacturing
	ISO 9001:2000 Certified Facility

*Options Override Standard Features

BASE MODEL	
1	CHALLENGER 190-E450 FORD 6.8L GAS
FORD CHASSIS OPTIONS	
1	FORD E-450-176" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE. TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE
CHASSIS OPTIONS	
1	DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)
1	RUNNING BOARD, ROADSIDE ALUMINUM

1	BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)		
1	EXTENSION, TIRE VALVE STEM		
1	SPARE TIRE/WHEEL 16.0" SHIP LOOSE		
1	SUSPENSION, MOR/RYPDE REAR E450/350		
ELECTRICAL OPTIONS			
1	AS BUILT WIRING DIAGRAMS		
2	DEFROST FAN, EACH		
1	LIFT MASTER SWITCH W/INDICATOR LIGHT		
1	LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)		
1	LIGHT, REAR CENTER BRAKE "LED"		
1	LIGHTS, DOOR ACTUATED DOME		
1	LIGHTS, SIDEMARKER LED ONLY		
1	LIGHT, STROBE-ROOF MOUNTED		
REI AUDIO/VIDEO OPTIONS			
1	AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI		
1	MIC HANDHELD IN-DASH REI		
1	PAGE, SPEAKER EXTERIOR (EACH)		
1	BACK-UP CAMERA SYST 7" MON. & 1 CAM REI		
1	RADIO, TWO WAY PREP		
FLOORING OPTIONS			
25	GERFLOOR FLOORING PER FOOT (SIRIUS)	COLOR:	SELECT COLOR
1	UNDERBELLY TYVEK		
1	PLYWOOD, 5/8" PRESSURE TREATED FLOOR		
1	YELLOW STANDEE LINE		
1	YELLOW STEP EDGE NOSINGS		
CLIMATE CONTROL OPTIONS			
*	ACT A/C SYSTEMS		
1	ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER		
1	ELECTRIC HEATED ENTRANCE STEP (ONE STEP)		
1	HEAT CIRCULATION PUMP		
2	HEATER 35,000 BTU		
EXTERIOR OPTIONS			
1	BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL		
1	DRIP MOLDING OVER WINDOWS LARGE		
1	DOOR, REAR 37-1/8 X 56 W/2 WINDOWS		
1	WINDOWS BOTH SIDES OF REAR DOOR (2)		
1	FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL		
1	TRANSIGN.VISTA LED DESTINATION FRT/SIDE		
PARATRANSIT OPTIONS			
1	LIFT PKG BRAUN NCL1000FIBHB3451-2 403/4: INCLUDES: DUAL PANEL LIFT DOORS W WINDOWS, ADA LIFT LIGHTING, ADA ENTRY LIGHTING, PARK INTERLOCK, FAST IDLE, PRIORITY SEATING SIGNS, WHEELCHAIR LOCATION SIGNS		
2	POUCH, Q-STRAINT TIEDOWN - BLACK VINYL		
2	Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT		
8	STRAP QUICK SURELOK 16" EACH		
1	STORAGE BOX FOR BELTS - HOLDS 2 SETS		
SAFETY OPTIONS			
2	BLANKET, FIREPROOF 62" X 80"		
1	ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)		
1	EXIT BUZZER (1 PER BUS) "IN DASH"		
4	EXIT SWITCH (PER EXIT)		

1	FRESNAL LENS
1	GRAB RAILS, CEILING
1	KICK OUT WINDOW (ADDITIONAL)
1	KIT,BLOOD BORN DISEASE
1	MIRROR, INTERIOR 6.0" X 16.0"
1	MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD
1	SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES
3	STANCHION PADDING GRAY (1 SET)
1	STANCHION, W/MODESTY BEHIND DRIVER
1	STANCHION W/INTEGRATED RIGHT HAND GRAB
1	BARRIER, PLEXIGLASS
INTERIOR OPTIONS	
2	DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)
4	DECAL, "EMERGENCY EXIT"
1	DECAL, "NO-SMOKING"
1	DECAL, "SEAT BELT MUST BE WORN AT ALL..."
1	DECAL, "WATCH YOUR STEP"
1	DECAL,CLEARANCE HEIGHT
1	DECAL,STOPS AT ALL RAILROAD CROSSINGS
1	DECAL,VEHICLE MAKES SUDDEN & FREQ STOPS
1	FAREBOX PREP
1	PASSENGER, PULL CORD YELLOW
2	PASSENGER, PUSH BUTTON (PER LOCATION)
1	SIGNAL, CHIME 2-TONE (ADA)
PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)	
5	HIGH BACK FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING
2	SEAT, 35" FSC TWO STEP FOLDAWAY FLIP
2	ICS DOUBLE, 1-ICS & 1-COMPANION
2	CHILD SAFETY LATCH SYSTEM FREEDMAN
PASSENGER SEATING FABRIC OPTIONS	
18	LEVEL 4 FABRIC UPGRADE (PER PASSENGER)
DRIVER SEATING OPTIONS	
1	SEAT, DRIVER/CO-PILOT SHIELD FORD/GM
DRIVER SEATING FABRIC OPTIONS	
1	LEVEL 4 FABRIC UPGRADE - DRIVER SEAT
SEAT BELT OPTIONS	
18	SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMETER SEATS OR FLIP SEATS)
5	SEAT BELT EXTENSION 24"
SEAT ACCESSORY OPTIONS	
9	FREEDMAN US ARM (FLIP UP)
UNLISTED FACTORY OPTIONS/ORDER NOTES	
1	Hood Scoops/Bilge Ports
2	11"x17" Laminated Electrical Schematics
1	EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND CLEAR OF LIFT, AND REFLECTIVE TAPE
1	Kubota Key Door Switch
1	Warning Light and Buzzer for WC Lift door when Interlock conditions are not met
1	RACK,PREP BIKE SPORTSWORKS E450 OEM
1	Need 37"x51" 1000lb lift- Wide Door Required
1	Lift Activation causes Hazard lights to flash

1	Red Light at Emergency Exits
1	Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber
2	SAFETY VEST CLASS 1 XXL ORANGE
1	WHEEL CHOCKS, PAIR
1	WV 6 CAMERA PROVISION SYSTEM
1	OVERHEAD LUGGAG

ROHRER

School & Commercial Bus Sales

CLASS F

Champion Challenger

STANDARD FEATURES	
Standard Body Construction Feature	Electrical System Features
<ul style="list-style-type: none"> • Fully Welded Steel Roll Cage Construction 1.5X1.5" 16 Ga. Steel Body Superstructure • 14 Gauge Steel Stepwell • 16 Gauge Steel Wheel Wells • Top T-Slider Windows • Rear Escape Window • Integrated Track Seating into Body Construction • 5/8" CDX Plywood Floor • 2.54 Fiberglass Exterior Sidewalls • Galvanized Steel Skirts • Roof One Piece Composite • Stylish Fiberglass Rear Cap • Drip Rail Over Passenger Entry Door • Rust Inhibitor: Floor, Frame, Lower Sidewalls • Anti-Corrosion Protected Step Wells And Wings • Non-Slip Gerflor-Anthracite • Rubber White Step Nosings • London Smoke Interior • Flat London Smoke Wire Bars • Carlsbad Ceiling • Right Hand Grab Rail • Left Hand Grab Rail With Stanchion And Modesty Panel • Black Kick Panel Under Seat Rail 	<ul style="list-style-type: none"> • 30" Electrical Entrance Door • Dual Batteries • All Battery Cable To Be 2/0 Sgx • Led Interior Dome Lights • Electrical Fuse Panel Located Above Driver • Led Dual Stepwell Lights • All Led Exterior Lighting
	Exterior Features
	<ul style="list-style-type: none"> • Black Steel Powder Coated Rear Bumper • Rosco Eurostyle Manual Exterior Mirrors • Rear Exhaust • Rear Mud Flaps • Foam Insulation 1/2" Thick - R Value 8 • Full Body Undercoating • Suspension, Chassis Front End Alignment • Eccentric CAM Replacement
	Ford QM Certified Manufacturing
	ISO 9001:2000 Certified Facility


*Options Override Standard Features

BASE MODEL	
1	CHALLENGER 190-E450 FORD 6.8L GAS
FORD CHASSIS OPTIONS	
1	FORD E-450-176" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E. BSW ALL SEASON, TILT/CRUISE
CHASSIS OPTIONS	
1	DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)
1	RUNNING BOARD, ROADSIDE ALUMINUM


1	BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)		
1	EXTENSION, TIRE VALVE STEM		
1	SPARE TIRE/WHEEL 16.0" SHIP LOOSE		
1	SUSPENSION, MOR/RYPDE REAR E450/350		
ELECTRICAL OPTIONS			
1	AS BUILT WIRING DIAGRAMS		
2	DEFROST FAN, EACH		
1	LIFT MASTER SWITCH W/INDICATOR LIGHT		
1	LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)		
1	LIGHT, REAR CENTER BRAKE "LED"		
1	LIGHTS, DOOR ACTUATED DOME		
1	LIGHTS, SIDEMARKER LED ONLY		
1	LIGHT, STROBE-ROOF MOUNTED		
REI/AUDIO/VIDEO OPTIONS			
1	AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI		
1	MIC HANDHELD IN-DASH REI		
1	PAGE, SPEAKER EXTERIOR (EACH)		
1	BACK-UP CAMERA SYST 7" MON. & 1 CAM REI		
1	RADIO, TWO WAY PREP		
FLOORING OPTIONS			
25	GERFLOOR FLOORING PER FOOT (SIRIUS)	COLOR:	SELECT COLOR
1	UNDERBELLY TYVEK		
1	PLYWOOD, 5/8" PRESSURE TREATED FLOOR		
1	YELLOW STANDEE LINE		
1	YELLOW STEP EDGE NOSINGS		
CLIMATE CONTROL OPTIONS			
*	ACT A/C SYSTEMS		
1	ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER		
1	ELECTRIC HEATED ENTRANCE STEP (ONE STEP)		
1	HEAT CIRCULATION PUMP		
2	HEATER 35,000 BTU		
EXTERIOR OPTIONS			
1	BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL		
1	DRIP MOLDING OVER WINDOWS LARGE		
1	DOOR, REAR 37-1/8 X 56 W/2 WINDOWS		
1	WINDOWS BOTH SIDES OF REAR DOOR (2)		
1	FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL		
1	TRANSIGN, VISTA LED DESTINATION FRT/SIDE		
PARATRANSIT OPTIONS			
1	LIFT PKG BRAUN NCL1000FIBHB3451-2 403/4: INCLUDES: DUAL PANEL LIFT DOORS W WINDOWS, ADA LIFT LIGHTING, ADA ENTRY LIGHTING, PARK INTERLOCK, FAST IDLE, PRIORITY SEATING SIGNS, WHEELCHAIR LOCATION SIGNS		
2	POUCH, Q-STRAINT TIEDOWN - BLACK VINYL		
2	Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT		
8	STRAP QUICK SURELOK 16" EACH		
1	STORAGE BOX FOR BELTS - HOLDS 2 SETS		
SAFETY OPTIONS			
2	BLANKET, FIREPROOF 62" X 80"		
1	ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)		
1	EXIT BUZZER (1 PER BUS) "IN DASH"		
4	EXIT SWITCH (PER EXIT)		


1	FRESNAL LENS
1	GRAB RAILS, CEILING
1	KICK OUT WINDOW (ADDITIONAL)
1	KIT,BLOOD BORN DISEASE
1	MIRROR, INTERIOR 6.0" X 16.0"
1	MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD
1	SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES
3	STANCHION PADDING GRAY (1 SET)
1	STANCHION, W/MODESTY BEHIND DRIVER
1	STANCHION W/INTEGRATED RIGHT HAND GRAB
1	BARRIER, PLEXIGLASS
INTERIOR OPTIONS	
2	DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)
4	DECAL, "EMERGENCY EXIT"
1	DECAL, "NO-SMOKING"
1	DECAL, "SEAT BELT MUST BE WORN AT ALL..."
1	DECAL, "WATCH YOUR STEP"
1	DECAL, CLEARANCE HEIGHT
1	DECAL, STOPS AT ALL RAILROAD CROSSINGS
1	DECAL, VEHICLE MAKES SUDDEN & FREQ STOPS
1	FAREBOX PREP
1	PASSENGER, PULL CORD YELLOW
2	PASSENGER, PUSH BUTTON (PER LOCATION)
1	SIGNAL, CHIME 2-TONE (ADA)
PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)	
5	HIGH BACK FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING
2	SEAT, 35" FSC TWO STEP FOLDAWAY FLIP
2	ICS DOUBLE, 1-ICS & 1-COMPANION
2	CHILD SAFETY LATCH SYSTEM FREEDMAN
PASSENGER SEATING FABRIC OPTIONS	
18	LEVEL 4 FABRIC UPGRADE (PER PASSENGER)
DRIVER SEATING OPTIONS	
1	SEAT, DRIVER/CO-PILOT SHIELD FORD/GM
DRIVER SEATING FABRIC OPTIONS	
1	LEVEL 4 FABRIC UPGRADE - DRIVER SEAT
SEAT BELT OPTIONS	
18	SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMETER SEATS OR FLIP SEATS)
5	SEAT BELT EXTENSION 24"
SEAT ACCESSORY OPTIONS	
9	FREEDMAN US ARM (FLIP UP)
UNLISTED FACTORY OPTIONS/ORDER NOTES	
1	Hood Scoops/Bilge Ports
2	11"x17" Laminated Electrical Schematics
1	EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND CLEAR OF LIFT, AND REFLECTIVE TAPE
1	Kubota Key Door Switch
1	Warning Light and Buzzer for WC Lift door when Interlock conditions are not met
1	RACK, PREP BIKE SPORTSWORKS E450 OEM
1	Need 37"x51" 1000lb lift- Wide Door Required
1	Lift Activation causes Hazard lights to flash

1	Red Light at Emergency Exits
1	Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber
2	SAFETY VEST CLASS 1 XXL ORANGE
1	WHEEL CHOCKS, PAIR
1	WV 6 CAMERA PROVISION SYSTEM
1	FULL BODY PAINT
1	OVERHEAD LUGGAG



REV	ECN	DESCRIPTION	DATE	BY
A	N/A	UPDATED TO REV GROUP TITLE BLOCK AND DELETED DESTINATION WINDOWS	3/13/18	REN

SEATING: FREDMAN SEATS - MID HIGH FEATHERWEIGHT			
PASSENGER COUNT: (20) PASSENGERS & (2) W/C'S		MODEL: CHALLENGER	
 <small>THIS DRAWING AND ALL INFORMATION THEREON IS THE PROPERTY OF REV GROUP INC.</small>	<small>TOLERANCES UNLESS NOTED</small> .XX +/- .06 .XXX +/- .005 ANG +/- 1°	<small>DRAWN BY:</small> ROB HILTS	<small>DATE:</small> 6/6/16
	<small>FORM F7.3.01 REVISION A (INVENTOR)</small>	<small>ALL DIMENSIONS IN INCHES UNLESS NOTED</small>	<small>SCALE:</small> _____
<small>ECN:</small> _____	<small>TITLE:</small> FLOORPLAN CH-251 REAR LIFT 190" W/B	<small>SHEET NO. OF:</small> 01	<small>DRAWING NO.:</small> C8023252



* FLAT FLOOR *

				PAGE: _____		DF: _____	
				PART NO. C8023333		SEATING: FREEDMAN SEATS - MID HIGH FEATHERWEIGHT	
				CHAMPION GROUP		PASSENGER COUNT: (18) PASSENGERS & (2) W/C'S	
				ECN # N/A		DRAWN BY: RDB HILTS	
				DO NOT SCALE		DATE: 8/31/16	
				TOLERANCES UNLESS OTHERWISE NOTED		CHK. NAME	
				XX = .03		DATE: 00/00/00	
				XXX = .020		MODEL CHALLENGER	
				X = 1"			
						PURCH./MFG.: MFG.	
						TITLE: FLOORPLAN CH-251 FRONT LIFT 190.00' W/B # FLAT FLOOR #	
REF	DATE	ECN	DESC. OF CHANGES	BY	APP'D		
<small>THIS DRAWING AND THE INFORMATION THEREON ARE THE EXCLUSIVE PROPERTY OF CHAMPION BUS INC. IT SHALL NOT BE COPIED OR REPRODUCED IN ANY MANNER, NOR SHALL IT BE SUBMITTED TO OUTSIDE PARTIES FOR EXAMINATION WITHOUT OUR WRITTEN CONSENT. IT IS LOANED FOR USE WITH REFERENCE TO YOUR BIDDING CONTRACT WITH, OR PROPOSALS SUBMITTED TO CHAMPION BUS INC.</small>							

ROHRER

School & Commercial Bus Sales

Optional Equipment

Angel Trax 6 Camera Vulcan System to include 1 TB Hard Drive IPO Pro Vision.....	No Charge
Pro Vision 500 GB Solid State Hard Drive.....	\$625.00
Pro Vision 1 TB Solid State Hard Drive.....	\$995.00
Altro Meta Or Chroma IPO Gerflor Flooring.....	\$765.00
Upgrade to 90K BTU AC IPO 70K BTU.....	\$1,564.00
Extend Flat Floor to Front of Vehicle on Front Lift C-F Classes.....	\$321.00