



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 4

List View


General Information | Contact | Default Values | Discount | Document Information

Procurement Folder: 732226

SO Doc Code: CRFQ

Procurement Type: Central Purchase Order

SO Dept: 0439

Vendor ID: 

SO Doc ID: EBA2000000028

Legal Name: VSA INC


Published Date: 5/29/20

Alias/DBA:

Close Date: 6/16/20


Total Bid: \$20,934.00

Close Time: 13:30

Response Date: 

Status: Closed

Response Time:

Solicitation Description: 

Total of Header Attachments: 4

Total of All Attachments: 4

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Shure PT10TR+425CL-J8A Two Channel Wireless, In-Ear Monitor	4.00000	EA	\$3,800.000000	\$15,200.00

Comm Code	Manufacturer	Specification	Model #
52161514			

Extended Description : Shure PT10TR+425CL-J8A Two Channel Wireless, In-Ear Monitor System, or equivalent per section 3.1.1

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Shure P10R Spare Belt Pack or Equivalent for Shure PT10TR+42	2.00000	EA	\$649.000000	\$1,298.00

Comm Code	Manufacturer	Specification	Model #
52161514			

Extended Description : Shure P10R Spare Belt Pack or Equivalent for Shure PT10TR+425CL System per section 3.1.2

Comments: P10R-J8A

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Shure PA821B 8 Channel Antenna Combiner or equivalent	1.00000	EA	\$2,940.000000	\$2,940.00

Comm Code	Manufacturer	Specification	Model #
52161514			

Extended Description : Shure PA821B 8 Channel Antenna Combiner or equivalent per section 3.1.3

Comments: PA821BX

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Shure PA805SWB or equivalent transmit antenna	1.00000	EA	\$189.000000	\$189.00

Comm Code	Manufacturer	Specification	Model #
52161514			

Extended Description : Shure PA805SWB or equivalent transmit antenna per section 3.1.4

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	Shure UA825 25 Foot Coaxial Cable or equivalent	1.00000	EA	\$37.000000	\$37.00

Comm Code	Manufacturer	Specification	Model #
52161514			

Extended Description : Shure UA825 25 Foot Coaxial Cable or equivalent per section 3.1.5

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	Shure SE846-CL In-Ear Monitor Buds or equivalent	1.00000	EA	\$650.000000	\$650.00

Comm Code	Manufacturer	Specification	Model #
52161514			

Extended Description : Shure SE846-CL In-Ear Monitor Buds or equivalent per section 3.1.6

Comments: SE846-CL+BT1

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
7	Shure SE535-CL In-Ear Monitor Buds or equivalent	2.00000	EA	\$310.000000	\$620.00

Comm Code	Manufacturer	Specification	Model #
52161514			

Extended Description : Shure SE535-CL In-Ear Monitor Buds or equivalent per section 3.1.7

SHURE®

LEGENDARY
PERFORMANCE™

PSM® 1000 Personal Monitor System

PSM® 1000 PERSONAL MONITOR SYSTEM



The PSM 1000 Personal Monitor System from Shure brings personal monitoring to its most advanced level yet.

The full-rack, dual-channel, networkable transmitter is ideally suited for the demands of professional touring and installation applications, and the diversity bodypack receivers deliver pristine RF signal and audio quality. Networkability over Ethernet connection enables remote control of transmitter functions and comprehensive frequency coordination via Wireless Workbench® software.

APPLICATIONS

Touring Sound
House of Worship
Broadcast
Theater
IFB

PRODUCT HIGHLIGHTS

Touring-Grade Features and Design
Robust RF Performance and Networked Control
Advanced Lithium-Ion Rechargeability

PSM® 1000 System Specifications

RF Carrier Range	470–952 MHz (regionally dependent)
Compatible Frequencies	39 per band
Tuning Bandwidth	72 MHz – 80 MHz (regionally dependent)
Operating Range (environment dependent)	90m (300ft)
Audio Frequency Response	35Hz – 15kHz
Stereo Separation	60 dB
Signal-To-Noise Ratio (A-Weighted)	90 dB (typical)
Total Harmonic Distortion (ref. ±34 kHz deviation @1 kHz)	<0.5% (typical)
Comping	Patented Shure Audio Reference Comping
Spurious Rejection (ref. 12 dB SINAD)	>80 dB (typical)
Frequency Stability	±2.5 ppm
MPX Pilot Tone	19 kHz (±0.3 kHz)
Modulation	FM, MPX Stereo (±34 kHz deviation, nominal)
Operating Temperature	-18 to +57 °C

Frequency Range

Band	Range	RF Output Power***
G10	470-542 MHz	10 / 50 / 100 mW
G10E	470-542 MHz	10 / 50 / 100 mW
G10J	470-542 MHz	6 / 10 mW
G11	479-542 MHz	10 mW
G62	510-530 MHz	10 mW
H8Z	518-582 MHz	10 / 50 mW
J8	554-626 MHz	10 / 50 / 100 mW
J8A	554-616 MHz	10 / 50 / 100 mW
J8E	554-626 MHz	10 / 50 mW
J8J	554-626 MHz	6 / 10 mW
K10E	596-668 MHz	10 / 50 mW
L8	626-698 MHz	10 / 50 / 100 mW
L8A	653-663 MHz	10 mW
L8E	626-698 MHz	10 / 50 mW
L8J	626-698 MHz	6 / 10 mW
L9E	670-742 MHz	10 / 50 mW
L11J	670-714 MHz	6 / 10 mW
P8	710-790 MHz	10 / 50 mW
Q21	710-787 MHz	10 / 50 mW
Q22E	750-822 MHz	10 / 50 mW
R27	794-806 MHz	10 / 50 mW
X1	944-952 MHz	10 / 50 / 100 mW
X7	925-937.5 MHz	10 mW

Antennas, Combiners and Accessories


EAC-IFB	Coiled IFB Earphone Cable for Shure Earphones
PA821B	8-to-1 antenna combiner for better RF performance
PA421B	4-to-1 antenna combiner with power distribution to 4 transmitters (better RF performance and eliminates need for external power supply)
PA805SWB	Passive Directional Antenna
PA301	Protective Cover for P9RA and P10R body pack receivers
HA-8089	Helical Antenna (470-900 MHz)
HA-8091	Domed Helical Antenna (470-900 MHz)
HA-8241	Helical Antenna (944-952 MHz)
UA860SWB	Passive Omnidirectional Antenna
UA802	Coaxial Cable, BNC-BNC, RG58C/U type, 50 Ohm, 2 ft length (0.6 m)
UA806	Coaxial Cable, BNC-BNC, RG58C/U type, 50 Ohm, 6 ft length (2 m)
UA825	Coaxial Cable, BNC-BNC, RG8X/U type, 50 Ohm, 25 ft length (7.5 m)
UA850	Coaxial Cable, BNC-BNC, RG8X/U type, 50 Ohm, 50 ft length (15 m)
UA8100	Coaxial Cable, BNC-BNC, RG8X/U type, 50 Ohm, 100 ft length (30 m)

Furnished Accessories

P10R Antenna	
UA700	470–542 MHz
UA710	540–626 MHz
UA720	596–692 MHz
UA730	692–830 MHz
UA740	830–952 MHz
P10T Antenna	
UA820G10	470–542 MHz
UA820H8	518–582 MHz
UA820J8	554–626 MHz
UA820K1	596–668 MHz
UA820L8	626–698 MHz
UA820LCH	670–742 MHz
UA820P8	710–790 MHz
UA820Q2	750–822 MHz
UA820X	944–952 MHz
95A9023	Front Mount Antenna Cable
95A2313	Zipper Bag
53B8443	Link Bar
90AR8100	Hardware Kit (Rackmounting Screws)
90B8977	Bumper Kit

NOTE: This Radio equipment is intended for use in musical professional entertainment and similar applications. This Radio apparatus may be capable of operating on some frequencies not authorized in your region. Please contact your national authority to obtain information on authorized frequencies and RF power levels for wireless microphone products.

Rechargeable Power Management



SB900A Rechargeable Battery

The P10R+ bodypack is compatible with the SB900A, a lithium-ion rechargeable battery, providing up to 10 hours of continuous use and precise tracking of remaining life and charge cycle details.

SBC800 Recharging Station

Charges up to eight SB900A batteries to full capacity within three hours, with status LEDs to indicate power levels. SB900A batteries fit securely in the charger for easy, efficient storage and transport.

SBC200 Dual Docking Recharging Station

This compact and portable unit charges two SB900A batteries. Up to four SBC200's can be chained together to run off one power supply.


SBC10-100 Single Battery Recharging Station

The SBC10-100 charges one battery at a time and can be powered from either A/C power sources or USB ports.

SHURE[®]
LEGENDARY
PERFORMANCE™

Component Specifications

P10R+ Wireless Bodypack Receiver




The P10R+ is a low profile, diversity bodypack receiver for use with the PSM® 1000 Wireless Personal Monitor System. It offers premium features like full bandwidth RF scan and Automatic RF Gain Control for unparalleled signal stability and channel availability, all packed in the slimmest form factor available. CueMode allows monitoring of different stage mixes and storing of up to 20 separate channels from one bodypack for quick and easy mix reference. Optional advanced rechargeability eliminates the need for disposable batteries and provides extended usage times with reliable battery life, cycle count, and health metering.

Tri-band RF Filtering	-3 dB at 30.5 MHz from the center frequency of each band	
Active RF Gain Control	31 dB (adjusts RF sensitivity to provide more RF dynamic range)	
RF Sensitivity (20 dB SINAD)	2.2 μ V	
Squelch Threshold	22 dB SINAD (\pm 3 dB), default setting	
Adjacent Channel Rejection	>70 dB	
Intermodulation Attenuation	>70 dB	
Blocking	>80 dB	
Image Rejection	>90 dB	
Audio Output Power (1kHz @ <1% distortion, peak power, @16 Ω)	100 mW per output	
Minimum Load Impedance	4 Ω	
Output Impedance	<1 Ω	
4-Band Parametric EQ	Low Shelf	Selectable Gain: \pm 2 dB, \pm 4 dB, \pm 6 dB @100 Hz
	Low Mid	Selectable Gain: \pm 2 dB, \pm 4 dB, \pm 6 dB @160 Hz, 250 Hz, 400 Hz, 500 Hz, 630 Hz Selectable Q: 0.7, 1.4, 2.9, 5.0, 11.5
	High Mid	Selectable Gain: \pm 2 dB, \pm 4 dB, \pm 6 dB @1 kHz, 1.6 kHz, 2.5 kHz, 4 kHz, 6.3 kHz Selectable Q: 0.7, 1.4, 2.9, 5.0, 11.5
	High Shelf	Selectable Gain: \pm 2 dB, \pm 4 dB, \pm 6 dB @10 kHz
Volume Limiter	Selectable: 0 dB to -48 dB in 3 dB steps	
Volume Lock <i>Limits volume adjustment knob. Selected value analogous to volume knob increment.</i>	Selectable: 0 dB to -70 dB	
Battery Life	4-6 hours (continuous use) with AA batteries	
Net Weight	158 g, without batteries	
Dimensions	99 mm x 66 mm x 23 mm (3.9 in. x 2.6 in. x 0.9 in.) H x W x D	

P10T Dual Wireless Transmitter

The P10T is a networkable, full-rack, dual channel wireless transmitter used in conjunction with the P10R+ Bodypack receiver as part of the PSM® 1000 Wireless Personal Monitor System. It offers a 72 MHz wide tuning bandwidth, networked remote control via Wireless Workbench software, advanced rechargeability options, and PSM 900 backwards compatibility. Connections include balanced $\frac{1}{4}$ " and XLR, loop out, dual Ethernet ports, and headphone monitor out. Comes with front or back mountable antennas, and power and Ethernet jumper cables.

RF Output Power	Selectable: 10, 50, 100 mW (regionally dependent)
RF Output Impedance	50 Ω (typical)
Net Weight	4.7 Kg (10.4 lb)
Dimensions	44 X 483 X 343 mm
Power Requirement (RF on, 100 mW power mode, no audio)	Input: 100-240V AC, 50/60 Hz, 0.5A max (5.5 max outlet loaded) Output: 100-240V AC, 5A max, unswitched
Audio Input	
Connector Type	Combination XLR and 6.35 mm (1/4") TRS
Polarity	XLR: Non-inverting (pin 2 positive with respect to pin 3) 6.35 mm (1/4") TRS: Tip positive with respect to ring
Configuration	Electronically balanced
Impedance	70.2 k Ω (actual)
Nominal Input Level	Switchable: +4 dBu, -10 dBV
Maximum Input Level	+4 dBu: +29.2 dBu -10 dBV: +12.2 dBu
Pin Assignments	XLR: 1=ground, 2=hot, 3=cold 6.35 mm (1/4") TRS: Tip=hot, Ring=cold, Sleeve=ground
Phantom Power Protection	Up to 60 V DC
Audio Output	
Connector Type	6.35 mm (1/4") TRS
Configuration	Electronically balanced
Impedance	Connected directly to inputs




SHURE
LEGENDARY
PERFORMANCE™

**EXHIBIT A
PRICING PAGE**

Item #	Description	Manufacturer	Model #	Quantity	Unit Cost	Total Item Cost
1	Shure PT10TR+425CL-J8A Two Channel Wireless, In-Ear Monitor System, or equivalent per section 3.1.1	SHURE	P10TR + 425 CL J8A	4	\$ 3800.00	\$ 15,200.00
2	Equivalent for Shure PT10TR+425CL System per section 3.1.2	SHURE	P10R (J8A)	2	\$ 649.00	\$ 1298.00
3	Shure PA821B 8 Channel Antenna Combiner or equivalent per section 3.1.3	SHURE	PA821BX	1	\$ 2940.00	\$ 2940.00
4	Shure PA805SWB or equivalent transmit antenna per section 3.1.4	SHURE	PA805SWB	1	\$ 189.00	\$ 189.00
5	Shure UA825 25 Foot Coaxial Cable or equivalent per section 3.1.5	SHURE	UA825	1	\$ 37.00	\$ 37.00
6	Shure SE846-CL In-Ear Monitor Buds or equivalent per section 3.1.6	SHURE	SE846-CL + BT1	1	\$ 650.00	\$ 650.00
7	Shure SE535-CL In-Ear Monitor Buds or equivalent per section 3.1.7	SHURE	SE535-CL	2	\$ 310.00	\$ 620.00
Total Bid Cost						\$ 20,934.00

*Per section 4.2.3 Vendor must also provide documentation for the equipment quoted sufficient for the Agency to determine whether the quoted equipment meets specifications. Vendor should provide this documentation with their initial bid.

Authorized Signature: _____



Date: _____

6-16-20



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 27 - Miscellaneous

Proc Folder: 732226

Doc Description: EBA68937 WIRELESS IN-EAR MONITORING SYSTEM

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2020-05-29	2020-06-16 13:30:00	CRFQ 0439 EBA2000000028	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number:

VSA, Inc.
 6929 SEWARD AVE.
 LINCOLN, NE. 68507
 855-676-8721

FOR INFORMATION CONTACT THE BUYER

Dusty J Smith
 (304) 558-2063
 dusty.j.smith@wv.gov

Signature X

FEIN # 47-0605133

DATE 6-16-20

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, EDUCATIONAL BROADCASTING AUTHORITY, IS SOLICITING BIDS FOR THE ONE-TIME PURCHASE OF WIRELESS IN-EAR MONITORING SYSTEM PER THE ATTACHED DOCUMENTS.

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO DUSTY.J.SMITH@WV.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

INVOICE TO		SHIP TO	
CHIEF FINANCIAL OFFICER EDUCATIONAL BROADCASTING 124 INDUSTRIAL PARK RD		PURCHASING ADMINISTRATOR EDUCATIONAL BROADCASTING 600 CAPITOL ST	
BEAVER	WV25813	CHARLESTON	WV 25301-1223
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Shure PT10TR+425CL-J8A Two Channel Wireless, In-Ear Monitor	4.00000	EA	3800.00	15,200.00

Comm Code	Manufacturer	Specification	Model #
52161514	SHURE	MEETS	P10TR + 425CL-J8A

Extended Description :

Shure PT10TR+425CL-J8A Two Channel Wireless, In-Ear Monitor System, or equivalent per section 3.1.1

INVOICE TO		SHIP TO	
CHIEF FINANCIAL OFFICER EDUCATIONAL BROADCASTING 124 INDUSTRIAL PARK RD		PURCHASING ADMINISTRATOR EDUCATIONAL BROADCASTING 600 CAPITOL ST	
BEAVER	WV25813	CHARLESTON	WV 25301-1223
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Shure P10R Spare Belt Pack or Equivalent for Shure PT10TR+42	2.00000	EA	649.00	1298.00

Comm Code	Manufacturer	Specification	Model #
52161514	SHURE	MEETS	P10R-J8A

Extended Description :

Shure P10R Spare Belt Pack or Equivalent for Shure PT10TR+425CL System per section 3.1.2

INVOICE TO		SHIP TO	
CHIEF FINANCIAL OFFICER EDUCATIONAL BROADCASTING 124 INDUSTRIAL PARK RD		PURCHASING ADMINISTRATOR EDUCATIONAL BROADCASTING 600 CAPITOL ST	
BEAVER	WV25813	CHARLESTON	WV 25301-1223
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Shure PA821B 8 Channel Antenna Combiner or equivalent	1.00000	EA	2940.00	2940.00

Comm Code	Manufacturer	Specification	Model #
52161514	SHURE	MEETS	PA821BX

Extended Description :

Shure PA821B 8 Channel Antenna Combiner or equivalent per section 3.1.3

INVOICE TO		SHIP TO	
CHIEF FINANCIAL OFFICER EDUCATIONAL BROADCASTING 124 INDUSTRIAL PARK RD		PURCHASING ADMINISTRATOR EDUCATIONAL BROADCASTING 600 CAPITOL ST	
BEAVER	WV25813	CHARLESTON	WV 25301-1223
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Shure PA805SWB or equivalent transmit antenna	1.00000	EA	189.00	189.00

Comm Code	Manufacturer	Specification	Model #
52161514	SHURE	MEETS	PA805SWB

Extended Description :

Shure PA805SWB or equivalent transmit antenna per section 3.1.4

INVOICE TO		SHIP TO	
CHIEF FINANCIAL OFFICER EDUCATIONAL BROADCASTING 124 INDUSTRIAL PARK RD		PURCHASING ADMINISTRATOR EDUCATIONAL BROADCASTING 600 CAPITOL ST	
BEAVER	WV25813	CHARLESTON	WV 25301-1223
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	Shure UA825 25 Foot Coaxial Cable or equivalent	1.00000	EA	37.00	37.00

Comm Code	Manufacturer	Specification	Model #
52161514	SHURE	MEETS	UA825

Extended Description :

Shure UA825 25 Foot Coaxial Cable or equivalent per section 3.1.5

INVOICE TO		SHIP TO	
CHIEF FINANCIAL OFFICER EDUCATIONAL BROADCASTING 124 INDUSTRIAL PARK RD		PURCHASING ADMINISTRATOR EDUCATIONAL BROADCASTING 600 CAPITOL ST	
BEAVER	WV25813	CHARLESTON	WV 25301-1223
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
6	Shure SE846-CL In-Ear Monitor Buds or equivalent	1.00000	EA	650.00	650.00

Comm Code	Manufacturer	Specification	Model #
52161514	SHURE	MEETS	SE846-CL+ BT1

Extended Description :

Shure SE846-CL In-Ear Monitor Buds or equivalent per section 3.1.6

INVOICE TO		SHIP TO	
CHIEF FINANCIAL OFFICER EDUCATIONAL BROADCASTING 124 INDUSTRIAL PARK RD		PURCHASING ADMINISTRATOR EDUCATIONAL BROADCASTING 600 CAPITOL ST	
BEAVER	WV25813	CHARLESTON	WV 25301-1223
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
7	Shure SE535-CL In-Ear Monitor Buds or equivalent	2.00000	EA	310.00	620.00

Comm Code	Manufacturer	Specification	Model #
52161514	SHURE	MEETS	SE535-CL

Extended Description :

Shure SE535-CL In-Ear Monitor Buds or equivalent per section 3.1.7


SCHEDULE OF EVENTS

Line	Event	Event Date
1	TECHNICAL QUESTIONS DUE BY 10AM	2020-06-05

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Jeff Alan, Nat'l Acct. Mgr.
(Name, Title)
JEFF ALAN, NAT'L ACCT. MGR.
(Printed Name and Title)
6829 SEWARD AVE.
(Address)
855-676-8721 / 304-724-8728
(Phone Number) / (Fax Number)
JEFFA @ VSA1 . COM
(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

VSA, Inc.
(Company)

(Authorized Signature) Jeff Alan, Nat'l Acct. Mgr.
(Representative Name, Title)
JEFF ALAN, Nat'l Acct. Mgr.
(Printed Name and Title of Authorized Representative)
6-16-20
(Date)
855-676-8721 / 304-724-8728
(Phone Number) (Fax Number)

**ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.:**

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)


- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

VSA, Inc.

Authorized Signature



Date

6-16-20

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: VSA Inc

Authorized Signature: _____ Date: _____

State of Nebraska

County of Lancaster, to-wit:

Taken, subscribed, and sworn to before me this ____ day of _____, 20__.

My Commission expires Feb 27, 2022.

AFFIX SEAL HERE

NOTARY PUBLIC



LORETA SNEATH
General Notary - State of Nebraska
My Commission Expires Feb 27, 2022