



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 4

List View

General Information | Contact | Default Values | Discount | Document Information

Procurement Folder: 698324	SO Doc Code: CRFQ
Procurement Type: Central Purchase Order	SO Dept: 0603
Vendor ID: VS0000012580	SO Doc ID: ADJ2000000022
Legal Name: 11400 Inc	Published Date: 3/12/20
Alias/DBA:	Close Date: 3/23/20
Total Bid: \$38,500.00	Close Time: 13:30
Response Date: 03/23/2020	Status: Closed
Response Time: 12:08	Solicitation Description: Kitchen Equipment 20MCA-82
Total of Header Attachments: 4	
Total of All Attachments: 4	



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder : 698324
Solicitation Description : Kitchen Equipment
Proc Type : Central Purchase Order

Date issued	Solicitation Closes	Solicitation Response	Version
	2020-03-23 13:30:00	SR 0603 ESR03232000000005489	1

VENDOR
VS0000012580 11400 Inc

Solicitation Number: CRFQ 0603 ADJ2000000022

Total Bid : \$38,500.00 **Response Date:** 2020-03-23 **Response Time:** 12:08:46

Comments:

FOR INFORMATION CONTACT THE BUYER
 John W Estep
 (304) 558-7839
 john.w.estep@wv.gov

Signature on File	FEIN #	DATE
--------------------------	---------------	-------------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Cleveland Mixer Kettle Model # MKET-20-T-20 (or equal)	1.00000	LS	\$23,000.000000	\$23,000.00

Comm Code	Manufacturer	Specification	Model #
48101514			

Extended Description :	Cleveland Mixer Kettle Electric Floor Type Lever Tilt 2/3 Steam Jacketed Model # MKET-20-T-20 - (or equal)
-------------------------------	--

Comments: Per factory rep, 8 to 10 week lead time to ship ARO

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Cleveland Power Tilting Skillet Model # SGL-40-T1 (or equal)	1.00000	LS	\$15,500.000000	\$15,500.00

Comm Code	Manufacturer	Specification	Model #
48101517			

Extended Description :	Cleveland Powerpan Tilting Skillet Model # SGL-40-T1 (or equal)
-------------------------------	---

Comments: Per factory rep, 40 working day lead time to ship ARO

Quote

03/23/2020

Project:
MCA-North (Cleveland)
Camp Dawson
1001 Army Road
Kingwood, WV 26537

From:
11400 Inc.
Lisa Wick
2207 Old Philadelphia Pike
Lancaster, PA 17602-
(717)392-7363
(717)392-7429 (Contact)

Job Reference Number: 031620R2

Item	Qty	Description	Sell	Sell Total
1	1 ea	KETTLE MIXER, ELECTRIC, COUNTERTOP Cleveland Range Model No. MKET20T Kettle/Mixer, electric, countertop, 20-gallon capacity, solid state temperature controls, hinged cover, safety screen, 50 PSI steam jacket, (2) variable speed agitators, belt drive motor, scraper blade, manual lever hand tilt, gallon markings, 316 stainless steel liner, 3/4 HP	\$21,572.15	\$21,572.15
	1 ea	208-240 208-240v/60/3-ph, standard		
	1 ea	SLD20 Sliding Drain Drawer (for model MKET20T only)	\$684.42	\$684.42
	1 ea	KAK Kettle Accessory Kit, includes: clean up brush, paddle, stainless steel whip, brush, draw-off brush, ladle	\$743.43	\$743.43
	1 ea	DPK2 Double Pantry Faucet (standard)		
			ITEM TOTAL:	\$23,000.00
2	1 ea	TILTING SKILLET BRAISING PAN, GAS Cleveland Range Model No. SGL40T1 PowerPan™ Tilting Skillet, gas, 40-gallon capacity, bead blasted cooking surface, 10° tilt cooking feature, with easy manual hand tilt, spring-assisted cover with vent, gallon & liter markings, food strainer, stainless steel construction with open leg frame, 200,000 BTU, CE, NSF	\$13,785.83	\$13,785.83
	1 ea	1-year parts & labor warranty, standard		
	1 ea	Performance start-up included at customer request after equipment is installed (Free Water Quality Check included) (contact Cleveland Sales Representative for details)		
	1 ea	Natural Gas (specify altitude if over 2000 feet)		
	1 ea	120v/60/1-ph, 1.4 amps, NEMA 5-15P, standard		
	1 ea	Standard controls, temperature control dial, LED ON indicator light, main power switch with standard and high power setting, standard		
	1 ea	PCS Pan Carrier, for floor models	\$420.24	\$420.24
	1 ea	DRAINPAN6 Drainpan Assembly includes: 12" x 20" x 6" deep stainless steel pan with elbow, 8' x 2" hose & hose clamp (pan carrier sold separately)	\$278.27	\$278.27
	1 ea	PRSS H/C Pre-Rinse Spray Head with hose (P/N B-0113)	\$875.96	\$875.96
	1 ea	FBST1 Faucet Bracket for T1 series floor model skillets	\$139.70	\$139.70
	1 ea	FSSK Food Strainer, 30 & 40 gallon, for braising pans, standard		
			ITEM TOTAL:	\$15,500.00

Subtotal	\$38,500.00
Total	\$38,500.00

Lead Times: 8-10 weeks on the MKET20T and 40-working days on the SGL40T1



MIXER KETTLE, ELECTRIC FLOOR TYPE, LEVER TILT 2/3 STEAM JACKETED

Project _____
Item _____
Quantity _____
FCSI Section 11400 _____
Approved _____
Date _____

Mixer Kettles

Models

- MKET-20-T



Shown with
optional Faucet

Standard Features

- Solid State Temperature Control ($\pm 1^{\circ}\text{F}$) for perfect simmering
- Solid State Low Water Safety Control
- Steam jacket filled with treated water, venting and/or refilling is not required
- 50 psi Safety Valve mounted under kettle to avoid tampering
- No Water Gauge required
- Rear mounted Pressure/Vacuum Gauge and Pressure Relief Valve protected by Stainless Steel Bracket
- Infinitely variable speed for all conditions; Scraper from 0-70 rpm, Agitator from 0-210 rpm
- Removable (without tools) Nylon Blades scrape entire Jacketed surface
- 3/4 Horsepower D.C. Timing Belt
- Safety device prevents high speed starts
- Mixing stops when bridge is lifted - includes safety cover and screen
- Agitator and Scraper are bayonet mounted for easy removal
- Totally enclosed, balanced, 10 gauge Stainless Steel Mixer Bridge
- Kettle and all exterior surfaces are Stainless Steel
- Double Pantry Faucet Standard
- Level adjustable feet (flanged for bolting)
- Large Pouring Lip
- Gallon markings on Scraper Shaft
- Standard 120/208-240 volts, 60 Hz, 3 phase, 4 wire
- Typical approvals include UL, CSA, CE, NSF and ASME

Short Form Specifications

Shall be CLEVELAND, Model MKET-20-T, floor type lever tilt, 20 gallon, electric mixer kettle with permanently filled Steam Jacket; 50 psi Jacket Rating and Safety Valve, Solid State Temperature ($\pm 1^{\circ}\text{F}$) and Low Water Safety Controls, rear mounted Combination Pressure / Vacuum Gauge, infinitely variable Speeds. 3/4 H.P. Timing Belt Drive, Bayonet Mounted Agitator and Scraper with removable blades, safety device prevent high speed starts, mixing stops when bridge is lifted. Kettle and all exterior surfaces are Stainless Steel. Double Pantry Faucet standard.

Options & Accessories

- Food Strainer (FS-20)
- Flow Diverter (FD)
- Kettle Accessory Kit (KAK) includes:
 - Clean-up Brush (CB)
 - 36" Kettle Paddle (KP)
 - 36" Kettle Whip (KW)
 - 36" Kettle Brush (KB)
 - Draw-off Brush (DB)
 - 24 oz. Ladle (KL)
- Type 316 Stainless Steel Interior for high acid food products (316-20G)
- Water Meter (GMF or LMF) Wall Mount or on Stand (SWM)
- High wattages (HW) and special voltages (VOS)

KE004046-82

18301 St. Clair Street
Cleveland, OH 44110


Tel 1.216.481.4900
Fax 1.216.481.3782
Email steam@clevelandrange.com

www.clevelandrange.com
Section 8, Page 3
5665A 10 / 2018





Mixer Kettles



NOTES:

Cleveland Range reserves right of design improvement or modification, as warranted.
 Many regional, state and local codes exist and it is the responsibility of the owner and installer to comply with the codes.
 Installation of backflow preventers, vacuum breakers and other specific code requirements is the responsibility of the owner and installer.
 Cleveland Range equipment is built to comply with applicable standards for manufacturers. Included among those approval agencies are U.L., A.G.A., NSF, ASME/N.Bd., CSA, CGA, ETL and others.

(NOT TO SCALE)

18301 St. Clair Street
 Cleveland, OH 44110

Tel 1.216.481.4900
 Fax 1.216.481.3782
 Email steam@clevelandrange.com

www.clevelandrange.com
 Section 8, Page 4
 xxxxxxxx 10 / 2018





POWERPAN™ SERIES

GAS, 35" RIM HEIGHT,
30 & 40 GALLON (110 & 150 LITER)

Project _____
Item _____
Quantity _____
FCSI Section 11400 _____
Approved _____
Date _____

Braising Pans / Tilting Skillets

Models

- SGL-30-T1
- SGL-40-T1

Shown with
Standard
Controls



easyDial and
Core Temperature
Probe options

- Exclusive Dual Power Settings: 90,000 and 125,000 Btu for 30 gallons, 160,000 Btu and 200,000 Btu for 40 gallons provides superior heat-up and recovery.
- Open base design for easy cleaning and maintenance.
- 5/8" Stainless Steel Bead Blasted cooking surface prevents warping and keeps food from sticking.
- Durable 12 gauge, 304 Stainless Steel pan construction. 5/8" (16mm) mild steel clad bottom plus a 1/16" (1.6mm) Stainless Steel plate for even temperature distribution.
- Low 35" rim height for easy operation and cleaning.
- Splash Proof Controls and construction.
- Supplied with Cord & Plug for 115-volt controls.
- Easy-to-turn manual hand tilt with enclosed permanently lubricated gearbox. Optional power tilt with manual override available.
- Gallon/Liter Markings and Vented Spring Assist Cover standard.
- Available with Optional 2" Tangent Draw-Off Valve.
- 10° Cooking Feature. Tilt unit up to 10° without the power being turned off.
- Adjustable Solid State Thermostat accurately controls temperature from 140°F to 425°F.

Standard Control Panel includes:

Temperature Control Dial, LED ON Indicator Light, Main Power Switch with Standard and High Power Settings.

easyDial Control Panel (optional) includes:

Selector Dial with LED Ring, Large Display Screen, Three Cooking Modes, Built-In Self-Diagnostics and Display, Temperature Select Button, Timer Set Button (Hrs/Min), Settings Button, Main Power Button, Probe Connection Port, LED Indicator Lights for Heat-ON, Product Probe, Temperature, Time, Settings, Self-Diagnostics, Ignition Failure, Std and High Power Setting.

- Electronic "Spark Ignition System Standard".
- Spring-Assist Cover with full width handle and vent.
- Typical approvals include AGA, CSA, CE and NSF.

Short Form Specifications

Shall be CLEVELAND, Tilting Skillet Model Number SGL-____-T1, gas (type____) holding no less than _____ gallons (_____ liters); Complete with Dual Power Setting, Normal and High Power Cooking Controls, Power Burner (Forced-Air) Gas Combustion System, Automatic Ignition, Splash-Proof Construction, Spring Assist Cover with Vent, Gallon/Liter Markings, 5/8" Stainless Steel Clad Cooking Surface with Bead Blasted Finish, Easy to use Manual Hand Tilt with Enclosed Permanently Lubricated Gearbox, Adjustable Feet with Rear Flanged and Front Bullet Style.

Standard Features

- Available in 30 & 40 gallon (115 & 150 liter) open frame design models. Full capacity to bottom of pouring lip.
- Exclusive Ultra Efficient Power Burner (Forced-Air) Gas Combustion System with Automatic Ignition.

Options & Accessories

- easyDial Control
- Core Temperature Probe Option
- Power Tilt with Manual Override (PT2)
- 2" (50 mm) Tangent Draw-Off Valve (TD2SK), left side only
- Double or Single Pantry Faucet (SPS14, DPS14), includes Faucet Mounting Bracket
- Faucet Bracket (FBKT1)
- Pan Carriers (PCS), not available on 30 gallon models with a Tangent Draw-Off Valve
- Vegetable Steamer Baskets (VS)
- Hot & Cold Water Pre-Rinse Spray Head with Hose (PRS-S)
- Poaching Pans (PP)
- Voltage Option:
 - VOSK3, 440/480 Volt, 60 Hz, 3 Phase
 - VOSK4, 220/240 Volt, 50 Hz, 1 Phase - for export
- Protective Control Cover (CP-PCB-T1)
- Casters, 2 swivel, 2 locking (CST1)

KE004046-92

18301 St. Clair Street
Cleveland, OH 44110

Tel 1.216.481.4900
Fax 1.216.481.3782
Email steam@clevelandrange.com

www.clevelandrange.com
Section 9, Page 11
5673A 6 / 2019





Braising Pans / Tilting Skillets

DIMENSIONS

MODEL	A	B	C	D	E	E	F	G	H
						(non-combustible wall)			
						(combustible wall)			
SGL-30-T1	37 7/8" (963mm)	24 1/2" (623mm)	31 3/4" (807mm)	12" (305mm)	3 1/2" (89mm)	2	18 1/4" (464mm)	5 3/4" (146mm)	8" (204mm)
SGL-40-T1	49 7/8" (1267mm)	36 1/2" (928mm)	43 3/4" (1112mm)	18" (458mm)	3 1/2" (89mm)	2	24 1/4" (616mm)	5 3/4" (146mm)	8" (204mm)

CAPACITIES

In 4 oz. servings. Other sizes may be calculated.
 30 gallons / 115 Liters.....960
 40 gallons / 150 Liters.....1280

SPECIFICATIONS


ELECTRICAL SUPPLY		GAS SUPPLY (PIPING 3/4" NPT)		CLEARANCE	
VOLTS:	120 / 220/240	TYPE:	NAT or LP	RIGHT:	4" (102mm) (manual tilt)
PHASE:	1	WATER COLUMN:	3.5 (NAT), 10 (LP)	LEFT:	1" (26mm) (power tilt)
AMPS:	1.4 / 1.5	BTU PER CU. FT.:	1025 (NAT), 2500 (LP)	REAR:	0 (non-combustible wall)
FREQ.:	60 HZ	SUPPLY PRESSURE:	5" W.C. MIN (NAT), 11" W.C. MIN (LP)		3.5" (89mm) (combustible wall)
		BTU RATINGS:			
		SGL-30-T:	125,000 per hour		
		SGL-40-T:	200,000 per hour		



Standard Control Panel



easyDial Control Panel with Core Temperature Probe



NOTE: OPTIONAL 2" TD VALVE SHOWN IN GRAY

NOTES:

Cleveland Range reserves right of design improvement or modification, as warranted.
 Many regional, state and local codes exist and it is the responsibility of the owner and installer to comply with the codes.
 Cleveland Range equipment is built to comply with applicable standards for manufacturers. Included among those approval agencies are U.L., NSF, CGA, CSA, ETL and others.

(NOT TO SCALE)

18301 St. Clair Street
 Cleveland, OH 44110

Tel 1.216.481.4900
 Fax 1.216.481.3782
 Email steam@clevelandrange.com

www.clevelandrange.com
 Section 9, Page 12
 6 / 2019





2" DRAIN PAN ASSEMBLY FOR TILTING KETTLES AND SKILLETS

Project _____
 Item _____
 Quantity _____
 FCSI Section 11400 _____
 Approved _____
 Date _____

Options & Accessories

Models

- DRAINPAN6 *



Standard Features

- Ideal for tilting kettles and skillets that do not have a floor drain. The 6" deep solid stainless steel drain pan easily mounts inside a Cleveland Pan Carrier (PCS). The 8' long hose (trim to required length) can be positioned to a remote floor drain.
- For tilting kettles and skillets

Model "DrainPan6" includes:

- 6" x 12" x 20" Stainless Steel Solid Pan with Elbow
- 8' length of 2" ID Hose (HO8.2) (cut to required length)
- Hose Clamp

* NOTE: Pan Carrier (PCS) sold separately



18301 St. Clair Street
Cleveland, OH 44110

Tel 1.216.481.4900
 Fax 1.216.481.3782
 Email steam@clevelandrange.com

www.clevelandrange.com
 Section 10, Page 9
 08 / 2017





Options & Accessories



NOTES:

Cleveland Range reserves right of design improvement or modification, as warranted.
Many regional, state and local codes exist and it is the responsibility of the owner and installer to comply with the codes.
Installation of backflow preventers, vacuum breakers and other specific code requirements is the responsibility of the owner and installer.
Cleveland Range equipment is built to comply with applicable standards for manufacturers. Included among those approval agencies are U.L., A.G.A., NSF, ASME/N.Bd., CSA, CGA, ETL and others.

(NOT TO SCALE)

18301 St. Clair Street
Cleveland, OH 44110

Tel 1.216.481.4900
Fax 1.216.481.3782
Email steam@clevelandrange.com

www.clevelandrange.com
Section 10, Page 10
08 / 2017



**WV Adjutant General's Office - Mountaineer Challenge Academy North
Kitchen Equipment
Pricing Page**

CONTRACT ITEM NO.	DESCRIPTION	Unit of Measure	QTY	UNIT PRICE	TOTAL PRICE
3.1.1	Cleveland Kettle Mixer Model # MKET20T or equal <i>complete with all mandatory components dealer or factory installed and delivered to specified location</i>	Each	1	\$23,000.00	\$23,000.00
3.1.2	Cleveland Tilting Skillet Model # SGL40T1 or equal <i>complete with all mandatory components dealer or factory installed and delivered to specified location</i>	Each	1	\$15,500.00	\$15,500.00
				BID TOTAL	\$38,500.00
Bidder / Vendor Information:					
Name: 11400, Inc.					
Address: 2207 Old Philadelphia Pike Lancaster, PA 17602					
Phone: (610)401-8121					
Fax: (717)509-6111					
E-mail Address: lwick@11400inc.com					
Authorized Signature: <i>Lisa Wick</i>					

**WV Adjutant General's Office - Mountaineer Challenge Academy North
Kitchen Equipment
Pricing Page**

CONTRACT ITEM NO.	DESCRIPTION	Unit of Measure	QTY	UNIT PRICE	TOTAL PRICE
3.1.1	Cleveland Kettle Mixer Model # MKET20T or equal <i>complete with all mandatory components dealer or factory installed and delivered to specified location</i>	Each	1	\$23,000.00	\$23,000.00
3.1.2	Cleveland Tilting Skillet Model # SGL40T1 or equal <i>complete with all mandatory components dealer or factory installed and delivered to specified location</i>	Each	1	\$15,500.00	\$15,500.00
				BID TOTAL	\$38,500.00
Bidder / Vendor Information:					
Name: 11400, Inc.					
Address: 2207 Old Philadelphia Pike					
Lancaster, PA 17602					
Phone: (610)401-8121					
Fax: (717)509-6111					
E-mail Address: lwick@11400inc.com					
Authorized Signature:					

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: 11400, Inc.

Authorized Signature: *Jodi Wick* Date: 3/23/20

State of Pennsylvania

County of Lancaster, to-wit:

Taken, subscribed, and sworn to before me this 23rd day of March, 2020.

My Commission expires February 25, 2023.

AFFIX SEAL HERE

Commonwealth of Pennsylvania - Notary Seal
Jodi Lynn Sweigart, Notary Public
Lancaster County
My commission expires February 25, 2023
Commission number 1340335
Member, Pennsylvania Association of Notaries

NOTARY PUBLIC

Purchasing Affidavit (Revised 01/19/2018)