



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 12 – Equip. Rental

Proc Folder: 605438

Doc Description: EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2019-08-14	2019-08-29 13:30:00	CRFQ 0803 DOT2000000022	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number:

*ALL STATES LEASING, LLC
 10874 EAST PIKE
 CAMBRIDGE OHIO 43725*

*740-255-5643 OFFICE
 740-541-6199 CELL
 740-255-5659 FAX*

RECEIVED

2019 AUG 23 AM 9:25

WV PURCHASING
 DIVISION

FOR INFORMATION CONTACT THE BUYER

Crystal G Husted
 (304) 558-2402
 crystal.g.husted@wv.gov

Signature X

FEIN #

45-3178971

DATE

8/22/19

All offers subject to all terms and conditions contained in this solicitation

Equipment Rental WITHOUT Operator

Information Attachment Form

Vendor Name: ALL STATES LEASING LLC

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The Vendor shall provide the 911 address or the most recent **physical street address, city and state for the base location(s)**. **If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified.** If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

Vendor Base Location:	
	ALL STATES LEASING LLC
	10874 EAST PIKE
	CAMBRIDGE OHIO 43725
Vendor Base Location:	
Vendor Base Location:	

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or "√" beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

	STATEWIDE				
	Barbour			Kanawha	Pocahontas
	Berkeley			Lewis	Preston
	Boone			Lincoln	Putnam
	Braxton			Logan	Raleigh
✓	Brooke			McDowell	Randolph
	Cabell			Marion	Ritchie
	Calhoun		✓	Marshall	Roane
	Clay			Mason	Summers
	Doddridge			Mercer	Taylor
	Fayette			Mineral	Tucker
	Gilmer			Mingo	Tyler
	Grant			Monongalia	Upshur
	Greenbrier			Monroe	Wayne
	Hampshire			Morgan	Webster
✓	Hancock			Nicholas	Wetzel
	Hardy		✓	Ohio	Wirt
	Harrison			Pendleton	Wood
	Jackson			Pleasants	Wyoming
	Jefferson				

(DOT6620C009)

Exhibit A		Vendor Name: <i>All STATES LEASING</i>					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM LIFT 80 foot lift minimum							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' reach Min. 360 degree boom rotation @ level position							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position							
AERIAL PLATFORM TRUCK Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK Elliott Model L55 or similar							
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 45 ft working ht min. 1 1/2 man bucket min. Insulated articulating boom. Boom rotation at level position Versalift SST-40-EIH or similar. NO CDL Required							
AERIAL BUCKET TRUCK Highway Rated TRK. MTD Versalift SST-40 EIH or similar 50' Reach Min. 43.5' Radius 10 ft max outrigger spread. 360 degree boom rotation at level position. 1,000 lb min material handling capability.NO CDL Required							
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 55 ft working ht min. Rear mounted Turret. Versalift VST-47-I or similar							
AERIAL PLATFORM LIFT 80 foot lift minimum							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position							
AERIAL PLATFORM TRUCK Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK Elliott Model L55 or similar							
AERIAL PLATFORM TRUCK Elliott Model L55-R or similar 55 ft boom length min. Rear mounted turret							
ARROW BOARDS 4' x 8' panel 15 lamp							
ASPHALT DISTRIBUTOR Trk. Mtd. w/spray bar							
ASPHALT RECYCLER KM T-2 or similar							
ASPHALT RECYCLER Self Loading - Stepp SRM 10x120 or similar							
ASPHALT RECYLING ATTACHMENT							

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Endloader bucket - mounted, asphalt grinder/recycle attachmt, min 185 hp 8,500 lb. wt. capable of grinding and remixing up to 12" deep and 48" wide pavement and base							
ASPHALT REMOVAL/RECYCLER Benedetti or similar							
ATTENUATOR - Trailer Mounted must meet NCHRP 350 TL-3							
AUGER 18"-24"							
AUGER 18"-24" Core Barrell							
AUGER Trak Mounted 35,000 Ft lb min.							
AUGER Terex Telelect Commander 6000 Digger, 33,520 lb Capacity, 3 Sections/ 61 Ft Reach or similar							
AUGER Truck-Mounted Digger Derrick 35,000 lb GVW, Rear Mounted Altec D947-TR or similar							
BACKHOE CRAWLER TRACKHOE or similar with drill rig attachment for the boom							
BACKHOE LOADER Rubber Tired 55-85 DHP							
BACKHOE LOADER WITH HYDRAULIC BREAKER Mtd. Hyd. Breaker 55-85 DHP D							
BACKHOE LOADER WITH HYDRAULIC BREAKER Mtd. Air Breaker 1,000 ft./lbs. min.							
BACKHOE LOADER TRACTOR - Compact Rubber Tired 20-30 HP max. height - 83"							
BACKHOE LOADER TRACTOR - Mini 25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar							
BASE WIDENER SP Shoulder Stone							
BOX DELIVERY TRUCK 24 ft length box min. NO CDL Required							
BRUSH CHIPPER - up to 49 hp Cutting size - 12" in diameter.							
BRUSH CHIPPER - from 50 hp to 85 hp Cutting size - 12" in diameter.							
BULLDOZER Crawler GD 65 -75 DHP D							
BULLDOZER Crawler GD 80 -90 DHP D							

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
BULLDOZER Crawler GD 100 -120 DHP D							
BULLDOZER Crawler GD 130 -140 DHP D							
BULLDOZER Crawler TC 150 - 250 EHP D							
BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D							
BULLDOZER Crawler/Winch TCP 181 - 250 EHP D							
CHIP SPREADER SP							
COLD MILLING - Stabilizer/Recycler no less than 12" cutting depth range BOMAG MPH 364 R-2 or similar							
COLD MILL PLANER Self Loading - 2'							
COLD MILL PLANER Self Loading - 4'							
COMPRESSOR 125 - 160 CFM Portwhl.							
COMPRESSOR 170 - 210 CFM Portwhl.							
COMPRESSOR 250 - 300 CFM Portwhl.							
COMPRESSOR 350 - 375 CFM Portwhl.							
COMPRESSOR 600 CFM Portwhl.							
COMPRESSOR 700 - 800 CFM Portwhl.							
CONCRETE MIXER Trk. Mtd. 6.0 Cyd.							
CONCRETE SAW Full Depth CAP - 24" Blade							
CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade							
CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade							
CONVEYOR LOADER / FORCE FEED LOADER LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar							

(DOT6620C009)

Exhibit A Equipment Description (WITHOUT Operator)	Vendor Name:						
	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
CRACK SEALING MACHINE Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 12 - 1/2 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 14 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 15 - 25 T Hyd. Rough Terrain							
CRANE 20 - 25 T Cable D Crawler							
CRANE 25 - 30 T Cable, Trk. Mtd. G							
CRANE 30 T Hyd.							
CRANE 35 T Hyd.							
CRANE 40 T Hyd.							
CRANE 50 T Hyd.							
CRANE 15 - 20 T Truck Mounted Boom							
CRANE 21 - 25 T Truck Mounted Boom							
CULVERT CLEANER Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER Trk. Mtd. 65 - 80 GPM 2,000 PSI min.	VACALL	1215AJV			10500 ⁰⁰	250 ⁰⁰	6 ⁰⁰
CULVERT CLEANER - radio remote controlled Microtraxx or Similar 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation, to clean 48" to 60" round culverts							
CULVERT CLEANER - radio remote controlled Microtraxx or Similar 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, to clean 36" to 48" round culverts							
DITCH WITCH or similar trencher - walk behind 5-25 hp							
Dump Truck, Class 8, Steel Bed							

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Single Axle							
Dump Truck, Class 8, Aluminum Bed							
Single Axle							
Dump Truck							
INTERNATIONAL 4300 SBA or similar							
Dump Truck							
FORD F650 or similar							
Dump Truck							
FREIGHTLINER M12106 or similar							
Dump Truck							
STEEL BED 4 AXLE							
Dump Truck, Tandem Steel Bed							
Double axle (3 axle)							
Dump Truck, Tandem							
MACK GU 713 or similar							
Dump Truck, Tandem							
MACK GU 713 or similar							
Dump Truck, Tandem							
Freightliner 114 SD or similar							
EQUIPMENT TRAILER							
10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER							
12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER							
assisted							
EXCAVATOR - TELEBOOM							
Track Mtd. SP 0.5 Cyd. D							
EXCAVATOR - TELEBOOM							
Truck Mtd. SP 0.5 Cyd. D							
EXCAVATOR							
w/McMillen extreme duty earth auger or similar							
EXCAVATOR							
Mini-Hyd. Track Mtd. 2,600 lbs. max.							
EXCAVATOR WITH INTEGRATED VIBRATORY PILE DRIVE/EXTRACTOR							
Minimum 80,000 driving force, MKT V8 or similar							
EXCAVATOR							
Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs. - 28,000 lbs. Working Weight							
EXCAVATOR							

(DOT6620C009)

Exhibit A	Vendor Name:						
	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Equipment Description (WITHOUT Operator)							
Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs. - 35,800 lbs. Working Weight							
EXCAVATOR							
Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs. - 42,900 lbs. Working Weight							
Attachment: Grapple							
EXCAVATOR							
Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs. - 45,900 lbs. Working Weight							
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min. 24,400 lbs. - 35,800 lbs. Excavator Size							
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min. 36,000 lbs. - 42,900 lbs. Excavator Size							
Attachment for offered Excavator: Grapple							
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min. 43,000 lbs. - 60,000 lbs. Excavator Size							
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min. 61,000 lbs. - 80,000 lbs. Excavator Size							
HYDRAULIC BREAKER ATTACHMENT ONLY							
2,000 ft./lbs. min							
EXCAVATOR							
Crawler with a thumb							
EXCAVATOR							
Mini-Hyd. Track Mtd. 6,500 lbs. max.							
Excavator-Wheeled							
Highway Speed, XL 3100 Gradall or Similar							
Excavator-Wheeled							
Highway Speed, XL 4100 Gradall or Similar							
Excavator-Wheeled							
Gradall D152 or similar							
Excavator-Wheeled							
Crossover							
EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP							
Track Width 10' out-to-out							
EXCAVATOR - 1/8 Cyd. 30 HP							
D Track Width 5' out-to-out							
EXCAVATOR - 1/5 Cyd. 44 HP							
11,000 lbs. Track Width 6' out-to-out							
EXCAVATOR - 1/4 Cyd. 55 HP							
D 14,000 lbs. Bucket, Track Width 6' out-to-out							
EXCAVATOR ATTACHMENT							
Plate compactor for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT							

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Hydraulic hammer for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT Swivel head with ditching bucket							
EXCAVATOR ATTACHMENT Tree Mulcher -severe duty rated- Bull Hog Model BH40EXC or similar 51" for Excavator size 15 to 45 Ton							
FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum							
FLATLINER - attachment for a skid steer Profilograph and bump grinder in one							
FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap.							
FORKLIFT TRUCK 6,000 # Load Cap., Min. 63 HP							
GENERATOR - TRAILER MOUNTED:							
30 kw							
45 kw							
60 kw							
80 kw							
100 kw							
125 kw							
175 kw							
200 kw							
230 kw							
300 kw							
400 kw							
500 kw							
600 kw							
800 kw							
1,000 kw							
2,000 kw							
GRAPPLE ATTACHMENTS for Skid Steer Loaders 72" - 78" attachments							
HEATER - Trailer Mounted, Diesel 22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar							
HAMMER PILE DRIVER DELMAG D8-22 or similar							
PILE HAMMER, DEISEL							
HYDRO-SEEDER							
Trailer Mounted							
HYDRO-SEEDER							

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Trk. Mtd. 1,500 - 2,500 Gal.							
JOINT SEALER							
3 Cylinder, Tandem Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 16"x24" Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT.							
4 - 1,000 watt bulbs							
LOWBOY							
with two drops in deck height - min 35 T							
MANLIFT SP							
40 ft.							
MANLIFT SP							
60 ft.							
MANLIFT SP							
80 ft.							
MANLIFT SP							
125 ft. minimum to 135 ft. maximum							
MANLIFT - SCISSOR, TWO PERSON							
26' Minimum with Extendable Platform							
MESSAGE SIGN							
Programmable							
MORTAR MIXER							
6 CF 5 HP G							
MOTOR GRADER							
35,000-45,000 lbs. class							
PATCH TRAILER							
DuraPatcher or similar							
PATCH TRUCK							
with rear mounted arrow board							
PATCH TRUCK							
DuraMAXX or similar							
PAVER - HOT MIX ASPHALT							
Rubber-tired Paver < 125 HP							
PAVER - HOT MIX ASPHALT							
Rubber-tired Paver > 125 HP							
PAVER - HOT MIX ASPHALT							
Track Paver < 125 HP							
PAVER - HOT MIX ASPHALT							
Track Paver > 125 HP							
POLY PATCHER II or similar							
Double-boiler type mixer, Trl Mtd.							

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
PRESSURE WASHER/Hot Water 120° Min, 700-3000 psi Min.							
ROCKDRILL - SP Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class							
ROCK TRUCK - ARTICULATED 20 -30 T							
ROLLER 5 Ton with 2 steel drums							
ROLLER 10-15 Tons with 2 steel drums							
ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd.							
ROLLER 10 T PNEUTR							
ROLLER 7-15 T PNEUTR, Articulated							
ROLLER SP PNEUTR - 10K GVW G							
ROLLER SP PNEUTR - 20K GVW G							
ROLLER - TRENCH VIB Dual Drum Approx. 10 HP, Approx. 2.5ft W x 8.3 ft L							
ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D							
ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D							
SAND BLASTER 200 lb. hopper min.							
SCISSOR LIFT, TWO PERSON 26' Minimum with Extendable Platform							
SCREENERS, Material Mobile - Diesel							
SHADOW TRUCK w/Attenuator min. 30,000 GVW							
SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6" and 6" to 12" depth							
SKID STEER - HIGH FLOW Attachment: Auger of any diameter							

(DOT6620C009)

Exhibit A	Vendor Name:						
	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
			\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #					
Attachment: Auger of any diameter							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Concrete Mixer							
Attachment: Flatwork Paver - Bidwell or similar							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
Attachment: Jackhammer - Caterpillar CAT H55D S or similar							
Attachment: Concrete Slab Dowel							
SKID STEER - MILLING PLANER							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Auger of any diameter							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
Slope Mower - Compact Tractor							
Ventrac or similar							
SCISSOR LIFT							
26' two man lift with Extendable Platform							
STRAW / MULCH BLOWER							
Trk. Mtd.							
STREET SWEEPER SP							
3.0 Cyd. (min.)							
STREET SWEEPER SP							
8.0 Cyd. (min.)	SCHWARZE	A7			10,000 ⁰⁰	250 ⁰⁰	6 ⁰⁰
STREET SWEEPER							
Trlr. Type							
STREET SWEEPER - HYDROSTATIC							
Elgin Pelican III or similar							
STREET SWEEPER - Towable							
Self-Propelled							
STREET SWEEPER - Truck-Mounted							
4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
TAMPER/COMPACTOR - Vibratory							
650 min. blows per minute							
TRACTOR							

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
John Deere 6100M or similar							
BOOM MOWER Attachment -ALAMO MAVERICK or equivalent for use with offered Tractor							
MULCHERHEAD Attachment for use with offered tractor							
SRD50 or equivalent							
TRACTOR							
John Deere 6200 or similar							
Boom Mower Attachment for use with Offered Tractor							
Flail Mower Attachment for use with Offered Tractor							
Sicklebar Mower Attachment for use with Offered Tractor							
TRAILER							
6 tons with ramps, minimum 18' length, 8.5' width							
TRAILER - FLATBED TRI-AXLE							
22,500 GVWR, 23 ft. with dove tail, Air Breaks							
TRAILER - FLATBED - Two Axles							
20,000# Payload Cap. Min.Width 8.5', Min.Length 24'							
TRAILER - LowBoy							
35 - 50 ton - pony motor, self contained hydraulics							
TRAFFIC SIGNALS - PORT							
2 Phase Operation D/E							
TREE TRIMMER - Power Mechanical Trimmer - Track							
Up to 53' Reach - Kwik-Trim Takeuchi TB260 or simliar							
TREE TRIMMER - Telescoping Trimmer Power Train - Track							
Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar							
TRENCH BOX							
Various Sizes - Vendor provide sizes available							
TRENCH PAVER							
Base Widening Machine							
TRUCK - Water							
Tanker - min 1500 gallons							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Truck Mtd., Hyd. Min. 23 ft. horizontal reach							

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
VACUUM/JETTER SEWER CLEANER Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm 2000+ CFM Vacuum Pump, 2200+ PSI water pump							
VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
VAN - BOX 21,000 or greater							
VIBRATORY ROLLER with Water 4 - 5 ton Steel Double Drum							
VIBRATORY ROLLER with Water 8 - 10 ton Steel Double Drum							
WATER PUMPS - 3" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 4" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 6" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 12" w/SUCTION & DISCHARGE HOSES							
Wheel Loader 90 to 124 HP							
Wheel Loader 125 to 149 HP							
Wheel Loader 150 minimum HP							
WELDER - PORTABLE 225 AMP min. -- GASOLINE powered							
WELDER - PORTABLE 225 AMP min. -- DIESEL powered							
WORK PLATFORM SP SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP SL 35' High Platform 1,500# CAP							