



West Virginia Purchasing Division

2019 Washington Street, East
Charleston, WV 25305
Telephone: 304-558-2306
General Fax: 304-558-6026
Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 5

[List View](#)

General Information

[Contact](#)[Default Values](#)[Discount](#)[Document Information](#)

Procurement Folder: 605438

Procurement Type: Central Master Agreement

Vendor ID: 000000174642

Legal Name: TOOMBS TRUCK & EQUIPMENT CO INC

Alias/DBA:

Total Bid: \$0.00

Response Date: 08/16/2019

Response Time: 15:13

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT2000000022

Published Date: 8/14/19

Close Date: 8/29/19

Close Time: 13:30

Status: Closed

Solicitation Description: EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Total of Header Attachments: 5

Total of All Attachments: 5



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder : 605438

Solicitation Description : EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Proc Type : Central Master Agreement

Date issued	Solicitation Closes	Solicitation Response	Version
	2019-08-29 13:30:00	SR 0803 ESR08161900000000959	1

VENDOR
000000174642 TOOMBS TRUCK & EQUIPMENT CO INC

Solicitation Number: CRFQ 0803 DOT2000000022

Total Bid : \$0.00 **Response Date:** 2019-08-16 **Response Time:** 15:13:14

Comments:

FOR INFORMATION CONTACT THE BUYER
 Crystal G Hustead
 (304) 558-2402
 crystal.g.hustead@wv.gov

Signature on File	FEIN #	DATE
--------------------------	---------------	-------------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR	0.00000	EA	\$0.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #
72141702			

Extended Description :	EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR PER EXHIBIT A PRICING PAGE AND INFORMATION ATTACHMENT FORM
-------------------------------	--

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 50' Reach Min. 43.5' Radius 360 degrees Boom Rotation @ level position	Altec	AA600	400	1,150	3,450	5	5
AERIAL PLATFORM LIFT 80 foot lift minimum							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' reach Min. 360 degree boom rotation @ level position	Elliott	ECE 40	400	1,150	3,450	5	5
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position	Elliott		450	1,250	3,900	5	5
AERIAL PLATFORM TRUCK Elliott Model G50 or similar	Elliott	G-50	400	1,150	3,450	5	5
AERIAL PLATFORM TRUCK Elliott Model L55 or similar	Elliott	L-55	450	1,250	3,900	5	5
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 45 ft working ht min. 1 1/2 man bucket min. Insulated articulating boom. Boom rotation at level position Versalift SST-40-EIH or similar. NO CDL Required							
AERIAL BUCKET TRUCK Highway Rated TRK. MTD Versalift SST-40 EIH or similar 50' Reach Min. 43.5' Radius 10 ft max outrigger spread. 360 degree boom rotation at level position. 1,000 lb min material handling capability.NO CDL Required							
AERIAL BUCKET TRUCK Highway Rated TRK. MTD 55 ft working ht min. Rear mounted Turret. Versalift VST -47-l or similar							
AERIAL PLATFORM LIFT 80 foot lift minimum							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position							
AERIAL PLATFORM TRUCK Elliott Model G50 or similar	Elliott	G-50	400	1,150	3,450	5	5
AERIAL PLATFORM TRUCK Elliott Model L55 or similar	Elliott	L-60	500	1,500	4,500	5	5
AERIAL PLATFORM TRUCK Elliott Model L55-R or similar 55 ft boom length min. Rear mounted turret	Elliott	L-55	450	1,250	3,900	5	5
ARROW BOARDS 4' x 8' panel 15 lamp							
ASPHALT DISTRIBUTOR Trk. Mtd. w/spray bar							
ASPHALT RECYCLER KM T-2 or similar							
ASPHALT RECYCLER Self Loading - Stepp SRM 10x120 or similar							
ASPHALT RECYLING ATTACHMENT							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Endloader bucket - mounted, asphalt grinder/recycle attachmt, min 185 hp 8,500 lb. wt. capable of grinding and remixing up to 12" deep and 48" wide pavement and base							
ASPHALT REMOVAL/RECYCLER Benedetti or similar							
ATTENUATOR - Trailer Mounted must meet NCHRP 350 TL-3							
AUGER 18"-24"							
AUGER 18"-24" Core Barrell							
AUGER Trak Mounted 35,000 Ft lb min.							
AUGER Terex Telelect Commander 6000 Digger, 33,520 lb Capacity, 3 Sections/ 61 Ft Reach or similar							
AUGER Truck-Mounted Digger Derrick 35,000 lb GVW, Rear Mounted Altec D947-TR or similar							
BACKHOE CRAWLER TRACKHOE or similar with drill rig attachment for the boom							
BACKHOE LOADER Rubber Tired 55-85 DHP							
BACKHOE LOADER WITH HYDRAULIC BREAKER Mtd. Hyd. Breaker 55-85 DHP D							
BACKHOE LOADER WITH HYDRAULIC BREAKER Mtd. Air Breaker 1,000 ft./lbs. min.							
BACKHOE LOADER TRACTOR - Compact Rubber Tired 20-30 HP max. height - 83"							
BACKHOE LOADER TRACTOR - Mini 25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar							
BASE WIDENER SP Shoulder Stone							
BOX DELIVERY TRUCK 24 ft length box min. NO CDL Required							
BRUSH CHIPPER - up to 49 hp Cutting size - 12" in diameter.							
BRUSH CHIPPER - from 50 hp to 85 hp Cutting size - 12" in diameter.							
BULLDOZER Crawler GD 65 -75 DHP D							
BULLDOZER Crawler GD 80 -90 DHP D							
BULLDOZER							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Crawler GD 100 -120 DHP D							
BULLDOZER Crawler GD 130 -140 DHP D							
BULLDOZER Crawler TC 150 - 250 EHP D							
BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D							
BULLDOZER Crawler/Winch TCP 181 - 250 EHP D							
CHIP SPREADER SP							
COLD MILLING - Stabilizer/Recycler no less than 12" cutting depth range BOMAG MPH 364 R-2 or similar							
COLD MILL PLANER Self Loading - 2'							
COLD MILL PLANER Self Loading - 4'							
COMPRESSOR 125 - 160 CFM Portwhl.							
COMPRESSOR 170 - 210 CFM Portwhl.							
COMPRESSOR 250 - 300 CFM Portwhl.							
COMPRESSOR 350 - 375 CFM Portwhl.							
COMPRESSOR 600 CFM Portwhl.							
COMPRESSOR 700 - 800 CFM Portwhl.							
CONCRETE MIXER Trk. Mtd. 6.0 Cyd.							
CONCRETE SAW Full Depth CAP - 24" Blade							
CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade							
CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade							
CONVEYOR LOADER / FORCE FEED LOADER LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar							
CRACK SEALING MACHINE Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE Trl. Mtd. Dbl.-Boiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd. Trk. Mtd. min. 18' Bed	Elliott		400	1,250	3,900	5	5
CRANE 12 - 1/2 T Hyd. Trk. Mtd. min. 18' Bed	Elliott		400	1,250	3,900	5	5
CRANE 14 T Hyd. Trk. Mtd. min. 18' Bed	Elliott		400	1,250	3,900	5	5
CRANE 15 - 25 T Hyd. Rough Terrain	Elliott		600	1,900	5,600	5	5
CRANE 20 - 25 T Cable D Crawler							
CRANE 25 - 30 T Cable, Trk. Mtd. G							
CRANE 30 T Hyd.							
CRANE 35 T Hyd.							
CRANE 40 T Hyd.							
CRANE 50 T Hyd.							
CRANE 15 - 20 T Truck Mounted Boom							
CRANE 21 - 25 T Truck Mounted Boom							
CULVERT CLEANER Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
CULVERT CLEANER - radio remote controlled Microtraxx or Similar 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation, to clean 48" to 60" round culverts							
CULVERT CLEANER - radio remote controlled Microtraxx or Similar 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, to clean 36" to 48" round culverts							
DITCH WITCH or similar trencher - walk behind 5-25 hp							
Dump Truck, Class 8, Steel Bed Single Axle							
Dump Truck, Class 8, Aluminum Bed Single Axle							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Dump Truck INTERNATIONAL 4300 SBA or similar							
Dump Truck FORD F650 or similar							
Dump Truck FREIGHTLINER M12106 or similar							
Dump Truck STEEL BED 4 AXLE							
Dump Truck, Tandem Steel Bed Double axle (3 axle)							
Dump Truck, Tandem MACK GU 713 or similar							
Dump Truck, Tandem MACK GU 713 or similar							
Dump Truck, Tandem Freightliner 114 SD or similar							
EQUIPMENT TRAILER 10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER 12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER assisted							
EXCAVATOR - TELEBOOM Track Mtd. SP 0.5 Cyd. D							
EXCAVATOR - TELEBOOM Truck Mtd. SP 0.5 Cyd. D							
EXCAVATOR w/McMillen extreme duty earth auger or similar							
EXCAVATOR Mini-Hyd. Track Mtd. 2,600 lbs. max.							
EXCAVATOR WITH INTEGRATED VIBRATORY PILE DRIVE/EXTRACTOR Minimum 80,000 driving force, MKT V8 or similar							
EXCAVATOR Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs. - 28,000 lbs. Working Weight							
EXCAVATOR Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs. - 35,800 lbs. Working Weight							
EXCAVATOR Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs. - 42,900 lbs. Working Weight							
Attachment: Grapple							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
EXCAVATOR Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs. - 45,900 lbs. Working Weight							
EXCAVATOR WITH HYDRAULIC BREAKER Crawler 2,000 ft./lbs. min. 24,400 lbs. - 35,800 lbs. Excavator Size							
EXCAVATOR WITH HYDRAULIC BREAKER Crawler 2,000 ft./lbs. min. 36,000 lbs. - 42,900 lbs. Excavator Size							
Attachment for offered Excavator: Grapple							
EXCAVATOR WITH HYDRAULIC BREAKER Crawler 2,000 ft./lbs. min. 43,000 lbs. - 60,000 lbs. Excavator Size							
EXCAVATOR WITH HYDRAULIC BREAKER Crawler 2,000 ft./lbs. min.61,000 lbs. - 80,000 lbs. Excavator Size							
HYDRAULIC BREAKER ATTACHMENT ONLY 2,000 ft./lbs. min							
EXCAVATOR Crawler with a thumb							
EXCAVATOR Mini-Hyd. Track Mtd. 6,500 lbs. max.							
Excavator-Wheeled Highway Speed, XL 3100 Gradall or Similar							
Excavator-Wheeled Highway Speed, XL 4100 Gradall or Similar							
Excavator-Wheeled Gradall D152 or similar							
Excavator-Wheeled Crossover							
EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP Track Width 10' out-to-out							
EXCAVATOR - 1/8 Cyd. 30 HP D Track Width 5' out-to-out							
EXCAVATOR - 1/5 Cyd. 44 HP 11,000 lbs. Track Width 6' out-to-out							
EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket, Track Width 6' out-to-out							
EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT Swivel head with ditching bucket							
EXCAVATOR ATTACHMENT Tree Mulcher -severe duty rated- Bull Hog Model BH40EXC or similar 51" for Excavator size 15 to 45 Ton							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum							
FLATLINER - attachment for a skid steer Profilograph and bump grinder in one							
FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap.							
FORKLIFT TRUCK 6,000 # Load Cap., Min. 63 HP							
GENERATOR - TRAILER MOUNTED:							
30 kw							
45 kw							
60 kw							
80 kw							
100 kw							
125 kw							
175 kw							
200 kw							
230 kw							
300 kw							
400 kw							
500 kw							
600 kw							
800 kw							
1,000 kw							
2,000 kw							
GRAPPLE ATTACHMENTS for Skid Steer Loaders 72" - 78" attachments							
HEATER - Trailer Mounted, Diesel 22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar							
HAMMER PILE DRIVER DELMAG D8-22 or similar PILE HAMMER, DEISEL							
HYDRO-SEEDER Trailer Mounted							
HYDRO-SEEDER Trk. Mtd. 1,500 - 2,500 Gal.							
JOINT SEALER 3 Cylinder, Tandem Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 16"x24" Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT. 4 - 1,000 watt bulbs							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
LOWBOY with two drops in deck height - min 35 T							
MANLIFT SP 40 ft.							
MANLIFT SP 60 ft.							
MANLIFT SP 80 ft.							
MANLIFT SP 125 ft. minimum to 135 ft. maximum							
MANLIFT - SCISSOR, TWO PERSON 26' Minimum with Extendable Platform							
MESSAGE SIGN Programmable							
MORTAR MIXER 6 CF 5 HP G							
MOTOR GRADER 35,000-45,000 lbs. class							
PATCH TRAILER DuraPatcher or similar							
PATCH TRUCK with rear mounted arrow board							
PATCH TRUCK DuraMAXX or similar							
PAVER - HOT MIX ASPHALT Rubber-tired Paver < 125 HP							
PAVER - HOT MIX ASPHALT Rubber-tired Paver > 125 HP							
PAVER - HOT MIX ASPHALT Track Paver < 125 HP							
PAVER - HOT MIX ASPHALT Track Paver > 125 HP							
POLY PATCHER II or similar Double-boiler type mixer, Tri Mtd.							
PRESSURE WASHER/Hot Water 120° Min, 700-3000 psi Min.							
ROCKDRILL - SP Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class							
ROCK TRUCK - ARTICULATED							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
20 -30 T							
ROLLER 5 Ton with 2 steel drums							
ROLLER 10-15 Tons with 2 steel drums							
ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd.							
ROLLER 10 T PNEUTR							
ROLLER 7-15 T PNEUTR, Articulated							
ROLLER SP PNEUTR - 10K GVW G							
ROLLER SP PNEUTR - 20K GVW G							
ROLLER - TRENCH VIB Dual Drum Approx. 10 HP, Approx. 2.5ft W x 8.3 ft L							
ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D							
ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D							
SAND BLASTER 200 lb. hopper min.							
SCISSOR LIFT, TWO PERSON 26' Minimum with Extendable Platform							
SCREENERS, Material Mobile - Diesel							
SHADOW TRUCK w/Attenuator min. 30,000 GVW							
SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth							
SKID STEER - HIGH FLOW							
Attachment: Auger of any diameter							
Attachment: Auger of any diameter							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Concrete Mixer							
Attachment: Flatwork Paver - Bidwell or similar							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
Attachment: Jackhammer - Caterpillar CAT H55D S or similar							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Attachment: Concrete Slab Dowel							
SKID STEER - MILLING PLANER							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Auger of any diameter							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
Slope Mower - Compact Tractor							
Ventrac or similar							
SCISSOR LIFT							
26' two man lift with Extendable Platform							
STRAW / MULCH BLOWER							
Trk. Mtd.							
STREET SWEEPER SP							
3.0 Cyd. (min.)							
STREET SWEEPER SP							
8.0 Cyd. (min.)							
STREET SWEEPER							
Trlr. Type							
STREET SWEEPER - HYDROSTATIC							
Elgin Pelican III or similar							
STREET SWEEPER - Towable							
Self-Propelled							
STREET SWEEPER - Truck-Mounted							
4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
TAMPER/COMPACTOR - Vibratory							
650 min. blows per minute							
TRACTOR							
John Deere 6100M or similar							
BOOM MOWER Attachment -ALAMO MAVERICK or equivalent for use with offered Tractor							
MULCHERHEAD Attachment for use with offered tractor							
SRD50 or equivalent							
TRACTOR							
John Deere 6200 or similar							
Boom Mower Attachment for use with Offered Tractor							
Flail Mower Attachment for use with Offered Tractor							
Sicklebar Mower Attachment for use with Offered Tractor							
TRAILER							

CRFQ DOT2000000022

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
6 tons with ramps, minimum 18' length, 8.5' width							
TRAILER - FLATBED TRI-AXLE 22,500 GVWR, 23 ft. with dove tail, Air Breaks							
TRAILER - FLATBED - Two Axles 20,000# Payload Cap. Min.Width 8.5', Min.Length 24'							
TRAILER - LowBoy 35 - 50 ton - pony motor, self contained hydraulics							
TRAFFIC SIGNALS - PORT 2 Phase Operation D/E							
TREE TRIMMER - Power Mechanical Trimmer - Track Up to 53' Reach - Kwik-Trim Takeuchi TB260 or simliar							
TREE TRIMMER - Telescoping Trimmer Power Train - Track Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar							
TRENCH BOX Various Sizes - Vendor provide sizes available							
TRENCH PAVER Base Widening Machine							
TRUCK - Water Tanker - min 1500 gallons							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach							
UNDERBRIDGE PLATFORM Truck Mtd., Hyd. Min. 23 ft. horizontal reach							
VACUUM/JETTER SEWER CLEANER Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm 2000+ CFM Vacuum Pump, 2200+ PSI water pump							
VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
VAN - BOX 21,000 or greater							
VIBRATORY ROLLER with Water 4 - 5 ton Steel Double Drum							
VIBRATORY ROLLER with Water							

(DOT6620C009)

Exhibit A		Vendor Name:					
Equipment Description (WITHOUT Operator)	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
8 - 10 ton Steel Double Drum							
WATER PUMPS - 3" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 4" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 6" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 12" w/SUCTION & DISCHARGE HOSES							
Wheel Loader 90 to 124 HP							
Wheel Loader 125 to 149 HP							
Wheel Loader 150 minimum HP							
WELDER - PORTABLE 225 AMP min. -- GASOLINE powered							
WELDER - PORTABLE 225 AMP min. -- DIESEL powered							
WORK PLATFORM SP SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP SL 35' High Platform 1,500# CAP							

Information Attachment Form

Vendor Name Toombs Truck & Equipment Co, Inc

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The Vendor shall provide the 911 address or the most recent physical street address, city and state for the base location(s). If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified. If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

Vendor Base Location:	
Toombs Truck & Equipment Co, Inc	
1800 Walcutt Rd	
Columbus, Ohio 43228	
Vendor Base Location:	
Mirk, Inc - Corporate Office	
7629 Chippewa Rd	
Orrville, Ohio 44667	
Vendor Base Location:	

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or "√" beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

X	STATEWIDE				
	Barbour		Kanawha		Pocahontas
	Berkeley		Lewis		Preston
	Boone		Lincoln		Putnam
	Braxton		Logan		Raleigh
	Brooke		McDowell		Randolph
	Cabell		Marion		Ritchie
	Calhoun		Marshall		Roane
	Clay		Mason		Summers
	Doddridge		Mercer		Taylor
	Fayette		Mineral		Tucker
	Gilmer		Mingo		Tyler
	Grant		Monongalia		Upshur
	Greenbrier		Monroe		Wayne
	Hampshire		Morgan		Webster
	Hancock		Nicholas		Wetzel
	Hardy		Ohio		Wirt
	Harrison		Pendleton		Wood
	Jackson		Pleasants		Wyoming
	Jefferson				



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 12 - Equip. Rental

Proc Folder: 605438

Doc Description: EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2019-08-14	2019-08-29 13:30:00	CRFQ 0803 DOT2000000022	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number:

Toombs Truck & Equipment Co, Inc
 1800 Walcutt Rd
 Columbus, Ohio 43228
 614-876-3000

FOR INFORMATION CONTACT THE BUYER

Crystal G Hustead
 (304) 558-2402
 crystal.g.hustead@wv.gov

Signature X

FEIN # 31-4445243

DATE 8/15/19

All offers subject to all terms and conditions contained in this solicitation

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Debbie Pinard
(Name, Title)
Debbie Pinard - Secretary
(Printed Name and Title)
1800 Walcutt Rd - Columbus, Ohio 43228
(Address)
614-876-3000
(Phone Number) / (Fax Number)
toombstruckequipment@mirkinc.us
(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Toombs Truck & Equipment Co
(Company)
Debbie Pinard
(Authorized Signature) (Representative Name, Title)
Debbie Pinard - Secretary
(Printed Name and Title of Authorized Representative)
08-15-2019
(Date)
614-876-300 Fax - 614-876-1135
(Phone Number) (Fax Number)

REQUEST FOR QUOTATION
CRFQ DOT2000000022
Equipment Lease/Rental WITHOUT Operator (DOT6620C009)

- 8.2 Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 8.3 Inspection of Equipment:** The Vendor shall have the right, during normal working hours, to the extent of the WVDOH's authority, to enter upon the premises where the said equipment is located for inspecting the lease/rented equipment.
- 8.4 Damage beyond the control of the WVDOH:** The WVDOH shall not be liable for damage to or loss of any leased/rented equipment resulting from lightning, Acts of God, riots, strikes or other causes beyond the WVDOH's control.
- 8.5 Insurance:** The WVDOH is insured by the Board of Risk and Insurance Management. Insurance coverage will be provided by that agency only for long term, over thirty consecutive days of equipment lease/rental. Insurance coverage for short term lease/rental of equipment will be the responsibility of the owner/Vendor. The WVDOH will, at its option, either replace or pay to the Vendor the fair market value of any of the said equipment or any part thereof, lost destroyed or stolen because of the negligence of or lack of ordinary care on the part of its employees.
- 8.6 Liens:** The WVDOH shall not directly or indirectly create, incur, assume or suffer to exist any mortgage, pledge, lien, charge and encumbrance or claim on or with respect to the lease/rented equipment, except with respect to the respective rights of the Vendor and the WVDOH.
- 8.7 Reports:** Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items leased/rented, quantities of items leased/rented and total dollar value of the items leased/rented. Vendor shall also provide reports, upon request, showing the items leased/rented during the term of this Contract, the quantity leased/rented for each of those items and the total value of lease/rental for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.8 Contract Manager:** During its performance of this Contract, the Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below:

Contract Manager: Debbie Pinard
Telephone Number: 614-876-3000

REQUEST FOR QUOTATION
CRFQ DOT200000022
Equipment Lease/Rental WITHOUT Operator (DOT6620C009)

Fax Number: 614-876-1135
Email Address: toombstruckequipment@mirkinc.us

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Toombs Truck & Equipment Co., Inc.


Authorized Signature: Shelby J. Hunt Date: 8/16/2019

State of Ohio

County of Wayne, to-wit:

Taken, subscribed, and sworn to before me this 16th day of August, 2019.

My Commission expires _____, 20____.



NOTARY PUBLIC John E. Pamer
Purchasing Affidavit (Revised 01/18/2018)



MIRKINC-01

D1KBORSICH

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

08/16/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an **ADDITIONAL INSURED**, the policy(ies) must have **ADDITIONAL INSURED** provisions or be endorsed. If **SUBROGATION IS WAIVED**, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER License # 954553 AssuredPartners of Ohio, LLC 3900 Kinross Lakes Parkway #300 Richfield, OH 44286	CONTACT NAME: Kara Borsich PHONE (A/C, No, Ext): (440) 895-6521 E-MAIL ADDRESS: kara.borsich@assuredpartners.com	FAX (A/C, No): (440) 356-2126
	INSURER(S) AFFORDING COVERAGE INSURER A : Lexington Insurance Company	
INSURED Toombs Truck & Equipment, Inc. 7629 Chippewa Road Orrville, OH 44667-9016	INSURER B : INSURER C : INSURER D : INSURER E : INSURER F :	

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	COMMERCIAL GENERAL LIABILITY CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR X Retained Amount Poli GEN'L AGGREGATE LIMIT APPLIES PER: POLICY <input checked="" type="checkbox"/> PROJECT <input checked="" type="checkbox"/> LOC OTHER:			054197976	02/03/2019	02/03/2020	EACH OCCURRENCE \$ 2,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 \$
A	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY			054197976	02/03/2019	02/03/2020	COMBINED SINGLE LIMIT (Ea accident) \$ 2,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	UMBRELLA LIAB EXCESS LIAB OCCUR CLAIMS-MADE DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y/N If yes, describe under DESCRIPTION OF OPERATIONS below N/A			054197976	02/03/2019	02/03/2020	PER STATUTE <input checked="" type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 2,000,000 E.L. DISEASE - EA EMPLOYEE \$ 2,000,000 E.L. DISEASE - POLICY LIMIT \$ 2,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
\$2,000,000 Occurrence Excess of \$200,000 Retained Amount on the General Liability
\$2,000,000 Occurrence Excess of \$1,000,000 Retained Amount on the Auto Liability

Workers Compensation Section refers to Ohio Employers Liability Only

CERTIFICATE HOLDER**CANCELLATION**

State of West Virginia
 1900 Kanawha Blvd East Bldg #5
 Charleston, WV 25305

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Kara Borsich