



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 1

[List View](#)

General Information

Contact

Default Values

Discount

Document Information

Procurement Folder: 628828

SO Doc Code: CRFQ

Procurement Type: Central Master Agreement

SO Dept: 0803

Vendor ID: 000000177068

SO Doc ID: DOT2000000053

Legal Name: BRIDGEPORT EQUIPMENT & TOOL

Published Date: 11/20/19

Alias/DBA: BET LTD

Close Date: 12/3/19

Total Bid: \$5,318,760.00

Close Time: 13:30

Response Date: 12/03/2019

Status: Closed

Response Time: 11:10

Solicitation Description: ADDENDUM 1 TRACTOR W/MID
MTD. ART. BOOM MOWER

Total of Header Attachments: 1

Total of All Attachments: 1



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder : 628828

Solicitation Description : ADDENDUM 1 TRACTOR W/MID MTD. ART. BOOM MOWER (7020EC08)

Proc Type : Central Master Agreement

Date issued	Solicitation Closes	Solicitation Response	Version
	2019-12-03 13:30:00	SR 0803 ESR12031900000003369	1

VENDOR
000000177068 BRIDGEPORT EQUIPMENT & TOOL BET LTD

Solicitation Number: CRFQ 0803 DOT2000000053

Total Bid : \$5,318,760.00 **Response Date:** 2019-12-03 **Response Time:** 11:10:56

Comments:

FOR INFORMATION CONTACT THE BUYER
 Crystal G Hustead
 (304) 558-2402
 crystal.g.hustead@wv.gov

Signature on File	FEIN #	DATE
--------------------------	---------------	-------------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	CLASS 131 4WD TRACTOR W/MID MTD ART. BOOM MOWER	40.00000	EA	\$122,069.000000	\$4,882,760.00

Comm Code	Manufacturer	Specification	Model #
21101701			

Extended Description : 4 WHEEL DRIVE TRACTOR JOHN DEERE 6110M W/MID-MOUNTED TIGER BENGAL ARTICULATED BOOM MOWER WITH 60-INCH ROTARY CUTTING HEAD OR EQUAL

Comments: BIDDING ONE (1) NEW, JOHN DEERE MODEL 6110M EQUIPPED WITH A TRI TECH MFG. BOOM MOWER WITH 60 INCH HEAD - MODEL TT-21-0R AS PER SECIFICATIONS.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	TIGER 36-INCH GROWLER MULCH HEAD OR EQUAL	40.00000	EA	\$10,900.000000	\$436,000.00

Comm Code	Manufacturer	Specification	Model #
21101708			

Extended Description : 36-INCH GROWLER MULCH HEAD

Comments: BIDDING TRI TECH MFG. 36 INCH MULCHING HEAD. AS PER SPECIFICATIONS.



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 13 - Equipment

Proc Folder: 628828

Doc Description: TRACTOR W/MID MTD. ART. BOOM MOWER (7020EC08)

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2019-10-18	2019-12-03 13:30:00	CRFQ 0803 DOT2000000053	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number:

BRIDGEPORT EQUIPMENT AND TOOL
 1504 OAKHURST DRIVR
 CHARLESTON, WV 25314
 304-659-2917

FOR INFORMATION CONTACT THE BUYER

Crystal G Hustead
 (304) 558-2402
 crystal.g.hustead@wv.gov

Signature X *Knott A. Gardner* FEIN # 34-18000484 DATE 11/25/2019
 All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR A FOUR (4) WHEEL DRIVE UTILITY JOHN DEERE TRACTOR 6110M OR EQUAL WITH MID MOUNTED TIGER BENGAL ARTICULATED BOOM MOWER WITH 60" ROTARY CUTTING HEAD PER THE ATTACHED DOCUMENTS.

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO CRYSTAL.G.HUSTEAD@WV.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

INVOICE TO:	SHIP TO:
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV26201 US	DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV 26201 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	CLASS 131 4WD TRACTOR W/MID MTD ART. BOOM MOWER	40.00000	EA	\$122,069.00	\$4,882,760.00

Comm Code	Manufacturer	Specification	Model #
21101701	JOHN DEERE 6110M W/TRI TECH MFG.	AS PER SPECIFICATION	6110M TT-21-60R

Extended Description :

4 WHEEL DRIVE TRACTOR JOHN DEERE 6110M W/MID-MOUNTED TIGER BENGAL ARTICULATED BOOM MOWER WITH 60-INCH ROTARY CUTTING HEAD OR EQUAL

INVOICE TO:	SHIP TO:
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV26201 US	DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV 26201 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	TIGER 36-INCH GROWLER MULCH HEAD OR EQUAL	40.00000	EA	\$10,900.00	\$436,000.00

Comm Code	Manufacturer	Specification	Model #
21101708	TRI TECH MFG.	AS PER SPECIFICATION	TTMH-36

Extended Description :

36-INCH GROWLER MULCH HEAD

SCHEDULE OF EVENTS:

Line	Event	Event Date
1	MANDATORY PRE-BID MEETING	2019-11-06
2	VENDOR QUESTION DEADLINE	2019-11-15



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 13 – Equipment

Proc Folder: 628828

Doc Description: ADDENDUM 1 TRACTOR W/MID MTD. ART. BOOM MOWER (7020EC08)

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2019-11-20	2019-12-03 13:30:00	CRFQ 0803 DOT2000000053	2

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number:

BRIDGEPORT EQUIPMENT AND TOOL
 1504 OAKHURST DRIVE
 CHARLESTON, WV 25314
 304-659-2917

FOR INFORMATION CONTACT THE BUYER

Crystal G Hustead
 (304) 558-2402
 crystal.g.hustead@wv.gov

Signature X *Ronald A. Gardner* FEIN # 34-1800484 DATE 11/25/2019
 All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR A FOUR (4) WHEEL DRIVE UTILITY JOHN DEERE TRACTOR 6110M OR EQUAL WITH MID MOUNTED TIGER BENGAL ARTICULATED BOOM MOWER WITH 60" ROTARY CUTTING HEAD PER THE ATTACHED DOCUMENTS.

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO CRYSTAL.G.HUSTEAD@WV.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV26201 US		DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV 26201 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	CLASS 131 4WD TRACTOR W/MID MTD ART. BOOM MOWER	40.00000	EA	\$122,069.00	\$4,882,760.00

Comm Code	Manufacturer	Specification	Model #
21101701	JOHN DEERE TRI-TECH MFG.	AS PER SPECIFICATION	6110M TT-21 60R

Extended Description :

4 WHEEL DRIVE TRACTOR JOHN DEERE 6110M W/MID-MOUNTED TIGER BENGAL ARTICULATED BOOM MOWER WITH 60-INCH ROTARY CUTTING HEAD OR EQUAL

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV26201 US		DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV 26201 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	TIGER 36-INCH GROWLER MULCH HEAD OR EQUAL	40.00000	EA	\$10,900.00	\$436,000.00

Comm Code	Manufacturer	Specification	Model #
21101708	TRI TECH MFG.	AS PER SPECIFICATION	TTMH-36

Extended Description :

36-INCH GROWLER MULCH HEAD

SCHEDULE OF EVENTS

Line	Event	Event Date
1	MANDATORY PRE-BID MEETING	2019-11-06
2	VENDOR QUESTION DEADLINE	2019-11-15

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: DOT2000000053

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

BRIDGEPORT EQUIPMENT AND TOOL

Company



Authorized Signature

11/25/2019

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.
Revised 6/8/2012

SOLICITATION NUMBER: CRFQ DOT2000000053

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

1. To provide answers to vendor questions
2. To publish the pre-bid meeting sign-in sheets

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

ADDENDUM 1

CRFQ 0803 DOT2000000053

John Deere 6110M or Equal w/Mid Mounted Tiger Bengal II Articulated Boom Mower

The original language in contract will be listed first with question and answer to follow below.

1. 3.1.1.4 The unit specified herein and offered shall be manufactured on or after January 1, 2020 and will be clearly identified and marked with date of manufacture.

Question # 1 : Request date of Manufacture for tractor changed to a 2019 or 2020 machine.

Question # 2: What if the tractor is produced before Jan 1, 2020?

Answer: Question #1. Will accept 2019 or 2020 model.

Question #2. Will accept.

2. 3.1.1.2 Wheelbase shall be 90 inches minimum.

Question: Will you accept Wheelbase of 88.6 inches?

Answer: Yes. Will accept.

3.. 3.1.2.3 Shall be Manufacturers standard (4) four-cylinder minimum, water cooled, 4 valves per cylinder diesel powered engine.

Question: The RFQ specifies that the state wants four (4) Wheel Drive Tractor John Deere 6110M. We are requesting that the listed specification 3.1.2.3 be corrected to include 2 valves per cylinder, which more accurately describes the current model year 2020 production of the John Deere 6110M tractor.

Answer: Yes. Will revise to read Shall be manufacturers standard (4) four-cylinder minimum, water cooled, diesel powered engine.

4. 3.1.6.4 Shall have Manufacturer factory back up alarm.

Question: Can the backup alarm be dealer installed?

Answer: No. Leave as written.

5. 3.1.9.1 Unit shall have Whelen IX4AC liberty II LED amber and white lightbar or equal, mounted on the top rear center of cab protection.

Answer: The Equipment Division will be removing section 3.1.9.1, we will be installing our own light bar.

6. 3.1.12.5 Transmission shall have speed matching feature to match speed gears to road speed during range shifting.

Question: Please clarify statement 3.1.12.5

Answer: Answer: As the operator shifts up or down a range, the tractor will select the appropriate speed gear within that range depending on tractor speed. An example would be if the tractor was operating in B4 and the operator shifted to C range. The tractor would select gear two based on information that the controller receives from various speed sensors (engine, range box, and wheel speed). Without speed matching, the transmission would shift from B4 to C4, representing a larger jump in speed and would not be as smooth.

7. 3.1.14.1 Right side stabilizer for front axle shall be included.

Question: Why is the right side stabilizer for front axle under the tractor requirements? Shouldn't it be listed under the boom mower section?

Answer: Yes. Should be in the mower section and is still a mandatory requirement

8. 3.1.19 Tires – The following are mandatory requirements related to the tires.

3.1.19.1 Front tire shall be Nokian TRI 2 or equal 400/80/24 minimum with correct ply and load rating for model bid.

3.1.19.2 Rear tires shall be Nokian TRI 2 or equal 480/80/34 Minimum with correct ply and load rating for model bid.

Question # 1: Are 400/80R28 (Alliance) front tires fine?

Question # 2: Are 480/80R38 (Alliance) rear tires fine?

Answer: Question #1. No. Leave as written.

Question #2. No. Leave as written.

9. 3.1.20.6 Shall be equipped with sway control blocks on PTO housing to prevent horizontal movement.

2.1.20.7 Shall be equipped with right and left side adjustable draft link stabilizer bars.

Question # 1: Will 3 point sway bars be acceptable? Bid spec calls out for 3 point blocks.

Question # 2: Can a sway bar be used instead of sway blocks? (3.1.20.6 & 3.1.20.7)

Answer: Question #1. No. Leave as written.

Question #2. No. Leave as written.

10. 3.1.21.3 Cab shall have Poly-shield or equal on right side 1/2 inch thick minimum with anti-scratch coating on both sides, installed into the original cab manufactured door and side window. Windows shall be tinted at all locations.

Question: A. Industry standard for right hand polycarbonate windows on boom mowing tractors is 3/8-inch thick. Will 3/8-inch thickness be acceptable?

Answer: No. Leave as written.

11. 3.1.21.4 Cab unit shall be equipped with heater, defroster, air conditioning and standard AM/FM radio with Bluetooth and shall be installed by the manufacturer.

Question: We politely ask that you change the language to: Cab unit shall be equipped with heater, defroster, and air conditioning and shall be installed by the manufacturer. An AM/FM radio with Bluetooth shall be installed.

Answer: Yes. Will revise to read: Cab unit shall be equipped with heater, defroster, air conditioning installed by manufacturer. A Jensen SWJHD1635BT or equal AM/FM radio with Bluetooth shall also be installed.

12. 3.2.2.2 Unit shall be counterweighted to maintain the most possible ground pressure of tires on opposite side of mower during all reach out, up, and down operations of boom with specified head. Rear tire that holds counterweight shall be filled with beet juice, water or calcium filled will not be accepted.

Question: Will you accept windshield washer fluid to replace beet juice?

Answer: No. Leave as written.

13. 3.2.3.7 All motor circuit hoses shall be a minimum of 1 inch diameter, four (4) wire braided.

Question: The standard hose Tiger uses meets SAE standard 100R17. The hydraulic hose we use has a working pressure of 3000PSI, and a minimum burst pressure of 12,000 PSI. Will the state change the specifications to allow 1 inch 2 wire hydraulic hose?

Answer: Yes. Will accept two (2) wire braided hose.

14. 3.2.5.7 Boom swing from stow position shall be 140 degrees forward minimum and be a rear stow design.

Question # 1: The Bengal boom mower Tiger Mowers is offering has a 112 degree swing forward from the rear stowed position. Will the state change the specification to allow 112 degrees of forward swing from stow position as it is stated in bid # 0054?
(DOT20*54)-3.2.5.6 Boom swing from stow position shall be 110 degrees forward minimum and shall be rear stow design only.

Question # 2: We request that the State change the specification to a minimum 110 degree swing forward from the rear stowed position.

Answer: Question #1. Yes. Will change 3.2.2.7 to read Boom swing from stow position shall be 110 degrees forward minimum and be a rear stow design.

Question #2. Yes. Will change 3.2.2.7 to read Boom swing from stow position shall be 110 degrees forward minimum and be a rear stow design.

15. 3.2.6.3 Side skirts shall be a minimum of ¼ inch steel.

Question: What is the required side skirt material thickness for mower deck, first bid states (20*51) 3/8" material and this bid specs ¼"?

Answer: Bid spec DOT2000000053 has a minimum side skirt material thickness requirement of 1/4 -inch. Bid spec DOT2000000051 is a separate bid spec and has a side skirt minimum thickness requirement of 3/8-inch. Leave as written

16. 3.2.7 Optional Cutting Heads

Question: A. The current bid does not address how the hydraulic lines are to be disconnected and reconnected when an optional cutting head is changed from another head. Would hydraulic quick coupler fittings that seal upon being disconnected to prevent oil loss and system contamination be desired on all hydraulic lines that need to be disconnected in order change between the various optional hydraulic attachments?

Answer: Will accept manufacturers standard hydraulic connections.

17. 3.2.7.1 Tiger Growler Mulcher Head or equal Exhibit E

Question: A. For boom mounted mulching, two primary cutting styles, Disk Style and Drum Style, exist in the market. Operational economics and cutting productivity are generally better with a disk style cutting head. Will a disk style mulching head be equal to Exhibit E?

Answer: Yes. Will accept

18. Question: What is the required material size after mulching?

Answer: No chip size requirement

19. 15. PREFERENCE: Vendor Preference may be requested in purchases of motor vehicles or construction and maintenance equipment and machinery used in highway and other infrastructure projects. Any request for preference must be submitted in writing with the bid, must specifically identify the preference requested with reference to the applicable subsection of West Virginia Code § 5A-3-37, and should include with the bid any information necessary to evaluate and confirm the applicability of the requested preference. A request form to help facilitate the request can be found at: <http://www.state.wv.us/admin/purchase/vrc/Venpref.pdf>.

Question: Will vendor preference be used when determining these bids?

Answer: Yes, to comply with applicable subsection of West Virginia Code § 5A-3-37


20. 6.1 Delivery Time: A completed pilot model for inspection must be provided within **120** working day(s) after receipt of the pilot model order, by the successful vendor. Vendor shall deliver standard orders within **180** working days after orders are received Working day is defined as any week day, Monday thru Friday, excluding Federal and State Holidays. Vendor shall ship all orders until a minimum delivery quantity is met.

Question: We would ask that the delivery be extended by 30 working days, so 150 working days for the pilot model and 210 working days for the balance.

Answer: Yes. Will extend

VENDOR: BRIDGEPORT EQUIPMENT AND TOOL **Class 131 4WD Tractor with Boom Mower**

CRFQ DOT2000000053

Item No.	Description:	Model & Part Number Being Bid	Estimated Unit Quantity	Unit Price	Item Total Cost
1	John Deere 6110m with Tiger Bengal boom mower with 60-inch rotary head or equal	JOHN DEERE 6110M with Tri Tech Model TT - 21-60R Boom Mower with 60 Inch Rotary Head	40	\$122,069.00	\$4,882,760.00
2	Tiger 36-inch growler mulch head or equal	Tri Tech 36 Inch Mulching Head	40	\$ 10,900.00	\$ 436,000.00
Total Bid Amount 					\$5,318,760.00
Contract will be awarded to the lowest responsible bidder					

Vendor Information

Company Name: BRIDGEPORT EQUIPMENT AND TOOL

Contract Manager: RONALD A. GARDNER

Address: 1504 OAKHURST DRIVE

CHARLESTON, WV 25314

Phone: 304-659-2917

Fax: 304-659-3371

Email: rgardner@bridgeportequip.com

Signature: *Ronald A. Gardner*

ht

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

RONALD A. GARDNER SALES

(Name, Title)
RONALD A. GARDNER SALES

(Printed Name and Title) 1504 OAKHURST DRIVE, CHARLRSTON, WV 25314


(Address) 304-659-2917 304-659-3371

(Phone Number) / (Fax Number)
rgardner@bridgeportequip.com

(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

BRIDGEPORT EQUIPMENT AND TOOL

(Company)
 RONALD A. GARDNER SALES

(Authorized Signature) (Representative Name, Title)
RONALD A. GARDNER SALES

(Printed Name and Title of Authorized Representative)

11/25/2019

(Date)

304-659-2917 304-659-3371

(Phone Number) (Fax Number)

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

SPECIFICATIONS

1. **PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids On behalf of the West Virginia Division of Highways, Department of Transportation to establish an open-end contract for a four (4) Wheel Drive Utility John Deere Tractor 6110M or Equal with Mid Mounted Tiger Bengal Articulated Boom Mower With 60” Rotary Cutting Head.

2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
 - 2.1 **“Contract Item” or “Contract Items”** means the list of items identified in Section 3, Subsection 1 below.
 - 2.2 **“Pricing Pages”** means the schedule of prices, estimated order quantity, and totals contained in wvOASIS or attached hereto as Exhibit A, and used to evaluate the Solicitation responses.
 - 2.3 **“Solicitation”** means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.
 - 2.4 **“WVDOH”** means West Virginia Division of Highways.
 - 2.5 **“EPA”** means Environmental Protection Agency.
 - 2.6 **“PTO”** means Power Take Off.
 - 2.7 **“OSHA”** means Occupational Safety and Health Act.
 - 2.8 **“MPH”** means miles per hour.
 - 2.9 **“GPM”** means gallons per minute.
 - 2.10 **“PSI”** means pounds per square inch.
 - 2.11 **“ROPS”** means Roll-over Protection Structures.
 - 2.12 **“RPM”** means Revolutions per minute.
 - 2.13 **“CCA”** means cold cranking amps.
 - 2.14 **“SCV”** means selective control valve

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

2.15 "MBG" means medium brush and grass

3. GENERAL REQUIREMENTS:

3.1 Contract Items and Mandatory Requirements: Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract items must meet or exceed the mandatory requirements as shown below.

3.1.1 General – 4 Wheel Drive Tractor general mandatory requirements.

3.1.1.1 Unit shall be 4-wheel drive.

3.1.1.2 Wheelbase shall be 90 inches minimum.

3.1.1.3 Tractor dry weight (without ballast): shall be 10,000 lbs. minimum. ✓

3.1.1.4 All daily checks shall be done from ground level.

3.1.1.5 The unit specified herein and offered shall be manufactured on or after January 1, 2020 and will be clearly identified and marked with date of manufacture.

3.1.2 Engine – The following are mandatory requirements related to the tractor's engine.

3.1.2.1 Engine shall be Tier 4 final.

3.1.2.2 Shall have 85 PTO horsepower minimum.

3.1.2.3 Shall be Manufacturers standard (4) four-cylinder minimum, water cooled, 4 valves per cylinder diesel powered engine.

3.1.2.4 Shall be Manufacturers standard governor with engine key shut off, wire sealed by Manufacturer.

3.1.3 Engine Lubrication System – The following are mandatory requirements related to engine's lubrication system.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

3.1.3.1 The engine shall have full pressure lubrication with oil filter and oil bypass system.

3.1.3.2 Shall have engine oil cooler

3.1.4 Engine Cooling System – The following are mandatory requirements related to the engine’s cooling system.

3.1.4.1 Shall have manufacturer’s largest cooling system offered.

3.1.4.2 Cooling system shall be equipped with a coolant recovery tank and sight glass.

3.1.4.3 Shall have engine air filtration system.

3.1.4.4 Shall have Dry type dual element (2 stage) air cleaner with self-dumping valve.

3.1.4.5 Unit shall an air filter restriction indicator that is operator visible when service is required.

3.1.5 Exhaust System – The following are mandatory items related to the exhaust system.

3.1.5.1 The muffler shall be mounted in compliance with Tier 4 final standards and not interfere with the articulated boom mower.

3.1.6 Electrical System – The following are mandatory items related to the electrical system.

3.1.6.1 Unit’s electrical system shall be manufacturer’s noise suppression wiring and must have 12 volts negative ground.

3.1.6.2 Shall have Neutral start switch (for safety purposes)

3.1.6.3 Shall have minimum 1200 cold cranking amp (CCA) battery.

3.1.6.4 Shall have Manufacturer factory back up alarm.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

3.1.7 Charging System – The following are mandatory items related to the charging system.

3.1.7.1 Charging system shall be 12volt negative ground

3.1.8 Engine Fuel System – The following are mandatory requirements related to the engine's fuel system.

3.1.8.1 If fuel tank is exposed, manufacturers skid plate must be provided.

3.1.8.2 Dual stage fuel filtering shall be provided.

3.1.8.3 Unit shall have a fuel water separator.

3.1.8.4 Shall have largest manufacture DEF tank offered not to interfere with articulated boom mower.

3.1.9 Lighting – The following are mandatory requirements related to the lights.

3.1.9.1 Unit shall have Whelen IX4AC liberty II LED amber and white lightbar or equal, mounted on the top rear center of cab protection.

3.1.9.2 Shall have two (2) high-low beam head light (halogen) with manufacturers heavy duty console mounted switch.

3.1.9.3 Shall have four (4) LED factory roof mounted work lights; two (2) front and two (2) rear.

3.1.9.4 Shall have fender mounted rear taillights and turn signals.

3.1.9.5 Unit shall have seven pin (7) factory installed terminal out socket to provide lighting for towed equipment.

3.1.9.6 Shall have four (4) factory roof mounted flashing warning lights; two (2) front and two (2) rear.

3.1.9.7 Unit shall be provided with console and dome lighting.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

3.1.10 Unit Instrumentation – The following are mandatory requirements related to the unit’s instrument panel.

3.1.10.1 Unit Instrumentation shall include:

- A. Tachometer
- B. Speedometer
- C. Hour meter operable from engine operation not key switch
- D. Coolant temperature indicator with audible buzzer or warning light
- E. Oil pressure indicator with audible buzzer or warning light
- F. Hydraulic oil temperature indicator with audible buzzer or warning light, to warn operator when manufacturers recommended hydraulic oil temperature is exceeded.

3.1.11 Clutch - The following are mandatory requirements related to the clutch.

3.1.11.1 Clutch shall be wet type.

3.1.12 Transmission – The following are mandatory requirements related to the transmission’s design and arrangement.

3.1.12.1 Shall have power shift design, power shuttle provides touch button powershifting through the gears of each range and must have a transmission that can be shifted on the go without using a clutch within the speed gears.

3.1.12.2 Shall have transmission forward and reverser control that can be shifted from forward to reverse without the use of a clutch and shifted on the go, shifter mounted on the steering column.

3.1.12.3 The unit shall have a minimum of 15 forward speeds and 15 reverse speeds.

3.1.12.4 Range selections requires clutch usage but can be shifted while moving through all ranges.

3.1.12.5 Transmission shall have speed matching feature to match speed gears to road speed during range shifting.

REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)

3.1.13 Differential – The following are mandatory requirements related to the differential.

3.1.13.1 Shall have manufacturer's differential lock engagement and disengagement capability and must be able to engage differential lock on the go.

3.1.14 Front Axle – The following are mandatory requirements related to the front axle.

3.1.14.1 Right side stabilizer for front axle shall be included.

3.1.14.2 Manufacturers standard 4-wheel drive unsuspended front axle with limited slip differential.

3.1.15 Rear Axle – The following are mandatory requirements related to the rear axle.

3.1.15.1 The rear axle shall be flanged-type axle.

3.1.16 Planetary Final Drives – The following are mandatory requirements related to the tractor's planetary final drives.

3.1.16.1 Planetary final drives shall be in board type.

3.1.17 Hydraulic System – The following are mandatory requirements related to the tractor's hydraulic system.

3.1.17.1 Tractor hydraulic system shall be closed center; pressure flow compensated load sensing type and provide 29 GPM minimum pump flow.

3.1.17.2 Tractor shall have a minimum of three (3) mechanically controlled SCV control valves John Deere 450 series or equal with three (3) detent positions and Hydraulic flow adjustment. See attachment Exhibit C

3.1.17.3 Shall have hydraulic hoses that can be coupled and uncoupled while tractor is running.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

3.1.17.4 Tractor hydraulic system shall be separate from mower attachment hydraulic system.

3.1.18 Brakes – The following are mandatory requirements related to the brakes.

3.1.18.1 Manufacturer's standard park braking system shall be provided.

3.1.18.2 Tractor shall have hydraulic actuated service brakes.

3.1.18.3 Tractor shall have wet-type disk brakes which must be both self-adjusting and equalizing.

3.1.19 Tires – The following are mandatory requirements related to the tires.

3.1.19.1 Front tire shall be Nokian TRI 2 or equal 400/80/24 minimum with correct ply and load rating for model bid.

3.1.19.2 Rear tires shall be Nokian TRI 2 or equal 480/80/34 Minimum with correct ply and load rating for model bid.

3.1.20 Three Point Hitch – The following are mandatory requirements related to the hitch.

3.1.20.1 Hitch shall have external switch to control raising and lowering from rear of tractor for safety purposes.

3.1.20.2 Hitch lift capacity shall be 6,190 lbs. minimum at 24 inches behind lift point.

3.1.20.3 Hitch shall be electro-hydraulically operated.

3.1.20.4 Three-point hitch shall be Category II with telescopic end links.

3.1.20.5 Center link shall be Category II with ball ends.

3.1.20.6 Shall be equipped with sway control blocks on PTO housing to prevent horizontal movement.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

3.1.20.7 Shall be equipped with right and left side adjustable draft link stabilizer bars.

3.1.20.8 Shall be equipped with left and right-side hand adjustable lift rods to adjust the horizontal plane of implements.

3.1.20.9 Draw bar shall swing and be adjustable.

3.1.21 Cab and Related Accessories – The following are mandatory requirements related to the cab and accessories.

3.1.21.1 Cab shall be OSHA approved ROPS.

3.1.21.2 Cab shall be standard model for unit bid mounted by the manufacturer insulated and pressurized

3.1.21.3 Cab shall have Poly-shield or equal on right side 1/2-inch-thick minimum with anti-scratch coating on both sides, installed into the original cab manufactured door and side window. Windows shall be tinted at all locations.

3.1.21.4 Cab unit shall be equipped with heater, defroster, air conditioning and standard AM/FM radio with Bluetooth and shall be installed by the manufacturer.

3.1.21.5 Cab shall be equipped with an additional retractable instructional seat, for safe operator training

3.1.21.6 Cab shall have two (2) lockable entry doors keyed alike; one (1) left and one (1) right.

3.1.21.7 Seat shall be cloth covered type protected with scotch guard (or equal) and equipped with a seat belt and air suspension.

3.1.21.8 Seat shall have a height and swivel adjustment.

3.1.21.9 Seat shall be equipped with adjustable arm rests.

3.1.21.10 Unit shall be equipped with a tilt/telescoping steering wheel.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

- 3.1.21.11** Toolbox shall be provided, weather resistant, lockable, and mounted for operator convenience.
 - 3.1.21.12** Air conditioner condenser shall have a screen protecting it from debris, that is both removable and cleanable.
 - 3.1.21.13** Cab unit shall have front and rear windshield wipers and washers.
 - 3.1.21.14** Tractor shall have Left and right-side view mirrors and in cab rear view mirror.
 - 3.1.21.15** Cab and tractor shall have a type of non-skid step (steps) and hand holds for safety purposes.
 - 3.1.21.16** Unit shall be equipped with a first aid kit mounted inside of cab.
 - 3.1.21.17** All features that are manufacturer's standard equipment that are not specifically addressed above shall be provided.
 - 3.1.21.18** Unit shall be delivered to the WVDOH with all manufacturers recommended safety related decals and safety features intact.
- 3.1.22 PTO Requirements – The following are mandatory requirements related to the PTO (power take off).**
- 3.1.22.1** Tractor shall have a minimum of 540 PTO R.P.M.
 - 3.1.22.2** Tractor shall be setup to operate 540rpm PTO implements as well as 1000rpm PTO implements.
 - 3.1.22.3** PTO shall be able to be engaged and disengaged on the go, and be independent operating style
 - 3.1.22.4** Shall be equipped with PTO active warning that is seat activated.

REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)

3.1.23 Paint – The following are mandatory items related to the color of unit.

3.1.23.1 The tractor shall be painted manufacturer's standard color.

3.2 21 Foot Minimum Tiger Bengal Mid-Mounted Articulated Hydraulic Powered Boom Mower With 60-inch Rotary Cutter Head or Equal – The following are general mandatory requirements related to the above mower.

3.2.1 General

3.2.1.1 The unit specified herein and offered shall be manufactured on or after January 1, 2020 and will be clearly identified and marked with date of manufacture.

3.2.1.2 Perimeter guarding for the cab roof shall be 7 Gauge thickness minimum to protect tractor from falling debris along with limb risers minimum 3-inch x 2-inch square tubing 1/8-inch thickness will be provided and installed by the mower manufacturer. See attached Exhibit D

3.2.2 Frame – The following are mandatory items related to the frame.

3.2.2.1 Frame shall be sub frame type. Unit bid will be bolt on with no welding to the tractor. Shall have dual axle braces 3 ½-inch x 3 ½-inch x 1/8th-inch minimum secured to the tractor and rear axle housings. All framework and counterweight shall have a minimum of (8) eight inches of ground clearance.

3.2.2.2 Unit shall be counterweighted to maintain the most possible ground pressure of tires on opposite side of mower during all reach out, up, and down operations of boom with specified head. Rear tire that holds counterweight shall be filled with beet juice, water or calcium filled will not be accepted.

3.2.2.3 The mower controls shall feature an in-cab master ON/OFF switch for complete power shutdown.

3.2.2.4 The wheel counterweight shall be self-centering and have a weight decal.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

3.2.3 Hydraulic Reservoir – The following are mandatory items related to the hydraulic reservoir.

3.2.3.1 Shall have Manufacturer's hydraulic oil reservoir properly sized to operate all mower functions including forward swing, rearward swing, up, down, and rotary head functions.

3.2.3.2 Tank shall have a built-in oil level sight glass and thermometer.

3.2.3.3 Hydraulic filter shall be capable of providing complete filtration for system.

3.2.3.4 Tank shall be equipped with a lockable shut off valve for the ability to lock the valve in the open position to protect against accidental deadheading

3.2.3.5 Unit shall be equipped with a Tandem gear or piston style pump to operate all mower functions. The mower and its control shall have their own independent hydraulic system.

3.2.3.6 Hydraulic GPM shall be manufacturer's highest specified to operate all mower functions at maximum efficiency.

3.2.3.7 All motor circuit hoses shall be a minimum of 1-inch diameter, four (4) wire braided.

3.2.3.8 Deck hoses shall be four (4) wire braid fitted with cordura sleeving for brush protection.

3.2.3.9 Mower controls shall be a proportional five (5) section valve minimum, controlled through a single electronic joystick.

3.2.3.10 Valve shall allow a minimum of three (3) functions simultaneously.

3.2.3.11 The swing, lift, and dipper sections shall have individual relief valves to give breakaway protection.

REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)

3.2.3.12 Mower cutter shall have an 8 second maximum emergency shutdown.

3.2.3.13 Mower head motor shall take 6 seconds minimum to wind up to full RPM for a “no-shock-load startup”.

3.2.3.14 Mower shall have an electric solenoid operated hydraulic lock valve incorporated in the head tilt function to prevent cylinder leak down during storage or transportation

3.2.3.15 Hydraulic system shall be equipped with oil-to-air cooler with integrated electric fan

3.2.3.16 The model bid will have been in the manufacturers model line for a minimum of one (1) year(s) of production time prior to bid.

3.2.4 Boom Rest – The following are mandatory items related to the boom rest.

3.2.4.1 When in stow, tractor and mower shall be maximum 133 inches width, with 60-inch rotary mower, and 11-foot-high maximum.

3.2.4.2 An axle boom stow system constructed of minimum ¼” x 4”x 4” square tubing with water drain holes and shall be mounted to the mower frame with frame member extending to the axle mounts. 3-point hitch system and P.T.O shall function normally.

3.2.5 Boom – The following are mandatory items related to the boom.

3.2.5.1 Boom pivot pin shall be 41-inches minimum above ground level.

3.2.5.2 Boom shall be minimum two (2) piece design, with all hinge points of the arm and mast shall have minimum 1 1/2-inch diameter steel pins with greaseable, replaceable steel bushings.

3.2.5.3 Kingpost or Turret style mounting is acceptable.

REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)

if kingpost mount is used shall be a minimum of 2-inch diameter pin.

3.2.5.4 Inner boom shall be made of 7-inch x 6-inch x 1/4-inch steel tubing minimum, with a 50,000 lb. per square inch minimum yield strength.

3.2.5.5 Dipper boom shall be made of 6-inch x 4-inch x 1/4-inch steel tubing minimum, with a 50,000 lb. per square inch minimum yield strength.

3.2.5.6 All hinge points shall be T-1 steel reinforcement.

3.2.5.7 Boom swing from stow position shall be 140 degrees forward minimum and be a rear stow design.

3.2.5.8 Blade reach up shall be minimum 20 feet.

3.2.5.9 Boom reach out shall be minimum 21 feet from tractor centerline to outside edge or cutting blade arc.

3.2.6 60-inch Rotary head Attachment – The following are mandatory items related to the brush head.

3.2.6.1 Minimum 60-inch rotary cutting head. ✓

3.2.6.2 Top deck shall be 110000 P.S.I Domex or equal 1/8th-inch thick minimum, continuously welded for strength.

3.2.6.3 Side skirts shall be a minimum of 1/4 inch steel.

3.2.6.4 Top deck shall be reinforced with Domex or equal with a reinforced spindle mount plate.

3.2.6.5 Deck shall have replaceable bolts on full length skid shoes.


3.2.6.6 Spindle shall be one piece forged with integral 7 1/4-inch drive hub

3.2.6.7 Spindle shall have stationary wire wrap protection

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

- 3.2.6.8 Blade carrier shall be (3) three blade rotary cutting head with a pan or stump jumper.
- 3.2.6.9 Blades shall be manufacturer recommended size and strength matched to the unit bid.
- 3.2.6.10 Blade bolts shall be manufacturers recommended size and strength matched to the unit bid
- 3.2.6.11 Hydraulic Motor shall be cast steel and shall be sized to match the hydraulic pump proposed by the mower manufacturer.
- 3.2.6.12 Brush head shall be required to have a front safety shield, hydraulic actuated, center feed metal door operational from joystick control or on main control panel.
- 3.2.6.13 Cutter deck tilt rotation shall be 160 degrees minimum.
- 3.2.6.14 Rear shield shall be full width rubber/fabric material.

3.2.7 Optional cutting heads- The following are additional mandatory items the manufacturer shall bid for purchase and shall meet or exceed the following. See Attached

3.2.7.1 Tiger Growler Mulcher Head or equal Exhibit E 

3.2.8 Paint – The following are mandatory items related to the color.

3.2.8.1 Mower shall be manufacturer's standard color.

3.2.9 Miscellaneous – The following mandatory items are related to the mower.

3.2.9.1 Complete unit shall be delivered with all manufacturers' safety features intact.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

3.2.9.2 The unit specified herein and offered shall be manufactured on or after January 1, 2020 and will be clearly identified and marked with date of manufacture.

3.2.9.3 Unspecified Accessories & Features: All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry. All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

3.3 Vendor

3.3.1 Vendor Responsibility:

3.3.1.1 The vendor is responsible to furnish a 4-wheel drive tractor with a mid-mounted articulated boom mower with 60" rotary cutting head and optional attachments that is properly engineered and that confirms to all and any laws governing such equipment.

3.3.1.2 Inspection: WVDOH requires unit shall have a West Virginia State inspection sticker upon delivery, if applicable.

3.3.2 Representative Unit for Test:

3.3.2.1 The successful vendor must (if specified) provide the DOH one (1) completed represented unit to be observed and evaluated on each order to ensure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid may be cause for cancellation of the purchase order and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.

3.3.3 Operating and Service Manuals and Parts Lists:

3.3.3.1 An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and the "Equipment Preventative Maintenance Questionnaire", (Exhibit "B") must be with pilot unit upon delivery. Attn: Todd Campbell. There must be 12 service/shop/maintenance manuals and 14 parts manuals; USB storage drive is preferred in lieu of parts manuals. Manuals and USB storage drive shall be delivered upon completion of delivery of total units. Failure to do so will delay payment.

3.3.4 Training:

3.3.4.1 Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator, and Mechanic Training. In order to keep operators and mechanics updated, the successful vendor shall conduct training sessions covering the operation, maintenance, trouble- shooting with each purchase order against this open-end contract.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to :

**WVDOH
Training Academy
P.O. Box 610
Buckhannon, West Virginia 26201**

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

Prior to delivery of the pilot unit. Training seminar to be held at the WV DOT, Equipment Division, Buckhannon, WV.

3.3.5 Preventative Maintenance & Operator Procedures:

3.3.5.1 Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventative Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc. The successful vendor shall furnish all training aids; i.e. videos, projectors as required in conducting the training.

3.3.6 Warranty and Service Policy:

3.3.6.1 The bid shall include a breakdown of the complete manufacturer's warranty per section. The unit must be accompanied upon delivery by the unit's manufacturers executed warranty and service policy. Turret system mowers shall carry lifetime parts warranty coverage on turret system

4. CONTRACT AWARD:

- 4.1 Contract Award:** The Contract is intended to provide Agencies with a purchase price on all Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest overall total cost as shown on the Pricing Pages.
- 4.2 Pricing Pages:** Vendor should complete the Pricing Pages (Exhibit A) by completing the Year, Make, Model, and inserting quoted unit price. Vendor should take estimated Quantity and multiply by unit price to calculate the total bid amount. Vendor should complete the pricing pages in their entirety as failure to do so may result in Vendor's bids being disqualified.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

The Pricing Page contains a list of the Contract Items and estimated purchase volume. The estimated purchase volume for each item represents the approximate volume of anticipated purchases only. No future use of the Contract or any individual item is guaranteed or implied.

Vendor should electronically enter the information into the Pricing Pages through wvOASIS, if available, or as an electronic document. In most cases, the Vendor can request an electronic copy of the Pricing Pages for bid purposes by sending an email request to the following address:
Crystal.G.Hustead@wv.gov.

5. ORDERING AND PAYMENT:

- 5.1 Ordering:** Vendor shall accept orders through wvOASIS, regular mail, facsimile, email, or any other written forms of communication. Vendor may, but is not required to accept on-line orders through a secure internet ordering portal/website. If Vendor has the ability to accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line.
- 5.2 Payment:** Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

6. DELIVERY AND RETURN:

- 6.1 Delivery Time:** A completed pilot model for inspection must be provided within 120 working day(s) after receipt of the pilot model order, by the successful vendor. Vendor shall deliver standard orders within 180 working days after orders are received. Working day is defined as any week day, Monday thru Friday, excluding Federal and State Holidays. Vendor shall ship all orders until a minimum delivery quantity is met.
- 6.2 Late Delivery:** The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

obtain approval of the Purchasing Division.

- 6.3 Delivery Payment/Risk of Loss:** Standard order delivery shall be F.O.B. Destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery. The Agency will pay delivery charges on all emergency orders provided that Vendor invoices those delivery costs as a separate charge with the original freight bill attached to the invoice.
- 6.4 Condition of Unit(s) Upon Delivery:** All units must arrive at the prescribed delivery point having been completely pre-serviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.
- 6.5 Delivery Point:** Delivery point of the completed representative unit will be the WVDOH, Equipment Division, Rt. 33 and Brushy Fork Road, Buckhannon, WV 26201.

7. VENDOR DEFAULT:

- 7.1** The following shall be considered a vendor default under this Contract.
- 7.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
 - 7.1.2** Failure to comply with other specifications and requirements contained herein.
 - 7.1.3** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
 - 7.1.4** Failure to remedy deficient performance upon request.
- 7.2** The following remedies shall be available to Agency upon default.
- 7.2.1** Immediate cancellation of the Contract.
 - 7.2.2** Immediate cancellation of one or more release orders issued under this Contract.

**REQUEST FOR QUOTATION
CRFQ DOT2000000053
(WVDOH CLASS 131) 4WD TRACTOR JOHN DEERE 6110M OR EQUAL W/MID
MOUNTED ARTICULATED BOOM MOWER (7020EC08)**

7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

- 8.1 No Substitutions:** Vendor shall supply only Contract Items submitted in Response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 8.2 Reports:** Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.3 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: RONALD A. GARDNER
Telephone Number: 304-659-2917
Fax Number: 304-659-3371
Email Address: rgardner@bridgeportequip.com

EXHIBIT B

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY TO THE WVDOT.

DESCRIPTION: _____ MAKE: _____

MODEL: _____ YEAR: _____ PURCHASE AMOUNT: _____

ENGINE: MAKE: _____ MODEL: _____ FUEL TYPE: _____

HORSEPOWER: _____ CYLINDER: _____ ENGINE SERIAL: _____

COOLING SYSTEM CAPACITY: _____

BELTS: DESCRIPTION: _____ PART NUMBERS: _____

GVW: _____ AXLE CAPACITY: FRONT: _____ REAR: _____

TIRES: FRONT MAKE & SIZE: _____
REAR MAKE & SIZE: _____

DIMENSIONS OF UNIT: LENGTH: _____ WIDTH: _____ LENGTH: _____


VENDOR CONTACT PERSON: _____ PHONE: _____

PARTS:

BATTERY MAKE: _____ MODEL: _____ CCA: _____
TOP OR SIDE POST: _____ DIMENSIONS: LENGTH _____ WIDTH _____ HEIGHT _____
SPARK PLUGS OR FUEL INJECTORS MAKE: _____ PART #: _____
FUEL PUMP OR INJECTION PUMP MAKE: _____ MODEL: _____
ALTERNATOR MAKE: _____ PART #: _____
STARTER MAKE: _____ PART #: _____
TURBO CHARGER MAKE: _____ PART #: _____
TRANS. MAKE: _____ MODEL: _____ AUTO/MANUAL: _____
HYDRAULIC PUMP MAKE: _____ MODEL: _____

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____

Deluxe Selective Control Valves (300, 301, and 450 Series)



CQ294041-UN-31JUL12

A - Constant Flow

B - Detent

C - No Lock

Deluxe selective control valves have three functions that are selected with the control knob at the top of the valve:

A - Constant flow function maintains the engaged SCV lever in the Raise or Lower position until it is manually moved. Use this function to supply equipment that requires a constant oil flow, such as hydraulic motors.

B - Detent function keeps the SCV lever in the Raise or Lower position until the hydraulic system pressure reaches a predetermined value, for example: when a hydraulic cylinder reaches the limit of its travel. After that, the SCV lever automatically returns to the Neutral position.

C - In this position, no lock is engaged. The SCV lever returns to Neutral position when released.

The pressure connection (for example, the extendible cylinder) can be connected to the lower or upper quick coupler.

These selective control valves prevent loss of pressure through leaks when the engine is stopped.

LS87647,0000020-19-20161027

Copyright © 2013 Deere & Company.
All Rights Reserved.

[About Our Site](#) | [Site Search](#) | [Contact Us](#) | [Privacy and Data](#) | [Legal](#) |

Connect with Us on   

manuals.deere.com/omview/OML217155_19/LS87647,0000020_19_20161027.html

2/2

Exhibit C

Exhibit D



Exhibit E

Cut Diameter 10" trees or heavy brush

Cutter Head 36" cutting width

Cutter Shaft Dynamically balanced 12" cutter shaft

Cutter Shaft Bearings Dodge Imperial, double-row spherical bearings

Cutter Teeth 42 - Rotatable and Replaceable Quad-Cut teeth

Shear Plate Designed to cut cut trees or brush into smaller pieces


Cutter Housing 3/8" Domex Steel @ 100,000 Yield Strength

Hydraulic System Flow is 41.2 GPM with operating pressure at 3000 psi for Bengal

Safety Stop 7 Second Shut Down

Skid Shoes Replaceable

Weight 930 lbs.



West Virginia Ethics Commission



Disclosure of Interested Parties to Contracts

Pursuant to *W. Va. Code* § 6D-1-2, a state agency may not enter into a contract, or a series of related contracts, that has/have an actual or estimated value of \$1 million or more until the business entity submits to the contracting state agency a Disclosure of Interested Parties to the applicable contract. In addition, the business entity awarded a contract is obligated to submit a supplemental Disclosure of Interested Parties reflecting any new or differing interested parties to the contract within 30 days following the completion or termination of the applicable contract.

For purposes of complying with these requirements, the following definitions apply:

"Business entity" means any entity recognized by law through which business is conducted, including a sole proprietorship, partnership or corporation, but does not include publicly traded companies listed on a national or international stock exchange.

"Interested party" or *"Interested parties"* means:

- (1) A business entity performing work or service pursuant to, or in furtherance of, the applicable contract, including specifically sub-contractors;
- (2) the person(s) who have an ownership interest equal to or greater than 25% in the business entity performing work or service pursuant to, or in furtherance of, the applicable contract. (This subdivision does not apply to a publicly traded company); and
- (3) the person or business entity, if any, that served as a compensated broker or intermediary to actively facilitate the applicable contract or negotiated the terms of the applicable contract with the state agency. (This subdivision does not apply to persons or business entities performing legal services related to the negotiation or drafting of the applicable contract.)

"State agency" means a board, commission, office, department or other agency in the executive, judicial or legislative branch of state government, including publicly funded institutions of higher education: Provided, that for purposes of *W. Va. Code* § 6D-1-2, the West Virginia Investment Management Board shall not be deemed a state agency nor subject to the requirements of that provision.

The contracting business entity must complete this form and submit it to the contracting state agency prior to contract award and to complete another form within 30 days of contract completion or termination.

This form was created by the State of West Virginia Ethics Commission, 210 Brooks Street, Suite 300, Charleston, WV 25301-1804. Telephone: (304)558-0664; fax: (304)558-2169; e-mail: ethics@wv.gov; website: www.ethics.wv.gov.

West Virginia Ethics Commission
Disclosure of Interested Parties to Contracts

(Required by W. Va. Code § 6D-1-2)

BRIDGEPORT EQUIPMENT AND TOOL
Name of Contracting Business Entity: _____ Address: 1504 OAKHURST DRIVE
CHARLESTON, WV 25314

RONALD A. GARDNER
Name of Authorized Agent: _____ Address: 1504 OAKHURST DRIVE
CHARLESTON, WV 25314

Contract Number: _____ Contract Description: TRACTOR W/MID MTD. ART. BOOM
MOWER.
Governmental agency awarding contract: WEST VIRGINIA DEPARTMENT OF HIGHWAYS EQUIPMENT DIVISION

Check here if this is a Supplemental Disclosure

List the Names of Interested Parties to the contract which are known or reasonably anticipated by the contracting business entity for each category below (attach additional pages if necessary):

1. Subcontractors or other entities performing work or service under the Contract

Check here if none, otherwise list entity/individual names below.

2. Any person or entity who owns 25% or more of contracting entity (not applicable to publicly traded entities)

Check here if none, otherwise list entity/individual names below.

THOMAS J. KNIGHT
MARRIANNE KNIGHT

3. Any person or entity that facilitated, or negotiated the terms of, the applicable contract (excluding legal services related to the negotiation or drafting of the applicable contract)

Check here if none, otherwise list entity/individual names below.

Signature: Ronald A. Gardner Date Signed: 11/25/2019

Notary Verification


State of WV, County of Fitchie:

I, Ronald A. Gardner, the authorized agent of the contracting business entity listed above, being duly sworn, acknowledge that the Disclosure herein is being made under oath and under the penalty of perjury.

Taken, sworn to and subscribed before me this 25 day of NOV, 2019

Kenna Davis
Notary Public's Signature

To be completed by State Agency:
Date Received by State Agency: _____
Date submitted to Ethics Commission: _____
Governmental agency submitting Disclosure: _____



State of West Virginia **VENDOR PREFERENCE CERTIFICATE**

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.


1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: BRIDGEPORT EQUIPMENT AND TOOL

Signed: 
SALES

Date: 11/25/2019

Title: _____

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: BRIDGEPORT EQUIPMENT AND TOOL

Authorized Signature: *Ronald A. Gardner* Date: 11/25/2019

State of WV

County of Ritchie, to-wit:

Taken, subscribed, and sworn to before me this 25 day of NOV, 2019.

My Commission expires 3-10, 2024



NOTARY PUBLIC *Kenneth Davis*

Pre-Bid Sign-In Sheet

Solicitation Number: CRFQ 0803 DOT2000000053

Date of Pre-Bid Meeting: NOVEMBER 6, 2019

Location of Prebid Meeting: Buckhannon, WV, Equip. Division

Please Note:

Vendors must sign-in on this sheet to verify attendance at the Pre-Bid meeting.

Failure to legibly sign in may be grounds for declaring a vendor ineligible to bid.

For further verification, please also provide a business card if possible.

<u>Firm Represented:*</u>	<u>Rep Name (Printed):</u>	<u>Firm Address:</u>	<u>Telephone #:</u>	<u>Fax #:</u>	<u>Email:</u>
WVDOH	Travis Ray				
WVDOH	Todd Campbell				
WVDOH	Pam Hall				
WVDOH	JD Haller				
WVDOH	JEFF PIFER				
WVDOH	Tina Lewis				

**One Vendor Per Representative - No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.*

Pre-Bid Sign-In Sheet

Solicitation Number: CRFQ 0803 DOT2000000053

Date of Pre-Bid Meeting: NOVEMBER 6, 2019

Location of Prebid Meeting: Buckhannon, WV, Equip. Division

Please Note:

Vendors must sign-in on this sheet to verify attendance at the Pre-Bid meeting.
 Failure to legibly sign in may be grounds for declaring a vendor ineligible to bid.
 For further verification, please also provide a business card if possible.

Firm Represented:*	Rep Name (Printed):	Firm Address:	Telephone #:	Fax #:	Email:
Motrim Inc	Mark Goodman	240 Stubenville Ave Cambridge Ohio 43725	740-439-2725	740-439-2098 439-2098	mgoodman@motrim.net
Motrim Inc	Lowell Coon	240 Stubenville Ave Cambridge OH 43725	740 260-2720	740 439 2098	lcoon@motrim.net
Diamond mowers	Rollin Barnes	350 E. 60th St. N Sioux Falls SD 57104	615 856 0047	N/A	RBarnes@diamondmowers.com
Diamond Mowers	Chris Hanson	350 E 60th St N Sioux Falls SD 57104	605-521-9414	N/A	chanson@diamondmowers.com
Diamond Mowers	Brian Burge	750 E. 60th St N Sioux Falls, SD 57104	605-751-5667	N/A	bburge@diamondmowers.com

***One Vendor Per Representative - No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.**

Pre-Bid Sign-In Sheet

Solicitation Number: CRFQ 0803 DOT2000000053

Date of Pre-Bid Meeting: NOVEMBER 6, 2019

Location of Prebid Meeting: Buckhannon, WV, Equip. Division

Please Note:

Vendors must sign-in on this sheet to verify attendance at the Pre-Bid meeting.
 Failure to legibly sign in may be grounds for declaring a vendor ineligible to bid.
 For further verification, please also provide a business card if possible.

Firm Represented:*	Rep Name (Printed):	Firm Address:	Telephone #:	Fax #:	Email:
Middletown Tractor Sales	Zach Marsh	2050 Boyers Ave Fairmont WV 26554	304 366 4690	304 366 4698	Zach @ Middletown Tractor . com
Middletown Tractor Sales	Mike Shaw	2050 Boyers Dr Fairmont WV 26554	304-366-4690	304-366-4698	Mike @ Middletown tractor . com
Lemons Farm Equip	Maury Matheny	114 Lemon Ln Southeastern WV 26101	304 803 3469	304 803 6172	sales@lemonsfarm equipment . com
PARCS Superstores	Patrick Holguin	87 Wiscaman Run Salmon WV 26440	304 782 4111		Pholguin@Parcs.com
State Equipment, Inc.	Seth Gardner	560 New Golf Mountain Rd. Charleston, WV 25313	304-776-4405	304-776-4409	Seth@stateequipment.com
Walker Machinery	Zach Peters	1477 Mayhew Road Jackson Ohio 45640	740-285-6495	740-286-7566	zpeters@walker-cat.com

***One Vendor Per Representative - No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.**

Pre-Bid Sign-In Sheet

Solicitation Number: CRFQ 0803 DOT2000000053

Date of Pre-Bid Meeting: NOVEMBER 6, 2019

Location of Prebid Meeting: Buckhannon, WV, Equip. Division

Please Note:

Vendors must sign-in on this sheet to verify attendance at the Pre-Bid meeting.
 Failure to legibly sign in may be grounds for declaring a vendor ineligible to bid.
 For further verification, please also provide a business card if possible.

<u>Firm Represented:*</u>	<u>Rep Name (Printed):</u>	<u>Firm Address:</u>	<u>Telephone #:</u>	<u>Fax #:</u>	<u>Email:</u>
Boone Tractor	Tyler Hyatt	15668 Suncat Trail W Lewisburg WV 24906	304 645 1711 ext 515	304 645 2464	tyhyatt@boonetractor.com
Boone Tractor	Isaac Dasher	15668 Suncat Trail Lewisburg WV 24906	304-645-1711 ext 516	304-645-2464	Isaac@BooneTractor.com
Bridgesport Equip & Tool	Brandon Keville	435 W. 1/3 Ave Petersburg WV 26415	304-659- 2917	304-659- 3371	brk@bridgesportequip.com

**One Vendor Per Representative - No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.*

Pre-Bid Sign-In Sheet

Solicitation Number: CRFQ 0803 DOT2000000053

Date of Pre-Bid Meeting: NOVEMBER 6, 2019

Location of Prebid Meeting: Buckhannon, WV, Equip. Division

Please Note:

Vendors must sign-in on this sheet to verify attendance at the Pre-Bid meeting.
 Failure to legibly sign in may be grounds for declaring a vendor ineligible to bid.
 For further verification, please also provide a business card if possible.

<u>Firm Represented:*</u>	<u>Rep Name (Printed):</u>	<u>Firm Address:</u>	<u>Telephone #:</u>	<u>Fax #:</u>	<u>Email:</u>
Lockords Inc	Chad Lockord	3737 Sutton Lane Sutton WV 26601	304-765-5295	304-765-7304	info@lockords.com
Tri Tech MFG	DAW TEMAN	7432 ST Rt 66W Delphos OH	419 863 2409		Tri tech MFG @ 91400.com
Bridgeport Equipment & Tool	RON GARDNER	435 W. MYLES Ave. PENNSBORO, WV 26115	304-659-2917	304-659-3371	RGARDNER@bridgeportequip.com

***One Vendor Per Representative - No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.**

DIAMOND
MOWERS

BRIAN BURGE
Applications Engineer




605.851.5867
bburge@diamondmowers.com

350 East 80th St. N.
Sioux Falls, SD 57104

Office: 800.858.5581
Fax: 605.855.5870

diamondmowers.com



Ph: 304-659-2917
 Fax: 304-659-3276
 Cell: 304-997-6354

RON GARDNER
 Sales

rgardner@bridgeportequip.com

www.bridgeportequip.com

435 W. Myles Avenue
 Pennsboro, WV 26415

JOHN DEERE

Now In 11 Locations In West Virginia, Ohio, and Kentucky!



MIDDLETOWN
 TRACTOR SALES
 www.middletontractor.com

Adam Boyers
 President

JOHN DEERE

Make Your Main Factor...Middletown Tractor

2050 Boyers Drive
 Fairmont, WV 26554
 Exit 133 off I-79

Phone: 304-366-4690 Ext. 224
 Cell: 304-657-0483
 Toll Free: 1-877-98DEERE

adam@middletontractor.com

STATE EQUIPMENT, INC.



SETH GARDNER
 "THE MAN"

CELL: 304-533-6020
 OFFICE: 304-776-4405
 FAX: 304-776-4409
 EMAIL: SETH@STATEEQUIPMENT.COM
 WWW.STATEEQUIPMENT.COM

560 NEW GOLF MOUNTAIN RD
 CROSS LANES, WV 25913



Walker



Zach Peters
 Product Support
 Sales Representative

Cecil I. Walker Machinery Co.
 1477 Mayhew Road
 Jackson, OH 45640-9166
 740.286.7566
 740.286.6040 fax
 740.285.6495 cell
 zpeters@walker-cat.com
 walker-cat.com



MIDDLETOWN
 TRACTOR SALES
 www.middletontractor.com

JIM BOYERS

304-366-4690
 Cell 304-657-0483
 Toll Free 1-877-98DEERE

Make Your Main Factor...Middletown Tractor

jim@middletontractor.com

Fairmont, WV
 2050 Boyers Drive
 304-366-4690
 677-56-DEERE

Uniontown, PA
 655 Pittsburgh Road
 724-439-1234
 600-883-5295

Washington, PA
 910 Henderson Avenue
 724-229-0191
 888-892-7276



Quality & Integrity Since 1984 www.boonetractor.com



BOONE TRACTOR

Serving Virginia - North Carolina - West Virginia

Tyler Hyatt / Sales

tthyatt@BooneTractor.com

304-520-3225 Office / 304-646-6449 Cell
 15668 Seneca Trail N. Lewisburg WV 24901



Quality & Integrity Since 1984 www.boonetractor.com

BOONE TRACTOR



Serving Virginia - North Carolina - West Virginia

Isaac Dasher / Sales

304-645-1711 Ext. 516

Isaac@BooneTractor.com

15668 Seneca Trail N. Lewisburg WV 24901



JOHN DEERE

Paul J. DeMaine
 Government Business Manager
 Government Sales

2000 John Deere Run
 Cary, NC 27513 USA
 Mobile: 685-245-2652 Fax: 309-749-2677
 Email: DemainePaulJ@JohnDeere.com



Ph: 740-373-6686
 Fax: 740-373-3895
 Cell: 740-336-9295

15 Acme Street
 Marietta, OH 45750


BRANDON NEVILLE
 Sales Manager

bneville@bridgeportequip.com

JOHN DEERE

Now In 11 Locations In West Virginia, Ohio, and Kentucky!

www.bridgeportequip.com



ALAMO GROUP (TX) INC.™
A MEMBER OF ALAMO GROUP

DOUG BAKER
Director of Sales
22 Years of Service

830-305-7001 cell
dbaker@alamo-group.com


1502 East Walnut St. Seguin, TX 78155

PARCS SUPERSTORES

WORK HARD, PLAY HARDER *PARCS*
Sales • Service • Parts • New • Used

DIAMOND
MOWERS

BARNEY BARNES
Regional Sales Manager



615.856.0047
rbarnes@diamondmowers.com

350 East 60th St. N.
Sioux Falls, SD 57104

Office: 800.658.5561

diamondmowers.com

MOWMASTER




www.mowmaster.com
419-238-0140

430 N. Canal St. • Delphos, OH 45833

MOTRIM INCORPORATED

Mark Goodman
Service Manager

240 Steubenville Ave.
Cambridge, Ohio 43725
PH: 740-439-2725
Fax: 740-432-2098
mgoodman@motrim.net



Innovative
Solutions
for
Vegetation Management

An Alamo Group Company

SCOTT LARIVIERE
TERRITORY MANAGER

3301 North Louise Ave.
Sioux Falls, SD 57107
slariviere@tigermowers.com
Cell: 605.261.7771
Phone: 413.575.8043
Fax: 800.716.7620
800.843.6649

www.tigermowers.com

RELIABILITY INNOVATION
COMMITMENT

MOTRIM INCORPORATED

Lowell Coon
Sales Representative


240 Steubenville Ave.
Cambridge, Ohio 43725
Cell: 740-260-2720
PH: 740-439-2725
lcoon@motrim.net



LEMONS FARM EQUIP

MF, HUSQ SALES
MARILYN MATHENY
PARTNER

42 LEMON LANE
PARKERSBURG WV 26101
304-679-8508 CELL
304-863-3469
304-863-6772 FAX
sales@lemonsfarmequipment.com
lemonsfarmequipment.com



Pre-Bid Sign-In Sheet

Solicitation Number: CRFQ 0803 DOT2000000053

Date of Pre-Bid Meeting: NOVEMBER 6, 2019

Location of Prebid Meeting: Buckhannon, WV, Equip. Division

Please Note:

Vendors must sign-in on this sheet to verify attendance at the Pre-Bid meeting.
 Failure to legibly sign in may be grounds for declaring a vendor ineligible to bid.
 For further verification, please also provide a business card if possible.

Firm Represented:*	Rep Name (Printed):	Firm Address:	Telephone #:	Fax #:	Email:
John Deere	PAUL DeMaine	2000 John Deere Pkwy CARY NC 27513	585-245-2652	309-749-2677	pdemaine.paul@johndeere.com
TIGER Mower Corporation	Scott Lariviere	3301 N. Louise ave Sioux Falls SD 57109	800 843 6849 605-261-7771	800-716-7670	SLariviere@TIGERMowers.com
John Deere MIDDLETOWN TR.	Jim Boyers	2050 Boyers Dr FAIRMONT, WV 26554	304-366-4690	304-366-4698	Jim@middletowntractor.com
ALAMO GROUP, TX	Doug BAKER	1502 E WALNUT SEGUIN, TX 78155	830-305 7001		dbaker@alamo-group.com
ALAMO B					
MIDDLETOWN TRACTOR SALES	ADAM BOYERS	2050 BOYERS DR. FAIRMONT, WV 26554	304-366- 4690	304-366- 4698	adam@middletowntractor.com

***One Vendor Per Representative - No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.**