


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 664538

Solicitation Description: ADDENDUM 1 CHANNELIZER CONES-55 MPH OR LESS (8520C2012)

Proc Type: Central Master Agreement

Date issued Solicitati	on Closes Solicita	tion Response	Version
2020-01 13:30:00		0803 ESR01282000000004388	1

VENDOR

000000164192

ARROW SAFETY DEVICE CO

Solicitation Number: CRFQ 0803 DOT2000000103

Total Bid : \$4,277.07 **Response Date**: 2020-01-28 **Response Time**: 12:09:49

Comments:

FOR INFORMATION CONTACT THE BUYER

Crystal G Hustead (304) 558-2402 crystal.g.hustead@wv.gov

Signature on File FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	COMPLETE FLEXIBLE PLASTIC CHANNELIZER CONE	100.00000	EA	\$42.320000	\$4,232.00

Comm Code	Manufacturer	Specification	Model #	
46161508				

Extended Description:

COMPLETE FLEXIBLE PLASTIC CHANNELIZER CONE, TO INCLUDE SHEETING (PRE-APPLIED), AND RUBBER BASE

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE	1.00000	EA	\$26.640000	\$26.64

Comm Code	Manufacturer	Specification	Model #	
46161508				

Extended Description:


REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE, TO INCLUDE SHEETING PRE-APPLIED. MODEL SUPPLIED SHALL BE SAME AS MODEL SUPPLIED UNDER ITEM #1. (CHANNELIZER CONE ONLY)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE	1.00000	EA	\$18.430000	\$18.43

Comm Code	Manufacturer	Specification	Model #	
46161508				

Extended Description:

REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE RUBBER BASE. MODEL SUPPLIED SHALL BE SAME AS MODEL SUPPLIED UNER ITEM #1. (BASE ONLY)



State of West Virginia Request for Quotation 19 - Highways

Proc	Fo	der:	664538

Doc Description: CHANNELIZER CONES-55 MPH OR LESS (8520C2012)

Proc Type: Central Master Agreement

Date Issued Solicitation Closes Solicitation No Version 2020-01-06 2020-01-28 CRFQ 0803 DOT2000000103 1 13:30:00

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

W

25305

VENDOR

US

Vendor Name, Address and Telephone Number:

ARROW SAFETY DEVICE COMPANY 123 DIXON STREET SELBYVILLE DE 19975

302-856-2516

FOR INFORMATION CONTACT THE BUYER

Crystal G Hustead (304) 558-2402

crystal.g.hustead@wv.gov

Signature X

All offers subject to all terms and conditions contained in this solicitation

Page: 1

FORM ID: WV-PRC-CRFQ-001

ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR FLEXIBLE PLASTIC CHANNELIZER CONES FOR 55 MPH AND BELOW ROADWAYS

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO CRYSTAL.G.HUSTEAD@WV.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS

INVOICE TO		SHIP TO	SA PAGE STATE OF THE SAME STAT
VARIOUS AGENCY LO AS INDICATED BY OR		STATE OF WEST VIRO VARIOUS LOCATIONS	GINIA S AS INDICATED BY ORDER
No City	WV99999	No City	WV 99999
US		us	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Tatalan
1 COMPLETE FLEXIBLE PLAS CHANNELIZER CONE	COMPLETE FLEXIBLE PLASTIC CHANNELIZER CONE	100.00000	EA	4237	Total Price
				19:00	TOOD.

Comm Code	Manufacturer	Specification	Model #
46161508	CORTINIA	CRIPN-60 CHANNOLIZER CONE	
Extended Descri	intion .		OS TOTALL

Extended Description:

W/03-752-16 BASE COMPLETE FLEXIBLE PLASTIC CHANNELIZER CONE, TO INCLUDE SHEETING (PRE-APPLIED), AND RUBBER BASE

INVOICE TO	MINERAL SECURITION OF THE SECURITIES OF THE SECURITION OF THE SECU	SHIP TO	
VARIOUS AGENCY LO AS INDICATED BY OF		STATE OF WEST VIRO VARIOUS LOCATIONS	GINIA S AS INDICATED BY ORDER
No City	WV99999	No City	WV 99999
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	7.1.5
2	REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE	1.00000	EA	3 Dla 164	Total Price Solo. Lo Y

Comm Code 46161508	Manufacturer	Specification	Model #
Extended Descrip	CORTINA	GRIPN-GO CHPUNELIZOR CA	ENEONLY 03-750-6HI

Extended Description:

REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE, TO INCLUDE SHEETING PRE-APPLIED. MODEL SUPPLIED SHALL BE SAME AS MODEL SUPPLIED UNDER ITEM #1. (CHANNELIZER CONE ONLY)

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		STATE OF WEST VIRO	GINIA S AS INDICATED BY ORDER
No City US	WV99999	No City	WV 99999

Line	Comm Ln Desc	Qty	11-141-		
3	REDI ACEMENT EL EVIDLE		Unit Issue	Unit Price	//Total Price
	REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE	1.00000	EA	4 18.43	18.43

Comm Code	Manufacturer	Specification	
46161508	COD TUIL	11 211 1 1 1	Model #
	CORTINA	HEXAGON 16 16 BASE	03-752-11
Extended Description			100,10

Extended Description:

REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE RUBBER BASE. MODEL SUPPLIED SHALL BE SAME AS MODEL SUPPLIED UNER ITEM #1. (BASE ONLY)

SCHEDULE	OF EVENTS	BIRD GUILLE WELLEN	
Line	Event	Event Date	
1	VENDOR QUESTION DEADLINE	2020-01-13	

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the
Contract Administrator and the initial point of contact for matters relating to this Contract.
Ana Holland, State Sales Mas
(Name, Title)
LORA HOWAND, STATE SALES MANAGER
(Printed Name and Title)
123 DIXON STREET, SELBYVILLE DE 19975
(Address)
800-321-2514 X203 (302) 856-1549
(Phone Number) / (Fax Number)
LHOLLANDE ARROW SAFOTY DEVICE. COM
(email address)
CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation
through WVOASIS, I certify that I have reviewed this Solicitation in its entirety: that I understand
the requirements, terms and conditions, and other information contained herein; that this hid offer
or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product
or service proposed meets the mandatory requirements contained in the Solicitation for that
product or service, unless otherwise stated herein; that the Vendor accepts the terms and
conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this
bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute
and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that
I am authorized to bind the vendor in a contractual relationship; and that to the best of my
knowledge, the vendor has properly registered with any State agency that may require
registration.
ARROW SAFETY DEVICE COMPANY
(Company)
DRESIDENT
(Authorized Signature) (Representative Name, Title)
(Trepresentative Italie)
DAVID SPETER , PRESIDEAUT
(Printed Name and Title of Authorized Representative)
1/24/20
(Date)

800-327-2514 X// (Phone Number) (Fax Number)

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFQ DOT2000000103

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

necessary revisions to my proposal, pla	ans and/or specification, etc.
Addendum Numbers Received:	
(Check the box next to each addendum	received)
Addendum No. 1	열심 그림 그림 이 그림을 보고 있다.
The state of the s	Addendum No. 6
Addendum No. 2	Addendum No. 7
Addendum No. 3	Addendum No. 8
Addendum No. 4	Addendum No. 9
Addendum No. 5	Addendum No. 10
discussion held between vendor's repr	resentation made or assumed to be made during any oral esentatives and any state personnel is not binding. Only dded to the specifications by an official addendum is
ARROW SAFETY DEVICE Company	E CO.
14	
Authorized Signature	
1/24/20	
Date /	
NOTE: This addendum acknowledgemedocument processing.	ent should be submitted with the bid to expedite

Revised 11/14/2019

REQUEST FOR QUOTATION CRFQ DOT2000000103

Flexible Plastic Channelizer Cones for 55 mph and below (8520C2012)

- 8.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: LORA HOLLAND

Telephone Number: 800-327-2514 1203

Fax Number: (300) 856-1549

Email Address: LHOLLANDA APROWSAFETY DEVICE, COM

EXHIBIT B

PRODUCT COMPLIANCE CHECKLIST FORM

This form should be completed in its' entirety by the vendor, and submitted as part of the vendor's bid package.

7) Channelizer Cones have a minimum of two orange and two white stripes with the top stripe being orange with any non-retroreflectorized spaces between the horizontal orange and white stripes not exceeding 1 inch? 8) Sheeting used on Channelizer Cones is Type ASTM-IV material listed on the WVDOH APL for Retroreflective Sheetings? 9) Channelizer cone is listed on the Materials Division "Channelizer Cones" Approved Product List (APL)? 10) Product bid for items 1-3 is a model listed within the "approved for use on roadways with a normal posted speed limit of 55 mph or less" section of the APL and is manufactured of low density polyethylene? 11) Channelizer Cone is permanently stamped in a prominent location with the letters "WVDOH" a minimum of 1" in height? 12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts at test levels I, II, and III. PRINT NAME: DAND SARBY DANCE COMMANY NAME OF VENDOR: ARROW SARBY DANCE COMMANY	CHANNELIZER CONES - 55 MPH OR LESS (ITEMS 1-3)		
3) Channelizer Cone APL lab approval number:	1) Channelizer Cone manufacturer: CORTINA		
3) Channelizer Cone APL lab approval number : // LOD 1/LO 4) Manufacturer(s) and Series number(s) of sheeting(s) to be utilized : 3M 3430 56005 5) Sheeting APL lab approval number(s) : /39 2883 6) Channelizer Cones supplied with horizontal, circumferential, alternating orange and white retroreflective stripes that are 6 inches wide? 7) Channelizer Cones have a minimum of two orange and two white stripes with the top stripe being orange with any non-retroreflectorized spaces between the horizontal orange and white stripes not exceeding 1 inch? 8) Sheeting used on Channelizer Cones is Type ASTM-IV material listed on the WVDOH APL for Retroreflective Sheetings? 9) Channelizer cone is listed on the Materials Division "Channelizer Cones" Approved Product List (APL)? 10) Product bid for items 1-3 is a model listed within the "approved for use on roadways with a normal posted speed limit of 55 mph or less" section of the APL and is manufactured of low density polyethylene? 11) Channelizer Cone is permanently stamped in a prominent location with the letters "Yes No with a normal posted of the manufacturer to meet NCHRP-350 Requiremnts Tyes No at test levels I, II, and III. PRINT NAME: DAVIA SPELEK NAME OF VENDOR: ARRAGO SARGY DEVICE COMMANY	2) Trade name(s) and model number(s) of Channelizer Cones to be supplied:		
6) Channelizer Cones supplied with horizontal, circumferential, alternating orange and white retroreflective stripes that are 6 inches wide? 7) Channelizer Cones have a minimum of two orange and two white stripes with the top stripe being orange with any non-retroreflectorized spaces between the horizontal orange and white stripes not exceeding 1 inch? 8) Sheeting used on Channelizer Cones is Type ASTM-IV material listed on the WVDOH APL for Retroreflective Sheetings? 9) Channelizer cone is listed on the Materials Division "Channelizer Cones" Approved Product List (APL)? 10) Product bid for items 1-3 is a model listed within the "approved for use on roadways with a normal posted speed limit of 55 mph or less" section of the APL and is manufactured of low density polyethylene? 11) Channelizer Cone is permanently stamped in a prominent location with the letters Yes No "WVDOH" a minimum of 1" in height? 12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts at test levels I, II, and III. PRINT NAME:			
6) Channelizer Cones supplied with horizontal, circumferential, alternating orange and white retroreflective stripes that are 6 inches wide? 7) Channelizer Cones have a minimum of two orange and two white stripes with the top stripe being orange with any non-retroreflectorized spaces between the horizontal orange and white stripes not exceeding 1 inch? 8) Sheeting used on Channelizer Cones is Type ASTM-IV material listed on the WVDOH APL for Retroreflective Sheetings? 9) Channelizer cone is listed on the Materials Division "Channelizer Cones" Approved Product List (APL)? 10) Product bid for items 1-3 is a model listed within the "approved for use on roadways with a normal posted speed limit of 55 mph or less" section of the APL and is manufactured of low density polyethylene? 11) Channelizer Cone is permanently stamped in a prominent location with the letters "Yes. No" "WVDOH" a minimum of 1" in height? 12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts at test levels I, II, and III. PRINT NAME: DAVID SARBY DAVICE COMPANY NAME OF VENDOR: ARROW SARBY DAVICE COMPANY	4) Manufacturer(s) and Series number(s) of sheeting(s) to be utilized: 3M 3930	SERVES	
White retroreflective stripes that are 6 inches wide? 7) Channelizer Cones have a minimum of two orange and two white stripes with the top stripe being orange with any non-retroreflectorized spaces between the horizontal orange and white stripes not exceeding 1 inch? 8) Sheeting used on Channelizer Cones is Type ASTM-IV material listed on the WVDOH APL for Retroreflective Sheetings? 9) Channelizer cone is listed on the Materials Division "Channelizer Cones" Approved Product List (APL)? 10) Product bid for items 1-3 is a model listed within the "approved for use on roadways with a normal posted speed limit of 55 mph or less" section of the APL and is manufactured of low density polyethylene? 11) Channelizer Cone is permanently stamped in a prominent location with the letters "WVDOH" a minimum of 1" in height? 12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts at test levels I, II, and III. PRINT NAME: DANIS SARBY DANICE COMMANY NAME OF VENDOR: ARROW SARBY DANICE COMMANY	5) Sheeting APL lab approval number(s): 1392883		
Sheeting used on Channelizer Cones is Type ASTM-IV material listed on the WVDOH APL for Retroreflective Sheetings? 9) Channelizer cone is listed on the Materials Division "Channelizer Cones" Approved Product List (APL)? 10) Product bid for items 1-3 is a model listed within the "approved for use on roadways with a normal posted speed limit of 55 mph or less" section of the APL and is manufactured of low density polyethylene? 11) Channelizer Cone is permanently stamped in a prominent location with the letters "WVDOH" a minimum of 1" in height? 12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts at test levels I, II, and III. PRINT NAME: DAVID SPEICK NAME OF VENDOR: ARROW SARRY DEVICE LORD PRINT NAME OF VENDOR: ARROW SARRY DEVICE LORD PRINT NAME OF VENDOR: ARROW SARRY DEVICE LORD PRINT	6) Channelizer Cones supplied with horizontal, circumferential, alternating orange and white retroreflective stripes that are 6 inches wide?	Yes	No
9) Channelizer cone is listed on the Materials Division "Channelizer Cones" Approved Product List (APL)? 10) Product bid for items 1-3 is a model listed within the "approved for use on roadways with a normal posted speed limit of 55 mph or less" section of the APL and is manufactured of low density polyethylene? 11) Channelizer Cone is permanently stamped in a prominent location with the letters "WVDOH" a minimum of 1" in height? 12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts at test levels I, II, and III. PRINT NAME: SIGN NAME: NAME OF VENDOR: ARROW SARBY DEVICE IBM ARMY	stripe being orange with any non-retroreflectorized spaces between the horizontal orange	Yes	No
10) Product List (APL)? 10) Product bid for items 1-3 is a model listed within the "approved for use on roadways with a normal posted speed limit of 55 mph or less" section of the APL and is manufactured of low density polyethylene? 11) Channelizer Cone is permanently stamped in a prominent location with the letters "WVDOH" a minimum of 1" in height? 12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts at test levels I, II, and III. PRINT NAME: DAVID SPEICK NAME OF VENDOR: APPROW SAPRTY DEVICE COMPANY	8) Sheeting used on Channelizer Cones is Type ASTM-IV material listed on the WVDOH APL for Retroreflective Sheetings?	Yes	No
with a normal posted speed limit of 55 mph or less" section of the APL and is manufactured of low density polyethylene? 11) Channelizer Cone is permanently stamped in a prominent location with the letters "WVDOH" a minimum of 1" in height? 12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts at test levels I, II, and III. PRINT NAME: DAVID SPEIEX SIGN NAME: NAME OF VENDOR: ARROW SAPBTY DEVICE COMPANY	9) Channelizer cone is listed on the Materials Division "Channelizer Cones" Approved Product List (APL)?	Yes	No
12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts Yes No at test levels I, II, and III. PRINT NAME: SIGN NAME: NAME OF VENDOR: ARROW SAPETY DEVICE COMPANY	With a normal posted speed limit of 55 mph or less" section of the ADI and is	Yes	No
PRINT NAME: DAVID SPELEK SIGN NAME: NAME OF VENDOR: ARROW SAPETY DEVICE COMPANY	11) Channelizer Cone is permanently stamped in a prominent location with the letters "WVDOH" a minimum of 1" in height?	Yes	No
SIGN NAME: NAME OF VENDOR: ARROW SAPETY DEVICE COMPONY	12) Channelizer Cone certified by the manufacturer to meet NCHRP-350 Requiremnts at test levels I, II, and III.		No
NAME OF VENDOR: ARROW SAPETY DEVICE COMPANY	PRINT NAME: DAVID SPELEX		19 STOTES
DATE: 1/34/20	SIGN NAME:		
DATE: 1/34/20	NAME OF VENDOR: ARROW SAPETY DEVICE COMPANY		
	DATE: 1/34/20		

West Virginia Ethics Commission



Disclosure of Interested Parties to Contracts

Pursuant to W. Va. Code § 6D-1-2, a state agency may not enter into a contract, or a series of related contracts, that has/have an actual or estimated value of \$1 million or more until the business entity submits to the contracting state agency a Disclosure of Interested Parties to the applicable contract. In addition, the business entity awarded a contract is obligated to submit a supplemental Disclosure of Interested Parties reflecting any new or differing interested parties to the contract within 30 days following the completion or termination of the applicable contract.

For purposes of complying with these requirements, the following definitions apply:

"Business entity" means any entity recognized by law through which business is conducted, including a sole proprietorship, partnership or corporation, but does not include publicly traded companies listed on a national or international stock exchange.

"Interested party" or "Interested parties" means:

 A business entity performing work or service pursuant to, or in furtherance of, the applicable contract, including specifically sub-contractors;

(2) the person(s) who have an ownership interest equal to or greater than 25% in the business entity performing work or service pursuant to, or in furtherance of, the applicable contract. (This subdivision does not apply to a publicly traded company); and

(3) the person or business entity, if any, that served as a compensated broker or intermediary to actively facilitate the applicable contract or negotiated the terms of the applicable contract with the state agency. (This subdivision does not apply to persons or business entities performing legal services related to the negotiation or drafting of the applicable contract.)

"State agency" means a board, commission, office, department or other agency in the executive, judicial or legislative branch of state government, including publicly funded institutions of higher education: Provided, that for purposes of W. Va. Code § 6D-1-2, the West Virginia Investment Management Board shall not be deemed a state agency nor subject to the requirements of that provision.

The contracting business entity must complete this form and submit it to the contracting state agency prior to contract award and to complete another form within 30 days of contract completion or termination.

This form was created by the State of West Virginia Ethics Commission, 210 Brooks Street, Suite 300, Charleston, WV 25301-1804. Telephone: (304)558-0664; fax: (304)558-2169; e-mail: ethics@wv.gov; website: www.ethics.wv.gov.

West Virginia Ethics Commission Disclosure of Interested Parties to Contracts

(Required by W. Va. Code § 6D-1-2)

Name of Contracting Business Entity: ARROW SAFE	79 Address: 123 DIKON STREET
	100 DY 1111 1 1 1 19076
Name of Authorized Agent: <u>David SPERCY</u>	
Contract Number: <u>CRFQ 0803 DoT20000010</u> 3	Contract Description: CHANNEUZEK CONES
Governmental agency awarding contract:	VIII (1/18)
☐ Check here if this is a Supplemental Disclosure	
List the Names of Interested Parties to the contract which entity for each category below (attach additional pages if	are known or reasonably anticipated by the contracting business necessary):
1. Subcontractors or other entities performing work	Of Sondon under the o
☐ Check here if none, otherwise list entity/individual r	names below.
2. Any person or entity who owns 25% or more of co ☐ Check here if none, otherwise list entity/individual n	entracting entity (not applicable to publicly traded entities) names below.
3. Any person or entity that facilitated, or negotiate services related to the negotiation or drafting of th ☐ Check here if none, otherwise list entity/individual numbers.	ames below.
Notary Verification	
State of DELANIANT	ounty of Sussex
DAVID SPECER	, the authorized agent of the contracting business e Disclosure herein is being made under oath and under the
Taken, sworn to and subscribed before me this 21 ST	
To be completed by State Agency: Date Received by State Agency: Date submitted to Ethics Commission: Bovernmental agency submitting Disclosure:	Notary Public's S grating LINDA K. FULKERSIN My Commission Expires May 15, 2022
Disclosure;	Revised June 8, 2018

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the insurance Commissioner and remains in compilance with the obligations under the

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: ARROW	SAPOTY DEMOS CO.	
Authorized Signature:	19	Date: 1/21/20
State ofDELAWAR	E	75/75
County of SUSSEX	, to-wit;	
Taken, subscribed, and swom	to before me this 21 day of JANUA	try ,2020
My Commission expires	UNDAK FULKEREIN 2	
AFFIX SEAL HERE	My Commission Expires May 15, 2022 NOTARY PUBLIC	Sinder of hell
		Purchasing Affidavit (Revised 01/19/2018)



GRIP N GO™ CHANNELIZE

GRIP N GO ORANGE



- Meets MUTCD Standards & NCHRP-350 Certified
- High Visibility Orange
- Molded High Density Polyethylene with UV Color Stabilization
- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base

ITEM#	DESCRIPTION
03-750	Plain
03-750-4EG	4 EGR Stripes
03-750-4FP3M	4 - 4" DG Stripes
03-750-4HI	4 - 4" HI Stripes
03-750-6EG	4 - 6" EGR Stripes
03-750-6FP3M	4 - 6" DG Stripes
03-750-6HI	4 - 6" HI Stripes
03-750-64HI	1 - 6" / 4" HI Strines

EZ GRAB GRIP N GO CHANNELIZER CONES



- NCHRP-350 Certified
- High Visibility
- Molded High Density Polyethylene with UV Color Stabilization
- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

HEM# DESCRIPTION 03-750BLK Black -Plain

03-750-64HYG Yellow - 6" / 4" HI Stripes 03-750-64HBG Blue - 6" / 4" HI Stripes 03-750-64HLG Lime - 6" / 4" HI Stripes

GRIP N GO BASES



- Recycled rubber bases fit Grip N Go and EZ Grab Grip N Go Channelizers
- ITEM# DESCRIPTION 10 lb Square base for Grip N Go only 03-752-10 15.25"W x 17"L x 1"H 03-752-16 16 lb Hexagon base for Grip N Go only 18"W x 2"H
- 03-752-30 30 lb Rectangular base for Grip N Go & Guardian Channelizers 14"W x 30"L x 2"H

June 14, 2018

THE FOLLOWING MODELS ARE APPROVED FOR USE ON ALL ROADWAYS:

MANUFACTURER	MODEL	I AD ADDDOVAL NUMBER	
Plastic Safety Systems PSS1.01.661	Navigator w/ NB30 Base	LAB APPROVAL NUMBER	
Work Area Protection WAP1.01.664 Work Area Protection	CC-42 w/ CB-30 Base	1394640	
WAP1.01.664 3D Traffic Works	CC-42 w/ CB4220 Base	1394641	
3DT1.01.664 3D Traffic Works	TD-7500 w/ TD8350 20 # base	1394642	
3DT1.01.664 Plasticade	TD-7500 w/ TD8350 30 # base	1394643	
PPC1.01.664 Traffix Devices	Navicade 650 w/ 650-RB-30 base	1394644	
TDI1.01.661 Bent Manufacturing	42" Looper-Cone w/ 42030-CRU base	1394645	
BMC2.01.664 Cortina Safety Products	Fluorescent-Orange T-top Stackable Channelizer Cone w/ 30 # RECT base	1394646	
Cortina Safety Products	Grip N Go 42" Channelizer Cone with 30 lb base	1462416	

THE FOLLOWING MODELS ARE APPROVED <u>ONLY</u> FOR USE ON ROADWAYS WITH A NORMAL POSTED SPEED LIMIT OF 55 MPH OR LESS:

MANUFACTURER	MODEL	I AD ADDDONAL NUMBER	
Plastic Safety Systems PSS1.01.661 Work Area Protection	Navigator w/ NB16 Base	LAB APPROVAL NUMBER	
WAP1.01.664 3D Traffic Works	CC-42 w/ CB-16 Base	139648	
3DT1.01.664 Plasticade	TD-7500 w/ TD8350 15 # base	1394649	
PPC1.01.664 Traffix Devices	Navicade 650 w/ 650-RB-16 base	1394650	
TDI1.01.661 Bent Manufacturing	42" Looper-Cone w/ 42016-CRU base	1394651	
BMC2.01.664	Fluorescent-Orange T-top Stackable Channelizer Cone w/ 15 # base	1394652	
rtina Safety Products	Grip N Go 42" Channelizer Cone with 16 lb base	1462416	

CRFQ DOT2000000103

BID SCHEDULE

Quantities listed in this RFQ are approximations only. It is understood and agreed that the contract shall cover the quantities actually ordered for delivery during the term of the contract, whether more or less than the quantities shown.

Item Number	Estimated Quantity	Unit of Measure	Description	Unit Cost	Extended Total Amount	Inventory Subcode (DOH Use Only) (Class 019 Type 008)
	1155	MDHODIE	FLEXIBLE PLASTIC CHANNELIZER CONE	S		
1 1	100		SS ROADWAY" CHANNELIZER CONES			
2	100	each	Complete Flexible Plastic Channelizer Cone, to include sheeting (pre-applied), and rubber base	42.32	4232	080614
2	1	each	Replacement Flexible Plastic Channelizer Cone, to include sheeting pre-applied. Model supplied shall be same as model supplied under Item #1.		1232	080616
3	1	each	(CHANNELIZER CONE ONLY) Replacement Flexible Plastic Channelizer Cone rubber base. Model supplied shall be same as model supplied under Item #1.	26.64	26.64	080617
			(BASE ONLY)	18.43	18.43	

<u>DOH PERSONNEL PLEASE NOTE</u>: ITEMS SUPPLIED ARE INTENDED FOR USE ONLY ON ROADWAYS WITH A NORMAL POSTED SPEED LIMIT OF 55 MPH OR LESS. ITEMS 1 AND 3 INCLUDE A OCTAGONAL BASE.

The Traffic Engineering Division has established a online form in order for District personnel to submit a documented report to the Traffic Engineering Division regarding issues associated with material orders. This form is intended to serve as a manner in which District personnel may quickly and easily submit a documented report to the Traffic Engineering Division regarding issues associated with the ordering, delivery and receipt of materials ordered, quality issues with any of the materials received, and any issues associated with the reconciliation of orders. This form may also be used to report issues with the installation or post-installation performance of materials. This form is located in the "Traffic" section of the WVDOT intranet site (Click on "Traffic" on the left side of the page, then click on "PO Contract Report" on the left side of the page). The direct address for the location of this form is http://sharepoint.wv.gov/sites/dot/highways/traffic/pocontractreport/Pages/default.aspx .

All reports submitted will be responded to by the Traffic Engineering Division. The Traffic Engineering Division will work with the individual at the District submitting the report to obtain additional needed facts or documentation such as photos or product samples, and will contact and work with the Contract Vendor and Materials Division if needed in order to reconcile the issues in a manner acceptable to all parties if possible. Typically, as a final step to address reported issues, the Traffic Engineering Division will complete and submit a WV-82 Vendor Performance Form in order to officially document any issues and their outcome. Once the report is submitted, an email verification will be automatically sent and an email notice will be sent to the Traffic Engineering Division. The initial point of contact for any submitted reports is Bruce Miller. If you have any questions or would like to follow up on the status of a report that has been submitted, please contact Mr. Miller at 558-9454 or bruce.f.miller@wv.gov.