



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote

Proc Folder: 885323			Reason for Modification: Addendum No. 1
Doc Description: Addendum No.1 Three (3) Utility Farm Tractors wAttachment			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2021-05-27	2021-06-08 13:30	CRFQ 0603 ADJ2100000043	2

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

RECEIVED
 06/09/21 11:22:54
 WV PURCHASING DIVISION

VENDOR

Vendor Customer Code: 000000 114767
Vendor Name: JSC Enterprises Inc
Address: 2809 Charleston Rd
Street:
City: Spencer
State: WV **Country:** USA **Zip:** 25276
Principal Contact: Sandra K Stricklin
Vendor Contact Phone: 304-927-4822 **Extension:**

FOR INFORMATION CONTACT THE BUYER

David H Pauline
 304-558-0067
 david.h.pauline@wv.gov

Vendor Signature X *Sandra K Stricklin* **FEIN#** 20-8836925 **DATE** 6/5/21

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum No. 1
 To provide responses to vendor questions, see attached
 Bid opening remains June 8, 2021 at 1:30 pm
 No other changes.

INVOICE TO		SHIP TO	
ADJUTANT GENERALS OFFICE 1707 COONSKIN DR CHARLESTON WV US		ADJUTANT GENERALS OFFICE 1707 COONSKIN DR CHARLESTON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Utility Farm Tractor-LS Model XU6168CPS or equal	1.00000	EA	41,690.00	41,690.00

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Utility Farm Tractor	MT523 CPS

Extended Description:
 LS model XU6168CPS Utility Farm Tractor or equal

INVOICE TO		SHIP TO	
ADJUTANT GENERALS OFFICE 1707 COONSKIN DR CHARLESTON WV US		ADJUTANT GENERALS OFFICE 1707 COONSKIN DR CHARLESTON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Loader Attachment w/72" Bucket LS Model LL5106 or equal	1.00000	EA	3,069.00	3,069.00

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Loader w/bucket	LL6100

Extended Description:
 Loader Attachment w/72" Bucket LS Model LL5106 or equal

INVOICE TO		SHIP TO	
ADJUTANT GENERALS OFFICE 1707 COONSKIN DR		ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV	CHARLESTON	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Front Mounted Snow Blade Allied Model W9027S	1.00000	EA	4,299.00	4,299.00

Comm Code	Manufacturer	Specification	Model #
25101901	Allied	Front mount snow blade	W9027S

Extended Description:
Front Mounted Snow Blade Allied Model W9027S

INVOICE TO		SHIP TO	
ADJUTANT GENERALS OFFICE 1707 COONSKIN DR		ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV	CHARLESTON	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Small Compact Utility Tractor LS Model XJ2025H or equal	2.00000	EA	12,122.00	24,244.00

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Compact Utility Tractor	XJ2025H

Extended Description:
Small Compact Utility Tractor XJ Series LS Model XJ2025H or equal

INVOICE TO		SHIP TO	
ADJUTANT GENERALS OFFICE 1707 COONSKIN DR		ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV	CHARLESTON	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	Front End Loader w/Bucket LS Model LL2101 or equal	2.00000	EA	2,994.00	5,588.00

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Front loader w/bucket	LL2101

Extended Description:
Front End Loader w/Bucket LS Model LL2101 or equal

INVOICE TO		SHIP TO	
ADJUTANT GENERALS OFFICE 1707 COONSKIN DR		ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV	CHARLESTON	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
6	Mid Mount Mower Model LM3560 or equal	2.00000	EA	3,410.00	6,820.00

Comm Code	Manufacturer	Specification	Model #
25101901	LS	mid-mount mower	LM3560

Extended Description:
Mid Mount Mower Model LM3560 or equal

SCHEDULE OF EVENTS

Line	Event	Event Date
1	Technical questions due at 10:00 am	2021-05-26

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFO ADJ2100000043

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

JSC Enterprises Inc
Company
Zandra K. Ficklin
Authorized Signature
6/5/21
Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Sandra K Stricklin, Sec / Treas.
(Name, Title)
Sandra K Stricklin, Sec / Treas
(Printed Name and Title)
2809 Charleston Rd, Spencer, WV 25796
(Address)
304-929-4822 / 304-929-4823
(Phone Number) / (Fax Number)
stricklin2809@gmail.com
(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.

JSC Enterprises Inc
(Company)

Sandra K Stricklin, Sec / Treas.
(Authorized Signature) (Representative Name, Title)

Sandra K Stricklin, Sec / Treas
(Printed Name and Title of Authorized Representative)

6/5/21
(Date)

304-929-4822 / 304-929-4823
(Phone Number) (Fax Number)

EXHIBIT A - CRFQ ADJ21*43

Three (3) Utility Farm Tractors & Accessories

PRICING PAGE

CONTRACT ITEM NO	DESCRIPTION	QTY	UNIT PRICE	TOTAL
Item No. 3.1.1	Utility Farm Tractor with Cab LS-Model XU6168CPS or equal	1	\$ 41,690.00	\$ 41,690.00
	Manufacturer Bid: LS Tractor			
	Model No. Bid: MT523 CPS			
Item No. 3.1.2	Loader Attachment LS-Model LL5106 with 72" bucket or equal	1	\$ 3,069.00	\$ 3,069.00
	Manufacturer Bid: LS			
	Model No. Bid: LL6100			
Item No. 3.1.3	Front Mounted Snow Blade Allied Model W9027S or equal	1	\$ 4,299.00	\$ 4,299.00
	Manufacturer Bid: Allied			
	Model No. Bid: W9027S			
Item No. 3.1.4	Small Compact Utility Tractor LS-Model XJ2025H or equal	2	\$ 12,123.00	\$ 24,246.00
	Manufacturer Bid: LS			
	Model No. Bid: XJ2025H			

Item No. 3.1.5	Front End Loader w/ Bucket LS Model LL2101 or equal	2	\$ 2,794.00	\$ 5,588.00
	Manufacturer Bid: LS			
	Model No. Bid: LL2101			
Item No. 3.1.6	Mid-Mount Mower Attachment LS Model LM3560 or equal	2	\$ 3,410.00	\$ 6,820.00
	Manufacturer Bid: LS			
	Model No. Bid: LM3560			
Unit prices to be inclusive of all freight/delivery costs Failure to use this form may result in disqualification			Total Cost	\$ 85,710.00
Bidder / Vendor Information:				
Name: JSC Enterprises Inc				
Address: 2809 Charleston Road Spencer Wd 25276				
Phone: 304-927-4822				
Fax: 304-927-4823				
E-mail Address: stricklin2809@gmail.com				
Authorized Signature: <i>Tamcha K. Stricklin</i>			Date: 6/5/21	

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: JSC Enterprises Inc

Authorized Signature: [Signature] Date: 6/5/21

State of WV

County of Roane, to-wit:

Taken, subscribed, and sworn to before me this 5 day of June, 2021.

My Commission expires February 11, 2024.

AFFIX SEAL HERE



NOTARY PUBLIC

[Signature]

Purchasing Affidavit (Revised 01/19/2018)



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
06/07/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Mountain State Insurance Agency 1206 Kanawha Blvd. E. Suite 100 Charleston WV 25301-2949	CONTACT NAME: Beverly Holstine PHONE [A/C, No, Ext]: (304) 720-2000 E-MAIL ADDRESS: bholstine@mountainstateinsurance.com	FAX [A/C, No]: (304) 720-2002
	INSURER(S) AFFORDING COVERAGE	
INSURED J.S.C. Enterprises, Inc. 301 Lowe Run Spencer 25276	INSURER A: Westfield	NAIC # 24112
	INSURER B: Brickstreet Mutual Insurance Co	12372
	INSURER C:	
	INSURER D:	
	INSURER E:	
	INSURER F:	

COVERAGES **CERTIFICATE NUMBER:** CL216723584 **REVISION NUMBER:**


THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL/INSR	SUBR/WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:			CWP5557191	10/28/2020	10/28/2021	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 500,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 \$
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY			CWP5557191	10/28/2020	10/28/2021	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ Underinsured motorist \$ 1,000,000
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$						COMBINED SINGLE LIMIT EACH OCCURRENCE \$ AGGREGATE \$
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below		Y/N Y	WCB1024590	01/01/2021	01/01/2022	PER STATUTE OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
 WV Army National Guard will receive 30 days notice of pending cancellation (except nonpayment of premium).


CERTIFICATE HOLDER

CANCELLATION

WV Army National Guard 1707 Coonskin Drive Charleston WV 25311	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE 
--	--

Snow Blades

All blades have trip springs for controlled break over in snow
 3/8" x 6" reversible hardened steel cutting edge
 1/2" x 6" Adjustable skid shoes
 Reinforced 10 gauge moldboards. 21" height on 5'-6' & 27" height on 7.5'-9'
 Hydraulic angle adjustment is standard on the 9' blade. Optional on 5' - 7.5'
 Skid steer, Euro & Universal attachment
 Optional corner mounted sight indicators



Snow Blades

Order Code	Description	Approx. Weight	List Price (Add.FRT.)
W6021S	5' Skid Steer Mount w/ Manual Adjustment (40 hp or less)	334 lb	\$2,730.00
W7221S	6' Skid Steer Mount w/ Manual Adjustment (40 hp or less)	350 lb	\$2,841.00
W7221U	6' Less Mounting w/ Manual Adjustment (40 hp or less)	338 lb	\$2,815.00
W9027E	7.5' Euro Mount w/ Manual Adjustment (30-80 hp)	555 lb	\$3,853.00
W9027S	7.5' Skid Steer Mount w/ Manual Adjustment (30-80 hp)	562 lb	\$3,718.00
W9027U	7.5' Less Mounting w/ Manual Adjustment (30-80 hp)	555 lb	\$3,805.00
W10827E	9' Euro Mount w/ Hyd Adjustment (40-95 hp)	690 lb	\$5,293.00
W10827S	9' Skid Steer w/ Hyd Adjustment (40-95 hp)	690 lb	\$5,198.00
W10827U	9' Less Mounting w/ Hyd Adjustment (40-95 hp)	665 lb	\$5,106.00

Options and Accessories

W360220	5' Top Deflector		\$172.00
W360223	6' Top Deflector		\$187.00
W360227	7.5' Top Deflector		\$230.00
W360230	9' Top Deflector		\$330.00
W360235	Sight Indicator, Corner Counted (Fits all models)		\$73.00
W360170	5' or 6' Hyd Angle Adjustment Kit (Includes everything except hyd supply hoses & fittings)		\$509.00
W360168	7.5' Hyd Angle Adjustment Kit (Includes everything except hyd supply hoses & fittings)		\$581.00
W830345	Universal Pin-on Brackets for pin style loader w/ 1" Pins	82 lb	\$229.00
W831650	Bolt on Interfacing Bracket for Allied Loaders 395, 495, 595, 695 & 795	76 lb	\$674.00
W830120	Bolt on Interfacing Bracket for Euro	84 lb	\$472.00
W831110	Bolt on Universal Skid Steer Mounting Plate	95 lb	\$429.00
W360065	Cross Over Relief Valve Kit 5', 6' and 7.5' Snow Blades		\$609.00

Warehouse Set-Up Rates

Snow Blades

All Models Coming Soon

JSC ENTERPRISES, INC.
 2809 Charleston Road
 Spencer, WV 25276



Excel in Your Field™

- Eco-friendly Tier 4, 24.4HP, 3 cylinder fuel efficient engine
- 5 year warranty*
- 6F x 2R sliding gear shift or 2 range HST with dual pedals and cruise control
- Front wheel mechanical assist 4WD
- Choice of industrial or turf tires at no additional cost
- Available quick attach front end loader and grille guard
- Available sub-frame mounted, quick attach 6' backhoe
- Available 60" mid-mount mower
- Available 50" snow blower

*5-year limited warranty. See dealer for details.

XJ Series Small Compact



Modern Stylish Design



Hydrostatic Transmission Models
Maximizes ease of use with effortless, clutch-less and instant speed and directional changes with a simple push of the pedals



Standard MID PTO
2000 RPM Mid PTO for optional height adjustable 60" mid-mount mower that provides a smooth and beautiful cut



Easy to control PTO Switch
Turn the rear or mid PTO on or off with the simple and easy turn of a switch



Tier 4 engine(Mitsubishi)
Eco-friendly, fuel efficient engine delivers quiet, reliable performance. Rubber engine mounts reduce operator platform vibration



High efficient 3-point hitch
Improves your working speed and safety with quick reponse and maximized lift capacity of 3-point hitch



Ergonomically designed control system
Easily accessible for maximum comfort and convenience

Excel in Your Field™



Better visibility of dashboard
More visible cluster design to keep you in better control of your tractor



Large fuel tank
6.6 gal. capacity provides long operation time



Better seat cushion with retractable seatbelt
Keeps you in a comfortable and safe position for maximum control

Specification

CATEGORY	XJ2025	XJ2025H
ENGINE		
Type	3 - Cylinder, Indirect - injection, Water - cooled	
Model(Tier 4)	Mitsubishi S3L2	
Engine HP(gross)	24.4	
PTO HP	19.5	18.5
Rated speed(rpm)	2,500	
Displacement-cu(in ³)	80.4	
Fuel tank capacity(gal)	6.6	
Alternator(V-A)	12V - 50 Amps	
DRIVE TRAIN		
Transmission	Sliding Shift	Hydrostatic Drive
No. of Speed	6F x 2R	2 Ranges
Brakes	Wet, Multi - disc	
Steering	Hydrostatic Power Steering	
PTO		
Type	Electro Hydraulic Clutch PTO	Independent
Rear(rpm)	Standard (540 rpm)	
Mid(rpm)	Standard (2000 rpm)	
HYDRAULIC SYSTEM		
Implement pump(gpm)	6.9	5.9
Steering pump(gpm)	1.1	2.6
Total flow(gpm)	8.0	8.5
Category(3pt hitch)	CAT 1	
Hitch Lift capacity, lbs(Hitch end)	1,433	
Lift control type	Position	
DIMENSION		
Overall length(Bumper to link in)	103	
Overall width with tires(in)	44.9	
Wheelbase(in)	59	
Ht to top of rops(in)	92.3	
TIRE SIZE		
IND Front / Rear	23 x 8.5 - 12 / 33 x 12 - 16.5	
Turf Front / Rear	23 x 8.5 - 12 / 33 x 12.5 - 16.5	
WEIGHT		
Total weight without ballast(lbs)	1,785	1,609

Note Specifications and design are subject to change without prior notice.

Get More Standard Feature

- Power steering
- Switch operated Independent PTO, rear & mid (XJ2025H)
- Lever selector for rear PTO, mid PTO or both (XJ2025)
- Foldable ROPS
- Rear work light
- Hydraulic position control
- Differential lock
- Draw bar
- Pre-heat starting aid
- Safety flashers & turn signals
- Fuel, coolant temperature, tachometer & hour meter gauges
- Pre-heating, parking brake, battery charging, engine oil pressure, PTO operation and high beam operation/warning lights



LS Tractor USA | 6900 Corporation Parkway, Battleboro, NC
P: 252.984.0700 | F: 252.984.0701 | www.lstractorusa.com

Front End Loader	LL2101
Tractor Application	
XJ 2000 Series	
Maximum Lift height(in)	85.7
Clearance with Attachment Dump(in)	65
Reach at Maximum Height(in)	22
Maximum Dump Angle(deg)	52
Maximum Rollback Angle(deg)	43
Digging Depth(in)	4.4
Overall Height in Carry Position(in)	42.8
Lift Capacity(@ Pivot pin)(lbs)	1,277
Breakout Force(@ Pivot pin)(lbs)	1,643
Approx. Weight (Loader w/o Bucket)(lbs)	638

Backhoe	LB1104
Tractor Application	
XJ 2000 Series	
Digging Depth(in)	79.3
Reach from centerline of swing Pivot(in)	113.3
Loading Height(in)	56.9
Swing Arc(deg)	150
Transport Height(in)	75.2
Bucket Rotating(deg)	163
Stabilizer Spread(Down position)(in)	87.7
Stabilizer Spread(Up position)(in)	55.7
Bucket Digging force(lbs)	2,096

Mid-mount Mower	LM3560
Tractor Application	
XJ 2000 Series	
Cutting Width(in)	60
Overall Width(in)	74
Cutting Height Range(in)	1 to 4-1/8
Deck shell Thickness(in)	10-Gauge (0.1345 in.) Grade 50 steel
Spindle Speed at 2000 RPM	2,842 RPM
Blade Tip Speed(ft./min)	18,000
Number of Blades	3
Blade Length(in)	21
Blade Width(in)	2-1/2
Blade Thickness(in)	1/4
Shipping Weight of Base 60" Deck(lbs)	450

Snow Blower	LS3150
Tractor Application	
XJ 2000 Series	
Overall width(in)	50
Cutting width(in)	49 3/4
Cutting height(in)	20
Impeller drive	Chain #40
Auger drive	Worm gear
Auger diameter(in)	12 3/4
Impeller diameter(in)	15 3/4
Number of blades on impeller	3
Chute rotation	Manual
Adjustable heavy skid shoes	Yes

JSC ENTERPRISES, INC.
2809 Charleston Road
Spencer, WV 25276



Excel in Your Field™

- Eco-Friendly Tier 4 Engine
- 6 year warranty*
- 20x20 Fully Synchronized Shuttle Shift or 20x20 power shuttle
- Wide & Clear View cab
- 3 Pairs of Front Outlet Valves with 3rd Function Joystick
- 3 sets of remote (2 remote valves with float & detent functions)
- Creeper Gear
- Available quick attach, self-leveling front end loader with skid steer compatible bucket & grill guard

** 6-year limited warranty. See dealer for details.*

MT5 Series Utility Tractors



Clear view cabin

The spacious cabin offers a clear 360° view of the full working width of attached implements




A wide field of vision

The hood design combined with a large windshield and the sunroof provide a clear view with minimal obstructions.



Power shuttle

Easily change from forward or reverse with a simple flick of a lever without depressing the clutch pedal.



Outstanding lift capacity

An external secondary hydraulic cylinder provides superior lift capacity (6,614 lbs) to handle a wide range of implements



Hand clutch

The hand clutch button added to the gear control lever enables you to change gears easily.



3 pairs of front outlet valves and 3rd function joystick

3 pairs of front outlet valves and joystick with easy-to-control buttons.

Excel in Your Field™



Premium seat

The air suspension seat with 10 degree swivel for added comfort.



Newly designed headlamps

The high-output projection lamp lights up even the darkest of nights.



Standard creeper

Ultra-slow 0.12mph operation provides increased versatility without the additional cost.



Specifications

CATEGORY	MT573C	MT573CPS
ENGINE		
Type	Vertical Water-Cooled 4Cycle Diesel Engine	
Model	L4C25-T	
Emission	EPA Tier4F	
Engine HP (kW)	73 (54.4)	
PTO, HP	62	
Rated speed, rpm	2,500	
Displacement, in ³	152.9	
Fuel tank capacity, gal	26.4	
DRIVE TRAIN		
Transmission type (option)	Synchro Shuttle	Power Shuttle
No. of speed	F20 x R20	
Forward speed, mph	0.11 ~19.4	
PTO		
Type	Independent	
Rear, rpm	540 / 750 / 1,000	
HYDRAULIC SYSTEM		
Control system	Position / Draft	
Implement pump, gpm	13.2	
Steering pump, gpm	6.6	
Total flow, gpm	19.8	
Category, 3pt hitch	CAT II	
Hitch lift capacity, lbs	6,614	
Remote ports	3 pairs (Front), 3 pairs (Rear)	
DIMENSION		
Overall length, Frame to link, in	150	
Overall width with tires, in	77.5	
Wheelbase, in	84.6	
Height to top, in	104.4	
Total weight without ballast, lbs	6,620	6,669
TIRE SIZE		
Front	11.2 - 24	
Rear	16.9 - 30	

Note Specifications and design are subject to change without prior notice.

Front end Loader	LL6100
Tractor Application	
	MT5 Series
Bucket Size, in.	78
Maximum Lift Height, in.	126.5
Clearance with Attachment Dump, in.	95.3
Reach at Maximum Height, in.	5.7
Maximum Dump Angle, deg.	64
Maximum Rollback Angle, deg.	38
Digging Depth, in.	7.0
Overall Height in Carry Position, in.	64.2
Lift Capacity (@ Pivot pin), lbs.	3,626
Breakout Force (@ Pivot pin), lbs.	6,644
Approx. Weight (Loader w/o Bucket), lbs.	1,232

Get More Standard Features

- Power & tilt steering
- Switch operated Independent PTO
- Front loader valve and 3rd function joystick
- Deluxe adjustable seat
- Remote control valves (3 pair)
- Rear work light
- Horn
- Deluxe cab with AC and heat
- Cabin air recirculation
- Front & rear windshield washer/wipers
- Deluxe stereo system with CD player
- 7 pin electrical connector
- Draw bar
- Hydraulic draft & position control with auto lift
- Pre-heat starting aid
- Hand & foot accelerator control
- Safety flashers & turn signals
- Fuel, coolant temperature, tachometer & hour meter gauges
- Differential lock, parking brake, battery charging, engine oil pressure, fuel filter, hydraulic oil filter pressure, 4WD, PTO operation, high beam operation / warning lights



LS Tractor USA | 6900 Corporation Parkway, Battleboro, NC
 P: 252.984.0700 | F: 252.984.0701 | www.lstractorusa.com

JSC ENTERPRISES, INC.
 2809 Charleston Road
 Spencer, WV 25276