



Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

State of West Virginia  
 Centralized Request for Quote  
 Equipment

<b>Proc Folder:</b> 884609			<b>Reason for Modification:</b> Addendum #1
<b>Doc Description:</b> Addendum 1 - Zero Turn Mowers with 60" mowing deck			
<b>Proc Type:</b> Central Purchase Order			
<b>Date Issued</b>	<b>Solicitation Closes</b>	<b>Solicitation No</b>	<b>Version</b>
2021-05-27	2021-06-03 13:30	CRFQ 0603 ADJ2100000044	2

**BID RECEIVING LOCATION**

BID CLERK  
 DEPARTMENT OF ADMINISTRATION  
 PURCHASING DIVISION  
 2019 WASHINGTON ST E  
 CHARLESTON WV 25305  
 US

05/27/21 14:47:57  
 WV PURCHASING DIVISION

**VENDOR**

**Vendor Customer Code:**

**Vendor Name :** STATE EQUIPMENT, INC.

**Address :**

**Street :** 560 NEW GOFF MOUNTAIN ROAD

**City :** CROSS LANES

**State :** WV **Country :** USA **Zip :** 25313

**Principal Contact :** EDDIE ROWAN, JR

**Vendor Contact Phone:** 304-776-4405 **Extension:**

**FOR INFORMATION CONTACT THE BUYER**  
 Jessica L Hovanec  
 (304) 558-2307  
 jessica.l.hovanec@wv.gov

**Vendor Signature X**  **FEIN#** 550658298 **DATE** 6/1/21

All offers subject to all terms and conditions contained in this solicitation

**ADDITIONAL INFORMATION**

Addendum #1 to attach responses to Vendor Questions.

Bid opening remains on 06/03/2021 at 1:30PM

No other changes.

INVOICE TO		SHIP TO	
ADJUTANT GENERALS OFFICE 1707 COONSKIN DR		ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV	CHARLESTON	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Zero Turn Mowers with 60" mowing deck	10.00000	EA	\$9,076.00	\$90,760.00

Comm Code	Manufacturer	Specification	Model #
27112014	KUBOTA	ZERO TURN MOWER	Z726XKW-3-60

**Extended Description:**

John Deere Model Z930M Ztrak Zero Turn Mowers with 60" mowing deck or equal

**SCHEDULE OF EVENTS**

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Technical Questions due by May 27, 2021 at 10:00 AM	2021-05-27

John Deere Model Z930M ZTRAK Zero Turn Mowers or Equal

PRICING PAGE

CONTRACT ITEM NO	DESCRIPTION	QTY	UNIT PRICE	TOTAL
Item No. 3.1.1	John Deere Model Z930M ZTRAK Zero Turn Mowers with 60" deck or equal	10	\$ 9,076.00	\$ 90,760.00
	Manufacturer Bid: KUBOTA			
	Model No. Bid: Z726XKW-3-60			
			\$	\$
	Unit prices to be inclusive of all freight/delivery costs Failure to use this form may result in disqualification		<b>Total Cost</b>	\$ 90,760.00
	<b>Bidder / Vendor Information:</b>			
	<b>Name:</b> STATE EQUIPMENT, INC			
	<b>Address:</b> 560 NEW GOFF MOUNTAIN ROAD CROSS LANES, WV 25313			
	<b>Phone:</b> 304-776-4405			
	<b>Fax:</b> 304-776-4409			
	<b>E-mail Address:</b> eddie@stateequipment.com			
	<b>Authorized Signature:</b>	<b>Date:</b> 6-1-21		



STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

**CONSTRUCTION CONTRACTS:** Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

**ALL CONTRACTS:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**DEFINITIONS:**

**"Debt"** means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

**"Employer default"** means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

**"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**AFFIRMATION:** By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

**WITNESS THE FOLLOWING SIGNATURE:**

Vendor's Name: STATE EQUIPMENT, INC

Authorized Signature: [Signature] Date: 6-1-21


State of WEST VIRGINIA

County of KANAWHA, to-wit:

Taken, subscribed, and sworn to before me this 1 day of June, 2021.


My Commission expires March 26, 2026

**AFFIX SEAL HERE**




**NOTARY PUBLIC** Amanda Dawn Ritenour

**DESIGNATED CONTACT:** Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

  
GENERAL MANAGER  
\_\_\_\_\_  
(Name, Title)  
EDDIE ROWAN, JR GENERAL MANAGER  
\_\_\_\_\_  
(Printed Name and Title)  
560 NEW GOFF MOUNTAIN ROAD CROSS LANES, WV 25313  
\_\_\_\_\_  
(Address)  
(304)776-4405 (304)776-4409  
\_\_\_\_\_  
(Phone Number) / (Fax Number)  
eddie@stateequipment.com  
\_\_\_\_\_  
(email address)

**CERTIFICATION AND SIGNATURE:** By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

*By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.*

STATE EQUIPMENT, INC  
\_\_\_\_\_  
(Company)  
 EDDIE ROWAN, JR GENERAL MANAGER  
\_\_\_\_\_  
(Authorized Signature) (Representative Name, Title)

EDDIE ROWAN, JR GENERAL MANAGER  
\_\_\_\_\_  
(Printed Name and Title of Authorized Representative)

6-1-21  
\_\_\_\_\_  
(Date)

(304)776-4405 (304)776-4409  
\_\_\_\_\_  
(Phone Number) (Fax Number)

**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: CRFO ADJ2100000044**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.


**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6  |
| <input type="checkbox"/> Addendum No. 2            | <input type="checkbox"/> Addendum No. 7  |
| <input type="checkbox"/> Addendum No. 3            | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4            | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5            | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

STATE EQUIPMENT, INC  
\_\_\_\_\_  
Company  
  
\_\_\_\_\_  
Authorized Signature  
6-1-21  
\_\_\_\_\_  
Date

**NOTE:** This addendum acknowledgment should be submitted with the bid to expedite document processing.

---

## Z725KH-3-60 / Z726XKW-3-60

---

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### GASOLINE ENGINE

**Z725KH-3-60**  
Kohler Command Pro CV742  
Air-cooled, V-Twin Vertical Shaft  
25 Gross HP @ 3600 rpm\*  
Displacement 747 cc  
Kubota Model GH740V

### Z726XKW-3-60

Kawasaki FX801V  
Air-cooled, V-Twin Vertical Shaft  
25.5 hp @ 3,600 RPM  
Displacement 852 cc  
Kubota Model GH860V

### TRANSMISSION

Parker Torqpack HTG14  
Integrated 14cc pump and wheel motor  
Internal Parking Brake  
Forward Speeds 0 - 11.2 mph  
Reverse Speeds 0 - 5.6 mph

### STEERING / MOTION CONTROL

(2) Hand Levers  
Hydraulically Damped

### FLUID CAPACITY

Fuel Tank	11.6 gal
Oil	2.4 qts
Transaxle	3.5 qts
Gross Weight (Kaw)	1232 lbs

### TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Flat free  
Rear 24 x 12 - 12 Turf

### DIMENSIONS

Height	69.9"
Length	83.9"
Width w/o deck	54.7"
Wheelbase	51"

### OPERATING FEATURES

Zero Turn Radius  
Foot Controlled Brake  
Adjustable Levers and Mower Deck Lift Pedal  
Cup Holder & Storage Compartments  
Semi-pneumatic, Smooth, Flat free Front Tires  
Premium Adjustable Suspension Seat  
w/ Kubota Exclusive Seat Design

### SAFETY EQUIPMENT

Seat Safety Switch  
Control Lever Safety Switch  
Parking Brake Safety Switch  
Foldable ROPS


### PTO SYSTEM

Belt Driven  
Dynamo-Electric clutch

### MOWER DECK

60" Cutting Width  
1-5" Cut Height, Adjustable  
1/4" Increments  
Flexible Discharge Cover  
Fabricated 8 Gauge Steel  
6" Deep Design  
3 Blades  
18,100-18,600 fpm Blade Tip Speed  
Maintenance-Free Sealed Spindles

**Easy operability,  
maximum efficiency**





# A comfortable operating space you work longer with minimal fa

## Adjustable Premium Suspension Seat

This Category best premium suspension seat brings luxury to every job. The suspension system is adjustable for operator weight and comfort. The 21.2" high back with the adjustable armrests, 6" seat slide and 3" vertical travel adjustments, gives you the ideal seating position to reduce fatigue and improve performance.



# Exclusive New Features of EFI Models

Z751KWi / Z781KWi / Z781KWTi

## Kawasaki® FX EFI Engine

Easy to start and easy to maintain, these smooth-running EFI engines feature an electronic engine governor (E-Gov) and an advanced ECU that work together to maximize engine performance under a wide range of commercial mowing conditions, from heavy turf to tall grass, and even up hills.



**Z751KWi**  
**25.5HP\*\***

**Z781KWi/  
Z781KWTi**  
**29.5HP\*\***

## Wide 6.5" Caster Tire

Standard on all EFI models 48", 54", and 60" decks.

## LCD Meter

Bright and easy-to-read, the large LCD meter provides all the information you need to keep your Z700 Series EFI mower running at optimum efficiency.

### Warning Light Indicators


- Low Fuel
- High Oil Temp
- Check Engine
- Check Battery
- Low Oil Pressure

### Engine Load Level

When this mode is selected, the LCD meter gauge provides a real-time display of current engine horsepower level. A full gauge means that you are using maximum engine horsepower, while an empty gauge indicates that no engine horsepower is being used.

### Master Caution Service Lamp

Hour Meter  
Fuel Gauge  
RPM



### Safety Switch Indicators

- PTO Switch
- Brake Switch
- Left Steering Arm
- Right Steering Arm
- Seat Switch

### Fuel Consumption Level

Select Fuel Consumption Mode to monitor fuel efficiency. In this mode, the LCD meter gauge provides a real-time indication of current fuel consumption level. When the gauge is full, fuel efficiency is optimum, while an empty gauge indicates poor fuel efficiency.

## Maintenance

The open engine compartment allows access to vital components around the engine without obstructions.



## Easy Battery Access

The battery and harness parts can be accessed just by raising the seat panel.



## Thicker and More Durable Main Frame

The 2 x 3-in. tubular steel frame provides the durability turf care professionals demand.



# Easy maintenance for minimal downtime



# Outstanding commercial features

## Commercial-grade Engines

The Z700 Series mowers are powered by Kawasaki® FX and KOHLER® Command PRO engines, renowned for their superior performance and lasting durability. Both have overhead valves, cast iron cylinder liners, full pressure lubrication, and dual element canister style air filters.



**Z724X/Z726X models**  
(Powered by Kawasaki® FX engines)  
**23.5HP\*\*/25.5HP\*\***



**Z723/Z724/Z725 models**  
(Powered by KOHLER® Command PRO engines)  
**22.5HP\*\*\*/23.5HP\*\*\***  
**25HP\*\*\***

## Transmission with Integrated Pump and Motor

The Z700 Series is equipped with dual Parker® \*\*\*\* transmissions. Designed for easy maintenance, each transmission has an integrated pump and motor for increased efficiency and simplified service. Also, each transmission has a separate oil supply for increased durability. Rod activated drum style parking brake can also be used as a safety brake.



# Specifications

Model		Z723KH-48	Z724KH-54	Z725KH-60
<b>Engine</b>	Kubota Model Number	GH680V	GH730V	GH740V
	Engine manufacture	KOHLER®		
	Type			
	Max. engine power	HP	22.5***	23.5***
	Engine displacement	cu. in. (cc)	42.3 (694)	45.6 (747)
	Starting system			
<b>Dimensions</b>	Overall length	in. (mm)		
	Overall width (w/ mower)	in. (mm)	61.3 (1557)	67.3 (1709)
	(w/o mower)	in. (mm)	50.4 (1280)	
	Overall height (w/ ROPS upright)	in. (mm)		
	(w/ ROPS folded)	in. (mm)	54.7 (1389)	
<b>Wheelbase</b>		in. (mm)		
<b>Tread</b>	Front	in. (mm)		
	Rear	in. (mm)		
<b>Tire size</b>	Front	13 x 5.0 - 6 (Flat Free)		13 x 6.5 - 6 (Flat Free)
	Rear	24 x 9.5 - 12		24 x 12 - 12
<b>Weight (w/ mower deck)</b>	lbs. (kg)	1168 (530)	1182 (536)	1213 (550)
<b>Transmission</b>				
<b>Transmission system</b>				
<b>Speed control</b>				
<b>Traveling speed range</b>	Forward	mph (km/h)		
	Reverse	mph (km/h)		
<b>Brake type</b>				
<b>PTO system</b>	Type			
	Clutch type			
	PTO brake			
<b>Mower deck</b>	Model	RCK48P-723Z	RCK54P-724Z	RCK60P-725Z
	Cutting width	in.	48 (1219)	54 (1372)
	Mower lift system			
	Mower deck type			
	Deck depth	in. (mm)		
	Belt type			
	Deck steel thickness	Ga (mm)		
	Anti-scalp roller			
	Number of blades			
	Mounting method			
	Cutting height	in. (mm)	1.0 - 5.0	
	Blade tip speed (max.)	FPM		
	Parking brake			
<b>Seat</b>				
<b>Fuel tank capacity</b>	gals. (ltrs.)			
<b>Engine stop system</b>				
<b>Battery</b>				
<b>Generator capacity</b>	Amp			

\*\* These Kawasaki engines have been tested in accordance with SAE J1995, verified by TÜV Rheinland Group, and certified by SAE International. The gross power ratings of these engines were determined by using measurements according to SAE J1995 which were witnessed by SAE-approved witnesses from TÜV Rheinland Group. Torque ratings of these engines were not certified by SAE. Actual power and torque output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.

\*\*\* Power (hp) specifications for individual gasoline engine models are rated pursuant to Society of Automotive Engineers (SAE) J1940 or J2723 based on gross output testing performed in accordance with SAE J1995 without the air cleaner and muffler. Gross engine hp will be higher than actual engine power which is affected by accessories, application, engine speed, ambient operating conditions and other factors. The gross engine horsepower information is for comparison purposes only.

\*\*\*\* Parker® is a registered trademark of Parker Hannifin Corporation.

Kubota Tractor Corporation reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were used to set forth the contained information; some items shown may be optional and some products shown may not be available at all dealerships. Kubota disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, safety and product information, consult your local Kubota dealer and the operator's manual. Power (HP/KW) and other specifications are based on various standards or recommended practices. For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications. This brochure is intended for the United States and US territories only. For information regarding Kubota products or services outside these areas, see Kubota Corporation's global web site. Kubota does not provide parts, warranty or service for any Product which is re-sold or retailed in any country other than the country for which the Product(s) were designed or manufactured.

# New Choice for Greater Perform



**Exceptional Value**  
**KOHLER® Command Pro Engines**  
**Z723\*/Z724\*/Z725\***  
**with 48", 54", 60" decks**

**\*Warranty**

Commercial: 2 years/Unlimited hours

Residential: 4 years/750 hours

*(Please see the Kubota owner's warranty information guide for full details.)*

# OPTIONAL ATTACHMENTS



## Grass Catcher

These large-capacity grass catchers let you get more work done in less time. The simple frame and connection system make attachment and detachment quick and easy. The Z723/Z724(X) hold 10 bushels, while the Z725/Z726X hold an impressive 11 bushels.



## LED Light Kit

This low-power, long life LED work light kit mounts on the ROPS and provides enough light to work efficiently in the dim evening and early morning hours.



## Operator Controlled Discharge Chute

The discharge chute cover over the grass clippings outlet can be opened and closed with a single lever, letting you temporarily shut the outlet to avoid sending clippings onto flowerbeds or roads.



## Hitch Kit

With the optional hitch kit, the Z700 can tow a trailer or cart carrier for transporting a blower, trimmer, fertilizer, or other work supplies.



## Maintenance Lift Kit

The maintenance lift kit lets you quickly and easily perform maintenance on the low parts of the mower without removing the mower deck.

## Mulch Kit

Kubota's mulching kit turns your clippings into mulch that can be recycled as nutrients for your lawn or garden.

## Karu Mulching Blade (60")

NEW Karu Mulching Blade (60") designed to produce smaller clippings that are easily recycled in your turf.

# Kubota®

## KUBOTA TRACTOR CORPORATION

1000 Kubota Drive, Grapevine, TX 76051 Tel 888-4 KUBOTA

Visit our web site at: [KubotaUSA.com](http://KubotaUSA.com)

©2019 Kubota Corporation



**Kubota**  
**Genuine Parts**  
for maximum  
performance,  
durability and  
safety

