



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





### State of West Virginia Solicitation Response

Proc Folder:

1047657

**Solicitation Description:** 

EOI - 2022 AML Contract 7 Project North

Proc Type:

Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2022-06-23 13:30	SR 0313 ESR06022200000007600	1

VENDOR

000000232671 TETRA TECH INC

Solicitation Number: CEOI 0313 DEP2200000016

Total Bid: 0 Response Date: 2022-06-23 Response Time: 09:49:25

Comments:

FOR INFORMATION CONTACT THE BUYER

Joseph E Hager III (304) 558-2306 joseph.e.hageriii@wv.gov

Vendor Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Jun 23, 2022
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Professional Svcs - Weston (Curtis) Landslide				0.00

Comm Code	Manufacturer	Specification	Model #	
81100000				

### **Commodity Line Comments:**

### **Extended Description:**

Professional Svcs - Weston (Curtis) Landslide

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Professional Svcs - Upland Run (Harrison)				0.00
	AMD and Drainage				

Comm Code	Manufacturer	Specification	Model #	
81100000				

### **Commodity Line Comments:**

### **Extended Description:**

Professional Svcs - Upland Run (Harrison) AMD and Drainage

Date Printed: Jun 23, 2022 Page: 2 FORM ID: WV-PRC-SR-001 2020/05



June 23, 2022

Mr. Joseph E. Hager III Department of Administration, Purchasing Division 2019 Washington Street East Charleston, WV 25305-0130

Re: EOI- 2022 AML Contract 7 Project North CEOI 0313 DEP2200000016

Dear Mr. Hager,

Please find enclosed Tetra Tech's Expression of Interest (EOI) for the 2022 AML Contract 7 Project North CEOI 0313 DEP2200000016

Tetra Tech has completed numerous similar mine reclamation and remediation projects in the past for numerous clients which include, but not limited to, landslide analyses design/remediations, design of portal seals, reclamation of coal refuse sites, highwall elimination, drainage design, mitigation of AMD drainage, and design or drainage facilities associated with the mining industry. Individual personnel to be assigned to these projects have as much as forty (40) to forty-five (45) years' experience in the mining industry addressing these items.

If you should have any questions or concerns please contact me at <u>eric.cavazza@tetratech.com</u> or via phone at (412) 522-9764.

Sincerely,

Eric Cavazza, P.E., M.S.

Project Manager

EEC Enclosures



Project 1: Weston (Curtis) Landslide -EOI

Project 2: Upland Run (Harrison) AMD and Drainage – EOI

Attachment A

Attachment B

Addendum Acknowledgement Form

# WVDEP-AMLR EOI – Weston (Curtis) Landslide

1. **Background:** Tetra Tech has extensive experience in the remediation and resolution of Civil/Mining Engineering projects.

Upon receipt of the formal notice to proceed, Tetra Tech would attend an on-site project kick-off meeting at the site with WVDEP personnel to discuss the project issues and work plan to reach a consensus on the technical approach for the site. The kick-off meeting would also provide the opportunity for WVDEP personnel to express to Tetra Tech their concerns, objectives, and initial thoughts on the project for discussion. Upon completion of the on-site project kick-off meeting a *Document of Understanding* will be prepared by Tetra Tech for the Project Area for review and input by WVDEP to create a work plan and goal-oriented document for the project.

Base mapping will be required for the project. It is Tetra Tech's assumption the mapping will be provided for the project, in which case, some additional checks, spot locations, and potential additional feature items may be required to be located for design purposes. If the base mapping is to be developed by Tetra Tech, a sub-contract surveying company will be utilized for these services.

Based on the initial and available information, a preliminary conceptual plan will be prepared for review by WVDEP personnel. The preliminary conceptual plan will identify the general layout of the site, specific issues identified, proposed water routing, areas of additional concern and in the case of land stability issues, soil borehole locations associated with the proposed geotechnical investigation. A geotechnical sampling plan will be developed for the site in order to address issues identified by the WVDEP/Tetra Tech team members. The soil sampling will be conducted, and appropriate testing will be performed by Tetra Tech's in-house soils laboratory located in Morgantown, WV.

The requested responses to the project goals and objectives as stipulated within the EOI are listed below:

**Location:** The project is located southeast of the City of Weston, in Lewis County, WV, off CR 36 (Little Skin Creek Road).

**2. Projects and Goals:** The project is for the stabilization of dangerous landslides, road stabilization, and installation, repair and/or replacement of proposed and/or existing drainage controls and features.

#### 2.1. NEPA tasks and IIJA compliance.

Tetra Tech will use OSMRE REG-1, Handbook on Procedures for Implementing the National Environmental Policy Act (NEPA Handbook) (Revised 2019). Depending on the significance of the actual and potential impacts of the proposed project, one of three potential analytical approaches under NEPA may apply: 1) Categorical Exclusion (CE); 2) Environmental Assessment (EA), which may result in a Finding of No Significant Impact (FONSI) or a Notice of Intent (NOI) to prepare an Environmental Impact Statement (EIS); 3) Environmental Impact Statement (EIS) and Record of Decision (ROD).

To determine IIJA compliance Tetra Tech will follow the Guidance on the Bipartisan Infrastructure Law (BIL) (Pub. L. 117-58), Abandoned Mine Land Grant Implementation provided by OSMRE.

2.2. Determine legal ownership of properties and provide legal documentation to substantiate legal ownership findings (if required).

Tetra Tech will research legal ownership of properties by conducting a thorough search of deed records at the county courthouse and provide legal documentation to substantiate legal ownership findings (if required).

2.3. Develop construction plans and technical specifications for all aspects to reclaim mine portals, demolition of structures (silo, buildings, etc.), drainage controls and systems, slope stabilization, coal refuse reclamation, stream restoration, subsidence repair, limits of disturbance, storm water and erosion and sediment control, regrade and revegetation, and all other conditions encountered on the project sites.

Stabilization of dangerous landslides and road stabilization: If necessary, Tetra Tech will work with the WV Division of Highways during design for road stabilization. In order to develop the construction plans and technical specification for slope stabilization, the development of a geotechnical investigation plan would be completed. The geotechnical plan would consist of the drilling and sampling of soils in the vicinity of the landslides. Tetra Tech will provide a geotechnical engineer on site during the drilling operations. The number, locations, and depths of borings would be dependent on the extent and size of the landslides. In addition to the sampling of soils, the geotechnical boring plan would attempt to identify existing slip planes, the extent and locations of any perched aquifers as well as elevation of phreatic surfaces at the completion of the drilling and 24 hours

thereafter. Soil testing would be completed by Tetra Tech's in-house soil laboratory located in Morgantown, West Virginia. Potential soil tests and number of tests to be conducted would be determined following the geotechnical drilling and sampling operations but could possibly include the following tests:

### **Potential Soil Tests**

- Visual Description - Direct Shear

Grain Size Analyses - Standard Proctor

- Hydrometer Test - Atterberg Limits

- Moisture Content

Plan and cross section views will be developed to provide the design of the stabilization and remediation of the landslide areas. Plan and cross section views will provide the location and design parameters of the final slope configuration and will show the location and details of proposed subsurface drainage underdrains, final slopes, proposed keyways, and typical detail slope saw-cut excavation as part of the reconstructed/stabilized slopes. Stability analyses will be completed utilizing the Slide 2 program to assist in determining the stable configuration of the final slope configuration with a minimum standard safety margin of 1.5. Specifications will be developed indicating compaction requirements such as degree of compaction, optimum moisture, plus or minus variance on moisture, lift thickness and other quality control parameters for compaction during construction.

Detailed grading plans will be provided showing existing contours, proposed final grading contours, location of Erosion and Sedimentation Control devices such as silt fence, super silt fence, sumps, swales, erosion control blankets, compost filter socks and other erosion control devices. In addition, a proposed seeding and revegetation plan will be included on the plans and within the specifications.

Repair and/or replacement of proposed and/or existing drainage controls and features: Drainage areas within the project area will be determined. If possible, diversion ditches will be located in the upstream area in order to control and divert the drainage around the project area. All drainage ditches, swales, underdrains and culverts will be sized and designed in accordance with standard engineering practices. Size, slope, and lining of the proposed ditches and culverts will be specified on the plans and be based on required storm events. Design of drainage conveyances, including drainage channels, underdrains and /or other controls to safely convey water off-site will be designed in accordance with standard engineering practices and will fully consider the safety of the existing public

dwellings and structures near the project areas. Hydrologic and hydraulic analyses will be performed for the site and existing structures. HydroCAD Stormwater Modeling program will be utilized in analyzing and sizing drainage structures for the project.

Detailed grading plans will be provided showing existing contours, proposed final grading contours, cross sections, location of Erosion and Sedimentation Control devices such as silt fence, super silt fence, sumps, swales, erosion control blankets, compost filter socks and other erosion control devices. In addition, a proposed seeding and revegetation plan will be included on the plans and within the specifications.

*Erosion and Sediment Control:* The Erosion and Sediment Control Plans (E&SCP) will include:

- Narrative and description of Best Management Practices (BMPSs)
- Construction Sequence
- Narrative and description of post-construction stormwater management
- E&SCP with detail drawings
  - A general vicinity location map
  - Erosion and Sediment Control plan sheets
  - Post Construction Stormwater Management plan sheets
  - E&SCP details will be per the WVDEP's E&S standards manual.

Detailed design plans and specification will be prepared for other conditions encountered on the project site. Other conditions may include the following:

• Design of temporary and permanent access or accesses for construction and future maintenance. Temporary and permanent access will be designed utilizing AutoCad software. Plan view, designed profile, and roadway cross sections shown at an appropriate interval will be prepared and will be included within the final drawing package. Typical sections will be shown to indicate design features such as roadway cross slopes, pavement composition (gravel, asphalt, or concrete) and thickness, side slopes of embankments/cut slopes and proposed ditching. The roadway will be designed in accordance with WVDEP mining and reclamation standards or other standards as determined by WVDEP. Final design of the roadway will attempt to design the roadway to a balanced cut/fill situation, if possible. Cut and fill quantities will be listed on the plans.

Construction drawings and specifications will be developed based on the design concept approved by WVDEP and in conformance with the WVDEP Guidelines for Preparation of Design Plans & Specifications. Drawings will be 24" x 36" format and produced from base mapping files in AutoCAD 2019 format. Final drawings and specifications will be provided for use for review by WVDEP and for use by the selected contractor. Plans and specifications will be prepared

Detailed specifications will be prepared in a manner compatible with the WVDEP contracting documents and consistent with base specifications available from the WVDEP website. Complete technical specifications in Microsoft Word will be provided with the final submission.

### 2.4. Obtain/maintain/release all required permits.

Tetra Tech will prepare and submit to obtain the required permits as determined at the Pre-Design Meeting. Required permit applications will be prepared for submittal for the project. All required plans, specifications and required additional data will be included within the application. Required permits may include the following:

- 401/404 Stream and Wetland Permits
- Construction Stormwater General Permit
- WVDOH Occupancy Permit (Driveway Permit)
- NPDES Modification
- Any other local, state, or federal permit identified as being required for the project

### 2.5. Provide resident project representative, QA/QC certification, and prepare daily field activity logs summarizing construction activities.

Tetra Tech will provide a qualified resident project representative, QA/QC certification, and prepare daily field activity logs summarizing construction activities.

#### **WVDEP-AMLR**

### EOI - Upland Run (Harrison) AMD and Drainage

1. **Background:** Tetra Tech has extensive experience in the remediation and resolution of Civil/Mining Engineering projects.

Upon receipt of the formal notice to proceed, Tetra Tech would attend an on-site project kick-off meeting at the site with WVDEP personnel to discuss the project issues and work plan to reach a consensus on the technical approach for the site. The kick-off meeting would also provide the opportunity for WVDEP personnel to express to Tetra Tech their concerns, objectives, and initial thoughts on the project for discussion. Upon completion of the on-site project kick-off meeting a *Document of Understanding* will be prepared by Tetra Tech for the Project Area for review and input by WVDEP to create a work plan and goal-oriented document for the project.

Base mapping will be required for the project. It is Tetra Tech's assumption the mapping will be provided for the project, in which case, some additional checks, spot locations, and potential additional feature items may be required to be located for design purposes. If the base mapping is to be developed by Tetra Tech, a sub-contract surveying company will be utilized for these services.

Based on the initial and available information, a preliminary conceptual plan will be prepared for review by WVDEP personnel. The preliminary conceptual plan will identify the general layout of the site, specific issues identified, proposed water routing, areas of additional concern and in the case of land stability issues, soil borehole locations associated with the proposed geotechnical investigation. A geotechnical sampling plan will be developed for the site in order to address issues identified by the WVDEP/Tetra Tech team members. The soil sampling will be conducted, and appropriate testing will be performed by Tetra Tech's in-house soils laboratory.

The requested responses to the project goals and objectives as stipulated within the EOI are listed below:

**Location:** The project is located west of the City of Weston, in Lewis County, WV, off CR 13 (Berlin Road).

**2. Projects and Goals:** The project is for the stabilization of dangerous landslides, road stabilization, regrading, and installation, repair and/or replacement of proposed and/or existing drainage controls and features (including the installation of a new highway culvert). Utility relocation (water, telephone, etc.) may be required.

### 2.1. NEPA tasks and IIJA compliance.

Tetra Tech will use OSMRE REG-1, Handbook on Procedures for Implementing the National Environmental Policy Act (NEPA Handbook) (Revised 2019). Depending on the significance of the actual and potential impacts of the proposed project, one of three potential analytical approaches under NEPA may apply: 1) Categorical Exclusion (CE); 2) Environmental Assessment (EA), which may result in a Finding of No Significant Impact (FONSI) or a Notice of Intent (NOI) to prepare an Environmental Impact Statement (EIS); 3) Environmental Impact Statement (EIS) and Record of Decision (ROD).

To determine IIJA compliance Tetra Tech will follow the Guidance on the Bipartisan Infrastructure Law (BIL) (Pub. L. 117-58), Abandoned Mine Land Grant Implementation provided by OSMRE.

2.2. Determine legal ownership of properties and provide legal documentation to substantiate legal ownership findings (if required).

Tetra Tech will research legal ownership of properties by conducting a thorough search of deed records at the county courthouse and provide legal documentation to substantiate legal ownership findings (if required).

2.3. Develop construction plans and technical specifications for all aspects to reclaim mine portals, demolition of structures (silo, buildings, etc.), drainage controls and systems, slope stabilization, coal refuse reclamation, stream restoration, subsidence repair, limits of disturbance, storm water and erosion and sediment control, regrade and revegetation, and all other conditions encountered on the project sites.

Stabilization of dangerous landslides and road stabilization: Tetra Tech will work with the WV Department of Highways during design for road stabilization and new highway culvert. Additionally, Tetra Tech will work with the appropriate utility for utility relocation if needed. In order to develop the construction plans and technical specification for slope stabilization, the development of the geotechnical investigation plan would be completed. The geotechnical plan would consist of the drilling and sampling of soils in the vicinity of the landslides. Tetra Tech will provide a geotechnical engineer on site during the drilling operations. The number, locations, and depths of borings would be dependent on the extent and size of the landslides. In addition to the sampling of soils,

the geotechnical boring plan would attempt to identify existing slip planes, the extent and locations of any perched aquifers as well as elevation of phreatic surfaces at the completion of the drilling and 24 hours thereafter. Soil testing would be completed by Tetra Tech's in-house soil laboratory located in Morgantown, West Virginia. Potential soil tests and number of tests to be conducted would be determined following the geotechnical drilling and sampling operations but could possibly include the following tests:

### **Potential Soil Tests**

Visual Description - Direct Shear

- Grain Size Analyses - Standard Proctor

Hydrometer Test - Atterberg Limits

- Moisture Content

Plan and cross section views will be developed to provide the design of the stabilization and remediation of the landslide areas. Plan and cross section views will provide the location and design parameters of the final slope configuration and will show the location and details of proposed subsurface drainage underdrains, final slopes, proposed keyways, and typical detail slope saw-cut excavation as part of the reconstructed/stabilized slopes. Stability analyses will be completed utilizing the Slide 2 program to assist in determining the stable configuration of the final slope configuration with a minimum standard safety margin of 1.5. Specifications will be developed indicating compaction requirements such as degree of compaction, optimum moisture, plus or minus variance on moisture, lift thickness and other quality control parameters for compaction during construction.

Detailed grading plans will be provided showing existing contours, proposed final grading contours, location of Erosion and Sedimentation Control devices such as silt fence, super silt fence, sumps, swales, erosion control blankets, compost filter socks and other erosion control devices. In addition, a proposed seeding and revegetation plan will be included on the plans and within the specifications.

Repair and/or replacement of proposed and/or existing drainage controls and features: Drainage areas within the project area will be determined. If possible, diversion ditches will be located in the upstream area in order to control and divert the drainage around the project area. All drainage ditches, swales, underdrains and culverts will be sized and designed in accordance with standard engineering practices. Size, slope, and lining of the proposed ditches and culverts will be specified on the plans and be based on required

storm events. Design of drainage conveyances, including drainage channels, underdrains and /or other controls to safely convey water off-site will be designed in accordance with standard engineering practices and will fully consider the safety of the existing public dwellings and structures near the project areas. Hydrologic and hydraulic analyses will be performed for the site and existing structures. HydroCAD Stormwater Modeling program will be utilized in analyzing and sizing drainage structures for the project.

Detailed grading plans will be provided showing existing contours, proposed final grading contours, cross sections, location of Erosion and Sedimentation Control devices such as silt fence, super silt fence, sumps, swales, erosion control blankets, compost filter socks and other erosion control devices. In addition, a proposed seeding and revegetation plan will be included on the plans and within the specifications.

*Erosion and Sediment Control:* The Erosion and Sediment Control Plans (E&SCP) will include:

- Narrative and description of Best Management Practices (BMPSs)
- Construction Sequence
- Narrative and description of post-construction stormwater management
- E&SCP with detail drawings
  - A general vicinity location map
  - Erosion and Sediment Control plan sheets
  - Post Construction Stormwater Management plan sheets
  - o E&SCP details will be per the WVDEP's E&S standards manual.

Detailed design plans and specification will be prepared for other conditions encountered on the project site. Other conditions may include the following:

Design of temporary and permanent access or accesses for construction and future maintenance. Temporary and permanent access will be designed utilizing AutoCad software. Plan view, designed profile, and roadway cross sections shown at an appropriate interval will be prepared and will be included within the final drawing package. Typical sections will be shown to indicate design features such as roadway cross slopes, pavement composition (gravel, asphalt, or concrete) and thickness, side slopes of embankments/cut slopes and proposed ditching. The roadway will be designed in accordance with WVDEP mining and reclamation standards or other standards as determined by WVDEP. Final design of the roadway will attempt to

design the roadway to a balanced cut/fill situation, if possible. Cut and fill quantities will be listed on the plans.

Construction drawings and specifications will be developed based on the design concept approved by WVDEP and in conformance with the WVDEP Guidelines for Preparation of Design Plans & Specifications. Drawings will be 24" x 36" format and produced from base mapping files in AutoCAD 2019 format. Final drawings and specifications will be provided for use for review by WVDEP and for use by the selected contractor. Plans and specifications will be prepared

Detailed specifications will be prepared in a manner compatible with the WVDEP contracting documents and consistent with base specifications available from the WVDEP website. Complete technical specifications in Microsoft Word will be provided with the final submission.

### 2.4. Obtain/maintain/release all required permits.

Tetra Tech will prepare and submit to obtain the required permits as determined at the Pre-Design Meeting. Required permit applications will be prepared for submittal for the project. All required plans, specifications and required additional data will be included within the application. Required permits may include the following:

- 401/404 Stream and Wetland Permits
- Construction Stormwater General Permit
- WVDOH Occupancy Permit (Driveway Permit)
- NPDES Modification
- Any other local, state, or federal permit identified as being required for the project

## 2.5. Provide resident project representative, QA/QC certification, and prepare daily field activity logs summarizing construction activities.

Tetra Tech will provide a qualified resident project representative, QA/QC certification, and prepare daily field activity logs summarizing construction activities.

WEST VIRGINIA DEPARTMEN AML CONSULTANT QU	NT OF ENVIRONMENTAL F JALIFICATION QUESTION	
PROJECT NAME  EOI - 2022 AML Contract 7 Project  North  DATE (DAY, MONT 22, June 2022		FEIN 95-4148514
	ICE BUSINESS ADDRESS on Rd, Morgantown, WV	3. FORMER FIRM NAME
4. HOME OFFICE TELEPHONE 5. ESTABLISHED (YEAR) 304-212-3600 1966	6. TYPE OWNERSHIP Corporation	6a. WV REGISTERED DBE (Disadvantaged Business Enterprise) NO
7. PRIMARY AML DESIGN OFFICE: ADDRESS/ TELEPHONE/ PE Morgantown, 947 Canyon Rd, Morgantown, WV 26508/3 Pittsburgh, 661 Andersen Dr, Pittsburgh, PA, 1522	304-534-4021/Mark Speranz 20/412-921-7090/Mark Sper	a, PE/ 10 People anza, PE/116
8. NAMES OF PRINCIPAL OFFICERS OR MEMBERS OF FIRM Mr. Mark Perry, PE - Unit President		PHONE NUMBER - OTHER PRINCIPALS Project Manger - 412-522-9764
9. PERSONNEL BY DISCIPLINE  — ADMINISTRATIVE 2012 — ECOLOGISTS 152  — ARCHITECTS 130 — ECONOMISTS 138  — BIOLOGIST 300 — ELECTRICAL ENGINEERS	<ul> <li>— PHOTOGRAMMETRIST</li> <li>— PLANNERS:         URBAN/REGIONAL96</li> <li>— SANITARY ENGINEES</li> <li>— SOILS ENGINEERS</li> <li>— SPECIFICATION         WRITERS 140</li> <li>EERS IN PRIMARY OFFICE:</li> </ul>	SURVEYORS 60  SINCE S 70  TRAFFIC ENGINEERS  OTHER 13,714  RS70  TOTAL PERSONNELL 20,000 Personnel Company Wide
10. HAS THIS JOINT-VENTURE WORKED TOGETHER BEFORE?	XX YES	

	B-CONSULTANTS ANTICIPATED TO BE USED. Attach "AM	
NAME AND ADDRESS: Dieffenbauch & Hritz LLC	SPECIALTY: Surveying Services	WORKED WITH BEFORE
1095 Chaplin Road Suite 200 Morgantown, WV 26501		<u>X</u> _Yes
NAME AND ADDRESS	CDECIALTY C. ( 1 ' 1D''')	No
NAME AND ADDRESS: Core Drilling, LLC	SPECIALTY: Geotechnical Drilling	WORKED WITH BEFORE
620 Lincoln Avenue Bentleyville, PA 15314		XYes
•		No
NAME AND ADDRESS: Geotechnics	SPECIALTY: Soil Testing	WORKED WITH BEFORE
544 Braddock Avenue		XYes
East Pittsburgh, PA 15112		
NAME AND ADDRESS:	SPECIALTY:	N₀ WORKED WITH BEFORE
		V
		Yes
		No
NAME AND ADDRESS:	SPECIALTY:	WORKED WITH BEFORE
		Yes
		No
NAME AND ADDRESS:	SPECIALTY:	WORKED WITH BEFORE
		Yes
		No
NAME AND ADDRESS:	SPECIALTY:	WORKED WITH BEFORE
		Yes
		No
NAME AND ADDRESS:	SPECIALTY:	WORKED WITH BEFORE
		Yes
		No
NAME AND ADDRESS:	SPECIALTY:	WORKED WITH BEFORE
		Yes
		No

12. A. Is your firm's personnel experienced in Abandoned Mine Lands Remediation/Mine Reclamation Engineering?

YES Description and Number of Projects: Tetra Tech has extensive experience with AML/Mine Reclamation Engineering. Tetra Tech is currently working on several AML projects in several states. Tetra Tech has also worked on AML related projects within the state of West Virginia. In the last 5 years Tetra Tech has performed 20+ of these types of projects.

B. Is your firm experienced in Soil Analysis?

YES Description and Number of Projects: Tetra Tech has a whole team dedicated to Geotechnical investigations including soil analysis. In the last 5 year this team has performed 20+ projects specifically associated with Soil Analysis.

C. Is your firm experienced in hydrology and hydraulics?

YES Description and Number of Projects: Tetra Tech has performed several project looking at hydrology and hydraulics, specifically Tetra Tech specializes in mine pool analysis and AMD treatment systems. In the last 5 years Tetra Tech has performed 20+ projects looking at hydrology and hydraulics.

D. Does your firm produce its own Aerial Photography and Develop Contour Mapping?

YES Description and Number of Projects: Tetra Tech does produce its own Aerial Photography with the use of drone technology and we use that photography to develop contour mapping. We use this service across all disciplines and industries with hundreds of flights and maps developed on a yearly basis.

E. Is your firm experienced in domestic waterline design? (Include any experience your firm has in evaluation of aquifer degradation as a result of mining.)

YES Description and Number of Projects: Tetra Tech's large size and extensive resources provides for skilled individuals in various disciplines, Tetra Tech does have experience in domestic waterline design in conjunction with other projects.

F. Is your firm experienced in Acid Mine Drainage Evaluation and Abatement Design?

YES Description and Number of Projects: Tetra Tech has a whole team dedicated to Acid Mine Drainage projects, we are currently working on 5 projects specifically looking at AMD treatment with 10+ projects completed in the last 5 years.

13. PERSONAL HISTORY STATEMENT OF PROdata but keep to essentials)	INCIPALS AND ASSOCIATES RESPO	NSIBLE FOR AML PROJECT DESIGN	(Furnish complete
NAME & TITLE (Last, First, Middle Int.)		YEARS OF EXPERIENCE	
Cavazza, Eric E. P.E.	YEARS OF AML DESIGN EXPERIENCE: 37	YEARS OF AML RELATED DESIGN EXPERIENCE:37	YEARS OF DOMESTIC WATERLINE DESIGN EXPERIENCE:
Brief Explanation of Responsibilities Mr. Eric Cavazza has over thirty-seve environmental programs including extension environmental restoration projects to abandoned mine lands. He served as Popecember 2020.	en (37) years of extensive ex ensive experience managing th o eliminate hazards and resto	ne development, design and consore environmental degradation a	struction of associated with
EDUCATION (Degree, Year, Specializat. BS, 1983 Mining Engineer/ MS, 1995 Engineer/ MS, 19			
MEMBERSHIP IN PROFESSIONAL ORGANIZAT SME	IONS	REGISTRATION (Type, Year, Sta PE in PA (1989)	ate)
13. PERSONAL HISTORY STATEMENT OF PRodata but keep to essentials)	INCIPALS AND ASSOCIATES RESPO	NSIBLE FOR AML PROJECT DESIGN	(Furnish complete
NAME & TITLE (Last, First, Middle Int.)		YEARS OF EXPERIENCE	
Hynes, Gregory PE	YEARS OF AML DESIGN EXPERIENCE: 31	YEARS OF AML RELATED DESIGN EXPERIENCE:31	YEARS OF DOMESTIC WATERLINE DESIGN EXPERIENCE:
Brief Explanation of Responsibilities	S		
Mr. Hynes has 31 years of professi reclamation. Additionally, he has de potable water distribution systems control plans.	signed and permitted numerous	s mine surface facilities, oil	and gas well pad sites,
EDUCATION (Degree, Year, Specializat. BE, 1987 Civil Engineer/ MS, 1997 Civil			
MEMBERSHIP IN PROFESSIONAL ORGANIZATE SME	IONS	REGISTRATION (Type, Year, Sta PE 1993 PA, PE 1998 OH, PE 19	

13. PERSONAL HISTORY STATEMENT OF PR data but keep to essentials)	INCIPALS AND ASSOCIATES RESPO	NSIBLE FOR AML PROJECT DESIGN	(Furnish complete				
NAME & TITLE (Last, First, Middle Int.)		YEARS OF EXPERIENCE					
Sheehan, Mike	YEARS OF AML DESIGN EXPERIENCE: 25	YEARS OF AML RELATED DESIGN EXPERIENCE: 25	YEARS OF DOMESTIC WATERLINE DESIGN EXPERIENCE:				
Brief Explanation of Responsibilities Mr. Mike Sheehan has over twenty-five (13) years administering state enviro and construction of environmental res associated with abandoned mine lands	re (25) years of extensive experonmental programs including exestoration projects to eliminate, forfeited mine lands and about	extensive experience managing to the hazards and restore environ	the development, design				
EDUCATION (Degree, Year, Specializat: BS, 1993, Environmental Protection So							
MEMBERSHIP IN PROFESSIONAL ORGANIZAT	EMBERSHIP IN PROFESSIONAL ORGANIZATIONS REGISTRATION (Type, Year, State)						
13. PERSONAL HISTORY STATEMENT OF PROdata but keep to essentials)	INCIPALS AND ASSOCIATES RESPO	NSIBLE FOR AML PROJECT DESIGN	(Furnish complete				
NAME & TITLE (Last, First, Middle Int.)		YEARS OF EXPERIENCE					
Yost, Gregory P.G.	YEARS OF AML DESIGN EXPERIENCE: 12	YEARS OF AML RELATED DESIGN EXPERIENCE: 12	YEARS OF DOMESTIC				
Brief Explanation of Responsibilities	, <u> </u>	<u> </u>					
Mr. Yost has experience with subsurface foundation design. Additionally, Mr. Yo of-way remediation, and landslide remediations, fill slopes, and landslide sumenvironment, strike, dip, and rock stidentifying and flagging wetland areas and	e geotechnical investigations, in ost has construction experience of diation. His experience also end asceptible slopes. Mr. Yost has tructure including joints, faul	comprising of well pads and comprecompasses the evaluation of slope as experience analyzing rock fo tts, and discontinuities. Mr.	essor pads, pipeline right- be stability applied to cut ormations for depositional Yost has experience with				
EDUCATION (Degree, Year, Specializat: BS, 2009, Geology	ion)						
MEMBERSHIP IN PROFESSIONAL ORGANIZAT:	IONS	REGISTRATION (Type, Year, Sta PG, 2015 PA	ate)				

13. PERSONAL HISTORY STATEMENT OF PR data but keep to essentials)	INCIPALS AND ASSOCIATES RESPO	NSIBLE FOR AML PROJECT DESIGN	(Furnish complete	
NAME & TITLE (Last, First, Middle Int.)  YEARS OF EXPERIENCE				
Trexler, Heather, PG	YEARS OF AML DESIGN EXPERIENCE: 18	YEARS OF AML RELATED DESIGN EXPERIENCE:18	YEARS OF DOMESTIC WATERLINE DESIGN EXPERIENCE:	
Brief Explanation of Responsibilitie	S			
Ms. Trexler has over 18 years of oversight, job and budget tracking, and environmental projects. She is office and leads projects requiri hydrogeology, and ecology. Projects preparation of permits to state ager activities. Additional technical procurrent and potential impacts to wat	technical report preparation the Department Manager of the ng a multi-disciplinary teas activities for coal mining acies in Pennsylvania and Wesojects include the evaluation	, and client development for e Energy and Natural Resources am of professionals includin development include mine abast Virginia for mine expansion	coal mining, natural gas s Group in the Pittsburgh ag engineering, geology, andonment designs and the as and associated surface	
EDUCATION (Degree, Year, Specializat BS, 2001, Geology MS, 2003, Geology	ion)			
MEMBERSHIP IN PROFESSIONAL ORGANIZAT SME	IONS	REGISTRATION (Type, Year, St PG, 2007, PA	ate)	
13. PERSONAL HISTORY STATEMENT OF PR data but keep to essentials)	INCIPALS AND ASSOCIATES RESPO	NSIBLE FOR AML PROJECT DESIGN	(Furnish complete	
NAME & TITLE (Last, First, Middle Int.)		YEARS OF EXPERIENCE		
Kearns, Michael PE,MS.	YEARS OF AML DESIGN EXPERIENCE: 25	YEARS OF AML RELATED DESIGN EXPERIENCE: 25	YEARS OF DOMESTIC WATERLINE DESIGN EXPERIENCE: 40	
Brief Explanation of Responsibilitie	S	1		
Mr. Kearns has 40 years of professi	onal engineering experience	including diverse experience	in the mining industry,	

Mr. Kearns has 40 years of professional engineering experience including diverse experience in the mining industry, utility pipelines, abandoned mine land reclamation. Additionally, he has designed and permitted numerous mine surface facilities, oil and gas well pad sites, potable water distribution systems, stormwater conveyance systems, sanitary sewerage systems, site development for industrial and commercial facilities, slope remediation analyses and has developed E&S control plans for hundreds of facilities.

EDUCATION (Degree, Year, Specialization)
BS Civil Engineering 1977, MS Civil Engineering 1982

MEMBERSHIP	IN	PROFESSI	ONAL	ORGANIZATIONS
ASCE (Life N	√em}	er). NSP	F.	

REGISTRATION (Type, Year, State)
PE - WV (1981), OH (1991), PA (1992), MD (2021)

14
14. PROVIDE A LIST OF SOFTWARE AND EQUIPMENT AVAILABLE IN THE PRIMARY OFFICE WHICH WILL BE USED TO COMPLETE AML DESIGN SERVICES
Microsoft Office Professional and Microsoft Project
Bentley Pond Pack (Haestad methods)
Adobe Photoshop
Adobe Acrobat
AutoCAD Map 3D
AutoDesk Civil 3D
ESRI ArcGIS
ESRI ArcView
Bently Flow Master (Haested Methods)
Bentley HEC-Pack
STBL5M
Groundwater Vistas
<u>GMS</u>
Autodesk Storm and Sanitary Analysis
Hydro CAD
SLIDE II STABILITY ANALYSIS PROGRAM

15. CURRENT ACTIVITIES	ON WHICH YOUR FIRM IS TH	E DESIGNATED ENGINEER OF	RECORD	
PROJECT NAME, TYPE AND LOCATION	OWNER	NATURE OF YOUR FIRM'S RESPONSIBILITY	ESTIMATED CONSTRUCTION COST	PERCENT COMPLETE
Pell Run Doser Upgrade Project, Preston County WV	WVDEP AML 101 Cambridge Place Bridgeport, WV 26330	Prime Contractor	\$750,000	10%
Jennings Run Doser, Design, Allegany County, MD	Maryland Department of the Environment 160 S Water Street Frostburg, MD 21532	Prime Contractor	\$59,000	80%
Gladden AMD Treatment Plant, South Fayette Township, Allegheny County PA	South Fayette Conservation Group 515 Millers Run Road Morgan, PA 15064	Prime Contractor	\$13.5 Million	90%
WVDEP OSR Royal Coal Bond Forfeiture Fayette County WV	WVDEP OSR 1159 Nick Rahall Greenway Fayetteville, WV 25840	Prime Contractor	\$250,000	95%
Glenn Springs Holdings Bird Mine Treatment, Tire Hill Pennsylvania	Glenn Springs Holdings 5 Greenway Plaza, Suite 10 Houston, TX 77046	Prime Contractor	Confidential	Ongoing
Quakake Treatment Plant Carbon County Pennsylvania	PADEP BAMR 2 Public Square 5 <sup>th</sup> Floor Wilkes-Barre, Pennsylvania 18701	Prime Contractor	\$1.2 Million	60%
Blacklick Creek Treatment Facility	PADEP BAMR 400 Market Street Harrisburg, PA 17106	Prime Contractor	\$1.9 Million	75%
	S: Tetra Tech is current projects nationwide for a sample is provided		ATED CONSTRUCTION COSTS:	\$+15 Million

PROJECT NAME, TYPE AND LOCATION	NATURE OF FIRMS RESPONSIBILITY	NAME AND ADDRESS OF OWNER	ESTIMATED COMPLETION DATE	ESTIMATED CON	ISTRUCTION COST	
				ENTIRE PROJECT	YOUR FIRMS RESPONSIBILITY	
NA	NA	NA	NA	NA	NA	

17. COMPLETED WORK WITHIN LAS	T 5 YEARS ON WHICH YOUR FIRM W	AS THE DESIGNATED ENGINEER OF RECO	RD	
PROJECT NAME, TYPE AND LOCATION	NAME AND ADDRESS OF OWNER	ESTIMATED CONSTRUCTION COST	YEAR	CONSTRUCTED (YES OR NO)
WV Land Stewardship Larosa Fuels Marion County WV	WV Land Stewardship Corporation 709 Beechurst Ave Morgantown, WV 26505	\$136,000	2018	Yes
Dolph Underground Mine Fire, Lackawanna County, PA	PADEP BAMR 400 Market Street Harrisburg, PA 17106	\$15 Million	2018	Yes
Wingfield Pines Inflow Reconstruction Project, Upper St. Clair Township, Allegheny County PA	Allegheny Land Trust 416 Thorn Street Sewickley, PA 15143	\$1 Million	2019	Yes
Kempton Sludge Disposal Line Garrett County MD	Maryland Department of the Environment 160 S Water Street Frostburg, MD 21532	\$385,000	2019	Yes
Frush Enterprises Bond Forfeiture Harrison County WV	WVDEP OSR 1159 Nick Rahall Greenway Fayetteville, WV 25840	\$152,000	2017	Yes
Buffalo Coal Mt. Storm, WV	WV Land Stewardship Corporation 709 Beechurst Ave Morgantown, WV 26505	\$269,170	2018	Yes
Rasuch Creek Treatment Plant Upgrades Schuykill County PA	PADEP BAMR 2 Public Square 5th Floor Wilkes-Barre, Pennsylvania 18701	\$200,000	2018	Yes
Tetra Tech had conducted thousands or projects nationwide for the purpose of the EOA only a sample is provided				

OF WORK FOR WHI		,		10 0111211 111110	(INDICATE PHASE
DDO TROM NAME MADE	CH YOUR FIRM WAS RESPONS				
PROJECT NAME, TYPE AND LOCATION	NAME AND ADDRESS OF OWNER	ESTIMATED CONSTRUCTION COST OF YOUR FIRM'S PORTION	YEAR	CONSTRUCTED (YES OR NO)	FIRM ASSOCIATED WITH
NA	NA	NA	NA	NA	NA
			]	<u> </u>	
		information or description of rest Virginia Abandoned Mine Lands			c iırm's
		escurces to allow for a comprehe			roblem Tetra Tech
		ds and is well versed on solution			
		ont and Charleston, with offices			
		. The Tetra Tech Pittsburgh of:	fice has	worked with WVD	EP on several
	on projects throughout th	ne state.			
20. The foregoing is	a statement of facts.				
Ciamatuma.	$\sim$			Data: 06 01 0	2
Signature:	. ( , , , , , , , , , , , , , , , , , ,			Date: 06-21-2	<u>∠</u>
	200	Title: Project Manager			
Printed Name: Eric E.	Cavazza				

AML and RELATED P	ROJECT E	XPERIENC	E MATR	lIX																			
							F	PROJEC	T EXPE	RIENCE	REQUIR	REMENT	S					PRIMARY STAFF PARTICIPATION/CAPACITY  *** M=Management P=Professional					
PROJECT	Exp. Basis C=Corp. P=Personnel	Additional Info Provided in Section (s) **	Abandoned Surface Mine Reclamation	Abandoned Deep Mine Reclamation	Portal/Shaft Closure	Hydrologic/Hydraulic Design/Eval.	Remining Evaluation	Mine/Refuse Fire Abatement	Subsidence Investigation Mitigation	Hazardous Waste Disposal	Project Specifications	Water Quality Evaluation/Nitigation/Replac ement	Construction Inspection/Management	Water Treatment	Eq;uipment/Structure Removal	Stream Restoration	Geotechnical/Stability	Eric Cavazza, PE	Gregory Hynes, PE	Gregory Yost, PG	Michaeal Kearns PE	Other Project Team Personnel	Other Tetra Tech Personnel
		Г									ı			,			ı	1					
PADEP Gladden Acid Mine Drainage Treatment Plant	C&P	Yes		X		X					X	X	X	X		x	X	M	P	p	P	P	M
Wingfiield Pines Inflow	C&P	Yes				X					x	X	X	X						P	P	P	M
WVDEP OSR Royal Coal Bond Forfeture	C&P	Yes	x			X					x						X				P	P	M
WVDEP Pell Run Doser	C&P	Yes				X					X			X		X	X			P	P	P	M
Jennings Run Doser	C&P	Yes				X					X	X	X	X			X			P		P	M
PADEP Black Lick Creek	C&P	Yes			X	X					X			X			X				M	Р	M
PADEP Dolph Mine Fire	C&P	Yes				X		X														Р	P
PADEP Rausch Creek	C&P	Yes												X	X							P	Р
WVDEP OSR Frush Enterprises Bond Forfeture	C&P	Yes	X														x					P	P
	C&P	Yes	X			X						X		X	X				M			P	P
Glenn Springs Holdins Bird	C&P	Yes				X			X		х	Х	X	Х			х	М	P	Р		Р	P
Quakake Treatment Plant	C&P	Yes				X						X		X			X	M				Р	Р
WVLSC Buffalo Coal	C&P	Yes	X			X						X		x					M			P	P

<sup>\*</sup> List whether project experience is corporate or personnel based or both.

<sup>\*\*</sup> Use this area to provide specific sections or pages if needed for reference.

<sup>\*\*\*</sup> List Primary Design personnel and their functional capacity for the projects listed.

### ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.:

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

<u>Addendum</u>	<b>Numbers</b>	<b>Received:</b>

(Check the box next to each addendum received)

[	X]	Addendum No. 1	[	]	Addendum No. 6
[	]	Addendum No. 2	]	]	Addendum No. 7
[	]	Addendum No. 3	]	]	Addendum No. 8
]	]	Addendum No. 4	]	]	Addendum No. 9
[	]	Addendum No. 5	[	]	Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Tetra Tech
Company
Cui C'. Cwarzan
Authorized Signature
6-23-22
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing. Revised 6/8/2012