



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 2

List View

General Information [Contact](#) [Default Values](#) [Discount](#) [Document Information](#) [Clarification Request](#)

Procurement Folder: 938512

Procurement Type: Central Master Agreement

Vendor ID: 000000214008

Legal Name: INDUSTRIAL SUPPLY SOLUTIONS INC

Alias/DBA:

Total Bid: \$83.00

Response Date: 10/11/2021

Response Time: 16:04

Responded By User ID: ISSICRW

First Name: Patricia

Last Name: Sponaule

Email: trish.sponaule@issimro

Phone: 304-346-5341

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT2200000051

Published Date: 9/24/21

Close Date: 10/13/21

Close Time: 13:30

Status: Closed

Solicitation Description: TRAFFIC CONES

Total of Header Attachments: 2

Total of All Attachments: 2



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Solicitation Response

Proc Folder: 938512
Solicitation Description: TRAFFIC CONES
Proc Type: Central Master Agreement

Solicitation Closes	Solicitation Response	Version
2021-10-13 13:30	SR 0803 ESR10112100000002327	1

VENDOR
000000214008
INDUSTRIAL SUPPLY SOLUTIONS INC

Solicitation Number: CRFQ 0803 DOT2200000051
Total Bid: 83
Response Date: 2021-10-11
Response Time: 16:04:54
Comments: Thank you for the opportunity to bid. Spec sheet uploaded.

FOR INFORMATION CONTACT THE BUYER
Jessica L Hovanec
304-558-2314
jessica.l.hovanec@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	28" IN TRAFFIC CONE	1.00000	EA	27.670000	27.67

Comm Code	Manufacturer	Specification	Model #
46161508			

Commodity Line Comments:

Extended Description:

28 IN TRAFFIC CONE

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	36" IN TRAFFIC CONE	1.00000	EA	30.160000	30.16

Comm Code	Manufacturer	Specification	Model #
46161508			

Commodity Line Comments:

Extended Description:

36" IN TRAFFIC CONE

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	28" IN SLENDER TRAFFIC CONE	1.00000	EA	25.170000	25.17

Comm Code	Manufacturer	Specification	Model #
46161508			


Commodity Line Comments:

Extended Description:

28" SLENDER TRAFFIC CONE

EXHIBIT A

Pricing Page
DOT22*51 8522C2010

Item Number	Quantity	Unit of Measure	Description	Unit Price	Total Amount
1	3000	Each	28" Traffic Cone	\$ 27.67	\$83,010.00
2	1000	Each	36" Traffic Cone	\$ 30.16	\$30,160.00
3	3000	Each	28" Slender Traffic Cone	\$ 25.17	\$75,510.00
Grand Total					\$188,680.00

Item # 1

Make and Model Cone

2850-10-MM-L

Sheeting Manufacturer

3M

Series Sheeting

3340

Item # 2

Make and Model Cone

3650-12-MM-L

Sheeting Manufacturer

3M

Series Sheeting

3340

Item # 3

Make and Model Cone

2825-10-MM-L

Sheeting Manufacturer

3M

Series Sheeting

3340

On the Road to Safety

Lakeside Plastics puts you on the road to safety with the industry's most complete lineup of traffic cones, barrels and 42" channelizers.

We offer cones in a variety of colors and sizes for every work application. Lakeside Plastics also delivers the industry's most durable traffic channelizers designed to keep traffic moving and work zones safe.


Lakeside Plastics is a family-owned company, you can be assured that we value your business.

- Competitive Pricing
- Short Lead Times
- Unsurpassed Quality
- Unmatched Service
- Lasting Value

*Lakeside Plastics, we go the extra mile to keep you
On the Road to Safety!*



450 W. 33rd Avenue - P.O. Box 2384 - Oshkosh, WI 54903-2384 USA
(920) 235-4513 - fax (920) 235-6545 - www.lakesideplastics.net



The Divertor™ Channelizer


- 42" height
- High-impact, low-density polyethylene with reinforced loop handle
- Break-away design
- Stackable with or without bases
- Two mounting holes for warning lights and signs
- Extra tabs around base of Divertor for "Positive Lockup" with all bases
- Available with reflective sheeting of all styles and widths
- Meets federal M.U.T.C.D standards
- Meets NCHRP 350 requirement
- Easy-grip handle
- Choice of 100% recycled rubber base 16# hexagon shape, 30# rectangle shape
- The quality you have come to expect from Lakeside Plastics, Inc.

Material:

- Impact resistant, low-density polyethylene

Color:

- Safety orange with ultraviolet stabilizer for fade resistance



The Director™ Barrel

- Meets MUTCD specifications – 18" minimum diameter
- Two piece break-away construction
- Built in anti-roll design
- Able to display one or two type "A" or "C" lights
- Large built-in handle for easy maneuverability
- Stacks for efficient transporting to & from the job site
- Available with or without reflective sheeting
- Choice of recycled rubber bases of 25 lb, 40 lb and tire rings
- Meets NCHRP 350 requirement
- Built with traditional Lakeside quality

Material:


- Impact resistant, low- or high-density polyethylene

Color:

- Safety orange with ultraviolet stabilizer for fade resistance

Physical Appearance:

- Height 42.5" overall
- Width 18" top - 23.5" base



Tri-Glo™ Series Cones

Material:

- One Piece Construction All PVC Cone
- Base – Black PVC
- Underliner Pink PVC
- Top Coat – Highly Pigmented Fluorescent PVC – UV Stabilized

Performance:

- Tensile Strength 1200 psi
- Elongation 200%
- Tear Strength 250 lbs/inch
- Hardness (Conical Section) 75 +/- 5 Shore A
- Low Temp Strength 10 ft/lb @ -5° F
- Heat Resist. No slump after 8 Hrs. @ 160° F

Model No.	Height (in.)	Weight (lbs)	Wall Thickness		Dimensions for Diagram		
			Top	Bottom	A	B	C
0550	5	.25	.050	.075	.65	2.70	3.85
0650	6	.88	.060	.075	2	4	6
1250	12	1.5	.065	.100	2	6.5	8.5
1850	18	3	.065	.120	2.19	7.25	11.5
1850-5	18	5	.075	.125	2.19	7.25	13.75
2825-5	28	5	.075	.130	1.75	7.5	13
2825-7	28	7	.075	.130	1.75	7.5	13.75
2825-10	28	10	.075	.130	1.75	7.5	15.25
2850-7	28	7	.075	.130	2.19	10.5	15.25
2850-8	28	8	.075	.130	2.19	10.5	15.25
2850-10	28	10	.075	.130	2.19	10.5	15.25
3650-8	36	8	.075	.130	2.75	10.5	15.25
3650-10	36	10	.075	.130	2.75	10.5	15.25
3650-12	36	12	.080	.130	2.75	10.5	15.25

All measurements are in inches, weights in lbs.