

**VARNER
CONSTRUCTION**

FAX COVER

TO: JOHN ESTEP
FAX: 304-558-3970
PHONE:
DATE: 5.25.22
SUBJECT: CRFQ 0803 DOT2200000164

FROM: JENNIFER SAMPLES
FAX: 304-456-5046
PHONE: 304-456-4505
OF PAGES: 22

COULD YOU PLEASE SEND AN EMAIL CONFIRMATION OF RECEIPT

VENDOR NAME

BUYER: JOHN ESTEP

SOLICITATION NO: CRFQ 0803 DOT2200000164

BID OPENING DATE: MAY 26, 2022

BID OPENING TIME: 1:30 PM

052522 0142PM

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Name, Title) KENNETH VARNER OWNER

(Printed Name and Title) KENNETH VARNER

(Address) 40 VARNER DR. DURBIN, WV 26264

(Phone Number) / (Fax Number) 304-456-4505 / 304-456-5046

(email address) busterv@frontiernet.net

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

VARNER CONSTRUCTION LLC.
(Company)

Kenneth Varner KENNETH VARNER OWNER
(Authorized Signature) (Representative Name, Title)

KENNETH VARNER OWNER 5.24.22
(Printed Name and Title of Authorized Representative) (Date)

304-456-4505 304-456-5046
(Phone Number) (Fax Number)

busterv@frontiernet.net
(Email Address)

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFO DOT2200000164

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | | | |
|-------------------------------------|----------------|--------------------------|-----------------|
| <input checked="" type="checkbox"/> | Addendum No. 1 | <input type="checkbox"/> | Addendum No. 6 |
| <input checked="" type="checkbox"/> | Addendum No. 2 | <input type="checkbox"/> | Addendum No. 7 |
| <input checked="" type="checkbox"/> | Addendum No. 3 | <input type="checkbox"/> | Addendum No. 8 |
| <input checked="" type="checkbox"/> | Addendum No. 4 | <input type="checkbox"/> | Addendum No. 9 |
| <input type="checkbox"/> | Addendum No. 5 | <input type="checkbox"/> | Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

VARNER CONSTRUCTION LLC

Company


Kenneth Varner

Authorized Signature

5.24.22

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.



**WEST VIRGINIA
CONTRACTOR
LICENSING
BOARD**

CONTRACTOR LICENSE

Authorized by the
West Virginia Contractor Licensing Board

Number: WV012079

Classification:

- GENERAL BUILDING
- GENERAL ENGINEERING
- REMODELING & REPAIR

VARNER CONSTRUCTION LLC
DBA VARNER CONSTRUCTION LLC
PO BOX 243
DURBIN, WV 26264

Date Issued

Expiration Date

~~OCTOBER 07, 2021~~

~~OCTOBER 07, 2022~~

Kenneth H. Varn
Authorized Company Signature

John A. ...
Chair, West Virginia Contractor
Licensing Board

A copy of this license must be readily available for inspection by the Board on every job site where contracting work is being performed. This license number must appear in all advertisements, on all bid submissions, and on all fully executed and binding contracts. This license is non-transferrable. This license is being issued under the provisions of West Virginia Code, Chapter 30, Article 42.

**REQUEST FOR QUOTATION
Equipment Lease/Rental Without Operator**

WVDOH will, at its option, either replace or pay to the Vendor the fair market value of any of the said equipment or any part thereof, lost destroyed or stolen because of the negligence of or lack of ordinary care on the part of its employees.

- 10.5 **Liens:** The WVDOH shall not directly or indirectly create, incur, assume or suffer to exist any mortgage, pledge, lien, charge and encumbrance or claim on or with respect to the lease/rented equipment, except with respect to the respective rights of the Vendor and the WVDOH.
- 10.6 **Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 10.7 **Reports:** Vendor shall provide the Agency with quarterly reports, annual summaries, and/or monthly reports as requested by the Agency and/or the West Virginia Purchasing Division showing quantities, total dollar value of the Contract Items purchased, ordered, shipped & invoiced with dates in spreadsheet format as defined by the Agency. Failure to supply such reports may be grounds for cancellation of this Contract.
- 10.8 **Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

Contract Manager: KENNETH VARNER
Telephone Number: 304-456-4505
Fax Number: 304-456-5046
Email Address: busterv@frontiernet.net

Vendor shall inform the Agency in writing of any changes to the information provided above within ten (10) calendar days of such changes. Failure to comply may be grounds for cancellation of this contract.

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
AERIAL PLATFORMS & LIFTS**

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate	
		Per Day	Per Week	Per month	1st Mi.	Addl Mt.
Aerial Bucket Trucks	Bucket Truck: Highway Rated / Mounted 50 ft. minimum / 43.5 ft. radius / 360 degree boom rotation at level position					
	Bucket Truck: Highway Rated / Mounted 55 ft. working height minimum. Rear mounted Turret. Versalift VST-47-I or equivalent					
	Bucket Truck: Highway Rated / 50 ft. reach minimum / 43.5 ft. radius / 10 ft. max outrigger spread / 360 degree boom rotation at level position / 1,000 lb minimum material handling capability / Non-CDL / Mounted Versalift SST-40 EIH or similar					
	Bucket Truck: 50-54 ft. Boom / 4WD / Non-CDL					
	Bucket Truck: Highway Rated / Mounted 45 ft. minimum / Insulated articulating boom / Boom rotation at level position / Non-CDL / Versalift SST-40-EIH or similar					
	Bucket Truck: 34-40 ft. Boom					
	Bucket Truck: 41-49 ft. Boom					
	Bucket Truck: 55-60 ft. Boom / 2WD					
	Bucket Van: 34-40 ft. Boom					
	Aerial Platform Lifts	Aerial Platform Lift - Articulating Boom: 125 ft.				
Aerial Platform Lift - Articulating Boom: 135 ft.						
Aerial Platform Lift - Articulating Boom: 150 ft.						
Aerial Platform Lift - Articulating Boom: 45 ft.						
Aerial Platform Lift - Articulating Boom: 65 ft.						
Aerial Platform Lift - Articulating Boom: 85 ft.						
Aerial Platform Lift - Telescopic Boom: 120 ft.						
Aerial Platform Lift - Telescopic Boom: 125 ft.						
Aerial Platform Lift - Telescopic Boom: 135 ft.						
Aerial Platform Lift - Telescopic Boom: 150 ft.						
Aerial Platform Lift - Telescopic Boom: 185 ft.						
Aerial Platform Lift - Telescopic Boom: 40 ft.						
Aerial Platform Lift - Telescopic Boom: 60 ft.						
Aerial Platform Lift - Telescopic Boom: 80 ft.						
Aerial Platform Trucks		Aerial Platform Lift - Truck Mounted: 40 ft. working height / 360 degree boom rotation at level position / Highway rated				
	Aerial Platform Lift - Truck Mounted: Highway Rated Truck Mounted: 55 ft. reach minimum / 360 degree boom rotation at level position					
	Aerial Platform Truck: 58 ft. working height / 51 ft. side reach / Elliott Model L55 or similar					
	Aerial Platform Truck: 55 ft. working height / 40 ft. side reach / 2-man platform / Elliott Model G50F or similar					

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
AERIAL PLATFORMS & LIFTS**

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate		
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.	
	Forestry Truck: 55-60 ft. Boom						
Boom Lifts	Articulating Boom Lift - Towable: 34-40 ft platform height / Auto-leveling hydraulic outriggers / pneumatic tires / 20 ft minimum horizontal reach / Articulating Boom Lift - Towable: 41-50 ft. platform height Auto-leveling hydraulic outriggers / pneumatic tires / 30 ft. minimum horizontal reach						
Forklifts	Rough Terrain Forklift: 5,000 lb. lift capacity / 19 ft. reach						
	Variable Reach Forklift: 6,000 lb. lift capacity / 40 ft. reach						
	Variable Reach Forklift: 7,000 lb. lift capacity / 40 - 42 ft. reach						
	Variable Reach Forklift: 8,000 lb. lift capacity / 40 - 42 ft. reach						
	Variable Reach Forklift: 9,000 lb. lift capacity / 40 - 42 ft. reach						
	Variable Reach Forklift: 10,000 lb. lift capacity / 50 ft. reach						
	Variable Reach Forklift: 12,000 lb. capacity / 50 ft. reach						
	Variable Reach Forklift: 14,000 lb. lift capacity						
	Variable Reach Forklift: 15,000-16,000 lb. lift capacity						
	Variable Reach Forklift: 16,000-18,000 lb. lift capacity						
	Variable Reach Forklift: 26,000-32,000 lb. lift capacity						
	Warehouse Forklift: 5,000 lb. lift capacity / Low profile						
	Warehouse Forklift: 5,000 lb. lift capacity / Gas / Low profile						
	Warehouse Forklift: 6,000 lb. lift capacity / Gas / Low profile						
	Warehouse Forklift: 6,000 lb. lift capacity / Pneumatic tires						
	Warehouse Forklift: 8,000 lb. lift capacity / Diesel						
	Warehouse Forklift: 10,000-12,500 lb. lift capacity / Diesel						
	Warehouse Forklift: 10,000-12,500 lb. lift capacity / Pneumatic tires						
	Scissor Lifts	Scissor Lift: Electric / 19 ft. x 32 in. wide					
		Scissor Lift: Electric / 26 ft. x 32 in. wide					
Scissor Lift: Electric / 26 ft. x 48 in. wide							
Scissor Lift: Electric / 32 ft. x 48 in. wide							
Scissor Lift: Electric / 40 ft. x 69 in. wide							
Scissor Lift: 25-27 ft. platform height / Outdoor IC / 4WD							
Scissor Lift: 30-35 ft. platform height / Outdoor - Internal Combustion (IC) / 4WD							
Scissor Lift: 36-49 ft. platform height / Outdoor - Internal Combustion (IC) / 4WD							
Scissor Lift: 50-59 ft. platform height / Outdoor - Internal Combustion (IC) / 4WD							
Scissor Lift: 60-70 ft. platform height / Outdoor - Internal Combustion (IC) / 4WD							

Equipment Lease/Rental Without Operator
6622C026

ATT A - Pricing Pages

ASPHALT, PAVEMENT, & CONCRETE EQUIPMENT

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate		
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.	
Asphalt Distributors, Recyclers, & Milling Equipment	Asphalt Distributor: Truck mounted / Spray bar						
	Asphalt Cold Milling Machine: Wirtgen W60 Ri or similar						
	Asphalt Cold Milling Machine: Wirtgen W120 Ri or similar						
	Asphalt Recycler/Soil Stabilizer: No less than 12" cutting depth range / BOMAG MPH 364 R-2 or						
	Asphalt Recycler Attachment: Endloader bucket, mounted / Asphalt grinder-recycle attachment / Minimum 185 hp 8,500 lb. wt. / Capable of grinding and remixing up to 12 in. deep and 48 in. wide pavement and base.						
	Asphalt Recycler: Hydraulic control panel / Hydraulically controlled loading chute / Minimum 12 in. load opening / KM T-2 or similar						
	Asphalt Recycler: Self loading / Stepp SRM 10 x 120 or similar						
	Concrete Bucket: 1 1/2 yds.		500	1500	50	4	
	Concrete Bucket: 1 yd.		500	1500	50	4	
	Concrete Bucket: 2 yds.						
	Concrete Mixer: 6 Cubic ft. / Tow behind		500	1500	50	4	
	Concrete Mixer: 9 Cubic ft. / Tow behind						
	Concrete Saw: 10-13 HP / Self propelled						
	Concrete Saw: 11-14 HP						
	Concrete Saw: 18-19 HP / Self propelled						
	Concrete Saw: 20-29 HP / Self propelled						
	Concrete Saw: 30-39 HP / Self propelled						
	Concrete Saw: 60-69 HP / Self propelled						
	Concrete Saw: Over 69 HP / Self propelled						
	Road Widener: Self propelled / 0-14 ft working width / Enclosed cab / Washdown system /						
	Shoulder Maintainer: w/G (min. 67 HP) or w/D (min. 46 HP) / asphalt or stone width / 1' to 6' and 6" to 12" depth		2000	6000	500	6	
	Asphalt Pavers -Hot Mix	Asphalt Paver: Rubber-tired Paver < 125 HP		2000	5500	200	4
		Asphalt Paver: Track Paver > 125 HP					
	Crack Sealing Equipment	Crack Sealer: Trailer mounted / Double boiler type / 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor					
		Crack Sealer: Trailer mounted / Double boiler type / Poly Patcher II or equivalent					
Crack Sealer: Trailer mounted / Double boiler type / 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor							
Crack Sealer: 3 Cylinder / Tandem Dual 2 Axle / Vat. Cap 200 Gal. Double boiler type tank - opening 16 ft. x 24 ft. / Maximum heat input - Diesel 290,000 BTU / Full sweep mixer with 2 horizontal paddles							
Crack Sealer: Trailer mounted / Double boiler type / 250 GLN Diesel with Pump on Demand Features							
Crack Sealer: Trailer mounted / Double drum / 100-125 GLN Diesel							
Mortar Mixer: 6 Cubic ft. / 5 HP		200	600	75	5		

Equipment Lease/Rental Without Operator
662C026
ATT A - Pricing Pages
ASPHALT, PAVEMENT, & CONCRETE EQUIPMENT

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate	
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.
	Mortar Mixer: 9 Cubic ft					
Patchers	Pothole Patcher: Trailer / DuraPatcher or equivalent Pothole Patcher: Truck w/rear mounted arrow board					
Rock Drillers & Hammers	Backhoe Breaker Attachment: 1200-4000 ft. lbs					
	Backhoe Breaker Attachment: Over 4000 ft. lbs.					
	Demo Hammer: Electric / 60 lbs.					
	Excavator Breaker: 2001-2500 lbs.					
	Excavator Breaker: 1500-2000 lbs.					
	Excavator Breaker: 3000-3500 lbs.					
	Excavator Breaker: 4000-4500 lbs.					
	Excavator Breaker: 5000 lbs.					
	Pavement Breaker: Air / 30 lbs.					
	Pavement Breaker: Air / 60 lbs.					
	Pavement Breaker: Air / 90 lbs.					
	Rock Drill: Hydraulic / Excavator - Boom mounted / 3 ft holes / 20 ft. depth minimum					
	Rock Drill: Air / 60-69 lbs.					
	Rock Drill: Air / 10-19 lbs.					
	Rock Drill: Air / 30-39 lbs.					
	Rock Hammer for Excavator: 5001-7000 lbs.					
Rollers	Roller: Double drum / 10-15 tons		1300	3400	375	4
	Roller: Double drum / Smooth / 1.5 tons					
	Roller: Double drum / Smooth / 3-5 tons		1200	3500	200	4
	Roller: Single drum / Smooth / 50-56 in. / Vibratory					
	Roller: Single drum / Smooth / 61-70 in. / Vibratory					
	Roller: Single drum / Smooth / 80-89 in. / Vibratory					
	Roller: Single drum / SP / 2XL / 10-15 K GVW / Diesel		1200	3600	300	4
	Roller: Single drum / SP / 2XL / 10-20 K GVW / Diesel					
	Roller: Single padfoot drum / 80-89 in. / Vibratory		1400	4500	300	5
	Roller: Single padfoot drum / 61-70 in. / Vibratory					
	Roller: Single padfoot drum / 50-56 in. / Vibratory					
Trench Roller: Dual Drum / Approx. 10 HP / Approx. 2.5 ft. W x 8.3 ft. L / Vibratory		600	1800	125	4	

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
EARTHMOVING EQUIPMENT**

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate		
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.	
Augers	Auger - Bit: 18-24 in.						
	Auger - Core Barrel: 18-24 in.						
Backhoes	Backhoe Crawler: Boom drill rig attachment / Trackhoe or similar						
	Backhoe Loader: 60-90 HP / 4WD / Extendahoe						
	Backhoe Loader: 60-90 HP / 4WD						
	Backhoe Loader: Hydraulic Breaker - Mounted / 1,000 ft./lbs. minimum						
	Backhoe Loader: Hydraulic Breaker - Mounted / 55-85 DHP D						
	Backhoe Loader: 60-90 HP / 4WD / Cab						
	Backhoe Loader: 60-90 HP / 4WD / Cab / Extendahoe						
	Backhoe Loader: 91-104 HP / 4WD / Extendahoe						
	Backhoe Track Loader: Compact / Rubber tire / 20 - 30 HP / Maximum height - 83 in.						
	Backhoe Track Loader: Mini / 25-30 HP / Standard stick 12' Backhoe Bucket T7 or similar						
	Loaders	Loader Wheel: 1.0-1.4 cubic yds.					
		Loader Wheel: 2.5-2.9 cubic yds.		1800	4000	200	4
Loader Wheel: 3.0-3.4 cubic yds.							
Loader Wheel: 3.5-3.9 cubic yds.							
Loader Wheel: 4.0 cubic yds.							
Loader Wheel: 5.0 - 5.9 cubic yds.							
Loader Wheel: 2.0-2.5 cubic yds.							
Bulldozers		Bulldozer: Low ground pressure / 100-115 HP					
	Bulldozer: Low ground pressure / 125-139 HP						
	Bulldozer: Low ground pressure / 70-80 HP						
	Bulldozer: Low ground pressure / 90-95 HP						
	Bulldozer: Crawler / 100-114 HP		1600	5000	100	3	
	Bulldozer: Crawler / 115-118 HP						
	Bulldozer: Crawler / 140-150 HP						
	Bulldozer: Crawler / 180-185 HP						
	Bulldozer: Crawler / 190-195 HP						
	Bulldozer: Crawler / 70 - 80 HP						
	Crawler Attachment - Ripper: TCP 181-250 EHP D						

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
EARTHMOVING EQUIPMENT**

Categories	Equipment/ Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate		
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.	
	Crawler Attachment - Winch: TCP 181-250 EHP D						
Cranes	Crane - 10 Ton: Hydraulic / Truck mounted / Minimum 18 ft. bed						
	Crane - 12½ Ton: Hydraulic / Truck mounted / Minimum 18 ft. bed						
	Crane - 14 Ton: Hydraulic / Truck mounted / Minimum 18 ft. bed						
	Crane - 15-20 Ton: Boom truck						
	Crane - 15-25 Ton: Hydraulic / Rough Terrain						
	Crane - 30 Ton: Hydraulic						
	Crane - 35 Ton: Hydraulic						
	Crane - 40 Ton: Hydraulic						
	Crane - 50 Ton: Hydraulic						
	Crane 25-30 Ton: Cable Truck Mounted. G						
	Crane: 21-25 Ton: Boom truck						
	Crawler Crane - 20 Ton: Lattice boom / Cable D Crawler						
	Culvert Cleaners	Culvert Cleaner - Truck Mounted: Minimum 1,500 gal. tank / 1,400 PSI minimum					
		Culvert Cleaner - Truck Mounted: 65-80 GPM / 2,000 PSI minimum					
Track Loader - Radio remote controlled: Hydraulic / Fits 36-48 in. round culverts / 5.5 PSI / 1.4 Cubic yd. bucket capacity / Minimum 1,500 lb. lifting capacity / Hard-Line LP401 or similar							
Track Loader - Radio remote controlled: Hydraulic / Fits 48-60 in. round culverts / 7.5 PSI / 1.4 Cubic yd. bucket capacity / Minimum 1,550 lb. lifting capacity / Hard-Line LP401 or similar							
Digger Derricks	Digger Derrick: 33,520 lb capacity / 3 Sections / 61 ft reach / Terex Telelect Commander 6000 Digger Derrick or similar						
	Digger Derrick - Truck-Mounted: 35,000 lb. GVW / Rear Mounted / 47 ft. boom height / Altec D947-TR or similar						
	Excavator Attachment - Hydraulic Hammer: For 15,000-20,000 lb. excavator						
	Excavator Attachment - Hydraulic hammer: For 6,000-14,000 lb. excavator						
	Excavator Attachment - Plate compactor: For 15,000-20,000 lb. excavator						
	Excavator Attachment - Swivel head with ditching bucket						
	Excavator Attachment - Tree Mulcher: Severe duty rated / Bull Hog Model BH40EXC or similar 51" for Excavator size 15-45 Ton						
	Excavator Teleboom: Truck mounted / SP 0.5 Cylinder. D		2500	7500	100	5	
	Excavator w/Heavy Duty Auger: McMillen Extreme Duty Auger or similar						
Excavator w/Integrated Vibratory Pile Drive/Extractor: Minimum 80,000 driving force / MKT V8 or similar							

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
EARTHMOVING EQUIPMENT**

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate	
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.
Excavators & Attachments	Excavator: 1/2 - 3/4 Cubic yd. bucket / 150 HP / Track Width 10' out-to-out					
	Excavator: 25,000-29,999 lb.					
	Excavator: 30,000-34,999 lb.					
	Excavator: 35,000-39,999 lb.					
	Excavator: 43,000-49,999 lb.					
	Mini Excavator Attachment: Brush Cutter / Mower					
	Mini Excavator: 3,000-3,999 lb.					
	Mini Excavator: 6,800-7,300 lb.					
	Mini Excavator: 7,400-9,199 lb.					
	Mini Excavator: 10,000-14,000 lb.					
	Mini Excavator: 15,000-19,999 lb.					
	Wheeled Excavator: Highway Speed, XL 3100 Gradall or Similar		2500	7000	100	3
	Wheeled Excavator: Crossover or similar					
	Wheeled Excavator: Gradall D152 or similar		2500	7000	100	3
	Wheeled Excavator: Highway Speed, XL 4100 Gradall or Similar		2500	7000	100	3
Force Feed Loader: Heavy Duty 28 - 30 ft. conveyor / Fully enclosed operator area / LeaBoy 3000C or similar.						
Grader: 35,000-45,000 lb. class		2200	6000	200	4	
File Driver: Hammer File Driver: DELMAG D8-22 or similar						
Skid Steer Attachment - Angle (Sweeper) Broom						
Skid Steer Attachment - Breaker: Hydraulic						
Skid Steer Attachment - Bucket						
Skid Steer Attachment - Concrete Mixer						
Skid Steer Attachment - Concrete Slab Dowel						
Skid Steer Attachment - Flatliner: Profilegraph and bump grinder in one						
Skid Steer Attachment - Flatwork Paver: Bidwell or similar						
Skid Steer Attachment - Fork/Pallet fork: 42-48 in. tines capacity						
Skid Steer Attachment - Grapple Bucket: 72-78 in.						
Skid Steer Attachment - Hydraulic Tilt Ditch Cleaning Bucket 60" width / 90 degree rotation / Coupler						
Skid Steer Attachment - Hydraulic Tilt Ditch Cleaning Bucket: 72" width / 90 degree rotation / Coupler						
Skid Steer Attachment - Landscape Rake: Heavy duty / 66-78 in. working width						

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
EARTHMOVING EQUIPMENT**

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate		
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.	
Skid Steers, Track Loaders, & Attachments	Skid Steer Attachment - Landscape Rake: Rockhound or similar						
	Skid Steer Attachment - Milling/Cold Planer: 24 in. / High Flow						
	Skid Steer Attachment - Pickup Broom with Dump Bucket						
	Skid Steer Attachment - Trencher: 36-60 in. boom length / 6-8 in. cutting width						
	Skid Steer Auger Bit: 12 in.						
	Skid Steer Auger Bit: 18 in.						
	Skid Steer Auger Bit: 24 in.						
	Skid Steer Auger Bit: 30 in.						
	Skid Steer Auger Bit: 36 in.						
	Skid Steer Auger Bit: 6 in.						
	Skid Steer Auger Bit: 9 in.						
	Skid Steer Auger Power Unit:						
	Skid Steer Mini: Walkbehind						
	Skid Steer Tire Loader: 1,700-1,899 lbs.						
	Skid Steer Tire Loader: 1,900-2,000 lbs.						
	Skid Steer Tire Loader: 2,600-2,999 lbs.						
	Skid Steer Tire Loader: 1,700-1,999 lbs. / High Flow						
	Skid Steer Tire Loader: 2,001-2,599 lbs.						
	Skid Steer Tire Loader: 2,600-2,999 lbs. / High Flow						
	Skid Steer Track Loader: 1,700-1,999 lbs.						
	Skid Steer Track Loader: 2,000 - 2,399 lbs.						
	Skid Steer Track Loader: 2,400-2,799 lbs.						
	Skid Steer Track Loader: 1,300-1,699 lbs.						
	Skid Steer Track Loader: 2,800-3,399 lbs.						
	Screener	Material Screener: Mobile / Diesel		2500	6500	200	4
	Trenchers	Trencher - Walk Behind: 11-15 HP / Ditch Witch or similar					
		Trencher - Walk Behind: 16-27 HP / Ditch Witch or similar					
		Trencher - Ride-on: 32-50 HP					

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
HVAC, POWER, TRAFFIC CONTROL, & AIR TOOLS**

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate	
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.
Compressors - Portable	Compressor: Portable / 125-160 CFM					
	Compressor: Portable / 170-210 CFM					
	Compressor: Portable / 250-300 CFM		360	675	75	5
	Compressor: Portable / 350-450 CFM					
	Compressor: Portable / 600-750 CFM					
	Compressor: Portable / 900-1170 CFM					
	Compressor: Portable / 1300-1600 CFM					
	Generators	Generator: Trailer Mounted - 30 kw				
Generator: Trailer Mounted - 45 kw						
Generator: Trailer Mounted - 60 kw						
Generator: Trailer Mounted - 80 kw						
Generator: Trailer Mounted - 100 kw						
Generator: Trailer Mounted - 125 kw						
Generator: Trailer Mounted - 175 kw						
Generator: Trailer Mounted - 200 kw						
Generator: Trailer Mounted - 230 kw						
Generator: Trailer Mounted - 300 kw						
Generator: Trailer Mounted - 400 kw						
Generator: Trailer Mounted - 500 kw						
Generator: Trailer Mounted - 600 kw						
Generator: Trailer Mounted - 800 kw						
Generator: Trailer Mounted - 1,000 kw						
Generator: Trailer Mounted - 2,000 kw						
Heaters	Heater: Indirect / Diesel / 200k BTU					
	Heater: Indirect / Diesel / 300k BTU					
	Heater: Indirect / Diesel / 400k BTU					
	Heater: Indirect / Diesel or Natural Gas / 700-900K BTU					
	Heater: Towable / Indirect / Self-contained / 1 million BTU					
Light Tower	Light Tower: Portable / Diesel / 4 - 1,000 watt bulbs		225	550	50	3
	Hydrostatic Test Pump - 10,000 PSI: Pneumatic					

Equipment Lease/Rental Without Operator

6622C026

ATT A - Pricing Pages

HVAC, POWER, TRAFFIC CONTROL, & AIR TOOLS

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate	
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.
Pumps	Hydrostatic Test Pump - 500 PSI: 3 GPM max capacity					
	Hydrostatic Test Pump - 550 PSI: 11 GPM max capacity					
	Trash Pump - 2 in.: Minimum 185 GPM max capacity / Self-priming					
	Trash Pump - 3 in.: Minimum 300 GPM max capacity / Self-priming		450	450	50	3
	Trash Pump - 4 in.: Minimum 400 GPM max capacity / Self-priming		450	500	50	3
	Vacuum Assisted Pump - 4 in.: Diesel / Trailer mounted / 3 in. max solid handling / Minimum 1150 GPM max flow					
	Vacuum Assisted Pump - 6 in.: Diesel / Trailer mounted / 3 in. max solid handling / Minimum 2200 GPM max flow /		550	1800	75	3
	Arrow Board: Trailer mounted / 4' x 8' panel / 15 LED lights					
	Attenuator and Arrow Board - Trailer Mounted: Must meet NCHRP 350 TL-3 test criteria					
Attenuator and Arrow Board - Truck Mounted: In-cab attenuator and arrow board control / Must meet NCHRP 350 TL-3 test criteria						
Message Sign: Programmable / Minimum 3 row alphanumeric character display / 360 degree rotation / Towable						
Steel Road Plates: 5 ft. x 10 ft.						
Steel Road Plates: 5 ft. x 8 ft.						
Traffic Control	Traffic Barrel Base: Weighted / Rubber tire ring					
	Traffic Barrel Drum: 4 in. EG stripes / Must meet NCHRP-350 crash rating					
	Traffic Barrier Lift: Verticle lift clamp / 9000 lb. capacity					
	Traffic Barrier: 6 ft. / Plastic / Water fillable					
	Traffic Signal: Portable / Single head - light duty / Fully automated, actuated operation / Must meets MUTCD and NEMA TS-5 standards					
	Traffic Signal: Trailer mounted / Double head w/mast arm hydraulic lift system / Minimum 90mph wind load rating / Minimum 30 day battery run time / Solar panels / Must meet MUTCD and NEMA TS-1 standards					

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
SURFACE PREP, TREE, & LANDSCAPE**

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate	
		Per Day	Per Week	Per month	1st Mi.	Addl. Mi.
Chippers & Grinders	Brush Chipper - 12 in.: 12 in. capacity / Towable					
	Brush Chipper - 18 in.: 18 in. capacity / Towable					
	Track Chipper: 30 in. capacity / Self feeding / self propelled / 360 degree swivel discharge chute w/end chip deflector					
	Tub Grinder - Towable: Hydraulic tilt tub / Front hydraulic stabilizers / Hydraulic augers / 350 - 580 HP					
Hydroseeders	Hydroseeder - 400-600 gal.: 400 - 600 gal. capacity / Trailer mounted		1600	4300	50	5
	Hydroseeder - 1,500-2,500 gal.: 1,500 - 2,500 gal. capacity / Truck mounted.					
Mowers	Boom Mower Brush Cutter Attachment: For use with skid steers / 3 in. cutting diameter / Minimum 72 in. cutting width					
	Boom Mower: 60 in. rotary mower deck / Universal attachment mount / MowerMax Stage V Boom Mower or equivalent					
	Slope Mower: Compact tractor / Minimum 30 deg. slope rating / Ventrac or equivalent					
Pressure Washers	Pressure Washer - 3500 PSI: Towable / Gas / High pressure hose and trigger gun included					
	Pressure Washer - 3000 PSI: Towable / Gas / High pressure hose and trigger gun included					
	Pressure Washer - 4000 PSI: Towable / Gas / High pressure hose and trigger gun included					
Sand Blasters	Sandblaster: 150 lb. / 2 wheel mount / Pneumatic					
	Sandblaster: 300 lb. / 2 wheel mount / Pneumatic					
	Sandblaster: 600 lb. / 2 wheel mount / Pneumatic					
Strawblower	Straw Blower: 7 ton per hour capacity / Trailer Mounted / 30-40 HP / 360 deg. Horizontal and 70 deg. vertical discharge head		500	1000	50	3
Street Sweepers	Street Sweeper - Compact Ride-On: Industrial / Indoor and outdoor use / Hydraulic dumping system / Minimum 4 ft. cleaning path / Minimum 80 lb. hopper capacity					
	Pressurized cab with 360 degree visibility / AC and heat / hydraulic dumping system / Minimum 700 lb. hopper capacity / rear wheel suspension / Elgin Pelican or equivalent					
	Street Sweeper - 4 Wheel: 4 wheel / 8 ft. broom head / Variable broom speed and down pressure / Hydraulic system / Laymor SM450 or equivalent					
	Street Sweeper - Truck Mounted: Minimum 4 cu. yd. hopper capacity / Water-spray system for dust control side / Curb, rear, and center broom. / Weight - 11,000-33,000 lbs.					
	Street Sweeper: Enclosed cab / 4 wheel / Hydraulic system / Superior Broom DT74J model or equivalent.					
	Street Sweeper: Cabover chassis / Minimum 700 gal. hopper capacity / Minimum 100 gal. water tank capacity / hydraulic in-cab dumping system with minimum 9,000 lb. lift capacity / Curb, rear, and main broom / Minimum 9 ft. sweep path					

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
SURFACE PREP, TREE, & LANDSCAPE**

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate	
		Per Day	Per Week	Per month	1st Mi.	Add Mi.
Snow Removal	Snow Plow Attachment - CDL Trucks: Minimum 9 ft. working widge / Reversible bolt-on cutting edges		800	2500	50	5
Tree Trimming	High Reach Power Tree Shear: All terrain / Telescopic boom / Minimum 60 ft reach / Minimum 180 degree boom rotation / 180 degree saw rotation / Jarraff or similar.					
	Knuckle Boom Crane with Grapple Saw: Minimum 40 ft vertical reach / Minimum 14 in. diameter cutting or grasping capabilities / Minimum 3, 700 lb. horizontal reach lifting capacity / Rubber tire chassis with outriggers / 360 degree rotation on chassis					

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
TRUCKS & TRAILERS**

Categories	Equipment / Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate	
		Per Day	Per Week	Per month	1st Mi.	Add. Mi.
Box & Flatbed Trucks	Box Delivery Truck: Non-CDL / 22-26 ft. / Up to 3,000 lb. liftgate or ramp capacity / Up to 10,000 lb payload					
	Flatbed Truck - 20 ft.: Non-CDL / Up to 3,000 lb. liftgate capacity / Removable sides / Up to 10,000 lb payload					
	Flatbed Truck - 24 ft.: Non-CDL / Up to 3,000 lb. liftgate capacity / Removable sides / Up to 10,000 lb payload					
Dump Trucks	Articulated Dump Truck (Rock Truck): 20-30 Tons / Fully automatic		3000	9000	175	4
	Crawler Carrier - 200-225 HP: All terrain - rubber tracked / 18,000 lb. maximum carrying capacity					
	Crawler Carrier - 250-275 HP: All terrain - rubber tracked / 24,255 lb. maximum carrying capacity					
	Dump Truck - 3-4 yd.: Non-CDL / Diesel / 7,000 lb. payload capacity					
	Dump Truck - 5-6 yd.: Non-CDL / 10,900 lb. payload capacity					
	Dump Truck - 10-14 yd.: CDL Required / 33,000 lb. payload capacity		2000	6000	25	5
Pickup Trucks	Pickup Truck - 1/2 Ton: Crew Cab / 4WD / 2,000 lb. payload capacity					
	Pickup Truck - 3/4 Ton: Crew Cab / 4WD / 4,000 lb. payload capacity		600.	2500.	50.	2.
	Pickup Truck - 1 Ton: Crew Cab / 4WD / 6,000 lb. payload capacity					
Trailers	Dump Trailer - 10x12 ft.: Tandem axle / Hydraulic dumping system / 9,000 lb. capacity					
	Equipment Trailer - 14-16 ft.: 14,000 GVWR / 16 ft + 2 ft Dovetail / Stand-up ramps with support, loading leg, and and stand-up bars / Spring assisted					
	Equipment Trailer - 18-20 ft.: 15,000 GVWR minimum / Tandem axle / Dovetail / Stand-up ramps with support, loading leg, and and stand-up bars / Spring assisted					
	Flatbed Trailer - 25 ft. Tri-axle: 22,500 GVWR minimum / Tri-axle / Dovetail loading ramp / Air brakes					
	Flatbed Trailer - 25 ft.: 14,000 GVWR minimum / Tandem axle / Dovetail					
	Lowboy Trailer - 33 ton: 70,000 lb. max payload / Hydraulic / Detachable gooseneck / Air brakes / Pony motor					
	Lowboy Trailer - 50 ton: 100,000 lb. max payload / Hydraulic / Detachable gooseneck / Air brakes / Pony motor					
	Tilt Trailer - 14-16 ft.: 7,000 lb. GVWR minimum / 3 in. pintle hitch / Hydraulic					
	Tilt Trailer - 14-16 ft.: 12,000 lb. GVWR minimum / 3 in. pintle hitch / Hydraulic					
	Utility Trailer - 14-16 ft.: 2,990 GVWR / Tandem Axle / Aluminum deck					
Utility Trailer - 14-18 ft.: 9,000 GVWR / Tandem Axle						

**Equipment Lease/Rental Without Operator
6622C026
ATT A - Pricing Pages
TRUCKS & TRAILERS**

Categories	Equipment/Descriptions	Lease/Rental Rate - Pickup			Delivery/Mobilization Rate	
		Per Day	Per Week	Per month	1st Mi.	Addl Mi.
	Vacuum Excavator Trailer - 500 gal.: Double Axle / 500 gal. spoil tank capacity / 80-300 gal. water tank capacity / Minimum suction 500 CFM / 3,000 PSI / Includes hose, adapters, and cleaning wand					
	Vacuum Excavator Trailer - 800 gal.: Double axle / 800 gal. spoil tank capacity / 200-400 gal. water tank capacity / Minimum suction 1,000 CFM / 3,000 PSI / Includes hose, adapters, and cleaning wand					
	Water Trailer - 500 gal.: Double axle / Includes hoses, pumps, and spray equipment					
Water Trucks	Water Truck - 2,000 gal.: CDL required / 33,000 GVWR minimum /					
	Water Truck - 4,000 gal.: CDL required / 50,000 GVWR minimum /					

**VARNER
CONSTRUCTION**

FAX COVER

**TO: JOHN ESTEP
FAX: 304-558-3970**

**PHONE:
DATE:5.25.22**

SUBJECT: CRFQ 0803 DOT2200000164

FROM: JENNIFER SAMPLES

FAX: 304-456-5046

PHONE: 304-456-4505

OF PAGES:

VENDOR NAME

BUYER: JOHN ESTEP

SOLICITATION NO: CRFQ 0803 DOT2200000164

BID OPENING DATE: MAY 26, 2022

BID OPENING TIME: 1:30PM

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

6622C026

ATT B - Information Form

Vendor Name: VARNER R CONSTRUCTION LLC.

Vendor shall identify source locations (physical 911 address) where Contract Items will be provided from upon contract award. Bids submitted without ATT B will be disqualified. Please duplicate this page if listing additional source locations.

Vendor Source Location
VARNER CONSTRUCTION LLC.
40 VARNER DR.
DURBIN, WV 26264
Vendor Source Location
Vendor Source Location

Vendor shall also indicate below whether it will provide Contract Items Statewide, by District, or County by placing an "X" in the appropriate area(s) below. PRICING SHALL BE CONSIDERED THE SAME FOR ALL LOCATIONS.

<input checked="" type="checkbox"/> STATEWIDE									
<input type="checkbox"/>	<i>District 1</i>	<input type="checkbox"/>	<i>District 2</i>	<input type="checkbox"/>	<i>District 3</i>	<input type="checkbox"/>	<i>District 4</i>	<input type="checkbox"/>	<i>District 5</i>
<input type="checkbox"/>	Boone	<input type="checkbox"/>	Cabell	<input type="checkbox"/>	Calhoun	<input type="checkbox"/>	Doddridge	<input type="checkbox"/>	Berkeley
<input type="checkbox"/>	Clay	<input type="checkbox"/>	Lincoln	<input type="checkbox"/>	Jackson	<input type="checkbox"/>	Harrison	<input type="checkbox"/>	Grant
<input type="checkbox"/>	Kanawha	<input type="checkbox"/>	Logan	<input type="checkbox"/>	Pleasants	<input type="checkbox"/>	Marion	<input type="checkbox"/>	Hampshire
<input type="checkbox"/>	Mason	<input type="checkbox"/>	Mingo	<input type="checkbox"/>	Ritchie	<input type="checkbox"/>	Monongalia	<input type="checkbox"/>	Hardy
<input type="checkbox"/>	Putnam	<input type="checkbox"/>	Wayne	<input type="checkbox"/>	Roane	<input type="checkbox"/>	Preston	<input type="checkbox"/>	Jefferson
				<input type="checkbox"/>	Wirt	<input type="checkbox"/>	Taylor	<input type="checkbox"/>	Mineral
				<input type="checkbox"/>	Wood			<input type="checkbox"/>	Morgan
<input type="checkbox"/>	<i>District 6</i>	<input type="checkbox"/>	<i>District 7</i>	<input type="checkbox"/>	<i>District 8</i>	<input type="checkbox"/>	<i>District 9</i>	<input type="checkbox"/>	<i>District 10</i>
<input type="checkbox"/>	Brooke	<input type="checkbox"/>	Barbour	<input type="checkbox"/>	Pendleton	<input type="checkbox"/>	Fayette	<input type="checkbox"/>	McDowell
<input type="checkbox"/>	Hancock	<input type="checkbox"/>	Braxton	<input type="checkbox"/>	Pocahontas	<input type="checkbox"/>	Greenbrier	<input type="checkbox"/>	Mercer
<input type="checkbox"/>	Marshall	<input type="checkbox"/>	Gilmer	<input type="checkbox"/>	Randolph	<input type="checkbox"/>	Monroe	<input type="checkbox"/>	Raleigh
<input type="checkbox"/>	Ohio	<input type="checkbox"/>	Lewis	<input type="checkbox"/>	Tucker	<input type="checkbox"/>	Nicholas	<input type="checkbox"/>	Wyoming
<input type="checkbox"/>	Tyler	<input type="checkbox"/>	Upshur			<input type="checkbox"/>	Summers		
<input type="checkbox"/>	Wetzel	<input type="checkbox"/>	Webster						

STATE OF WEST VIRGINIA PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §15A-3-14, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: VARNER CONSTRUCTION LLC

Authorized Signature: Kenneth Varner Date: 5.25.22

State of WEST VIRGINIA


County of POCAHONTAS, to-wit:

Taken, subscribed, and sworn to before me this 23th day of MAY, 2022.

My Commission expires June 16 2026, 20 .

AFFIX SEAL HERE

NOTARY PUBLIC Sandra Shinaberry



West Virginia Ethics Commission Disclosure of Interested Parties to Contracts

(Required by W. Va. Code § 6D-1-2)

Name of Contracting Business Entity: VARNER CONSTRUCTION LLC.

Address: 40 VARNER DR. DURBIN, WV 26264

Name of Authorized Agent: _____ Address: _____

Contract Number: _____ Contract Description: _____

Governmental agency awarding contract: _____

Check here if this is a Supplemental Disclosure

List the Names of Interested Parties to the contract which are known or reasonably anticipated by the contracting business entity for each category below (attach additional pages if necessary):

1. Subcontractors or other entities performing work or service under the Contract

Check here if none, otherwise list entity/individual names below.

2. Any person or entity who owns 25% or more of contracting entity (not applicable to publicly traded entities)

Check here if none, otherwise list entity/individual names below.

3. Any person or entity that facilitated, or negotiated the terms of, the applicable contract (excluding legal services related to the negotiation or drafting of the applicable contract)

Check here if none, otherwise list entity/individual names below.

Signature: Kenneth Varner Date Signed: 5.25.22

Notary Verification

State of West Virginia, County of Pocahontas:

I, Kenneth Varner, the authorized agent of the contracting business entity listed above, being duly sworn, acknowledge that the Disclosure herein is being made under oath and under the penalty of perjury.

Taken, sworn to and subscribed before me this 25th day of May, 2022.


Sandra Shinaberry
Notary Public's Signature

To be completed by State Agency:

Date Received by state agency: _____

Date submitted to Ethics Commission: _____

Governmental agency submitting Disclosure: _____





CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

05/09/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Mountain State Insurance Agency 1206 Kanawha Blvd. E. Suite 100 Charleston WV 25301-2949		CONTACT NAME: Laura Ranson PHONE (A/C, No. Ext): (304) 720-2000 FAX (A/C, No): (304) 720-2002 E-MAIL ADDRESS: lranson@mountainstateinsurance.com	
INSURED Varner Construction Limited Liability Company 40 Varner Drive Durbin WV 26264-7800		INSURER(S) AFFORDING COVERAGE INSURER A: Motorists Commercial Mutual Insurance Co. NAIC # 13331 INSURER B: Brickstreet Mutual Insurance Co. 12372 INSURER C: INSURER D: INSURER E: INSURER F:	

COVERAGES

CERTIFICATE NUMBER: Liability 2022/2023

REVISION NUMBER:


THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			5000111022	04/26/2022	04/26/2023	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 500,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 Select Property Plus \$
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS NON-OWNED AUTOS ONLY			5000111022	04/26/2022	04/26/2023	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ Pollution Liability \$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$			5000111023	04/26/2022	04/26/2023	EACH OCCURRENCE \$ 2,000,000 AGGREGATE \$ \$
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below			WCP7002406	07/28/2021	07/28/2022	<input checked="" type="checkbox"/> PER STATUTE <input checked="" type="checkbox"/> OTHER WV Code 23-4-2 E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
A	Inland Marine (C)			5000111022	04/26/2022	04/26/2023	Per Conveysnc/\$100,000 Deduct/1,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER

CANCELLATION

West Virginis Department of Transportation 1900 Kanawha Blvd E Building Five Room 110 Charleston WV 25305-0430	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE 
---	---