BUYER: JOHN ESTEP

SOLICITATION NO: CRFQ 0803

DOT2200000164

BID OPENING DATE: MAY 26, 2022

BID OPENING TIME: 1:30PM

FAX NUMBER: 304-558-3970



Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Gharleaton, WV 25305-0130

State of West Virginia Centralized Request for Quote Equip. Rental

Proc Folder: 1024631 Reason for Modification: Doc Description: Equipment Lease/Rental Without Operator - Statewide 6622C026 Proc Type: Central Master Agreement Date Issued Solicitation Closes Solicitation No Version 2022-05-04 2022-06-26 13:30 CRFQ 6080 DOT2200000164

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

VENDOR

Vendor Customer Code:

000000177068

Vandor Name:

BRIDGEPORT EQUIPMENT AND TOOL

Address :

Street:

OAKHURST DRIVE

City:

CHARLESTON.

State: WEST VIRGINIA

Country:

Zlp: 25314

Principal Contact :

JON KITTS

Vendor Contact Phone: 740-373-6686

Extension:

FOR INFORMATION CONTACT THE BUYER

John W. Eatop 304-558-2566

John.w.gstap@wv.gov

Signature X 📝

34-1800484

5/25/2022

All offers subject to all terms and conditions contained in this solicitation

Dalo Printed: May 4, 2022

Patre: 1

FORM ID: WAYPRC-ORFO-002 2020/05

711



Department of Administration Purchasing Division 2018 Washington Street Bast Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Centralized Request for Quote Equip. Rantal

Proc Polder:

1024631

Doc Description: ADDENDUM NO_4 Equipment Lease/Rental W/O Operator -Statewide

P. 19

Reason for Modification:

ADDENDUM NO 4

Vendor Questions and Responses

Proc Type:

Central Mester Agreement

Bolicitation Clases Date Issued **Bolieltation No** Version 2022-05-18 2022-05-26 CRFQ 13:30 0803 DOT2200000164

BID RECEIVING LOGATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US.

VENDOR

Vendor Guatemer Code:

000000177068

.

Vendor Name:

BRIDGEPORT EQUIPMENT AND TOOL

2.4 1 30.

Address :

1504 OAKHURST DRIVE

Street:

City:

CHARLESTON

State;

WEST VIRGINIA Country: US

Zlp: 25314

95.

Principal Contact:

JON KITTS

Vendor Contact Phone:

740-373-6686

Extension:

FOR INFORMATION CONTACT THE BUYER

John W Eslep

304-558-2566

John.w.eslep@wv.gov

Vendor

Signature X

34-1800484

DATE 5/25/2022

All offers subject to all terms and conditions contained in this solicitation

Dalo Printod: | May 18, 2022

Pages 1

FORM ID: WW-PRO-ORPO-002 2020/06

REQUEST FOR QUOTATION Equipment Lease/Rental Without Operator

WVDOH will, at its option, either replace or pay to the Vendor the fair market value of any of the said equipment or any part thereof, lost destroyed or stolen because of the negligence of or lack of ordinary care on the part of its employees.

- 10.5 Liens: The WVDOH shall not directly or indirectly create, incur, assume or suffer to exist any mortgage, pledge, lien, charge and encumbrance or claim on or with respect to the lease/rented equipment, except with respect to the respective rights of the Vendor and the WVDOH.
- 10.6 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 10.7 Reports: Vendor shall provide the Agency with quarterly reports, annual summaries, and/or monthly reports as requested by the Agency and/or the West Virginia Purchasing Division showing quantities, total dollar value of the Contract Items purchased, ordered, shipped & invoiced with dates in spreadsheet format as defined by the Agency. Failure to supply such reports may be grounds for cancellation of this Contract.
- 10.8 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

Contract Manager:
Telephone Number:
Fax Number:

Take Number:

Telephone Number:

740-373-6686

740-373-3895

Telephone Number:

1840-373-3895

Vendor shall inform the Agency in writing of any changes to the information provided above within ten (10) calendar days of such changes. Failure to comply may be grounds for cancellation of this contract.

Addendum Numbers Received:

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFO DOT2200000164

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addends and have made the necessary revisions to my proposal, plans and/or specification, etc.

iec	eck me box mext to each andendmin teceloan)						
	[X]	Addendum No. 1	1]	Addendum No. 6		
	[]	Addendum No. 2	[]	Addendum No. 7		
	[]	Addendum No. 3	ĺ]	Addendum No. 8		
	[]	Addendum No. 4	[3	Addendum No. 9		
	[]	Addendum No. 5	ſ	1	Addendum No. 10		

I understand that fallure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

> ARIDGEPORT EQUIPMENT AND TOOL Company 5/25/2022 Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

SOLICITATION NUMBER: CRFQ DOT2200000164 Addendum Number: 2

The purpose of this addendum is to modify the solicitation identified as CRFQ DOT22000000164 ("Solicitation") to reflect the change(s) identified and described below.

Appli	pplicable Addendum Category:							
	[]	Modify bid opening date and time						
	[] Modify specifications of product or service being sought							
	[X]	Attachment of vendor questions and responses						
	[]	Attachment of pre-bid sign-in sheet						
	[]	Correction of error						
	[] Other							
lddit	ional D	ocumentation:						
	Vendo	Modify bid opening date and time Modify specifications of product or service being sought Attachment of vendor questions and responses Attachment of pre-bid sign-in sheet Correction of error						
	Bid O	pening remains 05/26/2012 et 1:30pm						

Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

CRFQ DOT22000000164

Question

Noticed you all don't have the excavator with breaker attachment listed on this bid, is that a mistake?

Answer

The Excavator Breakers are listed on the "Asphalt, Pavement, & Concrete" tab under Rock Drillers & Hammers.

The Excavators themselves are listed on the "Earthmoving" tab under Excavators & Attachments.

There are many equipment pleces that could fall under numerous categories. depending on use. Please browse through all spreadsheet tabs to ensure that you have the opportunity to bid on all equipment listed for potential lease or rental within this contract.

Addendum Numbers Received:

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFQ DOT2200000164

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

(Ch	eck the bo	ox next to each addendum	n received)	
	[]	Addendum No. 1	[]	Addendum No. 6
	[X]	Addendum No. 2	[]	Addendum No. 7
	[]	Addendum No. 3	[]	Addendum No. 8
	[]	Addendum No. 4	[]	Addendum No. 9
	[]	Addendum No. 5	[]	Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

> BRIDGEPORT EQUIPMENT AND TOOL Company 5/25/2022 Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

SOLICITATION NUMBER: CRFQ DOT2200000164 Addendum Number: 3

The purpose of this addendum is to modify the solicitation identified as CRFQ DOT22000000164 ("Solicitation") to reflect the change(s) identified and described below.

Appl	icable A	Addendum Category:
	[]	Modify bid opening date and time
	[]	Modify specifications of product or service being sought
	[X]	Attachment of vendor questions and responses
	[]	Attachment of pre-bld sign-in sheet
	[]	Correction of error
	[]	Other
Addi	tional D	ocumentation:
	Vendo	or Questions and Responses
e) (Bid O	pening remains 05/26/2022 at 1:30pm

Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- Vendor should acknowledge receipt of all addends issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

SOLICITATION NUMBER - CRFQ DOT2200000164 EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Responses to Vendor Posed Questions:

1. Under Exhibit A pricing page category buildozers - Must buildozers be closed cab. or would you allow open cat?

Response: Vendors should ensure that they have the ability to provide items bid on the ATT A Pricing Pages as they are listed and described.

2. Under Exhibit A pricing page category excavators - Specification is "43,000-49,999 lb." Would you allow a 52,000 LB machine?

Response: Vendors should ensure that they have the ability to provide items bid on the ATT A Pricing Pages as they are listed and described.

3. Under Exhibit A pricing page category loaders - Specifications are by cubic yards. is this referring to bucket size?

Cubic yardage in relation to the Wheel Loader descriptions (Earthmoving tab - Loader category) refers to bucket capacity.

4. Some of our equipment has a one-month minimum rental period. Would this be acceptable for this contract?

Response: Please mark a line through the daily and weekly spaces for the equipment that will only be available for monthly rental.

5. The pricing pages do not have a place to list the make and model like the previous contracts had. Is that something that should be added, or should we just list that Information on the commodity lines on the first pages?

Response: The requirement for Vendors to add the make, model, and serial number of each piece of equipment intended for bid has been removed and it is not necessary to list that information within the commodity line area for each piece. At the time of delivery/pick-up, the make, model, and serial number of each Item leased or rented will be recorded on the SM-93 Statement of Acceptance form.

6. We offer a skid steer Road Widener attachment in our rental fiset. The DOH owns some of these, and we have received several rental requests over the past couple of years for these. Is this something that could / needs to be added to this rental contract?

Response: Items for bid on the ATT A Pricing Pages were listed at the request of WVDOH personnel. However, we will consider the addition of Road Widener attachments for Skid Steers in future solicitations.

7. Will you double check and confirm skid steer wheel and track loader weights?

Response: Items listed on the ATT A Priolog Pages were reviewed and agreed upon by internal sources.

8. Good morning. My question is in regard to RFQ 6622C026. In previous years the state has requested bids for rental of tractors with mid mount boom mowers for over-the-rail mowing. It appears to have been excluded from this rfq. Is this an oversight? We hold a current contract for providing tractors w/boom mowers less operators. I can be reached by email or at 304-366-4690.

Response: Please see the Mower category under the Surface Prep, Tree, & Landscape tab.

Addendum Numbers Received:

(Check the box next to each addendum received)

Addendum No. 1

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFQ DOT2200000164

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

[] Addendum No. 6

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

	[]	Addendum No. 2		[1	Addendum No. 7	
	{X}	Addendum No. 3]]	Addendum No. 8	ļ
	[]	Addendum No. 4		[]	Addendum No. 9	
	[]	Addendum No. 5		(]	Addendum No. 10	
discus	sion h	eld between Vendor's rep	resenta	Itiv	es e	on made or assumed to be made during any or and any state personnel is not binding. Only the discations by an official addendum is binding. BRIDGEPORT EQUIPMENT AND TOOL	he
			2	_	1/8	Company	_
					(Authorized Signature	_

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

5/25/2022

Date

Applicable Addendum Category:

SOLICITATION NUMBER: CRFQ DOT2200000164 Addendum Number: 4

The purpose of this addendum is to modify the solicitation identified as CRFQ DOT22000000164 ("Solicitation") to reflect the change(s) identified and described below.

[]	Modify bid opening date and time
[]	Modify specifications of product or service being sought
[X]	Attachment of vendor questions and responses
[]	Attachment of pre-bid sign-in sheet
[]	Correction of error

Additional Documentation:

Other

Vendor Questions and Responses

Bid Opening remains 05/26/2022 at 1:30pm

Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an
 Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda
 may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to
 expedite document processing.

SOLICITATION NUMBER - CRFQ DOT2200000164 EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Addendum Number: 4

Responses to Vendor Posad Questions:

1. Could you clarify if the below paragraph applies to this contract? We are trying to figure out how 8.4.1 Liquidated Damages would work and what the delivery order time frameuestion should we be looking at? To make sure we can commit to the delivery limeframe?

Response: Order timeframes will be defined per order and will be based on a Vendors acceptance of a Delivery Order issued by a WVDOH Agency. Upon receipt and acceptance of a Delivery Order, should the order not be delivered within the accepted and agreed upon time frames, Liquidated Damages may be applied by the ordering WVDOH Agency.

Please also see Section 108.7 of the 2022 Supplemental Specifications of the 2017 Standard Specifications Roads and Bridge, which can be found via the following link:

https://transportation.wv.gov/highways/contractadmin/specifications/2017StandSpec/Pa des/default.asox

2. Also, would a vendor be in default for failing to delivery subject to acceptance of a Purchase Order?

Response: Please review Sections 8 and 9 of the contract specifications.

Z)015/

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFO DOT2200000164

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addends and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received: (Check the box next to each addendum received)							
(•				
[]	Addendum No. 1	[]	Addendum No. 6			
[]	Addendum No. 2	[]	Addendum No. 7			
[]	Addendum No. 3	ſ	1	Addendum No. 8			
[X]	Addendum No. 4	ſ]	Addendum No. 9			
[]	Addendum No. 5	Į	1	Addendum No. 10			
I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.							
Company Conald A Jardner Authorized Signature							

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

5/25/2022

Date

(Name, Title)	JON KITTS
(Printed Nam	e and Title) JON KITTS CORP. RENTAL MGR.
(Address)	1504 OAKHURST DRIVE - CHARLESTON, WV 25314
(Phone Numi	ber) / (Pax Number) 740-373-6686 740-373-3895
(email addres	ikitteOhridoenartequinOomail.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below. I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

BRIDGEPORT EQUIPMENT AND TOOL
(Company) Ronald A. GARDNER SALES
(Authorized Signature) (Representative Name, Title)
RONALD A. GARDNER SALES
(Printed Name and Title of Authorized Representative) (Date)
304-659-2917 304-659-3276
(Phone Number) (Fax Number) rgardner@bridgeportequip.com
(Fmail Address)

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR 6622C026 ATT B - Information Form

Vendor Name:	BRIDGEPORT	EQUIPMENT ANI		TOOL

Vendor shall identify source locations (physical 911 address) where Contract Items will be provided from upon contract award. Bids submitted without ATT B will be disqualified. Please duplicate this page if listing additional source locations.

Vendor Source Location	
BRIDGEPORT EQUIPMENT AND TOOL	
500 HALL STREET	
ARIDGEPORT OHIO 43912	
Vender Source Location	
BRIDGEPORT EQUIPMENT AND TOOL 1% ACME STREET	
MARINTTA ONTO 45750	
Vendor Source Location	
BRIDGEPORT EQUIPMENT AND TOOL	
1200 SOUTH BRIDGE STREET	

Vendor shall also indicate below whether it will provide Contract Items Statewide, by District, or County by placing an "X" in the appropriate area(s) below.

PRICING SHALL BE CONSIDERED THE SAME FOR ALL LOCATIONS.

STATEWIDE								
District I	District 3	District 3	District 4	District S				
Boone	Çábell	Calhoun	Doddridge	Derkeley				
Clny	Lincoln	Jackson	V Flarrison	∇ Grant				
Kanawha	1.ogan	Pleasunts	Marion	Hampshire				
Mason	Minge	Vikitchio	Monongalia	Hardy				
Putnam	Wayne	Roane	Preston	Jefferson .				
		Win	Taylor	L Minoral				
		Wood	Second 19	Morgan				
District 6	/District 7	District 8	District 9	District 10				
Brooks	Barbour	✓ Bendleton	v Enyette	4 MeDowell				
Hancock	Braxton	Pooahontas	Greenbrier	Mercer				
Marshall	7 9ilmer	Randolph	UMonroe	Raleigh				
⊘ hio	U Lewis	Tucker	Meliglas	Wyoming				
Tyler	Upshur	Brodutil	Summers					
(Wetzel	Webster							

Ø018/04

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR 6622C026 ATT B - Information Form

Vendor Name:	BRIDGEPORT EQUIPMENT AND TOOL

Vendor shall identify source locations (physical 911 address) where Contract Items will be provided from upon contract award. Bids submitted without ATT B will be disqualified. Please duplicate this page if listing additional source locations.

Vendor Source Location	
BRIDGEORT EQUIPMENT AND TOOL	
435 W MYLES AVE	
PENNSBORO, WV 26415	
Vendor Source Location	
BRIDGEPORT EQUIPMENT AND TOOL	
185 UPPER RIVER RD.	
GALLIPILIS, ONTO 45631	
Vendor Source Location	
BRIDGEPORT EQUIPMENT AND TOOL	
6777 MERRITTS CREEK RD.	
HUNTINGTON, WV 25702	

Vendor shall also Indicate below whether it will provide Contract Items Statewide, by District, or County by placing an "X" in the appropriate area(s) below.

PRICING SHALL BE CONSIDERED THE SAME FOR ALL LOCATIONS.

	[5	T STATEWIDE		
/ District 1	District 2	District 3	District 4	District 5
Beone	V Cabell	Calhoun	Doddridge	Berkeley
Çlay	Lincoln	Jackson	Harrison	U Grant
Kanawha	Logan	Pleasants	Marion	Hampshire
Mason	Mingo	Kitchje	Monongalia	1-Jardy
Pulnam	Wayne	Ronne	Proston	Jefferson
		Wirt	Taylor	Mineral
		Wood		Morgan
District 6	District 7	District 8	District 9	District 10
I/ Braake	Barbour	₽endloton	√ Fayotto	McDowell
blancock	Braxton	Pocaliontas	Varcenbrier	Mercer
Marshall	Gilmer	□ Bandolph	Monroe	Raleigh
Ohio	Lowis	Tückel'	Nicholas	Wyoming
Lyler	c. Upshur	-	Summers	
Wotzel	/ Webster			

Ø019/04

EQUIPMENT LEASE/RENTAL WITHOUT OFERATOR 6622C026

ATT B - Information Form

Vendor Name:	BRIDGEPORT	Equipment	AND	TOOL
-				

Vender shall identify source locations (physical 911 address) where Contract Items will be provided from upon contract award. Bids submitted without ATT B will be disqualified. Please duplicate this page if listing additional source locations.

Vendor Source Location	
BRIDGEPORT EQUIPMENT AND TOOL	
9127 US 23	
WURTLAND, KENTUCKY	
Vendor Source Location	
BRIDGEPORT EQUIPMENT AND TOOL	
1504 OAKHURST DR.	
CHARLESTON, WV 25314	
Vendor Source Location	
BRIDGEPORT EQUIPMENT AND TOOL	
34203 STATE RT 7	
POMEROY, OHIC 45769	

Vendor shall also indicate below whether it will provide Contract Items Statewide, by District, or County by placing an "X" in the appropriate area(s) below. PRICING SHALL BE CONSIDERED THE SAME FOR ALL LOCATIONS.

	T STATEWIDE							
District 1	District 2	District 3	District 4	District 5				
Boone	Caboll	Calhoun	Døddridge	V Berkeley				
Clay	Lincoln	Jackson	Harrison	Grant				
Kanawha	Logan	leasants	Marlon	Hampshire				
Mason	Wingo	illichie.	Monongalia	Hardy				
Putnam	Wayne	Roane	Preston	Liefferson				
	A 	Wirt	Taylor	Mineral				
		Wood		Morgan				
District 6	District 7	District 8	District 9	District 10				
Brooke	Barbour	Pendleton	√ Fayette	McDowell				
Hancock	□ Braxton	Pocahontas	U Greenbrien	Mercer				
Marshall	Gilmer	Randolph	Monroe	V Raleigh				
Chlo	Lewis	L Tucker	V Nicholas	Wyoming				
Tyler	Upshur.		Summers	 4				
Wolzel	Webster .							

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR 6622C026 ATT B - Information Form

Vendor Name;	BRIDGEPORT	EQUIPMENT	AND	TOOL
			-	

Vendor shall identify source locations (physical 911 address) where Contract Items will be provided from upon contract award. Bids submitted without ATT B will be disqualified. Please duplicate this page if listing additional source locations.

Vendor Source Location	
BRIDGEPORT EQUIPMENT AND TOOL	
96 OUTDOOR PLAZA DRIVE	
RIPLEY, WV 25271	
Vendor Source Location	
BRIDGEPORT EQUIPMENT AND TOOL	
156 QUEEN ANN DRIVE	
BECKLEY, WV 25801	
Vendor Source Location	

Vendor shall also indicate below whether it will provide Contract Items Statewide, by District, or County by placing an "X" in the appropriate area(s) below. PRICING SHALL BE CONSIDERED THE SAME FOR ALL LOCATIONS.

STATEWIDE							
District 1	District 2	District'3	District 4	District 5			
Boons	Caball	Calhoun	Doddridge	Berkeley			
Çlay	Incoln	Jjokson	Flarrison	Frant			
Kenawha	Logan	Bleasants	Marlon	Hampshire			
Mason	Mingo	Ritchie	Monongalia	Hardy			
Putnam	Wayne	Roans	Présion	19fferson			
-		₩Int	Taylor	Mineral			
Pistrict 6	District 7	Wood District 8	District 9	Morgan District 10			
Brooks	/ Parbour	Pendleton	Fayette	McDowell			
Huncock	Praxion	Recahontas	12 Greenbrier	Metcer			
Marshall	7 Gilmer	Bandolph	Monroe	Raleigh			
Diio	Cewis	Tucker	Nicholas	Wyoming.			
Tyler	Upshur		Summers				

Ø021/040

05/26/2022 THU 11:47 FAX 7403733895 Bridgeport Marietta

Equipment Lease/Rental Without Operator 6622C026 Exhibit 1

FORM SM-93 5/21/2008 rev 12/16-21

WEST VIRGINIA DIVISION OF HIGHWAYS OPERATIONS DIVISION STATEMENT OF ACCEPTANCE

As an authorized	d representative of the D	Division of Highways' District Engineer for
District, the u	ndersigned does hereby	declare that he and a certified representative
of the below identified	vendor, have jointly per	formed a technical inspection of the equipment
as set forth below, bei	ng rented from	(Vendor's Name),
via Equipment Requisit	Ion No by the	Division of Highways.
	•	be in (Poor, Fair, Good, Excellent)
condition, with any der	ects found during this te	echnical inspection listed below.
Make:	Model:	Serial #:
	Equi	îpment Type
	INTERFERE WITH THE PERATION OF EQUIPMENT.	DEFECTS WHICH <u>WILL NOT INTERPERE</u> WITH THE SAFE AND PRODUCTION OPERATION OF EQUIPMENT.
Authorized DOH/Ager	ncy Representative	Authorized Vendor Representative
Date of Si		Date of Signature

^{*} Defects which will interfere with the safe and productive operation of equipment will mandate return of equipment to vendor prior to acceptance by DOH/Agency.

5/25/22, 3:02 PM

Bridgeport, OH Store Locations Bridgeport Equipment

Go gle

(https://maps.google.com/Aprapa 200,500 GAPA paralle

Bridgeport, OH Store - Bridgeport, OH

500 Hall St Bridgeport, OH 43912 Phone: (740) 635-1129

(/locations/31680)

Marletta, OH Store - Marietta, OH

15 Acme St Marletta, OH 45750 Phone: (740) 373-6686

(/locations/31704)

New Martinsville, WV Store - New Martinsville, WV

1200 S Bridge St New Martinsville, WV 26155 Phone: (304) 455-6686

(/locations/31705)

Pennsboro, WV Store - Pennsboro, WV

435 W Myles Ave Pennsboro, WV 26415 Phone: (304) 659-2917

(/locations/31702)

Gallipolis, OH Store - Gallipolis, OH

185 Upper River Road Gallipolis, OH 45631 Phone: 740-446-2412

(/locations/31706)

Huntington, WV Store - Huntington, WV

6777 Merritts Creek Rd Huntington, WV 25702 Phone: (304) 736-2120

6/26/22, 3:02 PM

Bridgeport, OH Store Locations Bridgeport Equipment

Wurtland, KY Store - Wurtland, KY

9127 US 23

Wurtland, KY 41144 Phone: (606) 833-1408

(/locations/31709)

(/locations/31708)

Charleston, WV Store - Charleston, WV

1504 Oakhurst Dr Charleston, WV 25314 Phone: (304) 744-0555

(/locations/31703)

Pomeroy, OH Store - Pomeroy, OH

34203 State Rte 7 Pomeroy, OH 45769 Phone: (740) 992-1438

(/locations/31707)

Ripley, WV Store - Ripley, WV

96 Outdoor Plaza Dr **Ripley, WV 25271** Phone: (304) 373-0400

(/locations/31701)

Beckley, WV Store - Beckley, WV

156 Queen Ann Drive Beckley, WV 25801 Phone: (304) 252-6688

(/locations/34862)

Catogories	Equipment / Descriptions		Lease/Rental Rate - Pickup			ilization Asia
		Per Day	Per Week	Per month	1st Mf.	Addl Ml.
	Nucket Trucks Highway Rated / Mounted 50 ft. minimum / 43.5 ft. radious / 360 degree boom Rotation at level position Bucket Trucks					
	Highway Rated / Mounted 35 ft, working height minimum. Rear incunted Turrot. Versalift VST-47-1 or equivalent.					
	Bucket Truckt Highway Rosed / 50 ft, reach minimum/ 43.5 ft. radius / 10 ft. max outrigger spread / 360 degree boom rotation at level position / 1,000 lb infolmum material landling capability / Non-CDL / Mounted Verselift SST-40 Elif or similar					
Acrini Bucket	Bucket Truck: 50-54 (), Boam / 4WD / Non-CDL					
Trucks	Ducket Tructu Highway Rated / Mounted 45 ft. minimum / Insulated orticulating boom / Boom rotation at level position / Non-CDL / Versalift. SST-40- Elft or similar					
	Ducket Truckt 34-40 A. Boom					
	Nucket Truckt 41-49 N. Bogin					
	Hucket Trucki 53-60 ft. Baom / 2WD					-
	Nucket Vant 34-40 N. Boom					
	Acrial Pintform Lift - Articulating Scom: 125 ft.	1200	3500	7000	100	
	Aerial Piatform Lift - Articulating Beomi 135 ft.	1500	4200	8000	100	
	Acrial Pintform Lift - Articulating Broms 130 ft. Aerial Cintform Lift - Articulating Broms					
	45 ft. Aerial Clatform Lift - Articulating Iromi	350	610	1 #00	100	
	65 N,					
	Aerial Phylorm Lift - Articulating Rooms 85 ft.	850	1900	4400	100	
Acrini Interni	Agrial Pintform Lift - Telescopic Room: 120 ft.	1200	3500	7000	100	
Lifts	Aarini Pintform Lift - Talescopic Boo 117 125 N.					
	Aerial Platform Lift - Telercopte Room: 135 ft.					
	Aerial Plutform Lift - Telescopic Boom: 150 ft.					
	Acrini Philform Uft - Telescopic Boomi 185 ft.					
	Aerini Pintform Lift - Telescapic Boom: 40 it.	350	650	1800	100	
	Acrial Platform Lift - Telescapic Boom: 60 ft.	400	850	2400	100	
	Aerhil Plutform Lift - Telescopic Boom: 80 ft.	690	1400	4000	100	
-5110	Aerini Fiatform Lift - Truck Mounted: 40 ft working height / 360 degree toom rotation at level position / Highway rated					
Aoriai Natara	Acrial Platform Lift - Truck Mounted: Highway Rated Truck Mounted: 55 ft reach minimum / 360 dagroo boom rotation at level position Aerial Platform Trucks					
Platform Trucks	38 ft. working height (51 ft. side reach / Ellient Model 1.55 or similar Acrist Platform Trucks					
	Active Platform 1 10001 55 ft. working halgist / 40 ft. side reacts / 2-man platform / Elliott Medal GSOF or similar					

Caregories	Equipment / Descriptions	Equipment / Descriptions Lense/Rental Rate - Pickup Delivery/Mobilization			lization Rate	
District		Per Day	Per Week	Per month	for MI.	Addi ML
	Forestry Truck:					
	35-40 N. Hoom					
Dogni	34-40 A pintform height: / Auto-leveling hydraulic outriggers /					
Lifts	proumatic tires / 20 ft minimum horizortal reach /	150	450	(200	50	
Doom Lifts Articulating Boom Lifts Add ft platform height prounted a line / 20 ft m Articulating Boom Lift 41-50 ft. platform height prounted a line / 20 ft. m Articulating Boom Lift 41-50 ft. platform height prounted a line of the following for the lift appeal of the lift appea	41-50 ft. platform height Auto-leveling byttraulic outriggers /	1 1	1			
	proumailé (ires / 30 ft. minimum horizoniel reach	ll				
	dia	250	750	1500	50	
		275	775	1800	100	
	6,000 lb. III capacity / 40 ft. ronch	110	850	2000	100	
		310	970	2000	100	
	7,000 lb. Iffi capacity / 40 - 42 ft, reach					
	Variable Reach Forklifts					
	6,000 lb. lift supecity / 40 - 42 ft. reach					
	Variable Reach Forkilli:	1				
	9,000 lb. lift enpacky / 40 - 42 ft. reach	1 1			- 1	
	Variable Reach Forkiff:					
	10,000 lb. Iffi on pacity / 50 ft. reach	425	1250	2800	100	
	Variable Reach Forkiin:					
	12,000 th. enpacity / 50 ft reach	500	1500	3800	100	
	The state of the s					
Forkliffa		700	2000	5400	100	
		700	2000	5400	100	
		1	1			
		·	\rightarrow	\rightarrow		
	5,000 lb. IIA capacity / Low profile	150	550	1100	so	
		130	2,50	1100	- 30	
	5,000 lb. tift capacity / Gas / Low profile	150	550	1100	so	
		1	77	1144		
	6,000 lb. lift capacity / One / Low profile	175	600	1300	50	
	Warehouse Forklift;					
	6,000 lb. If a capacity / Problematic tires	175	600	1300	50	
	Warehouse Forklift:					
	8,000 lb. IIR capacity / Olesel	225	700	1500	100	
	Wardhouse Forkilfu					
	10,000-12,500 lb. lift capacity / Diesel Warshouse Forklifts	 				
	10,000-12,500 lb. lift capacity / Programatic tires	1 1	- 1	- 1		
				-		
	Scient Lift: Electric / 19 ft. x 32 in. wide	ا ـ ا	***	300	4	
	School Lifts	75	200	300	50	
	Electria / 26 ft. x 32 in. wide	125	300	4500	50	
	Scinor Lift:	143	000	4,000	70	
	Electric / 26 ft. x 48 in. wide	125	300	4500	50	
	Scissor Lifts			-		
	Glectric / 32 ft. x 48 in. wide	175	375	750	50	
	Schoor Lift:					
Scissor	Electric / 40 ft. x 69 in. wido	200	450	950	so	
Lifts	Scissor Lift:	920			7,1	
	25-27 ft. plutform height / Outdoor IC / 4WD	200	450	1200	50	
	Scianor Lift:					
	30-35 ft, platform height / Outdoor - Internal Combustion (IC) / 4WD					
	Scienor Lift:			1		
	36-19 ft. platform height / Outdoor - Incerna) Combustion (IC) / 4WD					
	Scissor Lift;			1		
	50-59 ft. platform height / Outdoor - Internal Combustion (IC) / 4WD					
	Scient Lift:		-			
	60-70 ft. platform height / Outdoor - Internal Combustion (IC) / 4WD		- 1	1	11	

Equipment Lease/Rental Without Operator 6621C016 ATT A - Pricing Pages ASPIIALT, PAYEMENT, & CONCRETE EQUIPMENT

Catogories	Equipment / Descriptions		/Rental Rata -	Plakup [Delivery/Mobilization Rat		
		Per Day	Per Week	Per manth	let MI,	Add MI	
	Asphalt Distributor:						
	Trick incunted / Spray bar Asphalt Cold Milling Machines						
	Wirigan WGO Ri or shullar						
	Asphair Cold Milling Machine:					_	
	Wirtgen W120 Ri or similar						
	Asphalt Recyclor/Soll Stabilizers						
	No less than 12" cutting depth range / BCMAO MPH 364 R-2 or						
	Asphalt Recycler Attachment: Endlonder bucket, menuted / Asphalt grit dur-recycle nitachment /						
	Minimum 183 hp 8,500 lb, wi, / Capable of grinding and remixing up to						
	12 in. deep and 48 in. wide prement and base.						
	Asphalt Recycler;						
	Hydraulic control panel / Hydraulically controlled leading chate /						
	Minimum 12 in, load opening / KM T-2 or similar Asphalt Recycler:						
	Solf landing / Stepp SRM 10 x 120 or supilar						
	Concrete Duckets						
	1 1/2 yds,						
	Canerote Bucket:	I.e.Weiter					
Asphalt	Gunerete Bucketi						
Distributors,	2 yds.						
Accyclers,	Contrate Mixers						
& Milling	6 Cubic 11. / Tow believed	65	193	363	50		
Equipment	Concrete Mixan						
	9 Cubic ft. / Yow believed	65	195	305	50		
	10-13 HP / Self propelled	60	180	360	40		
	Concrete Sawi	00	180	300	.50		
	11-14 HP .	60	160	360	30		
	Concrete Sawi						
	18-19 H(P / Sclf propolled Concrete Saw:	150	315	945	50		
	20-29 HP / Sulf propelled	140	344				
	Contrate Saw:	150	315	949	50		
	30-39 HP / Self propolled						
	Concrete Sawe						
	60-69 HP / Self propolled Concrete Sawt	350	975	2700	50		
	Over 69 I-II? / Self propelled	- 1					
	Road Wideners				_		
	Self propalled / 0-14 working width / Exclosed cab / Washdown	- 1	- 1				
	Bystem /						
	Shoulder Maintainer: w/G (min. 67 HP) a w/D (min. 46 HP) / septialt or atone width / 1* to 6*						
	and 6" to 12" depth						
	Asphalt Paver:						
Applialt Payers	Rubber-tired Caver < 125 HP						
-Hot Mix	Asphalt Paver						
	Track Pever > 125 HP						
	Crack Seater: Irreller mounted / Doubte boller type / 250 QLN Diesel with Pump on						
	Domaild Faniness and 70 CPM Compressor						
	Crack Stalers						
	Trailer mounted / Doubler boiler type / Coly Parcher II or equivalent						
	Crack Sealers Trailer (nounted / Double holler type / 250 QLN Diesel						
Crack Scaling	With Punty on Demand Postures and 53.8 CFM Compressor Crack Senters						
	3 Cylinder / Tandem Dual 2 Axie / Var, Cap 200 Gal. Double boiler						
	type tank - opening 16 ft. sr 24 ft / Maximum lient input - Dieact				- 1		
	290,000 UTU / Pull sweep inixer with 2 (infigural padding						
	Crick Sealer:				İ		
	Trailer innuated / Double boiler type / 250 GLN Diesel with Pump on			1	- 1		
	Downed Foutures Cruck Sonter:						
	Trailer mounted / Double drum / 100-125 GLN Olasel						
	Morter Miners			-	- +		
	6 Cubic A / 5 MP	65	195	585	50		

Equipment Losse/Rental Without Operator

6622C025 ATT A - Pricing Pages ASPHALT, PAVEMENT, & CONCRETÉ EQUIPMENT

Categories	Equipment / Descriptions	Den Den L	Rental Rate - I		Dellvery/Mob	
PALITOLS	Plorter Miser	Per Day	Per Week	Per menth	Iot MI	Addim
	9 Crible A				1	
	Pothole Paschar:					
Patchers	Trailer / Dumitacher or equivalent					
	Pathale Patchers Track w/rear algorithm board			7		
	Backhoo Breaker Attachments	+				
	1200-4000 N. lb4	300	27.	27.60		
	Backhoo Breaker Attachment	300	925	2150	50	
	Over 4000 ft. lbs,					
	Demo Haminori			1		
	Electric / 60 lbs. Exervator Dreakers	60	240	480		
	2001-2500 lbs.	200	600	1600	50	
	Excavator Breaker:	200	900	1600	30	
	1 \$80 - 2000 Ibs.	.325	973	2650	50	
	Excavator Areabers 3000-3300 (bs.					
	Escavator Breaker:	500	1600	4600	50	
	4000-4500 lbs.	700	2100	5400	100	
	Escavator Breekers			3,00		
lock Orlilers	5000 lbs. Parement Brenker:	+				
E llammors	Air/30 lbs.	25	75	***		
	Pavement firenker:	43	73	225	50	~
	Air / 60 lbs.	30	75	225	50	
	Pavement Branker:					
	Air / 90 lbs. Rock Drills	,30	73	225	50	
	Hydratic / Gasavator - Boom monted / 3 A holes / 20 A. depth					
	minimum.	1 1				
	Rock Orills	1 1				
	Alr / 60-69 lbs.	60	120	300	50	
	Air / 10-19 lbs.	20	60	180	50	
	Rock Drilli	1	- 00	180	30	
	Alr / 30-30 Nbs.	30	75	225	50	
	Rock Hammer for Excavator: 5001-7000 (bs.				T	
	Roller:				_	
	Double drugs / 10-15 tons					
	Rollers	 				
	Double drum / Smooth / 1,5 tops	150	450	1500	30	
	Relior:					
	Double dram / Smooth / J-3 tons Reliers	250	750	2250	10	
	Single drum / Sincoth / SQ-S6 In. / Vibratory	300	900	2700	100	
	Rollers	1,704	700	4700	100	
	Single dram / Smooth / 61-70 in. / Vibratory	350	1300	3400	100	
	Rollers Sinula doub / Smeath / 80-90 in / Milandras					
Rollers	Single drum / Smooth / 80-89 in. / Vibratory	450	1600	5000	100	
	Single drum / SP / 2XL / 10-15 K QVW * Dieed					
	Rollers					
	Single drem / SP / 2 XL / 10-20 K GVW * Diesul	+				
	Roller: Single padfood drum / 80-89 (n. / Vibratory	450	1600	5000	100	
	Holler:	430	1000	3000	100	
	Single padfoot drum / 61-70 in. / Vibraicry	350	1200	3400	100	
	Rollers					
	Single profoot drum / 50-56 ln. / Vibrate y	300	900	2700	100	
	Trench Hollers	1				
	Dial Donn / Approx. 10 HP / Appox. 2.5 A, W x 8.3 A, L / Vibratory	150	450	1300	50	

Equipment Lense/Rental Without Operator 6622C026 ATTA - Pricing Pages EARTHMOVING EQUIPMENT

Categories	Equipment / Descriptions		Rental Rate		Delivery/Mo	
		Per Day	Per Week	Per month	Los Mi	Addi Mi.
	Auger - Bit:				T	
Augers	18-24 in. Auger - Core Barrel:	30	90	270	50	
	18-24 in.					
		→				
	Backhoe Crawler:					
	Boom drill rig attachment / Trackhoe or similar Duckhoe Louder:					
	60-90 HP / 4WD / Extendaline					
	Daskhoe Londer:	300	850	2400	100	
	60-90 HP / 4WD					
	Buckhoe Londer:	300	850	2400	100	
	Hydraulio Breaker - Mounted / 1,000 1./lbs. minimum					
	Buckhos Londer:	_				
	Hydraulic Breaker - Mounted / 55-85 DHP D				- 1	
Duckhoes	Inckline Londer:	-				
MICHINOCA	60-90 HP/4WD/Cnb					
	Hackhoe Londer:	300	850	2400	100	
	60-90 HP / 4WD / Cub / Extendation	1 300	950	7400	100	
	Backhoe Londers	300	850	2400	100	
	91-104 HP / 4WD / Extendahoc				1	
	Dackhoe Track Loader:					
	Compact / Rubber tire / 20 - 30 HP / Maximum height - 83 in.					
	Buckhog Truck Londer:	-				
	Mini / 25-30 HP / Standard stick 12 Backhoe Bucket					
	T7 or similar	1 1		- 1		
	Loader Wheel:					-0400000
	1.0-1,4 cubic yds.	424		2024		
	Londer Wheel:	225	675	2025	100	
	2.5-2.9 cubic vds.		1650	5000		
	Lander Wheels	600	1650	5000	100	
	3.0-3.4 cubic yus.	600	1650	5000	100	
	Londer Wheel:	- 600	1030	3000	100	
l_quders	3.5-3.9 cubic yds.	750	2000	6000	100	
	Loader Wheel:	1,30	2000	6000	100	
	4.0 cubic yds.					
	Londer Wheel;	1		$\overline{}$		
	5.0 · 5,9 cubic yds.	1000	3000	9000	100	
	Londer Wheelt	1 1000	3000	7000	100	
	2.0-2.5 cubic yds.	450	1300	3800	100	
	Bulldozer:	1	1,500			
	Low ground pressure / 100-115 1-11	750	1600	5200	100	
	Bulldozeri	120	1000	2200	100	
	Low ground pressure / 125-139 HP	600	2400	6500	100	
	Bulldoxer:		2400	0300	100	
	Low ground pressure / 70-80 HP				1	
	Bulldozeri	+	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	\rightarrow	—— -	
	Low ground pressure / 90-95 HP	1 1				
	Bulldozeri					
	Crtiwlor / 100-114 HP	600	1800	4500	100	
	Balldozeri	1	7,500		100	
	Crawler / 115-118 HP	1 1	- 1		1	
ulldozers	Dulidozeri			 		
	Crawler / 140-150 HP	1000	3000	7500	100	
	Bulldozer:	1				
	Crawler / 180-185 I-IP	1500	4000	9500	100	
	Hulldozer:	1 1513		-	,,,,	
	Crawler / 190-195 HP	1500	4000	9500	100	
	Bulldozer:	7			100	
	Crawler / 70 - 80 HP	450	1100	3000	100	
11	Crawler Attachment - Ripper;	1		3444	100	
	TCP 181-250 EHP D	1 /	1	1		

Equipment Lense/Rental Without Operator 6622C026 ATT A - Pricing Pages EARTHMOVING EQUIPMENT

Categories	Environment / Descriptions	Lense/Rental Rate - Pickup			Delivery/Mobilization Re		
Aurelia ica	MICHAELA 124-31)((C))		Per Week				
	Crawlor Attachment - Winch:		and the same of th		100000000	SUP MINO VIEW	
	TCP 181-250 GHP D						
	Crane - 10 Ton				***		
	Hydrautic / Truck mounted / Minimum 18 ft. bed						
	Crane - 12% Ton:			i i			
	Hydraulie / Truck mounted / Minimura 18 (t. bed						
	Crane - 14 Ton:	395		ĭ			
	Hydraulic / Truck mounted / Minimum 18 ft, bed						
	Crane - 15-20 Ton:						
	Boom truck						
	Crane - 16-25 Ton:						
	Itydraulic / Rough Torrain Crane - 30 Ton:			\rightarrow			
	Hydraulic		(
Crunes	Crune - 35 Ton:	_					
	Hydraulic						
	Crane - 40 Ton:	_		-			
	Hydraulic				1		
	Crane - 50 Ton:			—	-		
	Hydraulie						
	Crane 25-30 Tons				$\overline{}$		
	Cahla Truck Mounted, Q						
	Craner 21-25 Toni			<u> </u>			
	Boom truck		1				
	Crawler Crane - 20 Yanı					-	
	Laities boom / Cable D Crawler						
	Culvert Cleaner - Truck Mounted;			Ť			
	Minimum 1,500 gal. tank / 1,400 PSt minimum			- 1	- 1		
	Culvert Clenner - Truck Mountada						
	65-80 OPM / 2.000 PSI minimum						
	Track Londer - Radio remote controlled:				1	100000	
Culvert	Hydraulic / Fits 36-48 in, round culverts / 5.5 PSI / 1.4 Cubic yd.				- 1		
Cleuners	bucket capacity / Minimum 1,500 lb. Biting capacity / Hard-Line				- 1		
	LP401 or similar						
	Track Londer - Rudio remote controlled:						
	Hydraulic / Fits 48-60 in, round culverts / 7,3 PSI / 1,4 Cubic yd.				- 1		
	bucket capacity / Minimum 1,550 lb. Effing capacity / Hard-Line LP401 or similar				- 1		
			-				
	Digger Derrich						
mi	33,520 lb capacity / 3 Sections / 61 ft reach / Toren Telelect				- 1		
Digger Derricks	Commander 6000 Digger Derrick or similar Digger Derrick - Truck-Mounted;	\vdash					
es de de des	35,000 lb. QVW / Rear Mounted / 47 ft. baoin height / Altac D947-				I		
	TR or similar				I		
	Excavator Attachment - Flydraulic Mammer:			-	- 1		
	For 15,000-20,000 lb, excavator				1		
	Excavator Attachment - Hydraulic Bummer:						
	For 6,000-14,000 lb. axcavalor						
	Excavator Attachment - Plate compactor:						
	For 15,000-20,000 lb. exervajor						
	Excavator Attachment - Swivel hear with disching bucket						
	Exception Attachment - Tree Mulcher				-		
	Severe duty rated / Bull Hog Model B11405XC or similar 51" for				I		
	Excevolor size 15-45 Ton						
	Excevator Teleboomi						
	Truck inounted / SP 0.5 Cylinder. D						
	Exenvator w/Henry Duty Augeri						
	McMillen Batroine Duty Auger or similar						
	Excuvator w/Integrated Vibratory Pile Drive/Extractor:				Ť		
	Minimum 60,000 driving force / MKT V8 or similar				- 1		

Equipment Lenze/Rentn: Without Operator 6622C026 ATTA - Pricing Pages EARTHMOVING EQUIPMENT

Categories	Equipment / Descriptions	Lease	Rental Rate	Pickup		bilization Ret
		Per Duy	Per Week	Per month	Ist MI.	Addi Mi.
	Exervators		200		Ĩ	2000 000
	1/2 - 3/4 Cubic yd. busket / 150 HP / Track Width 10' out-to-out					
	Excavator:					
	25,000-29,999 lb,					
	Excavatori					
Excavators	30,000-34,999 lb.	450	1350	4050	100	
æ	Excavator:		0			
Attachmienta	35.000-39,999 (ь.	500	1500	4500	100	
	Excavitor:					
	43,000-49,999 lb.	600	1900	5100	100	
	Mini Bacavator Attachment:					
	Brush Cutter / Mower	175	600	1800	50	
	Mini Excavator:					
	3,000-3,999 lb.	165	495	1485	50	
	Mini Excavator:					
	6,800-7,300 lb.	215	700	2000	50	
	Mini Exervator:		YARE I			
	7,400-9,199 lb.	245	735	2200	50	
	Mini Exchange					
	10,000-14,000 lb.	275	825	2650	50	
	Mini Excavator:					
	15.000-19.999 lb.	325	1050	2950	100	
	Wheeled Excavator:					
	Highway Speed, XL 3100 Gradall or Similar					
	Wheeled Excavator:				1	
	Crossovar or similar	700	2100	5200	100	
	Wheeled Excavator:					
	Oradall D152 or similar Wheeled Excavator:					
	Highway Speed, XL 4100 Graduli or Similar					
Force Feed	Force Feel Landers					
Londer	Heavy Duty 28 - 30 (t. conveyor / Fully enclosed operator area /	1	1		1	
	LeeBoy 3000C or similar.					
Grader	Grider:					
	35.000-45,000 lb. class					
Pile Driver	Hammar Pile Driver;				r	-
	DELMAG D8-22 or similar				- 1	
	Skid Steer Attachment - Angle (Sweeper) Broom					tonovi
		180	540	1620	50	
	Skid Steer Attachment - Brenkers					
	Hydroulic State Second Attack and Thomas	185	550	1600	50	
	Stild Steer Attachment - Hucket	20	40	120	50	
	Shid Steer Attachment - Concrete Mixer	, J	70	120		
	Skid Steer Attachment - Concrete Sab Dowel					
	Shid Steer Attachment - Flutliner:					
	Profilograph and bump grinder in one			1		
	Sald Steer Attachment - Flarwork Paveri				-	
	Bidwell or similar	1			, I	
	Skid Steer Attachment - Port/Pallet forks			_	+ +	
	42-48 in. tines capacity	50	140	450		
	Skill Steer Attachment - Grapple Bucket:	30	150	4.50	50	
	72-78 in.	140	436	,,,,,	ا م	
	Skid Steer Attachment - Hydrnulic Tilt Ditch Cleaning Bucket	140	420	1260	50	
	60" width / 90 degree rotation / Coupler			- 1		
	Skid Steer Attachment - Hydraulic Tilt Ditch Cleaning Bucket:			1		
	72" width / 90 degree rotation / Coupler					
	Skid Steer Attachnient - Landsenpe Rake:					
	I-leavy duty / 66-78 In. working width	125	375	[125]	50	

Equipment Lonne/Routh Without Operator 6622C026 ATTA - Pricing Pages EARTHMOVING EQUIPMENT

Cutegories	Equipment / Descriptions		Rental Rate		I Delivery/Mobilization Rat		
		Per Day	Per Week	Per month	lat Mt.	Addi ML	
	Shid Steer Attachment - Landscape Rake:				Ī		
	Rockhound or similar	125	375	1125	50		
	Skid Steer Attachment - Milling/Cold Planer:						
	24 In. / High Flow	475	1425	4275	50		
	Skid Steer Attachment - Pickup Broom with Damp Bucket	180	540	1620	50		
	Skid Steer Attachment - Trencher:	180	340	1020	30		
	36-60 in, boom length / 6-8 in. custing width	175	525	1575	50		
	Skid Steer Auger Bit:	1173	323	1373	- 30		
	12 in,	30	90	270	50		
Skid Steers,	Shid Steer Auger Bill						
	16 in.	30	90	270	50		
ALK CONSESS,	Skid Steer Auger Bits						
	24 in.	30	90	270	50		
	Skid Steer Auger Bits	T	1				
	30 In.	30	90	270	50		
	Skid Steer Auger Bit;			T			
	16 in.	35	105	315	50		
	Skid Steer Auger Bit:	900		12/25			
	6 in. Skid Steer Auger Bit:	30	90	270	50		
	akia ataor Augor mit: 9 in,				-		
	Skid Steer Auger Power Links	30	90	270	50		
S	Suid Steer Seaffer Lower Civille	100	300	900	50		
	Skid Steer Mini:						
	Walkbalrind	200	600	1800	50		
	Skid Stoor Tire Londer:						
	1.700-1,899 lbs.	175	525	1575	50		
	Skild Sieer Tire Londor:						
,	1,900-2,000 lbs. Skid Steer Tire Loader:	200	600	1800	50		
	2,600-2,999 lbs.						
	Skid Steer Tire Londer;	275	825	2475	50		
	1,700-1,999 (bs. / High Flow	1 1		- 1	- 1		
	Skid Steer Tire Londer:	1					
	2,001-2,599 lbs.	200	600	1800	50		
	Shid Steer Tire Londers	200	600	1800	30		
	2,600-2,999 lbs. / High Flow	275	825	2475	100		
	Skid Steer Track Londer:	1	94.7	47.5	700	-	
	1,700-1,999 lbs.	250	800	2400	so		
1	Skid Steer Track Londors	1 370			+ + +		
	2,000 - 2,399 lbs.	275	900	2700	50		
	Shid Steer Track Londers						
	2,400-2,799 lbs.	4—4					
	Skid Steer Track Londor:						
	1.300-1,699 lbs.						
	Skid Steet Track Londers						
	2,800-3,399 lbs.	350	1275	3250	100		
	Material Screener:						
	Mobile / Dieset	-					
	Trencher - Walk Behind:						
	11-15 HP / Ditch Witch or similar	1					
I DOUGHOUS I	Trencher - Walk Behind:				4.		
	16-27 HP / Ditch Witch or similar	200	600	1800	50		
	Trencher - Ride-ons 32-30 (4) ²	1 1					
	36'3V HT				1		

Equipment Lease/Rental Without Operator 6622C026 ATT A - Prictog Pages

HVAC, POWER, TRAFFIC CONTROL, & AIR TOOLS

Cutegories	Equipment / Descriptions		Rental Rate -		Delivery/Mobilization Ra	
	Compressor:	Per Day	Par Week	Per month	1st Mi.	Addl M
	Portable / 125-160 CFM	75	200	500	50	
	Compressor:		000	300	30	
	Portable / 170-210 CFM	100	300	600	50	
	Compressor;					
Compressors	Portable / 250-300 CPM Compressor					
- Portable	Portable / 350-450 CFM	` 225	690	1500	60	
	Compressor:	223	650	1500	50	
	Portable / 600-750 CFM					
	Compressor; Ponable / 900-1170 CFM					
	Compressor:	500	1450	3600	50	
	Portable / 1300-1600 CFM					
	Generalor:					
	Trailer Mounted - 30 kw	150	450	1350	50	
	Generator: Traffer Mounted - 45 kw					
	Generatori					
	Trailer Mounted - 60 kw	200	600	1800	50	
	Generator:			1550	30	
	Trailer Mounted - 80 kw	250	750	2250	50	
	Generator: Trailor Maunied - 100 kw					
	Ganerators		\longrightarrow			
	Traffer Mounted - 125 kw	270	810	2430	50	
	Generator:				30	N/ES/A
	Trailer Mounted + 175 kw					
	Generator: Trailer Mounted - 200 kw					
Generators	Generator:	350	1050	3150	100	
	Trailer Mounted - 230 kw			- 1	ĺ	
	Generatori					
	Trailer Mounted - 300 kw	600	1400	4000	100	
	Generator: Trailer Mounted - 400 kw					
	Generalor:	-				
	Trailer Mounted - 500 kw			- 1	l.	
	Generalor;					
	Trailer Mounted - 600 kw Generator:					
	Trailer Mounted - 800 kw					
	Generatori	_				
	Truller Mountad - 1,000 kw					
	Generator: Traitor Mounted - 2,000 kw					
	Heater:	-				= = 0
	Indirect / Diesel / 200k BTU			4		
	Heater:	1 -				
	Indirect / Diesel / 300k BTU	200	500	1250	50	
lleaters	Hedient (Dine) (AOD) SET I			[
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Indirect / Diosal / 400k BTU	300	600	1850	50	
	Indirect / Diego! or Natural Gas / 70C-900K 13TU	1000	2000	6000	100	
	Hunter:	1,550	****	0000	•00	
	Townble / Indirect / Self-contained / I million BTU					
	Light Towers				-	
'l'ower	Partable / Diesel / 4 - 1,000 was bulks	110	250	450	50	
	Hydrostatic Test Cump - 10,000 PSt: Pacumatic	1				

Equipment Lease/Rental Without Operator 6622C026 ATT A - Pricing Pages HVAC, POWER, TRAFFIC CONTROL, & AIR TOOLS

Cintegories	Equipment / Descriptions	Leave	Reatal Rate -	Pickup	Delivery/Mobilization Ra		
	Application 1 Description	Per Day	Per Week	Per month	tel Ml.	Addl M	
	Hydrostatic Test Pump - 500 PSI:				T		
	3 OPM max capacity						
	Hydrostatic Test Pump - 550 PSI:						
	II GPM max capacity				Western Park		
	Trash Pump - 2 In.:						
	Minimum 185 GPM max capacity / Self-priming	40	120	360	50		
Pumps	Trish Pump - 3 to.: Minimum 300 GPM max capacity / Salf-prinning	55	165	495	50		
	Trush Pump - 4 In.:		103	493	30		
	Minimum 400 GPM max capacity / Sett-priming	75	200	600	50		
	Vacuum Assisted Pining - J Ind	,,,	200	000	_~		
	Diesel / Trailer mounted / 3 in, max solid handling / Minimum				- 1		
	1150 GPM max flow						
	Vacuum Assisted Pump - 6 In.i						
	Diesel / Trailer mounted / 3 in, max solid handling / Minimum			1			
	2200 GPM max flow/	325	975	2925	50		
	Arrow Boards						
	Trailer mounted / 4" x 8" panel / 15 LED lights			- 1			
	Allenuator and Arrow Doard - Trailer Mounted:						
	Musi meet NCHRP 350 TL-3 lest criterle						
	Attenuator and Arrow Board - Truck Mounted:				- 19		
	In-cab attanuator and arrow board control / Must meet NCHRP		1	- 1			
	350 TL-3 test critoria						
	Mesange Sign:						
	Programmable / Minimum 3 row alphanumaric character display			- 1			
	/ 360 degree rotation / Townble						
	Steel Road Plates:			- I			
	Steel Road Plates:						
	S n. x l n.				1		
	Tenffic Darrel Base;		\rightarrow				
Traffic	Weighted / Rubber tire ring			- 1			
Control	Traffic Barrel Drum:		\rightarrow				
	4 in. EG stripes / Must most NCHRF-350 crash rating			- 1			
	Truffic Barrier Lift;					-	
	Verticle IIII clamp / 9000 lb. capacity	- 1		- 1			
	Truffic Burrier;						
	6 A. / Plantic / Water fillable	- 1		- 1			
	Traffic Signal:						
	Portable / Single head - light duty / Fully automated, actuated			I	- 1		
	operation / Must inects MUTCD and NEMA TS-5 standards			1	Į.		
	Traffic Signal:						
	Trailer mounted / Double head w/mast ann hydraulic lift system			- 1			
	/ Minimum 90mph wind load rating . Minimum 30 day battery	1					
	run time / Solar panels / Must meet MUTCD and NEMA 1'S-1	1					
	standards						

Equipment Lense/Rental Without Operator 6622C02C ATT A - Pricing Pages SURFACE PREP, TREE, & LANDSCAPE

Categories	Equipment / Descriptions	Le	anc/Rental Rate	- Pickup	Dallvery/Mob	Meatlon R
		Per Day	Per Week	Per month	lat Ml.	Addl M
	Drush Chipper - 12 In.i				7	
	12 in. capacity / Towablo	260	1175	4700	50	
	Brush Chipper - 18in.:					
***	18 in. capacity / Towalite			1		
Chippera	Track Chipperi		1	- 1		
& Grinders	30 In. capacity / Sulf feeding / self propelled / 360 degree			- 1		
	swivel discharge chule wiend chip collector					
	Tub Grinder - Townble:					
	Hydraulic titl tub / Front hydraulic sabilizers / Hydraulic			- 1	1	
	augars / 350 - 580 MP					
	Hydroseeder - 400-600 gal.:					
Hydroseeders	400 - 600 gal. capacity / Traffer most sted					
	Hydrosectics - 1,500-2,500 gal.			Î		
OUT THE COLUMN TO THE COLUMN T	1,500 · 2,500 gal. capacity / Truck mounted.					
	Boom Mower Grush Cutter Attachments					
	For use with skid steers / 3 in. cutting diameter / Minimum		1	- 1		
	72 fn. cutting width	250	000	2400	50	
	Boom Mower:			7/-2		
Mowers	60 In. rolary mower duck / Universa, attachment mount /			- 1	- 1	
	MowerMex Stage V Boom Mower or equivalent					
	Slope Mower:					
	Compact tractor / Minimum 30 deg. slope rating / Ventrac or		1	1		
	aquivalent					
	Pressure Washer - 3500 PSI:				7	
	Towahlo / Ons / High pressure hose and trigger you included	250	BCO	2400	50	
Pressure	Pressure Washer - 3000 PSI:				Ť	
Washers	Towable / Cas / High prossure hose and trigger gun included	250	800	2400	50	
	Pressure Washer - 4000 PSI:				-	
	Towahle / Gos / High prossure hose and trigger you included	150	800	2400	50	
	Sandblasters	Ť				
	150 lb. / 2 whost mount / Pneumatic			- 1	- 1	
Sand	Sandbinster:		-			
Mantorn	300 lh, /2 wheel mount / l'indumatic					
	Sandbluster:					
	600 lb, / 2 wheel mount / Procumatio					
	Straw Dlower:					
Strawblower	7 ton par hour capacity / Trailer Mounted / 30-40 HP / 360			- 1		
	dcy. Horizontal and 70 day, vartical discharge head	220	660	2400	50	
	Street Sweeper - Compact Ride-On:		Ť	The state of the s		
	Industrial / Indoor and autdoor use / Plydreutic dymping					
	system / Minimum 4 ft. cleaning path / Minimum 80 fb.	- 1				
	hopper cupacity					
	Pressurfaced cab with 360 degree visibility / AC and heat /				1	
	hydraulle dumping system / Minimu n 700 tb. happer	1	1		l.	
	capacity / reor wheel suspension / Elgin Pallean or		- 1	1	f	
	equivalunt					
	Sirect Sweeper - 4 Whool:					
	4 wheal /6 ft. broom hund / Variable broom speed and	1	- 1			
Street	down pressure / Hydraulic system / Laymor SM450 or		1	1		
Swedicta	equivalent	295	850	2600	100	
ar every till til	Street Sweeper - Truck Mountell					Constant
	Minimum 4 cu, yd. hopper capacity / Water-spray system for		1	1		
	dust control side / Curb, runr, and contar broom, / Weight -		1			
	11,000-33,000 (ba.					
	Street Sweeper: Enclosed cah / 4 wheel / Hydraulic system					
	/ Superior Broom DT741 model or equivalent.	295	850	2600	100	
	Street Sweeper:					
	Cabover chiasis / Minimum 700 gnf, hopper capacity /		- 1	- 1		
	Minimum 100 gal, water tank capacity / hydrautic in-cab		- 1	ľ		
	dumping system with minimum 9,000 (b). (if) capacity /		- 1			

Equipment Lease/Rental Without Operator 6622C026 ATT A - Pricing Pages SURFACE PREP, TREE, & LANDSCAPE

Categories	Equipment / Descriptions	L	Ann/Rontal Rate	- Pichup	Delivery/Mobilization Rate		
Categories	ZAGRIBIGATI ZASTARIZAS	Par Day	Per Week	Per menth	I or MI.	Addl Mt.	
Snow Hemovat	Bnow Plow Attachment - CDL Trucks: Minimum 9 ft. working widge / Reversible holt-on cutting edges				Q.		
T'rae	Itigh Ateach Power Tree Sheart All terrain / Telescopic hoom / Minimum 60 A reach / Minimum 160 dayroo boom rotation / 180 dayroo saw rotation / Jarraff or similar.						
Trimming	Knuckle Doom Crane with Grappie Saws Minimum 40 ft vertical reach / Minimum 14 in. diameter cutting or grasping capabilities / Minimum 3, 700 lb. horizontal reach lifting capacity / Rubber tire chassis with outriggers / 360 degree retation on chassis						

Equipment Lesse/Hental Without Operator 6622C026 ATT A - Pricing Pages TRUCKS & TRAILERS

Categories	Raulpment / Paserintions	Lease	Rental Rate - P	lekup	Delivery/Mobilization Rad	
C.BIEGOTTES	Sammany Sastanion	Por Day	Per Week	Per month	Int MJ.	Addi Mi
	Box Delivery Trucki Non-CDL / 22-26 N. / Up to 3,000 lb. lifigate or romp capacity / Up to 10,000 lb pay and				mesters and a	
liox & Finthed Trucks	Firstbest Truck - 20 ft.; Non-CDL / Up to 3,000 lb, Hflyate capacity / Removable sides / Up to 10,000 lb payload					
	Finited Truck - 24 (t.: Non-CDL / Up to 3,000 lb. liftgate capacity / Removable sides / Up to 10,000 lb payload					
	Articulated Dump Truck (Rock Truck): 20-30 Tons / Fully automatic Crawler Carrier - 200-225 HP;	1350	4000	10000	100	
	All terrine - rubber tracked / 18,000 lb. meximum currying capacity					
Dump Trucks	Crawler Carrier - 250-275 HP: Alt terrain - rubbert tracked / 24,255 lb. maximum corrying capualty					
	Dump Truck - 3-4 yd.: Non-CDL / Diesel / 7,000 lb. psyload capacity Dump Truck - 5-6 yd.:					
	Non-CDL / 10,900 lb, payload capacity Dump Truck - 10-14 yel. CDL Regulated / 33,000 lb, payload capacity					
	Picken Truck - 1/2 Ton:					
	Crew Cab / 4WO / 2,000 lb. payload capacity					
Pickup Trucks	Pickup Truck - 3/4 Ton:					
	Crow Cab / 4WD / 4,000 lh. psyload capacity Plekup Truck - 1 Ton: Crow Cab / 4WD / 6,000 lb. psyload capacity					
	Dump Traffer - 10x12 ft.					
	Tendem axic / Hydraulic dumping system / 9,000 fb.	85	300	1000	50	
	Equipment Trailer - 14-16 ft :		300	1000		
	14,000 GVWR / 16 ft. + 2 ft. Dovetall / Stand-up ramps				- 1	
	with support, lunding leg, and and stand-up bars / Spring assisted	85	250	750	so	
	Equipment Traffer - 18-20 (t c	63	250	/30	30	
	15,000 GVWR Infinitum / Tandem axle / Doveteil /				1	
	Stand-up ramps with support, oading leg, and and stand-			1		
	up bors / Spring assisted Platbed Traffer - 25 ft, Tri-axler					
	22,500 GVWR minimum / Trianto / Devotal loading temp / Air brokes					
	Platbed Trailer - 25 ft.4 14,000 OVWR infallinum / Taudem axis / Dovuteil Lowboy Trailer - 35 tons					
	70,000 lb. max payload / Hydraulic / Detachable gontonuck / Air brokes / Pany motor					
Traiters	Lowbay Triller - 50 ten: 100,000 lb. inax payload / Hycraulic / Dotachable gooscheck / Air brakes / Pony motor					
1 : 401/6[3	Till Trailer • 14-16 ft: 7,000 lb. OVWR minimum / 3 ln. pintle hitch / Hydraulic	85	250	750	50	
	12,000 lb. OVWR minimum / 3 in. pintle litich / Hydraulic		-			
	Utility Traller - 14-16 ft.4 2,990 OVWR / Tandem Axle - Aluminum dock Utility Trailer - 14-18 ft.1					
	9,000 GVWR / Tandem Axia					

Equipment Lense/Rental Without Operator 6622@26 ATT A - Priolog Pages TRUCKS & TRAILERS

Cittogories	Equipment / Descriptions	Lengo	Rental Rate - P	ickup	Delivery/Mobilization Rat	
- Ain-		Por Day	Par Week	Per month	1 or 641.	Addimi
	Vicuum Exervator Trailer - 200 gal;: Couble Axto / 500 gal, spoll tank capacity / 80-300 gal, water tank capacity / Minimum suction 500 CFM / 3,000 PSI / includes hose, edepters, and cleaning wand					
	Vicuum Excavator Tratter - 800 gal.; Double axte / 800 gal. spell task capacity / 200-400 gal. water tank capacity / Minimum suction 1,000 CFM / 3,000 PSI / Includes home, adapters, and cleaning wand					
	Water Trailer - \$00 gal.: Double axic / includes itoses, rumps, and spray equipment	110	400	850	50	
WniarTrucks	Water Truck - 2.000 gal.: CDL required / 33,000 GVWR minimum / Water Truck - 4.000 gnl.;	325	900	2700	IGO	
CDL required / 50,000 QVWR (Minimum /	1	- 1	- 1			

Received: 7403733895 05/26/2022 THU 11:49 FAX 7403733895 Bridgeport Marietta

ACORD
ACORD

CERTIFICATE OF LIABILITY INSURANCE

PATE (MM/DD/YYYY)

05/20/202

	this certificate is issued as a ma Certificate does not affirmativi BELOW. This certificate of insur Representative or producer, an	LANC ID TH	E DO	EG NOT CONSTITUTE A (RTIFICATE HOLDER,	ONTR	ALTER THE ACT BETWEE	COVERAGE. IN THE 188U	afforded by the pol Ing ingurer(9), autho	icies Rized	
	IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(lee) must have ADDITIONAL INSURED provisions of be endorsed, if SUBROGATION IS WAIVED, subject to the terms and conditions of the nellow contains policies and conditions of the nellow contains policies and conditions.									
_	The section of the se	the	certif	icate holder in lieu of auc	n ondo	rsoment(s).		The street business, in the	- A116-1-	PII
	DDUGER			(1)	CONYA NAME:	CY Brends \$	inyder			
	sener Wharton & Andrews Insurance, LLC			8	PHONE	PHONE 1204) 042 0024				
2084 National Road						ADDRESS: brenda@gwainaurance.com				
Wh	eèling			WV 20003					NAME	
INCURED						Pulating and				13331
B E T LTD; Gridgeport Equipment & Tool LLC						INDURAN C:				12372
600 Hell 61										
5000000						RO:				
	Bridgeport			OH 43912-1324	MOUN				_	
co	VERAGES CER	TIBLE	ATE	NUMBER: CL210280816	INGURE	RPI				
	HIS IS TO CERTIFY THAT THE POLICIES OF	INRIH	PANCI	NUMBER: OLE 10200010		70 747 1484		REVISION NUMBER:		
C	ERTIFICATE MAY BE ISSUED OR MAY PERTI EXCLUSIONS AND CONDITIONS OF SUCH PO	AIN, T DLICIE	HE IN	ERM OR CONDITION OF ANY SURANCE AFFORDED BY THI IITS SHOWN MAY HAVE BEEN	CONTRA	act or other IEB Describe IED by Paid C	r document (D Herein IS S Laimb.	HITH DECOMARDA NAMED IN		
W.	TYPE OF INSURANCE	IMAD	WWD	POLICY NUMBER		(MWDDLALLA)	LEGENS VAN	Linin	4	
	COMMERCIAL GENERAL LIABILITY							EACH OCCURRENCE		0,000
	CLAIMS-MADE OCCUR		l					CAMAGE TO RENTED PREMISES (Es Oburrance)	g 100,	000
								MED EXP (Any one person)	g 6,00	0
A		Υ		£000117990		07/01/2021	07/01/2022	PERSONAL & ADVINJURY	1,000,000	
	GEN'L AGGREGATE LIMIT APPLIES PER:	1						GENERAL AGGREGATE	3,000,000	
	POLICY X PRO- X LOC							PRODUCTS - COMPIOP AGG	3 000 000	
	OTHER:)		PRODUCTS - COMPTOP AGG	3 3,000,000	
	AUTOMOBILE LIABILITY				_			COMBINED SINGLE LIMIT	4 1,000	0.000
	ANYAUTO					07/01/2021	Ï	(Ep acaidoni) BODILY INJURY (Per person)	4	
Α	AUTOS ONLY GCHEDULED	Y		e000117890			07/01/2022	BODILY INJURY (Fer soulders)		
	HIRED NON-OWNED	INTOS ONLY AUTOS					V11101113433	PROPERTY DAMAGE (Par aceidani)	8	
	AUTOS ONLY AUTOS ONLY				1			(Per socident) General Aggregate	s 3,000,000	
	X UMBRELLA LIAS X OCCUR	-	-							
Α	EXCESS LIAB CLAIMS-MADE			8000130186	07/01/2021	07/01/2022	EACH OCCURRENCE	# 4,000,000 # 4,000,000		
	GLAIM SANALS		i I				AGGREGATE	5 4,000	,,000	
	WORKERS COMPENSATION	-			-			STPWW T TOYSE	3	
	AND EMPLOYERS' LIABILITY							× SPATUTE SIN-	4 000	000
8	ANY PROPRIETOR/PARTNER/SXRQUTIVE OFFICERMEMBER EXCLUDED? (Mandatory in NH)	N/A		WCB1020728		11/22/2021	11/22/2022	E.L. BACH ACCIDENT	1,000,000	
	(Mandalory in NH) If you, describe under PROPIPTION OF OPERATIONS below							B.L. DISBAGE - EA EMPLOYER	\$ 1,000,000 \$ 1,000,000	
_	PREDRIPTION OF OPERATIONS below	_	 				E.L. DISEASE - POLICY LIMIT	5 1,000	1,000	
Boli	RIPTION OF OPERATIONS / LOCATIONS / VEHICLE clallon #: CRFQ 0803 DOT2200000164 s of West Virginia is an additional insured w				may be at	tached if more ep	nica to required)			
ÇEF	TIFICATE HOLDER				ÇANC	ELLATION				
State of WV					THE	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED SEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.				
	1900 Kanawha Bivd E., Bidg 6									
A A						AUTHORIZED REPRESENTATIVE				
	Charleston	WV 25305	V.	890						

05/26/2022 THU 11:49 FAX 7403733895 Bridgeport Marietta

crfq	0803	DOT2200000164
RFQ	No	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

WITNESS THE FOLLOWING SIGNATURE

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, ficense assessment, defaulted workers compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any Individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law, or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has conteeted any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

The state of the s	
BRIDGEPORT EQUIPMENT AND TO	OOL
Vendor's Name:	
Authorized Signature: Korrell A Sarch	Date:
State of	
County of Ritchie, to-will	
Taken, subscribed, and sworn to before me this 25 da	y of M 24 . 2022
My Commission expires	, 20:24
	NOTARY PUBLIC LA LI MO DOM'S
AFFIX SEAL HERE	NOTARY PUBLIC VIING JOH 5
OFFICIAL BEAL	(
NOTARY FILED IN	
STATE OF WEST VIRGINIA	

05/26/2022 THU 11:49 FAX 7403733895 Bridgeport Marietta

WV-10 Approved / Revised 06/08/18

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

1.	Application is made for 2.5% vendor preference Bidder is an individual resident vendor and has resident vendor and has maintained Virginia, for four (4) years immediately preceding the state of the st	ded continuously in West Virginia, or bidder is a partnership, association dissipations of principal place of business continuously in West					
	Bidder is a resident vendor partnership, associated of bidder held by another entity that meets the approximation of the second	tion, or corporation with at least eighty percent of ownership interest oplicable four year residency requirement; or,					
	Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headcuarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,						
2.	Application Is made for 2.5% vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,						
3.	Application is made for 2.5% vendor preference for the reason checked: Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years and the vendor's bid; or,						
4.	Application is made for 5% vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,						
	Application is made for 3.5% vendor preference who is a veteran for the reason checked; Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,						
	Application is made for 3.5% vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.						
	Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules. Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women-and minority-owned business.						
8.	Application is made for reciprocal preference. Bidder is a West Virginia resident and is requesting reciprocal preference to the extent that it applies.						
requiren or (b) as	nents for such preference, the Secretary may order t	s that a Bidder receiving preference has failed to continue to meet the he Director of Purchasing to: (a) rescind the contract or purchase order; at to exceed 5% of the bid amount and that such penalty will be paid to se on the contract or purchase order.					
authorize	es the Department of Revenue to disclose to the Dire	any reasonably requested information to the Purchasing Division and ctor of Purchasing appropriate information verifying that Bidder has paid a does not contain the amounts of taxes paid nor any other information					
and If a	nereby certifies that this certificate is true and a nything contained within this certificate change sion in writing immediately.	eccurate in all respects; and that if a contract is issued to Bidder as during the term of the contract, Bidder will notify the Purchase					
BIdder: BRIDGEPORT EQUIPMENT AND TOOL Signed: Lorale A. Barchner							
Date: 5/	25/2022	Title: SALES					

^{*}Chack any combination of preference consideration(s) indicated above, which you are entitled to receive.