



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header @ 5

List View

- General Information
- Contact
- Default Values
- Discount
- Document Information
- Clarification Request

Procurement Folder: 1033516

Procurement Type: Central Master Agreement

Vendor ID: 000000176734

Legal Name: SOUTHEASTERN EQUIPMENT CO INC

Alias/DBA:

Total Bid: \$667,500.00

Response Date: 06/22/2022

Response Time: 12:11

Responded By User ID: Southeastern1957

First Name: Greg

Last Name: Mercer

Email: gmercer@southeasterne

Phone: 740-374-7479

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT2200000165

Published Date: 5/31/22

Close Date: 6/22/22

Close Time: 13:30

Status: Closed

Solicitation Description: ADDENDUM NO_3 Double Drum Roller

Total of Header Attachments: 5

Total of All Attachments: 5



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder: 1033516
Solicitation Description: ADDENDUM NO_3 Double Drum Roller
Proc Type: Central Master Agreement

Solicitation Closes	Solicitation Response	Version
2022-06-22 13:30	SR 0803 ESR06222200000007988	1

VENDOR
 000000176734
 SOUTHEASTERN EQUIPMENT CO INC

Solicitation Number: CRFQ 0803 DOT2200000165

Total Bid: 667500 **Response Date:** 2022-06-22 **Response Time:** 12:11:29

Comments:

FOR INFORMATION CONTACT THE BUYER

John W Estep
 304-558-2566
 john.w.estep@wv.gov

Vendor **FEIN#** **DATE**
Signature X

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Double Drum Roller	10.00000	EA	66750.000000	667500.00

Comm Code	Manufacturer	Specification	Model #
22101505			

Commodity Line Comments: This quote is for a Bomag BW138AD-5 with the following options:

Basic product BW 138 AD-5
Emission stage: Stage V / TIER4f
with DPF engine
Operator platform S19 ROPS, hinged
Lighting E27 Auxiliary lighting
4 LEDs on the ROPS - detachable
E2 Lighting
Engine E26 Battery disconnect switch
Safety standards E16 Rotary beacon
Rotary beacon with bayonet lock

Extended Description:

Double Drum Roller

CERTIFICATE OF GENERAL EQUIPMENT WARRANTY

BOMAG Americas, Inc. warrants new compaction equipment products sold by it to be free of defects in materials or workmanship at the time of manufacture. This Warranty is subject to the following conditions:

- A. The warranty period for all ride-on compaction, stabilization, milling, and paving products is twelve (12) consecutive months or 1000 hours, whichever comes first, covering parts and labor from the Date of Delivery for initial use.
- B. The warranty period for all walk-behind compaction products is twelve (12) consecutive months or 1000 hrs, whichever comes first, covering parts and labor from the Date of Delivery for initial use.
- C. The warranty period for the refuse compactor is twelve (12) consecutive months or 2000 hours, whichever comes first, covering parts and labor from the Date of Delivery for initial use.

BOMAG Americas, Inc. obligation and liability under this warranty is expressly limited to the cost, exclusive of freight, duty, taxes, handling charges, of, during normal working hours, replacing or, at the sole option of **BOMAG Americas, Inc.**, repairing by an authorized BOMAG Americas equipment distributor, parts determined, upon inspection to have been defective in material or workmanship within the applicable period, to be not as warranted.

- D. The warranty for replacement or repair parts installed in the product shall be six (6) months from the Date of Installation. This warranty is limited to providing a replacement part; not including freight, duty, taxes, handling charges or cost of installation; to replace that part found not to be as warranted or, in the alternative, at the sole option of **BOMAG Americas, Inc.**, the cost, excluding travel and freight, of repairs, during normal working hours, to that part found to be not as warranted.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER REPRESENTATIONS AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. BOMAG AMERICAS' OBLIGATION SHALL NOT INCLUDE ANY LIABILITY FOR DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGE OR DELAY.

This warranty covers only defects in materials and workmanship or noncompliance in products sold by **BOMAG Americas, Inc.**

Warranty coverage is not extended to repairs or parts and services required as a result of but not limited to:

1. Normal or accelerated wear and tear.

Specific items might include, but are not limited to:

- | | |
|-----------|---------------------------------|
| A. Brakes | E. Seals and Packings schedules |
| B. Belts | F. Tires |
| C. Hoses | G. Fuses |
| D. Bulbs | H. Clutches |

2. Alterations, not approved by BOMAG Americas, Inc.

Including installation of "unapproved" accessories.

3. Abuse.

Specific examples might include, but are not limited to are:

- A. Overloading
- B. Misapplication
- C. Improper Operation and Storage
- D. Neglect

4. Lack of Maintenance.

Including:

- A. Failure to inspect and maintain in accordance with published schedules
- B. Improper Repair
- C. Use of "unapproved" parts

5. Periodic maintenance which is performed in accordance with BOMAG Americas, Inc. published schedules.

Specific items might include, but are not limited to:

- A. Tune-up Parts
- B. Filters
- C. Spark Plugs
- D. Oil/Grease, Lube/Fuel

6. Certain products manufactured by other suppliers are covered by warranties extended by the original product manufacturers.

Examples include, but are not limited to:

- A. Batteries
- B. Tires
- C. Engines
- D. Attachments and Trade Accessories

Dealer Do / Dealer Install Item	MEET	EXCEED	EXCEPTION	NOTES
---------------------------------	------	--------	-----------	-------

1. PURPOSE AND SCOPE: The West Virginia Purchasing Division is soliciting bids On behalf of the West Virginia Division of Highways, Department of Transportation to establish an open-end contract for a Double drum roller.

2. DEFINITIONS: The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.

2.1 "Contract Item" or "Contract Items" means the list of items identified in Section 3, Subsection 1 below.

2.2 "Pricing Pages" means the schedule of prices, estimated order quantity, and totals contained in wvOASIS or attached hereto as Exhibit A, and used to evaluate the Solicitation responses.

2.3 "Solicitation" means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.

2.4 "WVDOH" means West Virginia Division of Highways.

2.5 "MPH" means miles per hour.

2.6 "FMVSS" means Federal Motor Vehicle Safety Standards.

2.7 "GVWR" means Gross Vehicle Weight Rating.

2.8 "ABS" means antilock brake system.

2.9 "PSI" means pounds per square inch.

3. GENERAL REQUIREMENTS:

3.1 Contract Items and Mandatory Requirements: Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

3.1.1 General.

3.1.1.1 The unit specified herein and offered shall be manufactured after January 1, 2022.

3.1.1.2 Unit bid shall be a minimum of 8300 pounds operating weight and a maximum 9950 pounds.

3.1.1.3 Control panel shall be LCD display and include a vandal protection package. Display shall show engine speed, fuel level, hydraulic temp, low water level for spray system, drum selections, water spray settings, park brake and any other standard warning indicators.

X

X

9920

do not have engine speed, hydraulic temp, or low water level items. Our display does not show drum selections or water spray settings

3.1.1.4 Unit bid shall have two front LED work lights, one rear LED work light, front and rear turn signals and a warning beacon installed from the manufacturer.	remount 1 LED for rear facing light	X		Add E27 and E2 and E16 BOMAG options
3.1.1.5 Drum scrapers shall be spring loaded.		X		
3.1.1.6 Unit bid shall have a battery disconnect switch.		X		Add Bomag option E26
3.1.1.7 Unit bid shall have a fixed ROPS with sun canopy	X			Will Have aftermarket fiberglass sun canopy
3.1.1.8 Unit bid shall have an operator presence sensor in the seat.		X		
3.1.1.9 Unit bid shall have an adjustable sliding seat.		X		fwd and back and side to side for ease of visibility
3.1.1.10 Unit bid shall have traction control.				
3.1.1.11 Unit bid shall be capable of 6.2 miles per hour travel speed.		X		
3.1.1.12 Unit bid shall have a minimum 45 gross horsepower diesel engine.		X		Per SAE J1995
3.1.1.13 Unit bid shall have a hydrostatic transmission.		X		
3.1.1.14 Maximum weight at front drum 4800 pounds.			Approximately 4900 lbs	
3.1.1.15 Maximum weight at rear drum 5100 pounds		X		
3.1.2 Dimensions:				
3.1.2.1 Compaction width shall be a minimum 54 inches.		X		
3.1.2.2 Curb clearance shall be a minimum of 11 inches.		X	27.6 in 8.6 ft	
3.1.2.3 Inside drum edge turning radius shall be a maximum of 10 feet.		X		
3.1.2.4 Ground clearance shall be a minimum of 10 inches.		X	13.4 in	
3.1.2.5 Overall length of unit bid shall be 110 inches minimum and 113 inches maximum.		X		
3.1.2.6 Wheelbase of unit bid shall be 75 inches minimum				74.8 inches
3.1.2.7 Maximum height of unit bid shall be 110 inches.		X		Note that Added lights may exceed 110 inches
3.1.2.8 Drum diameter on unit bid shall be 30 inches minimum.		X	35.4	Larger diameter = less rolling resistance and less asphalt shoving during compaction
3.1.2.9 Drum width of unit bid shall be 54 inches minimum.		X		
3.1.3 Vibratory System:				
3.1.3.1 Centrifugal force per drum shall be a minimum of 5700 pounds		X		
3.1.3.2 Centrifugal force per drum shall be a minimum of 7500 pounds.		X		
3.1.3.3 Unit bid shall be capable of variable Hertz minimum allowable range of 30 Hertz and a maximum of 61 Hertz.			X	50 hz and 56 hz
3.1.3.4 Vibratory system shall have an automatic de- activation when the propel lever is in the neutral position.		X		
3.1.3.5 Vibration shall be front, rear or both.		X		

3.1.4 Capacities:

3.1.4.1 Fuel capacity shall be a minimum of 14 gallons. X

3.1.4.2 Water spray tank capacity shall be a minimum of 75 gallons. X

81 gal

3.1.5 Paint and Primer:

3.1.5.1 Must have manufacturer standard paint process. X

3.1.5.2 Shall be manufacture standard color. X

3.1.6 Warranty:

3.1.6.1 The unit must be accompanied by manufacturer's standard 100 percent parts and labor. Dealer do

Std BOMAG warranty policy

3.1.7 Operating and Service Manuals and Parts Lists:

3.1.7.1 An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and the "Equipment Preventative Maintenance Questionnaire", (Exhibit "B") must be with pilot unit upon delivery, Attn: JD Haller. There must be 12 service/shop/maintenance manuals and 12 parts manuals; USB storage drive is preferred in lieu of parts manuals. Manuals and USB storage drive shall be delivered upon completion of delivery of total units. Failure to do so will delay payment. Dealer do add on items

3.1.8 Training:

3.1.8.1 Manufacturers and/or dealers will be required to stage two thorough seminar about Preventative Maintenance, Operator, and Mechanic

training. Vendor will coordinate training dates with the WVDOH training academy. To keep operators and mechanics updated, the successful vendor shall conduct a training session covering the operation, maintenance, troubleshooting with unit being purchased. Dealer do item

BOMAG to assist as well

3.1.9 Preventative Maintenance & Operator Procedures:

3.1.9.1 Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventative Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc. The successful vendor shall furnish all training aids; i.e. videos, projectors as required in conducting the training.

Items included in Ops / Maint manual

4. CONTRACT AWARD:

4.1 Contract Award: The Contract is intended to provide Agencies with a purchase price for the Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest overall total cost as shown on the Pricing Pages.

Lowest overall cost

4.2 Pricing Page: Vendor should complete the Pricing Page (Exhibit A) by completing the Year, Make, Model, and inserting quoted unit price. Vendor should complete the Pricing Page in full as failure to complete the Pricing Page in its entirety may result in Vendor's bid being disqualified.

**Dealer do
item**

Complete in full

The Pricing Page contains a list of the Contract Items and purchase volume. The purchase volume for each item represents the approximate volume of anticipated purchases only. No future use of the Contract or any individual item is guaranteed or implied.

Vendor should electronically enter the information into the Pricing Page through **WV OASIS**, if available, or as an electronic document. In most cases, the Vendor can request an electronic copy of the Pricing Pages for bid purposes by sending an email request to the following address: John.w.Estep@wv.gov.

**Dealer do
item**

5. PAYMENT:

5.1 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

6. DELIVERY AND RETURN:

6.1 Delivery Time: A completed pilot model for inspection must be provided within 120 working day(s) after receipt of the pilot model order, by the successful vendor. Vendor shall deliver standard orders within 200 working days after orders are received Working day is defined as any weekday, Monday thru Friday, excluding Federal and State Holidays. Vendor shall ship all orders until a minimum delivery quantity is met.

**Needs BOMAG review on ETA delivery
timeline for pilot due to HY3 option and
standard order**

6.2 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the Purchasing Division.

6.3 Delivery Payment/Risk of Loss: Standard order delivery shall be F.O.B. Destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery. The Agency will pay delivery charges on all emergency orders provided that Vendor invoices those delivery costs as a separate charge with the original freight bill attached to the invoice.

**BOMAG to quote estimated freight cost
per roller quoted**

Dealer do items

6.4 Condition of Unit(s) Upon Delivery: All units must arrive at the prescribed delivery point having been completely pre-serviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

6.5 Delivery Point: Delivery point of the completed representative unit will be the WVDOH, Equipment Division, Rt. 33 and Brushy Fork Road, Buckhannon, WV 26201.

7. VENDOR DEFAULT:

7.1 The following shall be considered a vendor default under this Contract.

7.1.1 Failure to provide Contract Items in accordance with the requirements contained herein.

7.1.2 Failure to comply with other specifications and requirements contained herein.

7.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.

7.1.4 Failure to remedy deficient performance upon request.

7.2 The following remedies shall be available to Agency upon default.

7.2.1 Immediate cancellation of the Contract.

7.2.2 Immediate cancellation of one or more release orders issued under this Contract.

7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

8.1 No Substitutions: Vendor shall supply only Contract Items submitted in Response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.

8.2 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.

Dealer do
items

8.3 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.


Contract Manager: Christopher Holter
Telephone Number: 740-630-6610
Fax Number: 740-446-6628
Email Address:
cholter@southeasternequip.com

TECHNICAL DATA

TANDEM ROLLERS

BW 135 AD-5, BW 138 AD-5





Dimensions in inch

	A	B	C	D	H	H2	K	L	O	S	W
BW 135 AD-5	74.8	54.7	27.6	35.4	74.8	106.3	13.4	111.8	1.7	0.63	51.2
BW 138 AD-5	74.8	57.8	27.6	35.4	74.8	106.3	13.4	111.8	1.7	0.71	54.3

Shipping dimensions in cub.yd

BW 135 AD-5
BW 138 AD-5

without ROPS

9,803
 10,358

with ROPS

13,931
 14,721

Machine type	Compaction output (cub.yd/h) at recommended soil layer thicknesses		
	Gravel, sand	Mixed soil	Silt, clay
BW 135 AD-5	117.7-235.4	91.6-183.1	52.3-104.6
BW 138 AD-5	130.8-261.6	104.6-209.3	52.3-104.6

Machine type	Compaction output (t/h) at different asphalt layer thicknesses		
	0.8-1.6 in	2.4-3.1 in	3.9-5.5 in
BW 135 AD-5	39.2-71.9	65.4-111.2	98.1-170.0
BW 138 AD-5	39.2-71.9	65.4-117.7	98.1-176.6

Technical Data**BOMAG
BW 135 AD-5****BOMAG
BW 138 AD-5****Weights**

Operating weight w. ROPS CECE	lb	8,929	9,921
Average static linear load CECE	lb/in	87.4	91.3
Grossweight	lb	12,125	12,125

Dimensions

Working width	in	51.2	54.3
Track radius, inner	in	104.9	103.0

Driving Characteristics

Speed	mph	0- 6.2	0- 6.2
Working speed with vibration	mph	0- 6.2	0- 6.2
Max. gradeability without/with vibr.	%	40/30	40/30

Drive

Engine manufacturer		Kubota	Kubota
Type		V2403	V2403
Emission stage		Stage V / TIER4f	Stage V / TIER4f
Exhaust gas aftertreatment		DPF	DPF
Cooling		water	water
Number of cylinders		4	4
Performance ISO 14396	kW	34.1	34.1
Performance SAE J 1995	hp	45.7	45.7
Speed	rpm	2,400	2,400
Speed adjustment 1	rpm	2,300	2,300
Speed adjustment 2	rpm	2,530	2,530
Electric equipment	V	12	12
Driven drum		front + rear	front + rear

Brakes

Service brake		hydrost.	hydrost.
Parking brake		hydromec.	hydromec.

Steering

Steering system		oscil.artic.	oscil.artic.
Steering method		hydrost.	hydrost.
Steering / oscillating angle +/-	deg	32/10.0	32/10.0
Crab walk	in	0- 2.0	0- 2.0

Exciter system

Vibrating drum		front + rear	front + rear
Drive system		hydrost.	hydrost.
Frequency	vpm	3,000.0/3,360.0	3,000.0/3,360.0
Amplitude	in	0.020	0.020
Centrifugal force	lb	8,700/10,858	10,161/12,814

Sprinkler System

Type of sprinkling		pressure	pressure
--------------------------	--	----------	----------

Capacities

Fuel	gal	14.5	14.5
Water	gal	81.9	81.9

Technical modifications reserved. Machines may be shown with options.

Standard Equipment

- Hydrostatic travel and vibration drive
- 2 scrapers per drum, spring loaded and tiltable
- Pressure sprinkler system with interval switch
- Multi function travel lever
- Multi-function display incl. operating hour meter
- Water level
- Electronic fuel gauge
- Emergency STOP
- Individual control, vibration
- Intelligent Vibration Control (IVC)
- Integrated storage compartment
- Sliding seat incl. double travel lever
- Seat contact switch
- 12V socket
- Working lights front and rear
- Vandalism protection
- Lockable engine hood made of composite material
- Lashing eyes, galvanized
- Single point lifting device
- Back-up alarm

Optional Equipment

- *Foldable ROPS incl. seat belt
- Sun roof, rigid
- Sun roof, foldable with ROPS
- Weather protection for sun roof
- Weather protection cabin
- Seat heating
- ECONOMIZER with asphalt temperature display
- Temperature display
- BOMAG TELEMATIC
- Indicator and hazard lights
- Rotary beacon
- Optional lighting on ROPS
- Lighting for drum edge
- Battery disconnect switch
- Environmentally compliant hydraulic oil
- Theft protection
- Edge cutter-right/left
- Gravel scrapper
- Hydraulically adjustable crabwalk (1.97in)
- Pointer
- Special painting
- Backup warning buzzer with broadband technology
- Flow divider
- 2. Amplitude:0.008in
- ECOSTOP
- Outside mirrors
- Tablet holder set

* Standard delivery with CE conformity
(valid within European Union)#72




PRUS 650 36 010

080720 Sa05

BOMAG Americas, Inc.
125 Blue Granite Parkway
Ridgeway, SC 29130
USA
Tel. +1 803 3370700
Fax +1 803 3370800
www.bomag.com/us




DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Name, Title) 
(Printed Name and Title) CHRIS HOLTER, SALES REP
(Address) 228 STATE ROUTE 7 NORTH GALLIPOLIS OH 45631
(Phone Number) / (Fax Number) 740-630-6610/740-446-6628
(email address) cholter@southeasternequip.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

SOUTHEASTERN EQUIPMENT CO., INC.

(Company) _____
(Authorized Signature) 
(Printed Name and Title of Authorized Representative) (Date)
MICKEY GOURLEY, PRESIDENT 6/9/22
(Phone Number) (Fax Number)
740-819-4857 - 740-435-3729
(Email Address)
mgourley@southeasternequip.com

**REQUEST FOR QUOTATION
591 Class Double Drum Roller.**

1. **PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids On behalf of the West Virginia Division of Highways, Department of Transportation to establish an open-end contract for a Double drum roller.

2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
 - 2.1 **“Contract Item” or “Contract Items”** means the list of items identified in Section 3, Subsection 1 below.
 - 2.2 **“Pricing Pages”** means the schedule of prices, estimated order quantity, and totals contained in wvOASIS or attached hereto as Exhibit A, and used to evaluate the Solicitation responses.
 - 2.3 **“Solicitation”** means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.
 - 2.4 **“WVDOH”** means West Virginia Division of Highways.
 - 2.5 **“MPH”** means miles per hour.
 - 2.6 **“FMVSS”** means Federal Motor Vehicle Safety Standards.
 - 2.7 **“GVWR”** means Gross Vehicle Weight Rating.
 - 2.8 **“ABS”** means antilock brake system.
 - 2.9 **“PSI”** means pounds per square inch.

3. **GENERAL REQUIREMENTS:**
 - 3.1 **Contract Items and Mandatory Requirements:** Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

**REQUEST FOR QUOTATION
591 Class Double Drum Roller.**

3.1.1 General.

3.1.1.1 The unit specified herein and offered shall be manufactured after January 1, 2022.

3.1.1.2 Unit bid shall be a minimum of 8300 pounds operating weight and a maximum 9950 pounds.

3.1.1.3 Control panel shall be LCD display and include a vandal protection package. Display shall show engine speed, fuel level, hydraulic temp, low water level for spray system, drum selections, water spray settings, park brake and any other standard warning indicators.

3.1.1.4 Unit bid shall have two front LED work lights, one rear LED work light, front and rear turn signals and a warning beacon installed from the manufacturer.

3.1.1.5 Drum scrapers shall be spring loaded.

3.1.1.6 Unit bid shall have a battery disconnect switch.

3.1.1.7 Unit bid shall have a fixed ROPS with sun canopy

3.1.1.8 Unit bid shall have an operator presence sensor in the seat.

3.1.1.9 Unit bid shall have an adjustable sliding seat.

3.1.1.10 Unit bid shall have traction control.

3.1.1.11 Unit bid shall be capable of 6.2 miles per hour travel speed.

3.1.1.12 Unit bid shall have a minimum 45 gross horsepower diesel engine.

3.1.1.13 Unit bid shall have a hydrostatic transmission.

3.1.1.14 Maximum weight at front drum 4800 pounds.

3.1.1.15 Maximum weight at rear drum 5100 pounds

REQUEST FOR QUOTATION
591 Class Double Drum Roller.

3.1.2 Dimensions:

3.1.2.1 Compaction width shall be a minimum 54 inches.

3.1.2.2 Curb clearance shall be a minimum of 11 inches.

3.1.2.3 Inside drum edge turning radius shall be a maximum of 10 feet.

3.1.2.4 Ground clearance shall be a minimum of 10 inches.

3.1.2.5 Overall length of unit bid shall be 110 inches minimum and 113 inches maximum.

3.1.2.6 Wheelbase of unit bid shall be 75 inches minimum

3.1.2.7 Maximum height of unit bid shall be 110 inches.

3.1.2.8 Drum diameter on unit bid shall be 30 inches minimum.

3.1.2.9 Drum width of unit bid shall be 54 inches minimum.

3.1.3 Vibratory System:

— 3.1.3.1 Centrifugal force per drum shall be a minimum of 5700 pounds

— 3.1.3.2 Centrifugal force per drum shall be a minimum of 7500 pounds.

3.1.3.3 Unit bid shall be capable of variable Hertz minimum allowable range of 30 Hertz and a maximum of 61 Hertz.

3.1.3.4 Vibratory system shall have an automatic de-activation when the propel lever is in the neutral position.

3.1.3.5 Vibration shall be front, rear or both.

**REQUEST FOR QUOTATION
591 Class Double Drum Roller.**

3.1.4 Capacities:

3.1.4.1 Fuel capacity shall be a minimum of 14 gallons.

3.1.4.2 Water spray tank capacity shall be a minimum of 75 gallons.

3.1.5 Paint and Primer:

3.1.5.1 Must have manufacturer standard paint process.

3.1.5.2 Shall be manufacture standard color.

3.1.6 Warranty:

3.1.6.1 The unit must be accompanied by manufacturer's standard 100 percent parts and labor.

3.1.7 Operating and Service Manuals and Parts Lists:

3.1.7.1 An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and the "Equipment Preventative Maintenance Questionnaire", (Exhibit "B") must be with pilot unit upon delivery, Attn: JD Haller. There must be 12 service/shop/maintenance manuals and 12 parts manuals; USB storage drive is preferred in lieu of parts manuals. Manuals and USB storage drive shall be delivered upon completion of delivery of total units. Failure to do so will delay payment.

3.1.8 Training:

3.1.8.1 Manufacturers and/or dealers will be required to stage two thorough seminar about Preventative Maintenance, Operator, and Mechanic

**REQUEST FOR QUOTATION
591 Class Double Drum Roller.**

training. Vendor will coordinate training dates with the WVDOH training academy. To keep operators and mechanics updated, the successful vendor shall conduct a training session covering the operation, maintenance, troubleshooting with unit being purchased.

3.1.9 Preventative Maintenance & Operator Procedures:

3.1.9.1 Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventative Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc. The successful vendor shall furnish all training aids; i.e. videos, projectors as required in conducting the training.

4. CONTRACT AWARD:

4.1 Contract Award: The Contract is intended to provide Agencies with a purchase price for the Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest overall total cost as shown on the Pricing Pages.

4.2 Pricing Page: Vendor should complete the Pricing Page (Exhibit A) by completing the Year, Make, Model, and inserting quoted unit price. Vendor should complete the Pricing Page in full as failure to complete the Pricing Page in its entirety may result in Vendor's bid being disqualified.

The Pricing Page contains a list of the Contract Items and purchase volume. The purchase volume for each item represents the approximate volume of anticipated purchases only. No future use of the Contract or any individual item is guaranteed or implied.

Vendor should electronically enter the information into the Pricing Page through WV OASIS, if available, or as an electronic document. In most cases, the Vendor can request an electronic copy of the Pricing Pages for bid purposes by sending an email request to the following address:
John.w.Estep@wv.gov.

REQUEST FOR QUOTATION
591 Class Double Drum Roller.

5. PAYMENT:

5.1 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

6. DELIVERY AND RETURN:

Submit In Question on lead Time

6.1 Delivery Time: A completed pilot model for inspection must be provided within 120 working day(s) after receipt of the pilot model order, by the successful vendor. Vendor shall deliver standard orders within 200 working days after orders are received Working day is defined as any weekday, Monday thru Friday, excluding Federal and State Holidays. Vendor shall ship all orders until a minimum delivery quantity is met.

6.2 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the Purchasing Division.

6.3 Delivery Payment/Risk of Loss: Standard order delivery shall be F.O.B. Destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery. The Agency will pay delivery charges on all emergency orders provided that Vendor invoices those delivery costs as a separate charge with the original freight bill attached to the invoice.

6.4 Condition of Unit(s) Upon Delivery: All units must arrive at the prescribed delivery point having been completely pre-serviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

6.5 Delivery Point: Delivery point of the completed representative unit will be the WVDOH, Equipment Division, Rt. 33 and Brushy Fork Road, Buckhannon, WV 26201.

7. VENDOR DEFAULT:

7.1 The following shall be considered a vendor default under this Contract.

**REQUEST FOR QUOTATION
591 Class Double Drum Roller.**

- 7.1.1 Failure to provide Contract Items in accordance with the requirements contained herein.
 - 7.1.2 Failure to comply with other specifications and requirements contained herein.
 - 7.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
 - 7.1.4 Failure to remedy deficient performance upon request.
- 7.2 The following remedies shall be available to Agency upon default.
- 7.2.1 Immediate cancellation of the Contract.
 - 7.2.2 Immediate cancellation of one or more release orders issued under this Contract.
 - 7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

- 8.1 **No Substitutions:** Vendor shall supply only Contract Items submitted in Response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 8.2 **Reports:** Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.3 **Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

REQUEST FOR QUOTATION
591 Class Double Drum Roller.

Contract Manager: Christopher Helter
Telephone Number: 740-630-6610
Fax Number: 740-446-6628
Email Address: chelter@swillertonva.gov



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Equipment

Proc Folder: 1033516			Reason for Modification: ADDENDUM NO_3 Vendor Questions and responses
Doc Description: ADDENDUM NO_3 Double Drum Roller			
Proc Type: Central Master Agreement			
Date Issued	Solicitation Closes	Solicitation No	Version
2022-05-31	2022-06-22 13:30	CRFQ 0803 DOT2200000165	4

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code:

Vendor Name : Southeastern Equipment Co., Inc.

Address : 10874 East Pike

Street :

City : Cambridge


State : OH **Country :** USA **Zip :** 43725

Principal Contact : Mickey Gourley

Vendor Contact Phone: Chris Holter **Extension:**

FOR INFORMATION CONTACT THE BUYER

John W Estep
 304-558-2566
 john.w.estep@wv.gov

Vendor Signature X  **FEIN#** 34-1503254 **DATE** 6-9-22

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

ADDENDUM NO_3

Addendum No_3 issued to publish and distribute the attached information to the Vendor Community.

REQUEST FOR QUOTATION:

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways, Department of Transportation to establish an open-end contract for a Double drum roller. Per the Bid Requirements, Specifications, Terms and Conditions attached to this Solicitation.

INVOICE TO**SHIP TO**

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION RT 33
83 BRUSHY ROAD
CROSSING, PO BOX 610
BUCKHANNON WV
US

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
83 BRUSHY FORK RD
CROSSING
BUCKHANNON WV
US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Double Drum Roller	10.00000	EA		

Comm Code	Manufacturer	Specification	Model #
22101505			

Extended Description:

Double Drum Roller

SCHEDULE OF EVENTS

Line	Event	Event Date
1	Prebid 9:00am Buckhannon WV	2022-05-19
2	Tech Questions due by 10:00am	2022-05-26

SOLICITATION NUMBER: CRFQ DOT2200000165

Addendum Number: 3

The purpose of this addendum is to modify the solicitation identified as CRFQ DOT2200000165 ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Additional Documentation:

Vendor Questions and Responses

Bid Opening remains 06/22/2022 at 1:30pm

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ADDENDUM FOR PRE-BID

CRFQ 0803 DOT2200000165

DOUBLE DRUM ROLLER

The original language in contract will be listed first with question and answer to follow below.

1. 3.1.1.2 Unit bid shall be a minimum of 8300 pounds operating weight a maximum 9950 pounds.

Question: Is an operating weight of 10,252 lbs. acceptable?

Answer: Will accept.

2. 3.1.1.3 Control panel shall be LCD display and include a vandal protection package. Display shall show engine speed, fuel level, hydraulic temp, low water level for spray system, drum selections, water spray settings, park brake and any other standard warning indicators.

Question #1: Is an Analog display acceptable?

Question # 2 : Will a fuel system and water system sight glass be sufficient?

Question # 3 : Would you allow a low water gauge to be located under the seat in place of on the control panel.

Question # 4 : Our LCD screen only gives DPF, fuel level and engine codes. Engine speed, drum selection, water spray setting, park brake and other warning indicators are individual lights. Manual gauge for water level is visible from operator seat. Is this acceptable?

Answer:

Question #1. Yes will accept.

Question#2. Will not accept sight glass for fuel level. We will accept sight glass for water level.

Question #3. Will accept.

Question #4. Yes will accept.

3. 3.1.1.6 Unit bid shall have a battery disconnect switch.

Question : Battery disconnect switch is not available from the factory. Can this switch be Eliminated? Is that acceptable?

Answer: Will accept with or without battery disconnect.

4. 3.1.1.8 Unit bid shall have an operator presence sensor in the seat.

Question : An operator presence seat is not available. To prevent accidental starts the park brake must be engaged and the machine must be in neutral to start. Is this acceptable?

Answer: Will accept.

5. 3.1.1.9 Unit bid shall have an adjustable sliding seat.

Question : We have a bench seat that will slide forward and back. Is that acceptable?

Answer: Will accept.

6. 3.1.1.10 WV Tractor: Unit bid shall have traction control.

Question : We have direct cable drive with 38% gradeability so the operator can control traction. Is this acceptable?

Answer: Will accept.

7. 3.1.1.12 Unit bid shall have a minimum 45 gross horsepower diesel engine.

Question # 1 : Our engine is rated at 43 net HP. Is that acceptable?

Question # 2 : Is 43.9 gross horsepower acceptable?

Answer: Question #1 and #2. Will accept

8. 3.1.1.14 Maximum weight at front drum 4800 pounds.

Question : Our front drum weight is 4540 lbs. Is that acceptable?

Answer: Yes.

9. 3.1.1.15 Maximum weight at rear drum 4300 pounds

Question : Our rear drum weight is 4720 lbs. Is that acceptable?

Answer: Will accept.

10. 3.1.2.4 Ground clearance shall be a minimum of 10 inches.

Question: Will 8" ground clearance work? We have no issues loading and unloading from trailer.

Answer: Will accept.

11. 3.1.2.5 Overall length of unit bid shall be 110 inches minimum and 113 inches maximum.

Question # 1 : Would you allow a machine with a length of 116 inches?

Question # 2 : Will 103" inches overall length work?

Question # 3: Our overall length is 122" for increased stability. Is that acceptable?

Question # 4: Is an overall length of 118.1" acceptable.

Answer: Will accept to all questions.

12. 3.1.2.6 Wheel base of unit bid shall be 75 inches minimum.

Question : Will 68.5" wheelbase work? Compaction is not effected by overall length and wheelbase.

Answer: Will accept.

13. 3.1.2.7 Maximum height of unit bid shall be 110 inches.

Question : Is a maximum of 111.8" acceptable.

Answer: Will accept.

14. 3.1.2.8 Drum diameter on unit bid shall be 30 inches minimum.

Question: Our drum is 29" will this work.

Answer: Will accept.

15. 3.1.3.1 Centrifugal force per drum shall be a minimum of 5700 pounds.

The WVDOH Equipment Division will delete 3.1.3.1 correct one is 3.1.3.2 7500 pounds.

16. 3.1.3.5 Vibration shall be front, rear or both.

Question : If front drum, front and rear drum vibration acceptable.

Answer: Will accept.

17. 3.1.4.1 Fuel capacity shall be a minimum of 14 gallons.

Question : Our fuel capacity is 13.2 gallons. Is that acceptable?

Answer: Will accept.

18. 3.1.4.2 Water spray tank capacity shall be a minimum of 75 gallons.

Question : Would you allow a water spray tank capacity of 68.7 gallons?

Answer: Will accept.

19. 6.1 Delivery Time: A completed pilot model for inspection must be provided within 120 working day(s) after receipt of the pilot model order, by the successful vendor. Vendor shall deliver standard orders within 200 working days after orders are received Working day is defined as any weekday, Monday thru Friday, excluding Federal and State Holidays.

Vendor shall ship all orders until a minimum delivery quantity is met.

Question #1 : Our best estimate is 180 working days for the pilot model and 240 working days for the balance of the order, would this be acceptable? As always this is subject to change, the machines may possibly arrive sooner or get delayed due to supply chain issues and unforeseen circumstances beyond our control.

Question # 2 : Due to current component shortages and delivery delays, we would like the delivery time for the pilot model changed to 180 working days and the standard order time to 365 working days.

Answer: Will accept to both questions.

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ DOT2200000165

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:


(Check the box next to each addendum received)

- | | |
|--|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input checked="" type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Southeastern Equipment Co., Inc.

Company



Authorized Signature

6-9-22

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.