



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Equipment

Proc Folder: 1129221			Reason for Modification:
Doc Description: Side By Side UTV Packages and Enclosed Cargo Trailers AML			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2022-11-18	2022-12-08 13:30	CRFQ 0313 DEP2300000021	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code: 205498

Vendor Name : DOHM CYCLES, INC.

Address : 616 LEON SULLIVAN WAY

Street :

City : CHARLESTON

State : WV **Country :** USA **Zip :** 25301

Principal Contact : TIM DOHM

Vendor Contact Phone: (304) 342-5148 **Extension:**

12/08/22 11:07:09
 WV Purchasing Division

FOR INFORMATION CONTACT THE BUYER
 Joseph E Hager III
 (304) 558-2306
 joseph.e.hageriii@wv.gov

Vendor Signature X *T-DC* **FEIN#** 55-0658955 **DATE** 12-7-22

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of West Virginia Department of Environmental Protection to establish a contract for the one-time purchase of Four (4) Side By Side UTV Packages and Three (3) Enclosed Cargo Trailers per the attached specifications and terms and conditions.

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF AML&R 601 57TH ST SE CHARLESTON US	WV	VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Side By Side UTV And Accessories	4.00000	EA	\$43,017.50	\$172,070.00

Comm Code	Manufacturer	Specification	Model #
25101940	YAMAHA	RMAX 4 R-SPEC	YXF10WRAPL

Extended Description:

Side By Side UTV And Accessories

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF AML&R 601 57TH ST SE CHARLESTON US	WV	VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Aluminum 7' x 14' Enclosed Cargo Trailer And Accessories	3.00000	EA	\$19,172.00	\$57,516.00

Comm Code	Manufacturer	Specification	Model #
25180000	THE TRAILER SHOWROOM	ALUMINUM V-NOSE 7X14 TANDEM AXLE	LTF714TA2

Extended Description:

Aluminum 7' x 14' Enclosed Cargo Trailer And Accessories

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF AML&R 601 57TH ST SE CHARLESTON US	WV	VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Delivery of Side By Side UTVs and Enclosed Cargo Trailers				\$500.00

Comm Code	Manufacturer	Specification	Model #
78121603			

Extended Description:

Delivery of Side By Side UTVs and Enclosed Cargo Trailers
See section 4- two locations

SCHEDULE OF EVENTS		
--------------------	--	--

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
-------------	--------------	-------------------

	Document Phase	Document Description	Page 4
DEP2300000021	Final	Side By Side UTV Packages and Enclosed Cargo Trailers AML	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

Wolverine RMAX4 1000 R-Spec



Cyan/Yamaha Black

TOP FEATURES

1. Powerful 999cc Parallel Twin Engine

The Wolverine RMAX4 1000 R-Spec delivers class-leading power and smooth performance thanks to its potent 999cc DOHC eight-valve parallel-twin engine, featuring legendary Yamaha reliability.

2. An Imposing Figure with Next Generation Style

The Wolverine RMAX4 1000 R-Spec wraps next-level capability in imposing style, highlighted by an aggressive front end look, rugged tires and a purposeful stance. The stealthy front LED headlights and "evil eye" marker lights give this new generation a distinctive look on the trail, and the LED taillight, brake light, and reverse light provide added visibility from behind. With its eye-catching colors, the RMAX's appearance is only rivaled by its trail-dominating performance.

3. Advanced, Comfort-Focused Suspension

The advanced heavy-duty suspension is designed to provide maximum articulation in low speed situations, a balanced feel when trail riding and maximum bottoming resistance at higher speeds. The wide-arc A-arms paired with the FOX® 2.0 QS3 shocks deliver 14.2-inches of travel up front and 13.3-inches of travel in the rear. The FOX® 2.0 QS3 shocks can be easily switched—without tools—between three custom positions to enhance comfort during relaxed driving, increase damping for normal trail riding and maximize damping during sport driving.

4. Roomy Four-Person Cabin

The Wolverine RMAX4 1000 R-Spec offers comfortable, secure seating for four full-sized adults with comfortable handholds and six-position seat belts for each seat. The second row is raised for excellent visibility, so everyone gets a great view of their surroundings.



Wolverine RMAX4 1000 R-Spec

FEATURES & BENEFITS

TOP FEATURES - CONT.

5. Versatility for Cargo

The Wolverine RMAX4 1000 R-Spec is one of the most versatile machines in the two-row Side-by-Side market. In addition to its ability to comfortably seat up to four adults including cargo, the Wolverine RMAX4 1000 R-Spec features an ingenious storage system for flexibility. By folding and sliding the rear seats forward, the rear area expands to securely transport up to 600 pounds of cargo, and includes multiple steel tie-down points. The Wolverine RMAX4 1000 R-Spec also features a built-in 2-inch receiver to tow a full 2,000 pounds when needed.

CAPABILITY

Powerful 999cc Parallel Twin Engine

The Wolverine RMAX4 1000 R-Spec delivers class-leading power and smooth performance thanks to its potent 999cc DOHC eight-valve parallel-twin engine, featuring legendary Yamaha reliability.

Terrain-Tackling Chassis

For maximum terrainability, the Wolverine RMAX4 1000 R-Spec features a solid, durable frame designed to provide superior off-road confidence. Class-leading suspension, 29-inch tires and an optimized wheel base provide a balanced contact-to-ground feel in challenging terrain.

Terrain-Focused Tires

The Wolverine RMAX4 1000 R-Spec comes with 29-inch GBC® Dirt Commander tires and 14-inch aluminum wheels. The GBC tires provide precise steering character, comfortable yet durable sidewall feel and intermediate terrain-focused tread pattern for traction in a wide variety of conditions.

Advanced, Comfort-Focused Suspension

The advanced heavy-duty suspension is designed to provide maximum articulation in low speed situations, a balanced feel when trail riding and maximum bottoming resistance at higher speeds. The wide-arc A-arms paired with the FOX® 2.0 QS3 shocks deliver 14.2-inches of travel up front and 13.3-inches of travel in the rear. The FOX® 2.0 QS3 shocks can be easily switched—without tools—between three custom positions to enhance comfort during relaxed driving, increase damping for normal trail riding and maximize damping during sport driving.

Versatility for Cargo

The Wolverine RMAX4 1000 R-Spec is one of the most versatile machines in the two-row Side-by-Side market. In addition to its ability to comfortably seat up to four adults including cargo, the Wolverine RMAX4 1000 R-Spec features an ingenious storage system for flexibility. By folding and sliding the rear seats forward, the rear area expands to securely transport up to 600 pounds of cargo, and includes multiple steel tie-down points. The Wolverine RMAX4 1000 R-Spec also features a built-in 2-inch receiver to tow a full 2,000 pounds when needed.

COMFORT

Heavy Duty Three-Piece Door Design

Three piece, easy-to-open door design features a steel inner structure, a molded outer door skin and a molded inner door panel for a quality feel. Robust inner door handles keep the mud out to provide smooth operation, even in challenging conditions. Doors feature integrated snap-out speaker panels for easy upgradability and soft touchpoints for a premium feel. To ease entering and exiting the vehicle, the front doors feature an enlarged opening, 63% wider than previous Wolverine models. Further increasing comfort, the front shoulder bolster shapes were optimized to expand the upper body opening to maintain a great, secure-feeling on the trail for riders big and small.

Comfortable, Secure Seats

An exceptional seating position provides a planted feel and reduces fatigue, which is essential for occupants to enjoy the driving experience. The Wolverine RMAX4 1000 R-Spec keeps occupants comfortable and secure with its wide bolstering and additional leg room for larger occupants. The driver's seat has increased adjustability compared to previous Wolverine models, combined with an easy-to-adjust six-position seat belt for added comfort.

Max Comfort for Driver and Passengers

Driver and passenger comfort features include a tilt steering wheel with 17 degrees of adjustment, and an adjustable passenger handhold with a robust design that won't get clogged with mud or dirt. Furthering driver comfort, throttle and brake pedals have been optimized for comfort, while a strategically-designed brake master cylinder cover helps keep mud and water off the driver's feet.

Comfort Suntop

For extra comfort, a suntop is standard on the Wolverine RMAX4 1000 R-Spec to keep the sun and other elements off occupants, while offering the ultimate in accessory incorporation with integrated sealing surfaces and mounting points for a variety of Yamaha Genuine Accessories.

Automotive-Style Soft Touchpoints

Featuring the best automotive-style driver and passenger soft touchpoints in its class, the Wolverine RMAX4 1000 R-Spec provides a more relaxed experience even over rough terrain. The steering wheel and passenger handhold have the top shape and soft-touch in the market while providing a quality feel way beyond the competitors' hard plastic. Additional comfort points are strategically placed in locations where knees and arms frequently contact interior components. Chrome inlays are also embedded in the shifter and hand brake for added styling.

Roomy Four-Person Cabin

The Wolverine RMAX4 1000 R-Spec offers comfortable, secure seating for four full-sized adults with comfortable handholds and six-position seat belts for each seat. The second row is raised for excellent visibility, so everyone gets a great view of their surroundings.

Advanced, Comfort-Focused Suspension

The advanced heavy-duty suspension is designed to provide maximum articulation in low speed situations, a balanced feel when trail riding and maximum bottoming resistance at higher speeds. The wide-arc A-arms paired with the FOX® 2.0 QS3 shocks deliver 14.2-inches of travel up front and 13.3-inches of travel in the rear. The FOX® 2.0 QS3 shocks can be easily switched—without tools—between three custom positions to enhance comfort during relaxed driving, increase damping for normal trail riding and maximize damping during sport driving.

Maximum Storage

Large storage areas are optimized to provide protection from the elements. The Wolverine RMAX4 1000 R-Spec features a sealed 2.7-liter center console, a 5.5-liter sealed glove box and center console cubbies. Both occupants can also quickly access their belongings with driver and passenger storage shelves containing secure rubber mats to keep items in place and two easy-to-reach cup holders.

Wolverine RMAX4 1000 R-Spec

CONFIDENCE

The Toughest Transmission

The Proven Off-Road technology of Yamaha's Ultramatic® system is unmatched in the industry. Backed by the industry's only 10-year belt warranty, the CVT system utilizes a centrifugal wet clutch purpose-built to withstand the power from the potent 999cc engine, and a constant-tension belt system for tackling obstacles in high rev range without fear of damaging the belt. When more torque is needed, the low gear is perfect for challenging conditions. The robust CVT system means less time switching gears and more fun taking on any terrain.

Excellent Braking System

The Wolverine RMAX4 1000 R-Spec provides confidence-inspiring stopping power and excellent feel thanks to 255mm rotors and 32mm dual-piston callipers up front, 244.5mm rotors and 27mm dual-piston callipers in the rear, and the perfectly-matched master cylinder and premium steel-braided brake lines. Adding to the package, the one-way sprag clutch offers natural and predictable all-wheel engine braking at all speeds, maximizing traction, boosting confidence on hill descents and reducing wear on the vehicle's brake system.

Stealthy LED Lights

Advanced LED headlights provide a wide beam pattern to boost confidence in low-light conditions. The 7.6W LED mono-focus low beam keeps the trail visible in normal conditions, while the 15.2W LED reflector-type high beam handles darker conditions. LED marker lights showcase the Wolverine RMAX4 1000 R-Spec's unique, sleek style and integrated LED taillight, brake light, and reverse light keep you visible on the trail and enhance your vision when backing up.

Proven Yamaha Durability

Reinforcing Yamaha's legendary reputation for durability, the Wolverine RMAX4 1000 R-Spec boasts heavy duty components like the specifically-designed front differential and rear gear case with rugged surface treatments and carbon steel construction, large 62mm front and 72mm rear DAC (Double Angular Contact) wheel bearings, forged sway bar links, wide pitch A-arms and single stamped A-arms, and large vehicle-specific ball joints to ensure years of faithful service. And the most trusted transmission in the industry is backed by an unprecedented, Yamaha-exclusive 10-Year Belt Warranty.

Rugged Front Bumper

The rugged front bumper comes with two welded steel trailering tie-down points, an integrated winch plate, accessory add-on brush guard and accessory pod light-mounting brackets.

Speed Management System

The Wolverine RMAX4 1000 R-Spec is equipped with Yamaha's Speed Management System, using the YCC-T to limit the vehicle to a top speed of 25 mph without sacrificing the full power of the 999cc engine, making it ideal for work sites or other special operating conditions.

Built Real World Tough®, Assembled in the USA

As with other Yamaha Side-by-Sides and full-size ATVs, the Wolverine RMAX4 1000 R-Spec is assembled in the USA to meet Yamaha's exacting standards for durability and reliability.

yamahamotorsports.com

For Accessories, visit shopyamaha.com


SPECIFICATIONS:

Engine Type	999cc liquid cooled, 4-stroke, DOHC, 4-valve
Bore x Stroke	93.0mmx73.5mm
Compression Ratio	11.2:1
Fuel Delivery	Yamaha Fuel Injection (YFI); dual 48mm throttle bodies
Transmission	Ultramatic V-belt with all-wheel engine braking; L, H, N, R
Final Drive	On-Command 3-way locking differential; 2WD, 4WD, full diff-lock 4WD
Suspension / Front	Independent double wishbone with anti-sway bar, FOX® QS3 piggyback shocks; 14.2-in travel
Suspension / Rear	Independent double wishbone with anti-sway bar, FOX® QS3 piggyback shocks; 13.3-in travel
Brakes / Front	Dual hydraulic disc
Brakes / Rear	Dual hydraulic disc
Tires / Front	AT29 x 9-14 GBC® Dirt Commander
Tires / Rear	AT29 x 11-14 GBC® Dirt Commander
L x W x H	128.1 in x 66.0 in x 83.1 in
Stance Width	64 in* (width measured laterally between the outermost wheel rim on each side of the vehicle)
Wheelbase	90.2 in
Turning Radius	236 in
Maximum Ground Clearance	13.4 in
Fuel Capacity	9.2 gal
Wet Weight	2,022 lb
Bed Capacity	600 lb
Towing Capacity	2,000 lb
Warranty	6 Month (Limited Factory Warranty) - Yamaha 10-Year Belt Warranty
Color	Cyan/Yamaha Black

Specifications subject to change without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement. © 2022 Yamaha Motor Corporation, U.S.A. All rights reserved.

*** Wet weight includes the vehicle with all standard equipment and all fluids, including oil, coolant (as applicable) and a full tank of fuel. It does not include the weight of options or accessories. Wet weight is useful in making real-world comparisons with other models.

7X14 V-Nose Tandem Axle All Aluminum Trailers and Options



Trailers pictured may contain optional equipment not included in base price

Lightning Series Economy Aluminum Enclosed Cargo Trailer

The Trailer Showroom offers 7 ft x 14 ft V-Nose Tandem Axle Enclosed All Aluminum Cargo, Aluminum Utility, Aluminum Snowmobile, Aluminum ATV, and Aluminum Motorcycle Hauler Trailers for Sale. All of our enclosed cargo, utility, snowmobile, ATV, and motorcycle trailers are custom built, made from the highest quality materials, and sold at prices that fit your budget. If you're in the market for a 7x14 foot V-Nose tandem axle cargo, utility, snowmobile, ATV, or motorcycle hauler trailer, you've come to the right place!

Choose from our Standard Equipment Enclosed All Aluminum Cargo, Aluminum Utility, Aluminum Snowmobile, Aluminum ATV, or Aluminum Motorcycle Trailer Package which includes features such as aluminum jeep style fenders, side entry cargo door, and more. You can also pick and choose from our extensive Enclosed Aluminum Cargo, Aluminum Utility, Aluminum Snowmobile, Aluminum ATV, or Aluminum Motorcycle Trailer Optional Equipment list to customize your 7 x 14 ft tandem axle aluminum cargo, aluminum utility, aluminum snowmobile, or aluminum motorcycle hauler trailer. Optional equipment includes structural, interior and exterior options and enclosed trailer accessory packages.

If the 7 x 14 V-Nose foot aluminum cargo, aluminum utility, aluminum snowmobile, aluminum ATV, or aluminum motorcycle hauler trailer is not the perfect size for you, we're sure that we offer a trailer that will suit your needs. We invite you to browse our Cargo Trailer Sales to find the perfect trailer for you. Whether you need a steel framed enclosed cargo trailer, steel framed open deck trailer, steel framed gooseneck or fifth wheel, we've got the trailer selection to meet your needs.

All 7x 14 ft enclosed trailers are manufactured in the order in which customer trailer deposits are received.

Note: When ordering, you will be **charged the deposit only**. The balance will be due when you pick up your 7 x 14 ft V-Nose tandem axle aluminum cargo, aluminum utility, aluminum snowmobile, or aluminum motorcycle trailer. (**Price** is the total cost for the base trailer or options. **Deposits** are reflected in the Deposit column. Your balance due will equal the total **Price minus the total Deposit.**)



[View My Cart](#)

Trailer Size

PLEASE READ: Due to unprecedented increases in the cost of materials (steel, aluminum, plywood, etc.) we, as well as all other distributors in the nation, have been bombarded with rapid fire price increases.

These increases have come so rapidly that it's become impossible to to keep our website pricing current.

Due to these issues we have made the decision to simply add a surcharge equal to the increase handed down to us to the total cost of every trailer order. We will not profit from this. If we receive a surcharge increase then our surcharge to the customer will be the same amount.

AS OF TODAY PLEASE BE AWARE THAT A SURCHARGE OF 41% WILL BE ADDED TO THE TOTAL PRICE OF YOUR ORDER.

7X14 V-Nose	LTF714TA2			Add to My Cart

- 2 Foot Sloped V-Nose
- 2" X 4" Tubular All Aluminum Frame
- EZ-Lube Hubs
- 12 Volt Dome Light With Switch
- Barn Style Rear Doors
- Powder Coated Hinges
- Aluminum Cambar Rear Door Latch
- Bonded .030 Aluminum Sides
- Front Exterior Cap
- ST205/75D15 Tires
- 3.5K GVW Spring Axle X 2

- Tongue Jack
- 3/4" Plywood Floor - 1 Side Painted
- Seamless Aluminum Roof
- 32" Aluminum Framed Side Door
- All Powder Coated Door Hardware
- 16" Sloped Aluminum Stone Guard
- Roof Vent
- 3/8" DryMax Interior Walls
- Electric Brakes: Yes
- Cross Members: 24" On Center
- Wheel Lugs: 5

- Over All Length 18' 4"
- Over All Width 8' 6"
- Over All Height 8' 3"
- Interior Length 15' 8"
- Interior Width 6' 7"
- Interior Height 6' 1"
- Rear Door Width 6' 2"
- Rear Door Height 5' 10"

- Frame Material Aluminum
- Tongue Weight 165 Pounds
- GVRW 7,000 Pounds
- Empty Weight 1,650 Pounds
- Cargo Capacity 5,350 Pounds
- Floor Height 19"
- Hitch Height 16"
- Ball Hitch Size 2 - 5/16"

There is a very limited list of optional equipment available for our "Lightning" line of economy all aluminum trailers. Please contact our sales staff for pricing if you require an option that is not listed on this page.

Lightning Series Optional Equipment

Equipment	Price	Quantity	Options
6 Inches Additional Interior Height			Add to My Cart
12 Inches Additional Interior Height			Add to My Cart
Rear Ramp Door			Add to My Cart



MADE IN AMERICA TO YOUR SPECIFICATIONS!

18 Inches Additional Height - (RCE210)	14	
Reinforce Existing Standard Ramp Door (RCE1075)	1	
LTR714TA2 - Rear Ramp Door (RCE1072L)	1	
LTR714TA2 - Upgrade To 15 Inch Radial Tires (RCE1640BL)	1	
LTR714TA2 - Upgrade To Torsion Axles (RCE10019T)	1	
7 X 14 V-Nose Aluminum Tandem Axle Trailer (LTF714TA2)	1	

RECALCULATE

GO TO PAYMENTS

CONTINUE SHOPPING

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

DOHM CYCLES, INC. _____
Company

 _____
Authorized Signature

12/7/2022 _____
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) TIM DOHM, VP

(Address) 616 LEON SULLIVAN WAY, CHARLESTON, WV 25301


(Phone Number) / (Fax Number) (304) 342-5148 (304) 344-0115

(email address) arsdohm@aol.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

DOHM CYCLES, INC.
(Company)


(Signature of Authorized Representative)

TIM DOHM, VP 12/7/2022
(Printed Name and Title of Authorized Representative) (Date)

(304) 342-5148 (304) 344-0115
(Phone Number) (Fax Number)

arsdohm@aol.com
(Email Address)