



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 1

List View

General Information Contact Default Values Discount Document Information Clarification Request

Procurement Folder: 1396341

SO Doc Code: CRFQ

Procurement Type: Central Purchase Order

SO Dept: 0305

Vendor ID: 000000113981

SO Doc ID: FOR2400000010

Legal Name: Ty Parker & Son Inc

Published Date: 4/3/24

Alias/DBA:

Close Date: 4/5/24

Total Bid: \$78,480.00

Close Time: 13:30

Response Date: 04/02/2024

Status: Closed

Response Time: 9:06

Solicitation Description: EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS

Responded By User ID: scout1004

Total of Header Attachments: 1

First Name: Ty

Total of All Attachments: 1

Last Name: Parker

Email: skidsales@wildlandwareh

Phone: 908-362-6147



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder: 1396341
Solicitation Description: EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS
Proc Type: Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2024-04-05 13:30	SR 0305 ESR04022400000005671	1

VENDOR
 000000113981
 Ty Parker & Son Inc

Solicitation Number: CRFQ 0305 FOR2400000010
Total Bid: 78480
Response Date: 2024-04-02
Response Time: 09:06:37
Comments:

FOR INFORMATION CONTACT THE BUYER
 Brandon L Barr
 304-558-2652
 brandon.l.barr@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS	8.00000	EA	9810.000000	78480.00

Comm Code	Manufacturer	Specification	Model #
46191600			

Commodity Line Comments: We meet and/or exceed published specifications.

Extended Description:

EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Equipment

Proc Folder: 1396341			Reason for Modification:
Doc Description: EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2024-03-18	2024-04-03 13:30	CRFQ 0305 FOR2400000010	1


BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code: 000000113981
Vendor Name: Ty Parker + Son, Inc - dba Wildland Warehouse
Address: PO Box 425
Street: 50 Mott Rd.
City: Blairstown
State: N.J. **Country:** USA **Zip:** 07825
Principal Contact: Ty Parker
Vendor Contact Phone: 908-362-5366 **Extension:**

FOR INFORMATION CONTACT THE BUYER
 Brandon L Barr
 304-558-2652
 brandon.l.barr@wv.gov

Vendor Signature X  **FEIN#** 02-0649063 **DATE** 4/1/24

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division for the Agency, The WV Division of Forestry is soliciting bids from qualified vendors to establish a contract for the one-time purchase of EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS as described per the Specifications, Terms & Conditions, and bid requirements as attached.

INVOICE TO**SHIP TO**

FORESTRY DIVISION OF
7 PLAYERS CLUB DRIVE
DIVISION OF FORESTRY
CHARLESTON WV
US

FORESTRY DIVISION OF
1ST FLOOR
7 PLAYERS CLUB DR
CHARLESTON WV
US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS	8.00000	EA	\$9810.00	\$78,480.00

Comm Code	Manufacturer	Specification	Model #
46191600	Wildland Warehouse	Per published Specifications	75 gallon L-Type.

Extended Description:

EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS

SCHEDULE OF EVENTS

Line	Event	Event Date
1	Questions due by 3/27/2024 at 10:00am ET	2024-03-27

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) Ty Parker, President
(Address) PO Box 425, Blainstown, NJ 07825
(Phone Number) / (Fax Number) 908-362-5366/908-362-6236
(email address) skidsales@wildlandwarehouse.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through WV OASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

Ty Parker, Inc. dba Wildland Warehouse
(Company)
[Signature]
(Signature of Authorized Representative)
Ty Parker, President, 4/1/24
(Printed Name and Title of Authorized Representative) (Date)
908-362-5366 Fax 908-362-6236
(Phone Number) (Fax Number)
skidsales@wildlandwarehouse.com
(Email Address)

Ty Parker's **WILDLAND WAREHOUSE**

SUPPLIERS OF WILDLAND GEAR

DESIGNERS OF CUSTOM SKID UNITS

INITIAL ATTACK TRUCKS

www.WildlandWarehouse.com
P.O. Box 425 • Blairstown, NJ 07825
1-866-Wildland • Fax 908-362-6236

Quote # 24-033

April 2, 2024

Brandon Barr
WV Dept of Administration
Purchasing Division
304-558-2652

SOLICITATION #CRFQ 0305 FOR2400000010

Quotation

Specifications for our L-Type Standard 75 gallon UTV Fire Suppression Skid Unit

"L" Shaped Low Profile Tank

A – Tank

75 Gallon capacity polypropylene water tank skid unit. The Tank shall be constructed of ½" black, textured, UV resistant polypropylene material with a ¾" thick tank floor and pump platform. It shall be baffled with minimum 3/8" transverse and longitudinal baffles to meet NFPA standards Made in the USA. The tank shall be approximately 34" Long x 47" Wide x 21" High. The entire skid unit, including the hose reel, shall be approximately 34" Long x 47" Wide x 41" High. The tank, at a minimum shall include the following:

- 1) White plastic sight gauge located on the driver side rear.
- 2) Lo-profile 5" minimum diameter tank fill/vent.
- 3) The driver's side tank top shall have an additional ¾" thick polypropylene mounting plate.
- 4) 1" diameter FNPT fill port
- 5) 1 ½" diameter FNPT Tank Suction shall be internally plumbed to the dead center of the tank and then elbowed down to provide for maximum water usage at any slope off road.
- 6) 2" Diameter FNPT drain
- 7) Front and rear mounting tabs

This 'L' shaped tank design provides for the best of both worlds. It keeps the center of gravity down low, such an important issue on an UTV that operates off-road yet allows the pump cavity to be naturally flooded with water so priming is not required.

B – Pump Mounting

The Wick water pump shall be mounted on the passenger-side rear tank platform in such a way that it deflects the engine noise away from the operator of the UTV and is quickly removable using only a spanner wrench, for optimal use as a portable pump in remote draft sites.

C – Pump

Wick 100-4HM: Single stage pressure pump powered by a 2 Hp Honda.

Max Weight: **17 lbs.**

- 1) Engine: **2 HP, 4 Stroke**, Air-cooled.
Recoil start. Honda
Integral Fuel tank
- 2) Pump: Single Stage, High-Pressure driven via a **centrifugal clutch** (so powerhead may be left at idle without pumping water, or losing draft)
1 ½” NPSH Suction, 1 ½” NPSH Discharge
Max PSI: **92**, Max GPM: **70**
- 3) Primer – A hand primer shall be supplied and mounted

D – Hose Reel

A manual rewind, lightweight, rust-free, stainless steel/nylon with a 4-sided roller assembly hose reel shall be supplied and mounted on top of the tank, directly behind the driver so as not to impede visibility. It shall have the capacity to hold a minimum of 100ft of ¾ in. reel hose with a ¾ in. GHT male riser.

E –Hose/Nozzle

100 Ft. of ¾ in. diameter lightweight (only 18lbs per 100 ft.) Reel Hose in yellow with a 400psi minimum working pressure, shall be supplied and installed. The couplings shall be **field repairable couplings** for quick repair in ¾ in. GHT, 1 in. NH or 1 in. NPSH thread complete with a nozzle.

(Please circle preference – ¾ in. GHT recommended.)

F – Plumbing

All valves to be full port ¼ turn brass ball valves, made in the **USA**, rated at 600 PSI. All plumbing to be **stainless steel** and rated at 150 PSI minimum (overbuilt by a minimum of a 50% safety factor).

The pump shall be pre-plumbed as follows on the **suction** side:

- 1) 1 ½” ¼ turn brass ball valved leg into the tank draft port
- 2) 1 ½” Diameter T
- 3) A clear (to allow visibility of water) pvc suction hose with swivel coupling shall connect the pump to eliminate vibration and allow operator to view water flow.
- 4) 1 ½” leg extended to the rear of the body to draft with, which shall have and adaptor and a cap w/ chain in 1 ½” NPSH.
- 5) 1- **1 ½” female NPSH x 1 ½” female NH swivel adapter** shall be provided on mounting plate for direct fills or pumping from a hydrant, engine, etc.

On the **discharge** side, the pump shall be plumbed, via high pressure hose to eliminate vibration, to only 100% stainless steel piping.. Includes the following valved discharges:

- 1) 1” Tank fill/circulate (standard)
- 2) ¾” Hose Reel (standard)
- 3) 1 x 1” Discharge in NH or NPSH w/ cap and chain (please circle preference)
- 4) 1 x 1 ½” Discharge in NH w/ cap and chain (standard)
- 5) Preset **pressure relief valve**
- 6) A 160 psi stainless steel **pressure gauge.**

All valves shall be labeled.

G – Accessories

Two (2) Spanner Wrenches, supplied and mounted.

1 - $1\frac{1}{2}$ " NPSH x 8' lightweight Suction Hose

1 - $1\frac{1}{2}$ " NPSH plastic Foot Valve/Strainer

H – Hardware

All hardware not limited to bolts, screws, u-bolts, L-brackets, springs, hinges, etc. shall only be **stainless steel**.

I – Weight

The maximum weight of the entire unit, loaded with water, ready to fight fire shall not exceed the maximum cargo box payload capacity of: 75 gallon units = 1,000lbs

CERTIFICATE OF LIABILITY INSURANCE

ISSUING DATE (MM/DD/YYYY)

03/05/2024

THIS CERTIFICATE ISSUED IS FOR INFORMATION PURPOSES ONLY. IT PROVIDES NO RIGHTS TO THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, ALTER OR EXTEND COVERAGE PROVIDED BY THE POLICIES LISTED BELOW. THIS CERTIFICATE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE CARRIER AFFORDING COVERAGE AND THE CERTIFICATE HOLDER.

A STATEMENT ON THIS CERTIFICATE DOES NOT PROVIDE RIGHTS TO THE CERTIFICATE HOLDER FOR THE FOLLOWING UNLESS THE APPLICABLE ENDORSEMENTS ARE ATTACHED TO THE POLICY(IES) LISTED BELOW

ADDITIONAL INSURED/ALTERNATE EMPLOYER/WAIVER OF SUBROGATION/PRIMARY & NON-CONTRIBUTORY/NOTICE OF CANCELLATION: THE POLICY(IES) MUST HAVE THE NECESSARY ENDORSEMENT(S) TO MODIFY TERMS AND CONDITIONS.

INSURED: TY PARKER & SONS INC See Additional Remarks Schedule 50 MOTT RD PO BOX 425 BLAIRSTOWN, NJ 07825	INSURANCE CARRIER AFFORDING COVERAGE:	NAIC #
	GENERAL LIABILITY:	
	AUTO LIABILITY:	New Jersey Manufacturers Insurance Company 12122
	UMBRELLA LIABILITY:	
	WORKERS COMP:	New Jersey Manufacturers Insurance Company 12122

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

TYPE OF INSURANCE	POLICY NUMBER	POLICY PERIOD (MM/DD/YYYY) - (MM/DD/YYYY)	LIMITS OF INSURANCE
COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> OCCURRENCE GENERAL AGGREGATE LIMIT APPLIES: <input type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOCATION			EACH OCCURRENCE \$
			DAMAGE TO RENTED PREMISES (Each Occurrence) \$
			MED EXP (Any One Person) \$
			PERSONAL & ADV INJURY \$
			GENERAL AGGREGATE \$
			PRODS - COMP/OPS AGG \$
AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS	C2616878 CAGM	02/20/2024 - 02/20/2025	COMBINED SINGLE LIMIT (Each accident) \$ 1,000,000
			BODILY INJURY (Per Person) \$
			BODILY INJURY (Per Accident) \$
			PROPERTY DAMAGE (Per accident) \$
			EACH OCCURRENCE \$
			AGGREGATE \$
WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y/N ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? <input checked="" type="checkbox"/> N	W430538	02/11/2024 - 02/11/2025	E.L. EACH ACCIDENT \$ 1,000,000
			E.L. DISEASE-EACH EMPLOYEE \$ 1,000,000
			E.L. DISEASE-POLICY LIMIT \$ 1,000,000
			PER STATUTE NJ

SEE ATTACHED ADDITIONAL REMARKS SCHEDULE FOR DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES

CERTIFICATE HOLDER West Virginia Dept of Administration PO Box 50130 Charleston, WV 25305	ADDITIONAL INSURED (IF APPLICABLE) <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">ADDL INSURED OR ALTERNATE EMPLOYER</th> <th style="width: 33%;">WAIVER OF SUBROGATION</th> <th style="width: 34%;">PRIMARY & NON-CONTRIBUTORY</th> </tr> <tr> <td><input type="checkbox"/> CGL</td> <td><input type="checkbox"/> CGL</td> <td><input type="checkbox"/> CGL</td> </tr> <tr> <td><input type="checkbox"/> AUTO</td> <td><input type="checkbox"/> AUTO</td> <td><input type="checkbox"/> AUTO</td> </tr> <tr> <td><input type="checkbox"/> WC (ALT. EMPLOYER)</td> <td><input type="checkbox"/> WC</td> <td>N/A WC</td> </tr> <tr> <td><input type="checkbox"/> UMB</td> <td><input type="checkbox"/> UMB</td> <td><input type="checkbox"/> UMB NON-CONTRIB</td> </tr> </table>	ADDL INSURED OR ALTERNATE EMPLOYER	WAIVER OF SUBROGATION	PRIMARY & NON-CONTRIBUTORY	<input type="checkbox"/> CGL	<input type="checkbox"/> CGL	<input type="checkbox"/> CGL	<input type="checkbox"/> AUTO	<input type="checkbox"/> AUTO	<input type="checkbox"/> AUTO	<input type="checkbox"/> WC (ALT. EMPLOYER)	<input type="checkbox"/> WC	N/A WC	<input type="checkbox"/> UMB	<input type="checkbox"/> UMB	<input type="checkbox"/> UMB NON-CONTRIB
ADDL INSURED OR ALTERNATE EMPLOYER	WAIVER OF SUBROGATION	PRIMARY & NON-CONTRIBUTORY														
<input type="checkbox"/> CGL	<input type="checkbox"/> CGL	<input type="checkbox"/> CGL														
<input type="checkbox"/> AUTO	<input type="checkbox"/> AUTO	<input type="checkbox"/> AUTO														
<input type="checkbox"/> WC (ALT. EMPLOYER)	<input type="checkbox"/> WC	N/A WC														
<input type="checkbox"/> UMB	<input type="checkbox"/> UMB	<input type="checkbox"/> UMB NON-CONTRIB														

CANCELLATION SHOULD ANY OF THE ABOVE CAPTIONED POLICIES BE CANCELLED, EITHER BY REQUEST OF THE INSURED OR CARRIER, PRIOR TO THE EXPIRATION DATE, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY TERMS, CONDITIONS & PROVISIONS	AUTHORIZED REPRESENTATIVE
--	---------------------------