



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header @ 4

List View

- General Information
- Contact
- Default Values
- Discount
- Document Information
- Clarification Request

Procurement Folder: 1331355
 Procurement Type: Central Purchase Order
 Vendor ID: 000000171727
 Legal Name: CORE & MAIN LP
 Alias/DBA:
 Total Bid: \$142,533.36
 Response Date: 12/27/2023
 Response Time: 9:39
 Responded By User ID: JDBubar
 First Name: Jay
 Last Name: Bubar
 Email: jay.bubar@coreandmain.com
 Phone: 304-768-0086

SO Doc Code: CRFQ
 SO Dept: 0313
 SO Doc ID: DEP2400000023
 Published Date: 12/26/23
 Close Date: 1/10/24
 Close Time: 13:30
 Status: Closed
 Solicitation Description: OSR HDPE Double Wall Chemical Storage Tanks
 Total of Header Attachments: 4
 Total of All Attachments: 4



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder: 1331355
Solicitation Description: OSR HDPE Double Wall Chemical Storage Tanks
Proc Type: Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2024-01-10 13:30	SR 0313 ESR12192300000002878	1

VENDOR
 000000171727
 CORE & MAIN LP

Solicitation Number: CRFQ 0313 DEP2400000023
Total Bid: 142533.35999999999860301613807 **Response Date:** 2023-12-27 **Response Time:** 09:39:29
Comments:

FOR INFORMATION CONTACT THE BUYER

Joseph E Hager III
 (304) 558-2306
 joseph.e.hageriii@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	HDPE Dual Wall Chemical Tanks delivered to Upshur County	4.00000	EA	5938.890000	23755.56

Comm Code	Manufacturer	Specification	Model #
24111805			

Commodity Line Comments: Allow 4 to 8 weeks for delivery; Delivered two (2) per shipment; Unit price per each tank

Extended Description:

Four tanks delivered to DLM Coal Co. located in Upshur Co. WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	HDPE Dual Wall Chemical Tanks delivered to Marion County	9.00000	EA	5938.890000	53450.01

Comm Code	Manufacturer	Specification	Model #
24111805			

Commodity Line Comments: Allow 4 to 8 weeks for delivery; Delivered two (2) per shipment; Unit price per each tank

Extended Description:

Nine tanks delivered to Martinka Mine Complex located in Marion County WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	HDPE Dual Wall Chemical Tanks delivered to Preston County	11.00000	EA	5938.890000	65327.79

Comm Code	Manufacturer	Specification	Model #
24111805			

Commodity Line Comments: Allow 4 to 8 weeks for delivery; Delivered two (2) per shipment; Unit price per each tank

Extended Description:

Eleven tanks delivered to T&T Fuels located in Preston County, WV



Bid Proposal for CAUSTIC TANKS

CUSTOMER

WEST VIRGINIA DEPARTMENT OF
601 57TH STREET
CHARLESTON, WV 25304

Job
CAUSTIC TANKS
KINGWOOD, WV
Preston County
Bid Date: 12/19/2023 10:00 am
Bid #: 3275607

CONTACT

Sales Representative
Kevin Amos
(M) 304-677-2446
(T) 304-626-3090
(F) 304-626-3093
Kevin.Amos@coreandmain.com

Core & Main
8388 Water St
Stonewood, WV 26301
(T) 3046263090

NOTES



Bid Proposal for CAUSTIC TANKS

WEST VIRGINIA DEPARTMENT OF
 Job Location: KINGWOOD, WV
 Bid Date: 12/19/2023 10:00 am
 Core & Main 3275607

Core & Main
 8388 Water St
 Stonewood, WV 26301
 Phone: 3046263090
 Fax: 3046263093

Seq#	Qty	Description	Units	Price	Ext Price
10	24	44970/40010 1295 VERTICAL 1.9SG HD TRANSLUCENT BLUE HDPE CONTAINED & ENCLOSED IN 1700 VERTICAL PREMIUM WHITE 1.5SG HDPE - 87"DIA X 74"H OA (OUTER TANK CUT OFF @ 1425GAL /110% CAPACITY) INCLUDES: *16" LOCKABLE/HINGED OUTER LID OVER A 16" THREADED INNER LID W/3" FPT CENTER OPENING VENT *3" PP OUTER VENT CAP/SCREEN IN 5" HINGED LID CENTERED ABOVE FOR ACCESS TO A 2" PP BULKHEAD FITTING/FPT TO ACCEPT RADAR LEVEL SENSOR *2" SS TOP INLET PVC INTERCONNECT/EPDM W/2" SS MALE CAMLOCK 2"X10' 150 PSI EPDM FILL HOSE + SS CAMLOCK CAP *2" SS ELBOW *2" SS HOSE BARB *2" SS T-BOLT CLAMPS *2" SS BOLTED GRAVITY COMMON OUTLET/EPDM GASKETS (2) 2X3/4" SS BUSHING + 2" PP INTERNAL SIPHON ELBOW *2" PP CONTAINMENT ONLY DRAIN + THREADED PLUG *4- PAINTED STEEL BOLT ON LIFTING LUGS *SIGNAGE *INNER TANK STABILIZATION	EA	5,938.89	142,533.36
340					
350					
		DELIVERED - 2 PER LOAD ✓ 4-8 WEEKS LEAD TIME ✓			



Bid Proposal for CAUSTIC TANKS

Bid #: 3275607

Seq#	Qty	Description	Units	Price	Ext Price
				Tax	0.00
				Total	142,533.36

UNLESS OTHERWISE SPECIFIED HEREIN, PRICES QUOTED ARE VALID IF ACCEPTED BY CUSTOMER AND PRODUCTS ARE RELEASED BY CUSTOMER FOR MANUFACTURE WITHIN THIRTY (30) CALENDAR DAYS FROM THE DATE OF THIS QUOTATION. CORE & MAIN LP RESERVES THE RIGHT TO INCREASE PRICES TO ADDRESS FACTORS, INCLUDING BUT NOT LIMITED TO, GOVERNMENT REGULATIONS, TARIFFS, TRANSPORTATION, FUEL AND RAW MATERIAL COSTS. DELIVERY WILL COMMENCE BASED UPON MANUFACTURER LEAD TIMES. ANY MATERIAL DELIVERIES DELAYED BEYOND MANUFACTURER LEAD TIMES MAY BE SUBJECT TO PRICE INCREASES AND/OR APPLICABLE STORAGE FEES. THIS BID PROPOSAL IS CONTINGENT UPON BUYER'S ACCEPTANCE OF SELLER'S TERMS AND CONDITIONS OF SALE, AS MODIFIED FROM TIME TO TIME, WHICH CAN BE FOUND AT: <https://coreandmain.com/TandC/>



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Service - Prof

Proc Folder: 1331355			Reason for Modification: Addendum #2 issued to publish agency responses to all vendor submitted questions.
Doc Description: OSR HDPE Double Wall Chemical Storage Tanks			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2023-12-26	2024-01-10 13:30	CRFQ 0313 DEP2400000023	3

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code: 000000171727
 Vendor Name: CORE AND MAIN LP
 Address: 2825 FAIRLAWN AVE
 Street :
 City: DUNBAR
 State: WV Country: KANAWHA Zip: 25064
 Principal Contact: JAM BUBAR
 Vendor Contact Phone: 304 768 0086 Extension: N/A

FOR INFORMATION CONTACT THE BUYER
 Joseph E Hager III
 (304) 558-2306
 joseph.e.hageriii@wv.gov

Vendor Signature X *Richard Corey* FEIN# 03-0550887 DATE 12/27/2023

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Department of Environmental Protection, Office of Special Reclamation (WVDEP-OSR) to purchase twenty-four (24) High Density Polyethylene (HDPE) Double Wall chemical storage tanks for delivery to three (3) sites located in Upshur, Marion and Preston counties, West Virginia per the attached specifications and terms and conditions.

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 47 SCHOOL ST, STE 301 PHILIPPI WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	HDPE Dual Wall Chemical Tanks delivered to Upshur County	4.00000	EA	<u>\$ 5,938.89</u>	<u>\$ 23,755.56</u>

Comm Code	Manufacturer	Specification	Model #
24111805	FL TANKS	SEE ATTACHED	44970/40010

Extended Description:

Four tanks delivered to DLM Coal Co. located in Upshur Co. WV

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 47 SCHOOL ST, STE 301 PHILIPPI WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	HDPE Dual Wall Chemical Tanks delivered to Marion County	9.00000	EA	<u>\$ 5,938.89</u>	<u>\$ 53,450.01</u>

Comm Code	Manufacturer	Specification	Model #
24111805	FL TANKS	SEE ATTACHED	44970/40010

Extended Description:

Nine tanks delivered to Martinka Mine Complex located in Marion County WV

INVOICE TO	SHIP TO
------------	---------

ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 47 SCHOOL ST, STE 301 PHILIPPI WV US	STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US
--	---

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	HDPE Dual Wall Chemical Tanks delivered to Preston County	11.00000	EA	<u>\$ 5,938.89</u>	<u>\$ 65,327.79</u>

Comm Code	Manufacturer	Specification	Model #
24111805	<i>FL TANKS</i>	<i>SEE ATTACHED</i>	<i>44970/40010</i>

Extended Description:
Eleven tanks delivered to T&T Fuels located in Preston County, WV

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
-------------	--------------	-------------------

SOLICITATION NUMBER: CRFQ 0313 DEP2400000023

Addendum Number:

No.02

The purpose of this addendum is to modify the solicitation identified as (“Solicitation”) to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

Addendum issued to publish and distribute the attached documentation to the vendor community.

1. To publish agency responses to vendor submitted questions.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

RFI: Questions from vendors for CRFQ DEP 24*23 HDPE Storage Tanks

Q.1. Do the delivery addresses have a material handler or fork lift on site to offload the tanks from the truck? Or should I include offloading?

A. Offloading should be included in the vendor's price.

Q.2. Are there any special accessibility issues at the sites that would prevent a semi truck providing delivery? Or would you recommend smaller delivery vehicles.

A. The Preston Highway and Levels Road Locations can accommodate a semi-truck. The Panther Run Location can as well however, the Panther Run Location has a very long lane and ½ road. A smaller truck would be better for delivery to that location.

Q.3. Tank – I have a 87" Diameter x 77" Height (roughly same dimensions but you get more gallonage) 1,500 Gallon Double Walled Tank I would like to quote, that meets the specifications, would you accept an alternative? (drawing attached)

A. No. Tanks must follow the specifications provided.

Q.4. Could you verify what chemical type will be stored in all tanks?

A. Sodium Hydroxide

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ DEP24*23

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

COBE AND MAIN LP
Company

Richard Corey
Authorized Signature

12-27-2023
Date

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ DEP24*23

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:


(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

CORE & MAIN LP

Company



Authorized Signature

12/20/23

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.