


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 1297303

Solicitation Description: ADDENDUM NO_2 Rubber Tired Wheel Loader 4 wh. drive

Proc Type: Central Master Agreement

 Solicitation Closes
 Solicitation Response
 Version

 2023-11-28 13:30
 SR 0803 ESR11272300000002519
 1

VENDOR

VS0000041955

Monmouth Solutions, Inc

Solicitation Number: CRFQ 0803 DOT2400000039

Total Bid: 4474725 **Response Date:** 2023-11-27 **Response Time:** 16:28:58

Comments:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566 john.w.estep@wv.gov

Vendor Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Nov 28, 2023
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------------------------|----------|------------|---------------|-----------------------------|
| 1 | Rubber Tired Wheel Loader 4 wh. drive | 25.00000 | EA | 178989.000000 | 4474725.00 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 22101501 | | | | |
| | | | | |

Commodity Line Comments: Unit is on the ground and can be delivered within 2-4 weeks ARO.

Extended Description:

Rubber Tired Wheel Loader 4 wh. drive

 Date Printed:
 Nov 28, 2023
 Page: 2
 FORM ID: WV-PRC-SR-001 2020/05

UEI: E474YENAVPB7 | CAGE: 9DMG0 | SDVOSB CERT #: VSBC-52457208749





MONMOUTH SOLUTIONS PROPOSAL

REVOLUTIONIZING GOVERNMENT PROCUREMENT, ONE SOLUTION AT A TIME.



ABOUT US

Monmouth Solutions, INC is a Service-Disabled Veteran owned Small Business that was formed in 2022 with a focus on logistic coordination, disaster relief, metal/steel manufacturing, equipment rentals, and much more. As a disabled veteran owned business, we know firsthand how important it is for vendors to offer fast, effective, and efficient products and services to the Federal Government. Monmouth Solutions consists of industry leaders with almost a century of combined experience. Our focus is providing effective products and services at the best price. Members of Monmouth have provided services to just about every sector of the federal government. These include but are not limited to the Armed Forces, DHS, VA, and GSA.

CORE COMPETENCIES

- Trailer Manufacturing
- Logistic Support
- Disaster Relief
- Rental Vehicle Solutions
- Waste/Shipping Container Manufacturing
- Mobile Office/Lab Solutions
- Mobile Housing Solutions
- Lodging Solutions
- Heavy/Small Equipment Rentals
- Specialty Vehicle Manufacturing

POINTS OF CONTACT

John Mercuri

CEO

jj@monmouthsolutions.com 978-427-4755

Michael Mercuri

Owner michael@monmouthsolutions.com 617-593-1686

NAICS

336214 - Travel Trailer and Camper Manufacturing

811121 - Automotive Body, Paint, and Interior Repair and

Maintenance

532111 - Passenger Car Rental

336212 - Truck Trailer Manufacturing

332439 - Other Metal Container Manufacturing

532412 - Construction, Mining, and Forestry Machinery and

Equipment Rental and Leasing

532490 - Other Commercial and Industrial Machinery and

Equipment Rental and Leasing

541611 - Administrative Management and General

Management Consulting Services

721110 - Hotels (except Casino Hotels) and Motels

722320 - Caterers

811310 - Commercial and Industrial Machinery and Equipment

(Except Automotive and Electronic) Repair and Maintenance

336211 - Motor Vehicle Body Manufacturing

333120 - Construction Machinery Manufacturing

PAST PERFORMANCE

- Enclosed Trailers (DOT, DOI, BLM, ARMY)
- Dumpster and other refuse container manufacturing (D.O.E)
- Logistical solutions (BLM, DOT)
- Boats and trailers (BLM)
- Rental of Heavy equipment (BLM, DOD)
- Rental of Mobile office space (DOT, DOI)
- COVID-19 relief (FEMA)
- Hurricane Ian Relief (FEMA)
- Passenger Vehicle Rental (AF)





















MONMOUTH SOLUTIONS PROPOSAL

RUBBER TIRED WHEEL LOADER

SOLICITATION #: CRFO-0803-D0T2400000039-3

Monmouth Solutions will provide and deliver a 2023 Liugong 835HV Wheel Loader to the address specified by the buyer.

About Us:

Monmouth Solutions, Inc. is a well-established Service-Disabled Veteran-Owned Small Business (SDVOSB) with a history of providing innovative solutions to state, local, and federal government agencies.

Experience and Expertise:

Our team boasts a rich history of successfully completing similar contracts. This includes providing individual orders of single units to small and local government agencies all the way providing extensive fleets of custom equipment to large government agencies such as Air Force and Army Bases worldwide.

Logistics Excellence:

With our co-owners also leading Horizon Air Freight, they bring extensive logistical expertise to the table, ensuring efficient and timely delivery of equipment, even in challenging situations. Overall, this synergy allows us to offer rapid turnaround deliveries, ensuring that the required units are efficiently transported to the project site, minimizing delays, and maximizing operational efficiency.



Proposal Overview (KEY POINTS):

Product Quality: We commit to providing equipment that adheres to the requested specifications, guaranteeing exceptional quality, durability, and long-term performance.

Diverse Range: Our comprehensive equipment offerings cover a variety of sizes and categories.

Delivery Efficiency: Thanks to our integrated logistics capabilities, we are confident in our ability to provide prompt and reliable delivery of the units to the project site.

Proven Performance: Our outstanding track record in delivering & operating similar equipment to and for government agencies reflects our dedication to exceeding expectations and delivering on time and within budget.

Collaborative Approach: We look forward to collaborating closely with your team to ensure seamless communication, efficient project management, and successful execution.






SPECIFICATIONS


| ENGINE | |
|-------------------------|--|
| Emissions rating | EPA Tier 4 Final / EU Stage V |
| Make | Cummins |
| Model | B4.5 |
| Gross power | 154 hp (115 kW) @ 2,200 rpm |
| Net power | 142 hp (106 kW) @ 2,200 rpm |
| Peak torque | 525 lbf·ft (712 N·m) @ 1,200 rpm |
| Cylinders | 4 |
| Displacement | 1.18 gal (4.5 L) |
| Aspiration | Turbocharged & Air-to-air intercooled |
| TRANSMISSION | |
| Transmission type | Countershaft, power shift |
| Torque converter | Single stage, three elements |
| Max. travel speed, fwd | 23.6 mph (38 km/h) |
| Max. travel speed, rev | 15.9 mph (25.6 km/h) |
| Number of speeds, fwd | 4 |
| Number of speeds, rev | 3 |
| AXLES | |
| Differential front type | Limited slip |
| Differential rear type | Limited slip |
| Axle oscillation | ±12° |
| STEERING | |
| Steering configuration | Articulated |
| Steering pressure | 2,611 psi (18 Mpa) |
| BRAKES | |
| Service brake type | Wet disc brake |
| Service brake actuation | Fully hydraulic |
| Parking brake type | Drum |
| Parking brake actuation | Electro-hydraulic release |
| | |


| HYDRAULIC SYSTEM | |
|--------------------|--------------------------|
| Main pump type | Piston |
| System pressure | 3,771 psi (26 MPa) |
| Raise | 4.8 s |
| Dump time | 1.5 s |
| Float down time | 3.1 s |
| Total cycle time | 9.4 s |
| BUCKET PERFORMANCE | |
| Bucket capacity | 2.0-5.2 yd³ (1.5-4.0 m³) |
| TIRES | |
| Tire size | 17.5R25 L3 |
| OPERATING WEIGHT | |
| Operating weight | 28,053 lb (12,725 kg) |
| SERVICE CAPACITY | |
| Fuel tank | 57.3 gal (217 L) |
| Engine oil | 3 gal (11.6 L) |
| Cooling system | 7.4 gal (28 L) |
| Hydraulic system | 33 gal (125 L) |
| Transmission | 10.5 gal (40 L) |
| Axles, each | 9 gal (34 L) |
| DEF tank | 5 gal (19 L) |
| | |

SPECIFICATIONS



| LOADER ARM PERFORMANCE WITH ATTACHMENT | | | | |
|--|-----------------------|--|--|--|
| Description | | | | |
| Tipping load - straight | 19,522 lb (8,855 kg) | | | |
| Tipping load - full turn | 16,480 lb (7,475 kg) | | | |
| Bucket breakout force | 20,233 lbf (90 kN) | | | |
| A Maximum hinge pin height | 12 ft 3 in (3,738 mm) | | | |
| B Dump clearence at full height discharge | 8 ft 9 in (2,680 mm) | | | |
| C Dump reach at full height discharge | 3 ft 10 in (1,168 mm) | | | |
| D Max. digging depth, bucket level | 2.3 in (60 mm) | | | |
| S ₁ Bucket rollback at ground level 42° | | | | |
| S ₂ Bucket rollback at carry | 49° | | | |
| S ₃ Bucket rollback at max. height 56° | | | | |
| S ₄ Max. dump angle at full height | 45° | | | |





| DIMENSIONS | | | | |
|--|-----------------------|--|--|--|
| Description | | | | |
| E Ground clearance | 1 ft 4 in (400 mm) | | | |
| G Wheelbase | 9 ft 7 in (2,940 mm) | | | |
| H Cab height | 11 ft 1 in (3,370 mm) | | | |
| J Wheel tread | 6 ft 3 in (1,910 mm) | | | |
| K Width over tires | 7 ft 9 in (2,355 mm) | | | |
| L Length with bucket down | 24 ft 1 in (7,347 mm) | | | |
| M Turn angle, either side | 40° | | | |
| P Rear angle of departure | 31° | | | |
| R ₄ Turning radius, bucket carry | 19 ft 1 in (5,807 mm) | | | |
| R ₂ Turning radius, outside of tire | 17 ft 5 in (5,313 mm) | | | |
| W Width over bucket | 8 ft 1 in (2,460 mm) | | | |

PRICING

2023 LIUGONG 835HV

\$178,989.00

ALL DELIVERY AND OTHER FEES INCLUDED IN OUR PRICING.

POC:

John Mercuri - CEO (978) 735 - 3855 jj@monmouthsolutions.com 93 Butman Rd, Lowell, MA 01852

Cage: 9DMG0

UEI: E474YENAVPB7

SDVOSB: VSBC-52457208749

MONMOUTH SOLUTIONS INC.





Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia **Centralized Request for Quote** Equipment

Proc Folder:

1297303

Reason for Modification:

Doc Description: ADDENDUM NO_2 Rubber Tired Wheel Loader 4 wh. drive

ADDENDUM NO 2

Vendor Questions and Responses

Proc Type:

Central Master Agreement

Date Issued Solicitation Closes Solicitation No Version

2023-11-17

2023-11-28 13:30

CRFQ 0803 DOT2400000039

3

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

VENDOR

Vendor Customer Code: V50000041955

Vendor Name: Monmouth Jow Hons, Inc

Address: 93 Butman Rd

Street:

City: Lowell

State: MA

Country: US

Zip: 01852

Principal Contact: John Mercur,

Vendor Contact Phone: 978-735-3855

Extension:

FOR INFORMATION CONTACT THE BUYER

John W Estep

304-558-2566

john.w.estep@wv.gov

Vendor

Signature X

FEIN# 92-052 7019

DATE 11/27

All offers subject to all terms and conditions contained in this solicitation

Date Printed: Nov 17, 2023

Page: 1

FORM ID: WV-PRC-CRFQ-002 2020/05

ADDITIONAL INFORMATION

ADDENDUM NO_2

Addendum No 2 issued to publish and distribute the attached information to the Vendor Community.

REQUEST FOR QUOTATION:

The West Virginia Purchasing Division is soliciting bids on behalf of West Virginia Division of Highways to establish an open-end contract for a 4 Wheel Drive, Rubber Tired Wheel Loader Liugong 835Hv with Bucket or equal. Per the Bid Requirements, Specifications, Terms and Conditions attached to this solicitation.

| INVOICE TO | | SHIP TO | | |
|---------------------------------------|-------|-------------------------------|--|--|
| DIVISION OF HIGHWAY | 'S | DIVISION OF HIGHWAYS | | |
| EQUIPMENT DIVISION | RT 33 | EQUIPMENT DIVISION | | |
| 83 BRUSHY ROAD CROSSING, PO BOX 61 | 0 | 83 BRUSHY FORK RD CROSSING | | |
| BUCKHANNON | WV | BUCKHANNON WV | | |
| us | | US | | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|---------------------------------------|----------|------------|------------|-------------|
| 1 | Rubber Tired Wheel Loader 4 wh. drive | 25.00000 | EA | | |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 22101501 | | | | |

Extended Description:

Rubber Tired Wheel Loader 4 wh. drive

SCHEDULE OF EVENTS

| Line | <u>Event</u> | Event Date |
|------|---|-------------------|
| 1 | Pre-Bid 10:00am Equip Division, Buckhannon WV | 2023-11-09 |
| 2 | Tech Questions due by 10:00am | 2023-11-16 |

| | Document Phase | Document Description | Page 3 |
|---------------|----------------|--|-----------|
| DOT2400000039 | | ADDENDUM NO_2 Rubber Tired Wheel Loader 4 wh. drive | |

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

ADDITIONAL INFORMATION

ADDENDUM NO 2

Addendum No 2 issued to publish and distribute the attached information to the Vendor Community.

REQUEST FOR QUOTATION:

The West Virginia Purchasing Division is soliciting bids on behalf of West Virginia Division of Highways to establish an open-end contract for a 4 Wheel Drive, Rubber Tired Wheel Loader Liugong 835Hv with Bucket or equal. Per the Bid Requirements, Specifications, Terms and Conditions attached to this solicitation.

| INVOICE TO | | SHIP TO | |
|---------------------------------------|-------|-------------------------------|----|
| DIVISION OF HIGHWAY | 'S | DIVISION OF HIGHWAYS | S |
| EQUIPMENT DIVISION | RT 33 | EQUIPMENT DIVISION | |
| 83 BRUSHY ROAD CROSSING, PO BOX 61 | 10 | 83 BRUSHY FORK RD CROSSING | |
| BUCKHANNON | WV | BUCKHANNON | WV |
| US | | US | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|---------------------------------------|----------|------------|------------|-------------|
| 1 | Rubber Tired Wheel Loader 4 wh. drive | 25.00000 | EA | | |
| | | | | | |

| Manufacturer | Specification | Model # | |
|--------------|---------------|----------------------------|------------------------------------|
| | | | |
| | Manufacturer | Manufacturer Specification | Manufacturer Specification Model # |

Extended Description:

Rubber Tired Wheel Loader 4 wh. drive

SCHEDULE OF EVENTS

| Line | Event | Event Date |
|------|---|-------------------|
| 1 | Pre-Bid 10:00am Equip Division, Buckhannon WV | 2023-11-09 |
| 2 | Tech Questions due by 10:00am | 2023-11-16 |

SOLICITATION NUMBER: CRFQ DOT2400000039

Addendum Number: 2

The purpose of this addendum is to modify the solicitation identified as CRFQ DOT24000000039 ("Solicitation") to reflect the change(s) identified and described below.

| [] | Modify bid opening date and time |
|-----|--|
| [] | Modify specifications of product or service being sought |
| [X] | Attachment of vendor questions and responses |
| [] | Attachment of pre-bid sign-in sheet |
| [] | Correction of error |
| [] | Other |

Additional Documentation:

Applicable Addendum Category:

Vendor Questions and Responses

Bid Opening remains 11/28/2023 at 1:30pm

Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Tech questions DOT24*39

3.1.8.1 - Unit shall have 120-amp alternator minimum with internal regulator.

Would the State accept a 90-amp alternator? This is the OEM standard and is capable of running all machine electronics and any add-ons the State would happen to add.

Answer: Will accept 90-amp alternator

3.2.6.1 - The bid shall include a breakdown of the complete manufacturer's warranty per section. We ask that the State set a benchmark for warranty. Our standard manufacturer's warranty is 3-yr/4,000-hr standard & 5-yr/7,000-hr powertrain & hydraulics. This warranty is built into the retail price of the unit and is one of the most comprehensive in the industry. We feel as though we will be penalized monetarily for offering a better product, standard.

Answer: The purpose and scope section of the spec calls out a specific model and brand that will be used as a comparison for an or equal. The or equal covers all aspects of what shall be met at a minimum, including warranty coverage unless an exemption is given by the WVDOH.

3.1.1.5 Is a 24'5" maximum overall length acceptable.

Answer: Will accept up to 24' 8" overall length with bucket on the ground.

3.1.2.1 Is an EPA Final Tier 4 engine acceptable.

Answer: Will accept final tier 4.

3.1.7.3 Are (2) 700 CCA batteries acceptable. Answer: Will accept two 700CCA batteries.

3.1.14.7 What does "Unit shall be electric over hydraulic control referring to".

Answer: Referring to the use of electrical solenoids on the hydraulic valve to control the hydraulic spools to change direction of liquid flow in the hydraulic valve for bucket operation.

3.1.15.2 Are 20.5/R25 tires acceptable.

Answer: Will accept either 17.5/R25 or 20.5/R25

3.1.1.4 Unit shall have a breakout force of 20,000 pounds minimum. - Would you allow a breakout force of 16,000 pounds?

Answer: No leave as written.

3.1.2.2 Engine shall be a minimum net power rating would 142 hp. – Would you allow minimum hp requirement of engine to be 120 hp?

Answer: No leave as written.

3.1.14.4 Hydraulic system relief pressure shall be 3755 PSI minimum. – Would you allow hydraulic system relief shall be 3600 PSI minimum?

Answer: Will accept 3600PSI.

3.1.1.8 Would you allow a 98" dumping clearance at maximum height and 45- degree dump angle?

Answer: Will accept.

Question 1 – 3.1.1.5 Overall length (bucket on ground) shall be 24-foot-2-inch maximum.

Our machine is 24' 5" with coupler and bucket. Will you accept?

Answer 1 - Will accept a maximum 24' 8" overall length with bucket down.

Question 2-3.1.6.1 Complete aluminized exhaust system shall be manufacturer's standard for unit specified.

Can you please clarify this? Will CAT's standard exhaust system suffice?

Answer 2 - Will accept manufacturers standard exhaust system.

Question 3 – 3.1.8.1 Unit shall have 120-amp alternator minimum with internal regulator.

Our machine comes standard with a 115-amp alternator. Will you accept?

Answer 3 - Will accept 90 amps and above alternator output.

Question 4 – 3.1.12.1 Axles should be ZF.

ZF is an aftermarket brand axle. Will you accept a CAT branded axle?

Answer 4 – Will accept manufacturer branded axles if the warranty coverage is an or equal to the base warranty for the model covered in the purpose and scope section.

Question 5 – 3.1.15.2 Tires shall be correct ply and rating grader/loader type front and rear tubeless radials 17.5/R25 size 1-star L-3

The standard size for our loader is 20.5/R25. Will you accept?

Answer 5 – Will accept 17.5/R25 or 20.5/R25.

Question 6 – 3.1.19.7 Bucket shall have lifting eyes on left and right side and center of bucket.

It is not common industry practice to have lift eyes on a wheel loader bucket. It would require welding on lift eyes, which then creates other complications, such as safety certifying the lift eyes. This is nearly impossible without knowing the specific applications that these would be used for. Will you consider removing this spec?

Answer 6 - Will remove

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFQ DOT2400000039

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

| (Check the box next to each addendum received) | | | | | | |
|--|-----|----------------|---|---|----------------|--|
| | M | Addendum No. 1 | [|] | Addendum No. 6 | |
| | [X] | Addendum No. 2 |] |] | Addendum No. 7 | |
| | [] | Addendum No. 3 | [|] | Addendum No. 8 | |
| | [] | Addendum No. 4 | [|] | Addendum No. 9 | |

Addendum Numbers Received:

Addendum No. 5

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

[] Addendum No. 10

Manmouth Solutions, In C

Company

Authorized Signature

1/27

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

EXHIBIT B

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY TO THE WVDOH.

| DESCRIPT | TON: 2023 | 3 | | М | TAKE: Liugang | |
|--|--|----------|-----------|--|--|--|
| M | ODEL: 8354 | V | YEAR: 200 | 23 P | URCHASE AMOUNT: \$ 178,989.00 | |
| ENGINE: | MAKE: CUM | MS | MODEL: | 34.5 | FUEL TYPE: ULS DGALLONS: | |
| | | | | | NGINE SERIAL: WIN provide u/ aware | |
| | | P | | | | |
| BELTS: | DESCRIPTION: | | | PART NU | MBEKS: | |
| DIMENSIO | ONS OF UNIT: | LENGTH: | 24'3" | WIDTH: | HEIGHT: 11'4 11 | |
| | | | | | PHONE: 978-735-3855 | |
| PARTS: | | | | | | |
| BATTERY | MAKE: | | MODEL: | | CCA: | |
| BATTERY MAKE: MODEL: SPARK PLUGS OR FUEL INJECTORS MAKE: | | | | PART#_ | | |
| | IP OR INJECTION P | | | | | |
| | | | | PART #:_ PART #: | | |
| STARTER | MAKE: | | | PART #: | | |
| TO ANG M | HARGER MAKE: AKE: | MODE | a. | I PILLI III | AUTO/MANUAL: | |
| HYDRAUI | IC PUMP MAKE: | WODE | | MODEL: | Transmission of the Control of the C | |
| FILTERS | MAKE | PART NO. | LUBR | ICANT | MANUFACTURER TYPE | |
| OIL | | | ENGI | NE OIL WEIG | GHT | |
| AIR INNER TRA | | | | ANSMISSION FLUID TYPE | | |
| THE HALLES | | | POWE | OWER STEERING FLUID TYPE | | |
| | | | | DRAULIC OIL WEIGHT | | |
| FUEL SECONDARY DIFFI | | | | FERENTIALS OIL WEIGHT | | |
| COOLANT BRAI | | | | E FLUID TY | PE | |
| HYDRAUL | IC | | | ANT TYPE | | |
| | | | OTHE | The second secon | | |
| | | | OTHE | Control of the Contro | | |
| O I I I L | | | OTHE | | | |
| OTHER | and the second | | OTHE | R | | |
| | | | | | | |

Spec Sheet attached

REQUEST FOR QUOTATION

(Class 353) 4 Wheel Drive Rubber Tired Wheel Loader Liugong 835Hv with Bucket or equal.

- 7.1.2 Failure to comply with other specifications and requirements contained herein.
- 7.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
- 7.1.4 Failure to remedy deficient performance upon request.
- 7.2 The following remedies shall be available to Agency upon default.
- 7.2.1 Immediate cancellation of the Contract.
- 7.2.2 Immediate cancellation of one or more release orders issued under this Contract.
- 7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

- **8.1** No Substitutions: Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 8.2 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.3 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

| Contract Manager: | John Mercuri |
|--------------------------|---------------------------|
| Telephone Number: | 978-735-3855 |
| Fax Number: | |
| Email Address: | a monmouth solutions, com |
|) | |

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

| (Printed Name and Title) John Mercur, CEO |
|--|
| (Address) 93 Butman Rd Lovell MA 01852 |
| |
| (Phone Number) / (Fax Number) |
| (email address) <u>Jie monmouth solutions cem</u> |
| CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration. |
| By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel. (Company) (Signature of Authorized Representative) |
| (Printed Name and Title of Authorized Representative) (Date) |
| (Phone Number) (For Number) |
| (Phone Number) (Fax Number) |
| (Email Address) De monmouth Solutions. com |
| (Elliali Address) |



202-205-8800 | <u>sba.gov</u> 409 3rd St, SW. Washington DC 20416

March 14, 2023

MONMOUTH SOLUTIONS, INC SAM UEI: E474YENAVPB7 93 BUTMAN RD LOWELL, MA 01852

Dear MONMOUTH SOLUTIONS, INC:

I am writing to inform you that MONMOUTH SOLUTIONS, INC has been certified by the Veteran Small Business Certification Program (VetCert) at SBA. Your certification confirms your eligibility to compete for set-aside contracting opportunities, as well as other benefits, as a Service-Disabled Veteran-Owned Small Business (SDVOSB).

What you need to know:

- MONMOUTH SOLUTIONS, INC is certified as a Service-Disabled Veteran-Owned Small Business (SDVOSB) and publicly listed at <u>veterans.certify.sba.gov</u>.
- Your certification is valid for three (3) years from the date of this letter.
- You may visit <u>SBA's website to download SBA-approved digital icons</u> that indicate your certification status.
- SBA may conduct a program examination at your office or work site during your certification period to verify the accuracy of your certification.
- You may apply for recertification 120 days prior to your expiration date by logging in to your Veteran Small Business Certification profile.

What to do if your business changes:

You must inform SBA of any changes to the business that could affect its eligibility for the program, such as:

- a closure
- a change to the firm's ownership, business structure, or control
- filing of a bankruptcy
- a change in a Veteran-owner's active duty status

You can inform SBA of changes through the VetCert website at <u>veterans.certify.sba.gov</u>. Failure to report eligibility changes within 30 days of the change could result in:

- Civil and criminal penalties
- A referral to the Debarment and Suspension Committee
- Decertification and removal from the Veteran Small Business Certification Program

Please keep a copy of this letter to confirm MONMOUTH SOLUTIONS, INC's continued program eligibility. Thank you for your service to our country and for continuing to serve the United States through small business ownership.

Sincerely, John B. Perkins

John B. Perkins

Director Veteran Small Business Certification Program



All SBA programs and services are extended to the public on a nondiscriminatory basis.