

2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





# State of West Virginia Solicitation Response

Proc Folder: 1644391

**Solicitation Description:** 4 x 4 Utility Turf Vehicle John Deere XUV865M or equal

Proc Type: Central Purchase Order

 Solicitation Closes
 Solicitation Response
 Version

 2025-03-25 13:30
 SR 0211 ESR03252500000005665
 1

**VENDOR** 

VS0000042984

RED VEST SUPPLY LLC

Solicitation Number: CRFQ 0211 GSD2500000024

Total Bid: 91988.30000000000291038304567 Response Date: 2025-03-25 Response Time: 09:56:47

Comments:

FOR INFORMATION CONTACT THE BUYER

Tara Lyle (304) 558-2544 tara.l.lyle@wv.gov

Vendor Signature X

FEIN# DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Mar 25, 2025
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Crossover Utility Vehicle with Dump Bed	2.00000	EA	45994.150000	91988.30

Comm Code	Manufacturer	Specification	Model #	
25101940				

Commodity Line Comments: \*\*Important Note\*\* - Pricing includes (2)Technical Manuals and (1) Operators Manual (1 included with base machine) per unit. This DOES NOT include the (2) Parts Manuals per unit that were requested because the Parts Manual for this unit is not available yet. Manual availability TBD.

\*All filters requested are included with exception of the Hydraulic Oil Filter, this unit does not have a Hydraulic Filter.

\*Lead time is 34-36 weeks at the receipt of order. Thank you!

### **Extended Description:**

4x4 Crossover Utility Vehicle (XUV) with Dump Bed See Exhibit A - Pricing Page

FORM ID: WV-PRC-SR-001 2020/05 Date Printed: Mar 25, 2025 Page: 2

## Quotation

RED VEST SUPPLY 604 Jett Street West Portsmouth, OH 45663 Phone (740) 357-7371



**DATE** 03/25/25 **Quotation #** CRFQ-0211-

on # CRFQ-0211-GSD2500000024-1

Customer ID STWV

**Quotation For:** STATE OF WEST VIRGINIA Quotation valid until: 04-25-2025

### **Comments or Special Instructions:**

FULL SPEC SHEET ATTACHED

SALESPERSON	P.O. NUMBER	LEAD TIME	SHIP VIA	F.O.B. POINT	TERMS
Laura Boyland		34-36 WEEKS			Net 30 Days

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
2	ALTERNATE: GatorTM XUV865M is DISCONTINUED by Manufacturer - DIRECT REPLACEMENT is JOHN DEERE GATORTM XUV875M HVAC Model Year 2025 BUILD TO ORDER - BASE & OPTIONS: Less AutoTracTM/GreenStarTM Harness, Less JDLinkTM Hardware, Green and Yellow, 27" Predator Heavy-Duty all-terrain radial tires on 14", Yellow Steel Wheels, Full Door with Side Mirrors, HVAC Cab, Park Position in Transmission, Front Brush Guard, Base Comfort and Convenience Package TECHNOLOGY OPTIONS: Less Receiver, Less Display DEALER ATTACHMENTS: Rearview mirror, Dash port harness, ISO implement connector, Front turn signal light kit, Backup alarm, Horn, LED work lights (2 lights), Beacon light, 283-L (10-cu ft) in-bed spreader, Mounting and wiring spreaders - XUV 845 and 875, Western Impact 6' Straight Hydraulic Blade, Operators Manual, Technical Manual (2), Engine Oil Filter, Primary Air Filter, Secondary Air Filter, Fuel Filter - 1 Year or 1000 Hour Warranty - ITEM # 8841M	\$ 45,994.15	\$ 91,988.30
		SUBTOTAL	\$ 91,988.30
		TAX RATE	0.00%
		SALES TAX	\$ 0.00
		OTHER	-
		TOTAL	\$ 91,988.30

If you have any questions concerning this quotation, contact sales@redvestsupply.com

3/18/25, 2:06 PM Sales Manual

MODEL	Gator XUV 875M Open (Model year 2025)	Select a Model to Compare
Key Specs		
Engine power	17.0 kW 22.8 hp	
Cargo box dimensions	1099 x 343 x 1392 mm 43.3 x 13.5 x 54.8 in.	
Cargo box volume	524 L 18.5 cu ft	
Cargo box capacity (weight)	454 kg 1000 lb	
Towing capacity	Up to 1814 kg 4000 lb	
Front suspension	Fully independent dual A-arm with adjustable coils; 203 mm (8 in.) of travel	
Rear suspension	Fully independent dual A-arm with adjustable coils and sway bar; 229 mm (9 in.) of travel	
Final drive	Park, high, low, neutral, reverse transaxle	
Four wheel drive	Dash switch actuated four- wheel drive system	
Fuel capacity	42.4 L 11.2 U.S. gal.	
Engine		
Туре	4-cycle diesel	
Displacement	854 cc	
Power	17.0 kW 22.8 hp	
Cooling system	Liquid	

3/18/25, 2:06 PM Sales Manual

Drivetrain		
Transmission	Continuously Variable Transmission (CVT) with clutch enclosure	
Final drive	Park, high, low, neutral, reverse transaxle	
Four wheel drive	Dash switch actuated four- wheel drive system	
Traction assist	Limited slip front differential, Positive locking, switch actuated rear differential lock	
Descent control	Yes	
Suspension		
Front	Fully independent dual A-arm with adjustable coils; 203 mm (8 in.) of travel	
Rear	Fully independent dual A-arm with adjustable coils and sway bar; 229 mm (9 in.) of travel	
Brakes		
Туре	Front/rear hydraulic disc with twin piston front calipers	
Park brake	Park in-transmission, Optional factory-installed secondary foot operated with hand release	
Tires / Wheels		
Front	27x9-R14 Maxxis® Bighorn® 2.0 extreme terrain radials on steel or alloy wheels 27x9-R14 Predator Heavy- Duty all-terrain radials on steel or alloy wheels	
Rear	27x11-R14 Maxxis Bighorn 2.0 extreme terrain radials on steel or alloy wheels	

3/18/25, 2:06 PM	Sales Manual	
Tires / Wheels		
	27x11-R14 Predator Heavy- Duty all-terrain radials on steel or alloy wheels	
Dimensions / Capacities		
Wheelbase	2211 mm 87 in.	
Weight	With fuel and fluids: 915 kg 2017 lb	
Length	3250 mm 128 in.	
Width	1625 mm 64.0 in.	
Height	1980 mm 78.0 in. With roof: 2030 mm 79.9 in.	
Tread centers	Front: 1376 mm 54.2 in. Rear: 1300 mm 51.2 in.	
Ground clearance	Unloaded: 305 mm 12 in.	
Fuel capacity	42.4 L 11.2 U.S. gal.	
Cargo box dimensions	1099 x 343 x 1392 mm 43.3 x 13.5 x 54.8 in.	
Cargo box volume	524 L 18.5 cu ft	
Cargo box capacity (weight)	454 kg 1000 lb	

Payload capacity

627 kg 1383 lb 3/18/25, 2:06 PM Sales Manual

Dimensions / Capacities		
Towing capacity	Up to 1814 kg 4000 lb	
Hitch	Standard receiver: 5.1 cm 2 in.	
Features		
Color	Green and yellow, TrueTimber® KANATI® camo, olive and black	
Power steering	Yes	
Battery / Alternator / Power port	Battery: 12 V 480 CCA Alternator: 85 amp DC outlet: 12 V Cargo box power port: 12 V	
Instrumentation	Digital display (gear position, system diagnostic light, speed, rpm, 4WD indicator, rear differential indicator, fuel level, coolant temperature, hour meter, miles, and service interval warning light)	
Storage	Total: 97.8 L 25.8 gal. Four cup holders: 1.3 L 0.3 gal. Center tray: 1.2 L 0.3 gal. Three dash bins: 5.0 L 1.3 gal. Storage pocket: 1.4 L 0.4 gal. Glove box: 3.8 L 1.0 gal. Under seat: 55.3 L 14.6 gal. Optional under hood: 30.0 L 7.9 gal.	
Seating	Black vinyl 40/60 split three- passenger bench	
Additional information		
Country of Manufacture	U.S.	
Date collected	11-Jun-24	