



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header @ 11

List View

General Information Contact Default Values Discount Document Information Clarification Request

Procurement Folder: 1784513

Procurement Type: Central Purchase Order

Vendor ID: 000000193364

Legal Name: CROWLEY MICROGRAPHICS INC

Alias/DBA:

Total Bid: \$189,070.00

Response Date: 10/15/2025

Response Time: 14:13

Responded By User ID: crowley

First Name: Matthew

Last Name: McCabe

Email: mattm@thecrowleycompany.

Phone: 240-215-0224

SO Doc Code: CRFQ

SO Dept: 0231

SO Doc ID: OOT2600000004

Published Date: 10/17/25

Close Date: 10/21/25

Close Time: 13:30

Status: Closed

Solicitation Description: Addendum No 1 Three Commercial Document Scanners (OT26009)

Total of Header Attachments: 11

Total of All Attachments: 11



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Solicitation Response

Proc Folder: 1784513
Solicitation Description: Addendum No 1 Three Commercial Document Scanners (OT26009)
Proc Type: Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2025-10-21 13:30	SR 0231 ESR10152500000002586	1

VENDOR
000000193364
CROWLEY MICROGRAPHICS INC

Solicitation Number: CRFQ 0231 OOT2600000004
Total Bid: 189070
Response Date: 2025-10-15
Response Time: 14:13:20
Comments: no discounts offered for this opportunity

FOR INFORMATION CONTACT THE BUYER
Toby L Welch
(304) 558-8802
toby.l.welch@wv.gov

Vendor Signature X	FEIN#	DATE
---------------------------	--------------	-------------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	4.1.1 Item 1: INOTEC 601CD Scanner or Equal	1.00000	EA	39215.000000	39215.00

Comm Code	Manufacturer	Specification	Model #
43211711			

Commodity Line Comments: Our Inotec 601CD meets and exceeds all specifications

Extended Description:

4.1.1 Contract Item 1: INOTEC 601CD Scanner or Equal
Unit Price must include Scanner, Onsite installation, calibration, and training

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	4.1.4 Item 4: - 5-Year Service Agreement for Item 1	1.00000	EA	20000.000000	20000.00

Comm Code	Manufacturer	Specification	Model #
84101503			

Commodity Line Comments: Service will be performed by authorized manufacturer trained technicians

Extended Description:

Contract Item 4: Service Agreement - 5-Year Service Agreement for Contract Item 1
Quantity of one: Maintenance Agreement for Scanner from Contract Item 1. 5 years, must include parts, materials, and labor

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	4.1.2 Item 2: OS C A1 Overhead Scanner or Equal	1.00000	EA	62990.000000	62990.00

Comm Code	Manufacturer	Specification	Model #
43211711			

Commodity Line Comments: The Zeuschel OS C A1 meets or exceeds all required specifications and works with ScanMax V4 Software.

Extended Description:

4.1.2 Contract Item 2: OS C A1 Overhead Scanner or Equal
Unit Price must include Scanner, Onsite installation, calibration, and training

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	4.1.5 Item 5: - 5-Year Service Agreement for Item 2	1.00000	EA	26000.000000	26000.00

Comm Code	Manufacturer	Specification	Model #
84101503			

Commodity Line Comments: Service will be performed by authorized manufacturer trained technicians

Extended Description:

4.1.5 Contract Item 5: Service Agreement - 5-Year Service Agreement for Contract Item 2
Quantity of one: Maintenance Agreement for Scanner from Contract Item 1. 5 years, must include parts, materials, and labor

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	4.1.3 Item 3: ROWE Scan450i or Equal	1.00000	EA	26390.000000	26390.00

Comm Code	Manufacturer	Specification	Model #
43211711			

Commodity Line Comments: The ROWE 850i meets or exceeds all required specifications and works with ScanMax V4 Software.

Extended Description:

4.1.3 Contract Item 3: ROWE Scan450i or Equal

Unit Price must include Scanner, Onsite installation, calibration, and training

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	4.1.6 Item 6: - 5-Year Service Agreement for Item 3	1.00000	EA	6475.000000	6475.00

Comm Code	Manufacturer	Specification	Model #
84101503			

Commodity Line Comments: Service will be performed by authorized manufacturer trained technicians

Extended Description:

4.1.6 Contract Item 6: Service Agreement - 5-Year Service Agreement for

Contract Item 3

Quantity of one: Maintenance Agreement for Scanner from Contract Item 1. 5 years, must include parts, materials, and labor

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
7	4.1.7 Item 7: Installation and Calibration	1.00000	EA	4000.000000	4000.00

Comm Code	Manufacturer	Specification	Model #
81111809			

Commodity Line Comments: our installation cost covers all travel cost and the installation of the Inotec, Zeuschel and ROWE scanners.

Extended Description:

4.1.7 Contract Item 7: Installation and Calibration for Contract Items 1-3.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
8	4.1.9 Item 8: In-Person Training	1.00000	EA	4000.000000	4000.00

Comm Code	Manufacturer	Specification	Model #
86101802			

Commodity Line Comments: our Training cost covers all travel cost training on the Inotec, Zeuschel and ROWE scanners.

Extended Description:

4.1.9 Contract Item 8: In-Person Training for

Contract Items 1-3.



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote
Office Equip.

Proc Folder: 1784513			Reason for Modification:
Doc Description: Three Commercial Document Scanners (OT26009)			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2025-09-18	2025-10-21 13:30	CRFQ 0231 OOT2600000004	1

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code: 000000193364
Vendor Name : Crowley Micrographics Inc. DBA: The Crowley Company
Address :
Street : 5111 Pegasus Court Suite M
City : Frederick
State : MD **Country :** United States **Zip :** 21704
Principal Contact : Robert Harris
Vendor Contact Phone: 434-944-7612 **Extension:**

FOR INFORMATION CONTACT THE BUYER

Toby L Welch
(304) 558-8802
toby.l.welch@wv.gov

Vendor
Signature X *R Harris III*

FEIN# 52-1172395

DATE 10-15-2025

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Office of Technology (WVOT) to establish a one-time contract for three (3) specialized scanners with support and maintenance per the attached documents.

*A mandatory pre-bid meeting will be held at the following:

Dept of Administration Records Mgt Warehouse

902 Bullitt Street

Charleston WV 25301

9/30/25 @ 11:00 a.m.

Vendors must sign in **

INVOICE TO

DEPARTMENT OF
ADMINISTRATION

OFFICE OF TECHNOLOGY

1900 KANAWHA BLVD E,
BLDG 5 10TH FLOOR

CHARLESTON

WV

US

SHIP TO

WV OFFICE OF
TECHNOLOGY

BLDG 5, 10TH FLOOR

1900 KANAWHA BLVD E

CHARLESTON

WV

US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	4.1.1 Item 1: INOTEC 601CD Scanner or Equal	1.00000	EA	\$39,215.00	\$39,215.00

Comm Code	Manufacturer	Specification	Model #
43211711	Inotec	601CD	t601cd00

Extended Description:

4.1.1 Contract Item 1: INOTEC 601CD Scanner or Equal

Unit Price must include Scanner, Onsite installation, calibration, and training

INVOICE TO			SHIP TO		
DEPARTMENT OF ADMINISTRATION OFFICE OF TECHNOLOGY 1900 KANAWHA BLVD E, BLDG 5 10TH FLOOR CHARLESTON WV US			WV OFFICE OF TECHNOLOGY BLDG 5, 10TH FLOOR 1900 KANAWHA BLVD E CHARLESTON WV US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	4.1.4 Item 4: - 5-Year Service Agreement for Item 1	1.00000	EA	\$20,000.00	\$20,000.00

Comm Code	Manufacturer	Specification	Model #
84101503	Inotec/Crowley	SCAMAX 6x1CD, 1 Yr Onsite, Includes (1) PMVisit	CM-6x1-1YRONSITE-1PM

Extended Description:

Contract Item 4: Service Agreement - 5-Year Service Agreement for Contract Item 1

Quantity of one: Maintenance Agreement for Scanner from Contract Item 1. 5 years, must include parts, materials, and labor

INVOICE TO			SHIP TO		
DEPARTMENT OF ADMINISTRATION OFFICE OF TECHNOLOGY 1900 KANAWHA BLVD E, BLDG 5 10TH FLOOR CHARLESTON WV US			WV OFFICE OF TECHNOLOGY BLDG 5, 10TH FLOOR 1900 KANAWHA BLVD E CHARLESTON WV US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	4.1.2 Item 2: OS C A1 Overhead Scanner or Equal	1.00000	EA	\$62,990.00	\$62,990.00

Comm Code	Manufacturer	Specification	Model #
43211711	Zeuschel	OS C A1	HX-4772

Extended Description:

4.1.2 Contract Item 2: OS C A1 Overhead Scanner or Equal

Unit Price must include Scanner, Onsite installation, calibration, and training

INVOICE TO			SHIP TO	
DEPARTMENT OF ADMINISTRATION OFFICE OF TECHNOLOGY 1900 KANAWHA BLVD E, BLDG 5 10TH FLOOR CHARLESTON WV US			WV OFFICE OF TECHNOLOGY BLDG 5, 10TH FLOOR 1900 KANAWHA BLVD E CHARLESTON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	4.1.5 Item 5: - 5-Year Service Agreement for Item 2	1.00000	EA	\$26,000.00	\$26,000.00

Comm Code	Manufacturer	Specification	Model #
84101503	Zeuschel/Crowley	Onsite Maintenance Contract - OS C1	ZE-HX-OSC1-5 YEAR

Extended Description:

4.1.5 Contract Item 5: Service Agreement - 5-Year Service Agreement for Contract Item 2

Quantity of one: Maintenance Agreement for Scanner from Contract Item 1. 5 years, must include parts, materials, and labor

INVOICE TO			SHIP TO	
DEPARTMENT OF ADMINISTRATION OFFICE OF TECHNOLOGY 1900 KANAWHA BLVD E, BLDG 5 10TH FLOOR CHARLESTON WV US			WV OFFICE OF TECHNOLOGY BLDG 5, 10TH FLOOR 1900 KANAWHA BLVD E CHARLESTON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	4.1.3 Item 3: ROWE Scan450i or Equal	1.00000	EA	\$26,390.00	\$26,390.00

Comm Code	Manufacturer	Specification	Model #
43211711	ROWE	850i 60"	RM3500/01/03/001

Extended Description:

4.1.3 Contract Item 3: ROWE Scan450i or Equal

Unit Price must include Scanner, Onsite installation, calibration, and training

INVOICE TO			SHIP TO		
DEPARTMENT OF ADMINISTRATION OFFICE OF TECHNOLOGY 1900 KANAWHA BLVD E, BLDG 5 10TH FLOOR CHARLESTON WV US			WV OFFICE OF TECHNOLOGY BLDG 5, 10TH FLOOR 1900 KANAWHA BLVD E CHARLESTON WV US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
6	4.1.6 Item 6: - 5-Year Service Agreement for Item 3	1.00000	EA	\$6,475.00	\$6,475.00

Comm Code	Manufacturer	Specification	Model #
84101503	ROWE/Crowley	Onsite Maintenance Contract-850i	CM-MAINT

Extended Description:

4.1.6 Contract Item 6: Service Agreement - 5-Year Service Agreement for Contract Item 3

Quantity of one: Maintenance Agreement for Scanner from Contract Item 1. 5 years, must include parts, materials, and labor

INVOICE TO			SHIP TO		
DEPARTMENT OF ADMINISTRATION OFFICE OF TECHNOLOGY 1900 KANAWHA BLVD E, BLDG 5 10TH FLOOR CHARLESTON WV US			WV OFFICE OF TECHNOLOGY BLDG 5, 10TH FLOOR 1900 KANAWHA BLVD E CHARLESTON WV US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
7	4.1.7 Item 7: Installation and Calibration	1.00000	EA	\$4,000.00	\$4,000.00

Comm Code	Manufacturer	Specification	Model #
81111809	Crowley	Installation- Level 2 - up to two days onsite	CM-INSTALL-LV2

Extended Description:

4.1.7 Contract Item 7: Installation and Calibration for Contract Items 1-3.

INVOICE TO			SHIP TO		
DEPARTMENT OF ADMINISTRATION OFFICE OF TECHNOLOGY 1900 KANAWHA BLVD E, BLDG 5 10TH FLOOR CHARLESTON WV US			WV OFFICE OF TECHNOLOGY BLDG 5, 10TH FLOOR 1900 KANAWHA BLVD E CHARLESTON WV US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
8	4.1.9 Item 8: In-Person Training	1.00000	EA	\$4,000.00	\$4,000.00

Comm Code	Manufacturer	Specification	Model #
86101802	Crowley	Training - Level 2 - up to two days onsite	CM-TRAIN-LV2T

Extended Description:
 4.1.9 Contract Item 8: In-Person Training for
 Contract Items 1-3.

SCHEDULE OF EVENTS		
<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Vendors must Sign in. meeting begins at 11:00 a.m.	2025-09-30
2	Questions are due by 3:00 p.m.	2025-10-10

	Document Phase	Document Description	Page 7
OOT2600000004	Final	Three Commercial Document Scanners (OT26009)	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

10/07/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an **ADDITIONAL INSURED**, the policy(ies) must have **ADDITIONAL INSURED** provisions or be endorsed. If **SUBROGATION IS WAIVED**, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Kirkman & Conway Inc. 1300 Piccard Drive Suite LL4 Rockville MD 20850	CONTACT NAME: Katherine Nelson PHONE (A/C, No, Ext): (240) 428-1087 E-MAIL ADDRESS: knelson@kirkmanconway.com FAX (A/C, No): INSURER(S) AFFORDING COVERAGE INSURER A: Travelers Prop Cas Co of America INSURER B: Travelers Indemnity Company INSURER C: Continental Casualty Company INSURER D: INSURER E: INSURER F:	NAIC # 36161 25658 20443
INSURED Crowley Micrographics, Inc. DBA The Crowley Company 5111 Pegasus Court, Suite M Frederick MD 21704-8318		

COVERAGES**CERTIFICATE NUMBER:** CL2592908182**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☒ OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: ☒ POLICY ☒ PRO-JECT ☐ LOC OTHER:			ZLP-41N31620	10/01/2025	10/01/2026	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 1,000,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
B	AUTOMOBILE LIABILITY ☒ ANY AUTO ☐ OWNED AUTOS ONLY ☐ SCHEDULED AUTOS ☒ HIRED AUTOS ONLY ☒ NON-OWNED AUTOS ONLY			BA-8L425161	10/01/2025	10/01/2026	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
A	☒ UMBRELLA LIAB ☒ OCCUR ☐ EXCESS LIAB ☐ CLAIMS-MADE DED ☒ RETENTION \$ 10,000			CUP-0L336944	10/01/2025	10/01/2026	EACH OCCURRENCE \$ 4,000,000 AGGREGATE \$ 4,000,000
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N Y	N/A	UB-5J208700	10/01/2025	10/01/2026	☒ PER STATUTE ☐ OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
C	Professional Liability with Cyber/Media			287329010	03/05/2025	03/05/2026	Professional Liability \$1,000,000 Cyber Liability \$2,000,000 Retention \$25,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Evidence of Insurance

CERTIFICATE HOLDER**CANCELLATION**

Informational Only


SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

SCAMAX® 6x1

■ ■ ■ The Throughput Sensation



Brings throughput to your desk

Our compact throughput sensation provides genuine 24/7 production scanning.

The SCAMAX® 6x1 is as compact as a table device but it scans with the power and the capacity of a high-performance scanner: faster, with greater persistence and more reliably than any scanner of its size. Developed for 24/7 operation and manufactured 100% in Germany, it sets standards with regard to document throughput, scanning quality, process efficiency and user-friendliness. Thus it easily masters your recurring or consecutive large-scale scanning projects at the touch of a button: from inbox scanning and archiving and up to commercial scanning services.

ECM professional journals say: "The SCAMAX® 6x1 ranks among the table scanners with the highest throughput in the world". We say: the SCAMAX® 6x1 is an InoTec production scanner, Made in Germany. And what do you say?

Arrange for a trial period today. We're looking forward to your call.

Performance Upgrade

More work on the desk?
More power in the scanner!

SCAMAX® 631 | 210 sheets/min.

SCAMAX® 621 | 180 sheets/min.

SCAMAX® 611 | 150 sheets/min.

SCAMAX® 601 | 120 sheets/min.

All the scanners of the SCAMAX® Series can be upgraded at any time on site at your premises. Thus you simply respond to increasing scanning volumes with increasing performance – while enjoying the greatest possible investment security. Another smart idea from InoTec for even more economic and ecological sustainability.

Scanner Performance

Specification for Bitonal/Color 200/300 dpi	SCAMAX® 601	SCAMAX® 611	SCAMAX® 621	SCAMAX® 631
SIMPLEX A4 landscape	120 sheets/min. 120 pages/min.	150 sheets/min. 150 pages/min.	180 sheets/min. 180 pages/min.	210 sheets/min. 210 pages/min.
DUPLEX A4 landscape	120 sheets/min. 240 pages/min.	150 sheets/min. 300 pages/min.	180 sheets/min. 360 pages/min.	210 sheets/min. 420 pages/min.

The scanning speed is dependent on various factors such as paper size and texture, PC configuration and the scan application.

Speed is a number. Throughput is a fact.

No question about it: the fastest possible scanning speeds are a requirement for time-efficient scanning. Such speeds are significant however only when they are maintained reliably for many hours at a time or during complete shifts. Without stops. And without errors. Only then can high throughput be assured. And only then do we at InoTec name it 24/7 production scanners. Or in other words, if you want to make real headway, you need both speed *and* endurance.

InoTec Organisationssysteme

At InoTec we optimize the business processes of our customers around the world with our highly trustworthy production scanners and excellent service. We have been doing this for more than 30 years. And we are still as keen on it as on the first day. Technical precision, long service life and sustainability as well as product and service quality Made in Germany are our commitment to our customers. And the demand we place on ourselves. We allow ourselves to be measured by this. With every single system.



Perfect Document TECHNOLOGY

Perfect Document Technology

for complete image processing on board: among other things, gamma correction, bicubic deskew, cropping and dynamic binarization for perfect bitonal images. In addition, Perfect Document Technology offers functions like multistreaming (simultaneous output of color, grayscale and bitonal images), automatic blank page detection, content based rotation, automatic color detection, patch-code controlled color changeover and much more.

Top Features

Imprinter HD (optional)

for imprints of the highest quality at maximum scan speed. Print resolution: 300, 600 and 1,200 dpi. Printing height: 14.2 mm. Text size: adjustable up to 4 lines and barcode printing.

Belt transport system, gentle to paper

for safe transportation even of difficult documents: wear-free, maintenance-free, cleaning-free.

Readily accessible transport path

for easy cleaning and fast removal of jammed documents.

Traffic light logic

for fast, intuitive handling.



Product videos

Scan the QR code to experience the product features in live operation.

Speed selection

for touch-screen controlled adjustment of the scan speed, even during the processing of the scan project (for the models 611 through 631). A specific scan speed can be assigned by the scanner settings to every scan project.

Variable input pressure

for optimized document input depending on document quality and size.

NoSCRATCH glass guide

for guaranteed scratch resistance to paper clips and staples (with a three-year NoSCRATCH warranty on glass guides).

SlowDown Modus

for scanning with reduced scan speed for critical document types.

FADGI*** & ISO 19264-1

Proven scan quality according to the digitization guidelines for archiving of technical documentations, cultural heritage materials and many other documents.

Transport width and scan width up to 317.5 mm

for processing tabs and separating pages.

Large 7" MultiTouch Communication Panel

for maximum user friendliness and intuitive operation. With easily understandable pictograms, traffic light logic and clear full text messages.

Document sorting at full scan speed

by event control: e.g. by patch-code, counter, document length, barcodes (1D & 2D) etc.

Straight paper throughput

by means of rear document output with active switch (admission height 2 mm).



Scanner Specifications

SCAMAX® 601 | 611 | 621 | 631

General Technical Specification

Scanning Method	CCD line camera
Illumination	LED Illumination (diffuse)
Optical Resolution	600 dpi
Output Resolutions	75, 100, 150, 200, 240, 300, 400, 600 dpi dual or multi resolution possible
Output Compressions	CCITT Group IV, JPEG, PDF/R (Raster), TIFF or uncompressed
Color Image	24 Bit, 16.8 million colors (True Color)
Gray Image	8 Bit, 256 gray levels
Bitonal Image	1 Bit color depth, bitonal
Daily Volume	Unlimited
Throughput ⁽⁴⁾ (by A4 landscape, 200 and 300 dpi, bitonal and color)	120, 150, 180, und 210 sheets/min. (upward models 601, 611, 621 and 631) with upgrade option
Warranty	12 month
NoSCRATCH-Warranty	36 month on glass guide
Digitization Guidelines	FADGI: ***, ISO 19264-1: Level B

Image Processing / PDT (Perfect Document Technology)

Image Orientation	Bicubic skewness correction with black border removal and text-oriented alignment
Gamma Correction	3-level correction (color, black, white)
Color Dropout	Up to three color areas definable
Binartization Method	Dynamic with pixel filters and result preview
Stream Control	Based on Automatic Color Detection and/or Event Control (e.g. Patch Code, 1D & 2D Barcode)
Blank Page Detection	Content-based dynamic procedure with two definable impact areas
ICC profiles	embedding of ICC profiles or conversion to different target color spaces (e.g. sRGB, Adobe RGB1998, eciRGB)

Paper Processing / Handling

Paper Input	Automatically for batch or single sheet input, adjustable paper guide (also asymmetric), integrated support for long documents
Max. Stack Height	75 mm (approx. 750 sheets at 80 g/m ²) defined via profile
Document Width	56 mm to 317,5 mm
Document Length	60 mm to 1950 mm ⁽¹⁾ and ⁽⁴⁾ Automatic LongDoc mode: extension of the maximum scan length to approx. 15.5 m by internal splitting of the image processing, depending on the selected resolution and chosen paper format
Paper Formats	• ISO formats: A3, A4, A5, A6, A7, B4, B5, B6, B7 • US formats: Ledger, Legal, Letter, Executive, Invoice • User defined format
Maximum Admission Height ⁽²⁾	2 mm (by straight Paper Path)
Paper Weight ⁽³⁾	30 g/m ² to 800 g/m ²

Input Control	Mechanical paper separation, Double Feed Detection via five, separately definable, ultrasonic sensors and automatic staple/metal recognition
Flow Control	Paper Flow Control (PFC) with optional length control
Scan Areas	Dust-protected with NoSCRATCH Glass Guide, variable height (three levels) with switchable scan background (black/white)
Document Output Front	Output tray in four definable plate angles, adjustable Paper Stop and asymmetrically adjustable Paper Guides, tray extension for long documents (max. 485 mm) and removal aid
Document Output Rear	Rear output by straight paper path, controlled by active switch, to sort out separator sheets at full speed or to handle inflexible documents
Indexing	Sequential ID and four definable, event controlled counters for document indexing, integrated patch code and barcode reader 1D & 2D (e.g. 2/5 Inter- leaved, Code 39, Code 128, QR Code, Datamatrix)
Imprinter SD ⁽⁵⁾	Inkjet imprinter (resolution 96 dpi) with ink management for definable single line printing, prior to scanning on document front side and after scanning on front-/rear side
Imprinter HD ⁽⁵⁾	HD imprinter (resolution 300, 600, 1200 dpi) with ink management for up to four lines printing after scanning on document front-/rear side. Printing height up to 14.2 mm and barcode printing
Imprinter Digital	Digital image print. Content linkable to physical printed information and freely definable
SlowDown Modus ⁽⁵⁾	Reduction of scan speed for safe document handling (20, 40, 80 ppm)

Interfaces

Operation	Via capacitive 7" MultiTouch Communication Panel (MTCP) with integrated user management
Supported OS	Windows 7/8 (32/64 Bit), Windows 10/11 (64 Bit)
Driver	TWAIN™, ISIS® (MS61 ISIS compatible), WIA (on demand)
Scan PC	USB 3.0 (socket type B)
Interface	3 x USB 2.1 (socket type A) for input devices/ storage media. Socket DE-9 for service and up to 4 additional input switches
Certifications	Kofax VRS / Express, TR-RESISCAN ready

Technical Data

Power Consumption	Max. 400 Watt ⁽⁴⁾ , Standby Mode < 0,5 Watt
Electrical Connection	100 - 240 Volt; 50/60 Hertz; max. 4 Ampere
Environmental Conditions	Temperature: 10 - 35 °C / 50 - 95 °F Relative humidity: 30 - 80%
Dimensions	Width: 510 mm / 611 mm (stand width / width with display) Depth: 512 mm / 862 mm / 1.250 mm (stand depth / operation mode / with rear output tray) Height: 521 mm
Weight	64,8 kg (without options)
Noise Emission	Operation ready: max. 48 dB (A) Operation ⁽⁴⁾ : 57 to 63 dB (A)

⁽¹⁾ Restrictions in relation to image processing settings and
resolution are possible

⁽²⁾ Maximum admission height is not equal to the maximum
paper thickness. Dependent on the material

⁽³⁾ Maximum paper weight can vary and ultimately depend
on surface condition and the flexibility of material

⁽⁴⁾ Depending on model

⁽⁵⁾ Optional

Technical changes reserved.



Maximum
performance with
100% reliability

OS C

Perfection at top speed.

Digitize efficiently: The OS C sets new standards

Do you need a device that handles large digitization projects with maximum efficiency for both A2 and A1 formats? With the continued development of our previous professional scanner series – the best-selling A2 overhead scanner on the market – Zeutschel is meeting the demand for consistently high image quality, productivity and simple operation.

The advantages at a glance

Continuous image quality with a high certainty of results

With the OS C, you achieve best results in image quality that meets the requirements of the quality standard Metamorfoze Light, ISO 19264 Level B and FADGI. The advanced optimized LED lighting and the even, precise movement of the scan head drive ensures continuous quality of the digital image.

Automatic quality control with OmniScan 12 and OS QM Tool

With the quality analysis software OS QM Tool, the operator can check the results of the scan against a test chart to determine if the result of the scan is in accordance to the desired image quality standards ISO 19264-1 or relevant guidelines such as Metamorfoze or FADGI. With the object level target that is placed next to the original, OmniScan and OS QM Tool achieve 100% quality assurance.

Short scan times for efficient work


The significant acceleration of the scanning process as a result of software enhancements and improvements to Zeutschel's already renowned book cradles, book holders and glass plates, allows a faster completion of your scanning projects.

Easy to use and ergonomic work

The OmniScan 12 software has proven to direct scan operators easily and efficiently through the entire process of image processing from capture through image optimization up to the output of various output formats.

Zeutschel's exclusive lighting system is only activated during the scanning process to keep light exposure to a minimum.



**Compliant to**

ISO 19264-1
FADGI
Metamorfoze

**Developed for a long service life**

Quality and sustainability are important to Zeutschel so the OS C does not use plastic. The scanner and book cradles are made of recyclable metals and the newly designed glass plate in the Advanced version is operated electro-mechanically to ensure a long service life.

Made in Germany

Climaneutral production

Sustainable materials



Technical data	OS C2 Comfort	OS C2 Advanced	OS C2 Advanced Plus	OS C1
Scan area	A2 635 x 460 mm			A1 842 x 615 mm
Scan mode	Color			
True color processing	42 bit color output 24 bit color, 14 bit gray scale output 8 bit gray scale, 1 bit b/w output 1 bit b/w			
Max. resolution	600 ppi			
Scan speed	3,8 sec. / 400 ppi			3,8 sec. / 300 ppi
Auto focus	approx. 50 mm			ca. 50 mm
User software	mind. OmniScan OS 12.12 (64 bit), with multithread-funktion (optional)			
Book cradle	Manual comfort book holder	Advanced version with glass plate, opening angle adjustable up to 90°; automatic opening of glass plate after scanning, book plates spring-loaded and electrically lockable	Advanced Plus version with motorized glass plate, opening angle adjustable up to 90°, electrically adjustable book plates, adjustable and controlled contact pressure, automatic opening of the glass plate after scanning	Advanced version with electrical controlled glass plate, opening angle adjustable up to 90°; automatic opening of glass plate after scanning
Working mode	automatic			
Max. book thickness	100 mm	100 mm with glass plate 150 mm without glass plate	150 mm with glass plate 200 mm without glass plate	120 mm with glass plate, 170 mm without glass plate
Scanner interface	Gig E			
Data output	all the standard image formats, for example TIFF uncompressed, TIFF G4, JPEG, JP2, Multipage TIFF, PDF, Multipage PDF, BMP, PNG, GIF, PCX			
Accessories (optional)	PC, monitor, lockable scanner table, different book holders, Kit 90°			
Dimensions (w x d x h)	805 x 788 x 1170 mm	856 x 804 x 1213 mm	916 x 762 x 1281 mm	1150x 1023 x 1573
Footprint	805 x 717 mm	856 x 750 mm	916 x 762 mm	1030 x 880 mm
Weight	70 kg	90 kg	140 kg	160 kg
Power supply	110-230 V, 50/60 Hz, 1,1-2,4 A			
Compliant with the standards:	ISO 19264-1 (Level B) bis 300 dpi / Metamorfoze Light			

Subject to technical changes



The Crowley Company
5111 Pegasus Court - Suite M
Frederick, MD 21704
(240) 215-0224 fax: (240) 215-0234
www.thecrowleycompany.com

Quotation



Date: 10/15/2025
Quotation #: WV-ROWE
Quotation valid until: 11/14/2025
Prepared by: Robert Harris
roberth@thecrowleycompany.com

Bill to: DEPARTMENT OF ADMINISTRATION
OFFICE OF TECHNOLOGY
BLDG 5, 10TH FLOOR
1900 KANAWHA BLVD E
Charleston WV 25305

Ship To: DEPARTMENT OF ADMINISTRATION
BLDG 5, 10TH FLOOR
1900 KANAWHA BLVD E
Charleston WV 25305

Equipment / Consolidated Quote				
Qty	Part No.	Description	Unit Cost	Total Cost
1.00	RM3500/01/03/001	ROWE Scan 850i 55" -40 Large Format Scanner - Scan width: 55" (1397 mm) -Original width: 63,2" (1606 mm) - Original Thickness: up to 2 mm with flexible material - Optical Resolution: 2400 x 1200 ppi - SuperSpeed USB 3.0 interface with TWAIN driver	18,605.00	\$ 18,605.00
1.00	RM3500/04/00/003	Upgrade of scan width of 55" to 60" - Scanbreite: 60" (1524 mm) Vorlagenbreite: 63,2" (1606mm)	5,480.00	\$ 5,480.00
1.00	RM3500/03/00/002	ROWE Scan 850i KIT 40 B/W + COLOR Scan Module - b/w + color scanning - Scan Speed (400 dpi turbo): b/w 17.0 m/min, color 2.75 m/min	Included	Included
1.00	RM3000/06/00/002	ROWE ScanManager SE - Twain + Edit + Scan + Copy - includes ROWE ScanManager TWAIN , LT and additional Scan-to-Copy, Multiprint, Multitasking, calibration, 1 printer driver for inkjet printer and all drivers for ROWE printers, etc.	1,205.00	\$ 1,205.00
1.00	RM3500/04/00/004	ROWE Scan 850i API Interface for the connection of the ROWE Scan 850i with 3rd party software	750.00	\$ 750.00
1.00	CM-MAINT	5 Year onsite Maintenance Contract, Includes software Support	6,475.00	\$ 6,475.00
1.00	CM INSTALL LV1	Installation Level 1 "up to" one day on site	600.00	\$ 600.00
1.00	CM TRAIN LV1	Training Level 1 "up to" one day on site	600.00	\$ 600.00
1.00	CM-FREIGHT	Shipping and Handling	350.00	\$ 350.00
TOTAL				\$ 34,065.00

Terms

Payment Terms: 1/2 down with order, net delivery or Net 30 days.
FOB: Destination. Freight is prepaid and billed.
Delivery within 2-4 weeks of receipt of payment or valid purchase order.

Notes

Quoted prices are USD.

THANK YOU FOR YOUR BUSINESS!

Before you begin. For guidance related to the purpose of Form W-9, see *Purpose of Form*, below.

Print or type.
See *Specific Instructions* on page 3.

1 Name of entity/individual. An entry is required. (For a sole proprietor or disregarded entity, enter the owner's name on line 1, and enter the business/disregarded entity's name on line 2.)
Crowley Micrographics, Inc

2 Business name/disregarded entity name, if different from above.
The Crowley Company

3a Check the appropriate box for federal tax classification of the entity/individual whose name is entered on line 1. Check only **one** of the following seven boxes.

☐ Individual/sole proprietor ☐ C corporation ☒ S corporation ☐ Partnership ☐ Trust/estate

LLC. Enter the tax classification (C = C corporation, S = S corporation, P = Partnership)
Note: Check the "LLC" box above and, in the entry space, enter the appropriate code (C, S, or P) for the tax classification of the LLC, unless it is a disregarded entity. A disregarded entity should instead check the appropriate box for the tax classification of its owner.

☐ Other (see instructions)

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):
Exempt payee code (if any) _____
Exemption from Foreign Account Tax Compliance Act (FATCA) reporting code (if any) _____
(Applies to accounts maintained outside the United States.)

3b If on line 3a you checked "Partnership" or "Trust/estate," or checked "LLC" and entered "P" as its tax classification, and you are providing this form to a partnership, trust, or estate in which you have an ownership interest, check this box if you have any foreign partners, owners, or beneficiaries. See instructions ☐

5 Address (number, street, and apt. or suite no.). See instructions.
5111 Pegasus Court, Ste M

6 City, state, and ZIP code
Frederick, Md 21704

7 List account number(s) here (optional)

Requester's name and address (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. See also *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number

			-			-			
--	--	--	---	--	--	---	--	--	--

or
Employer identification number

5	2			1	1	7	2	3	9	5
---	---	--	--	---	---	---	---	---	---	---

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and, generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here

Signature of U.S. person

Date
03/03/2025

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

What's New

Line 3a has been modified to clarify how a disregarded entity completes this line. An LLC that is a disregarded entity should check the appropriate box for the tax classification of its owner. Otherwise, it should check the "LLC" box and enter its appropriate tax classification.

New line 3b has been added to this form. A flow-through entity is required to complete this line to indicate that it has direct or indirect foreign partners, owners, or beneficiaries when it provides the Form W-9 to another flow-through entity in which it has an ownership interest. This change is intended to provide a flow-through entity with information regarding the status of its indirect foreign partners, owners, or beneficiaries, so that it can satisfy any applicable reporting requirements. For example, a partnership that has any indirect foreign partners may be required to complete Schedules K-2 and K-3. See the Partnership Instructions for Schedules K-2 and K-3 (Form 1065).

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS is giving you this form because they



The Crowley Company
5111 Pegasus Court - Suite M
Frederick, MD 21704
(240) 215-0224 fax: (240) 215-0234
www.thecrowleycompany.com

QUOTATION



DIGITIZATION PRODUCTS

Date: 10/15/2025
Quotation #: WVNOTE601
Quotation valid until: 12/14/2025
Prepared by: Robert Harris

Bill to: DEPARTMENT OF ADMINISTRATION
OFFICE OF TECHNOLOGY
BLDG 5, 10TH FLOOR
1900 KANAWHA BLVD E
Charleston WV 25305

Ship To: DEPARTMENT OF ADMINISTRATION
BLDG 5, 10TH FLOOR
1900 KANAWHA BLVD E
Charleston WV 25305

Equipment / Consolidated Quote				
Qty	Part No.	Description	Unit Cost	Total Cost
1.00	T601cd00	Inotec SCAMAX 601CD Color Duplex (120 ppm) Fast , high performance document scanner - 100 - 600 dpi optical resolution - Up to 120 pages per minute (color, simplex), 240 images per minute (color, duplex) - USB 3.0 interface - 750 page input hopper - Unlimited duty cycle - Low maintenance, no-scratch glass guides (3 yr warranty), belt transport system for max. life and focused LED lighting - Automatic text orientation and color detection built into driver - Electronic Bates Stamp standard and optional HD and SD im printers available - Triple multi-stream output (color, grayscale and bitonal)	\$35,500.00	\$ 35,500.00
1.00	s9011327	SCAMAX*scan +V4 (s9011317 Hardware Dongle Required)	\$ 3,000.00	\$ 3,000.00
1.00	s9011317	Hardware-Dongle for SCAMAX*scan +V4 (only in combination with SCAMAX*scan +V4 License)	\$ 215.00	\$ 215.00
1.00	CM-INSTALL-LV2	Installation - Level 2 - up to two days onsite	\$ 1,700.00	\$ 1,700.00
1.00	CM-TRAIN-LV2	Training - Level 2 - up to two days onsite	\$ 1,700.00	\$ 1,700.00
1.00	CM-6x1-5YRONSIT-1PM	SCAMAX 6x1CD, 5 Year Onsite, Includes (1) Preventative Maintenance Visit Per Year & software Support	\$ 20,000.00	\$ 20,000.00
1.00	CM-FREIGHT	Shipping Charges. Tailgate delivery to loading dock only. Liftgate and/or inside delivery is additional per carrier rates.	500.00	\$ 500.00
			TOTAL	\$ 62,615.00

Terms

Equipment : Net 30 days on approved credit only.
FOB: Frederick, MD or San Dimas, CA, depending on shipping point. Freight is pre-paid and billed.
Delivery within 2-4 weeks of valid purchase order, depending on stock.

Notes

Quoted prices are USD.

THANK YOU FOR YOUR BUSINESS!



Crowley Micrographics Inc.
DBA The Crowley Company
5111 Pegasus Court Suite M
Frederick MD.21704
240-215-0224

10-15-2025

solicitation CRFQ 0231 OOT2600000004



Inotec 601CD Scanner



Zeutschel OS C A1



ROWE 850i

The Inotec 601CD, Zeutschel OS C A1 with OmniScan Software, and ROWE 850i scanners meet or exceed all requirements set forth in the solicitation CRFQ 0231 OOT2600000004.

Please see attached brochures for all product specifications.



The Crowley Company
5111 Pegasus Court - Suite M
Frederick, MD 21704
(240) 215-0224 fax: (240) 215-0234
www.thecrowleycompany.com

Quotation



Date: 10/15/2025
Quotation #: WV-ROWE
Quotation valid until: 11/14/2025
Prepared by: Robert Harris
roberth@thecrowleycompany.com

Bill to: DEPARTMENT OF ADMINISTRATION
OFFICE OF TECHNOLOGY
BLDG 5, 10TH FLOOR
1900 KANAWHA BLVD E
Charleston WV 25305

Ship To: DEPARTMENT OF ADMINISTRATION
BLDG 5, 10TH FLOOR
1900 KANAWHA BLVD E
Charleston WV 25305

Equipment / Consolidated Quote				
Qty	Part No.	Description	Unit Cost	Total Cost
1.00	RM3500/01/03/001	ROWE Scan 850i 55" -40 Large Format Scanner - Scan width: 55" (1397 mm) -Original width: 63,2" (1606 mm) - Original Thickness: up to 2 mm with flexible material - Optical Resolution: 2400 x 1200 ppi - SuperSpeed USB 3.0 interface with TWAIN driver	18,605.00	\$ 18,605.00
1.00	RM3500/04/00/003	Upgrade of scan width of 55" to 60" - Scanbreite: 60" (1524 mm) Vorlagenbreite: 63,2" (1606mm)	5,480.00	\$ 5,480.00
1.00	RM3500/03/00/002	ROWE Scan 850i KIT 40 B/W + COLOR Scan Module - b/w + color scanning - Scan Speed (400 dpi turbo): b/w 17.0 m/min, color 2.75 m/min	Included	Included
1.00	RM3000/06/00/002	ROWE ScanManager SE - Twain + Edit + Scan + Copy - includes ROWE ScanManager TWAIN , LT and additional Scan-to-Copy, Multiprint, Multitasking, calibration, 1 printer driver for inkjet printer and all drivers for ROWE printers, etc.	1,205.00	\$ 1,205.00
1.00	RM3500/04/00/004	ROWE Scan 850i API Interface for the connection of the ROWE Scan 850i with 3rd party software	750.00	\$ 750.00
1.00	CM-MAINT	5 Year onsite Maintenance Contract, Includes software Support	6,475.00	\$ 6,475.00
1.00	CM INSTALL LV1	Installation Level 1 "up to" one day on site	600.00	\$ 600.00
1.00	CM TRAIN LV1	Training Level 1 "up to" one day on site	600.00	\$ 600.00
1.00	CM-FREIGHT	Shipping and Handling	350.00	\$ 350.00
TOTAL				\$ 34,065.00

Terms

Payment Terms: 1/2 down with order, net delivery or Net 30 days.
FOB: Destination. Freight is prepaid and billed.
Delivery within 2-4 weeks of receipt of payment or valid purchase order.

Notes

Quoted prices are USD.

THANK YOU FOR YOUR BUSINESS!



The Crowley Company
5111 Pegasus Court - Suite M
Frederick, MD 21704
(240) 215-0224 Fax: (240) 215-0234
www.thecrowleycompany.com

QUOTATION



DIGITIZATION PRODUCTS

Date: 10/15/2025
Quotation #: WV OS C 1
Customer ID:
Quotation valid until: 11/14/2025
Prepared by: Robert Harris
roberth@thecrowleycompany.com

Bill to: DEPARTMENT OF ADMINISTRATION
OFFICE OF TECHNOLOGY
BLDG 5, 10TH FLOOR
1900 KANAWHA BLVD E
Charleston WV 25305

Ship To: DEPARTMENT OF ADMINISTRATION
BLDG 5, 10TH FLOOR
1900 KANAWHA BLVD E
Charleston WV 25305

Equipment / Consolidated Quote				
Qty	Part No.	Description	Unit Cost	Total Cost
1.00	HX-4772 (Kit 1)	Zeutschel OMNISCAN OS C1 (Kit 1) Fast - high performance table-top scanning system for books, newspapers and large documents with integrated book cradle, for scanning with or without glass plate - Max. book thickness: 170mm/ without glass plate - Max. size of originals: 846 x 600 mm (>DIN A1) - Resolution: 100 - 600 ppi - Autofocus - Foot switch for exposure	\$ 56,655.00	\$ 56,655.00
1.00	MX-7914	- Monitor holder for OS C2 and OS C1 (without monitor)	Included	
1.00	SW-2030	- Software Module Multithread, for higher productivity	Included	
1.00	HX-4751.01	Perfect Book - Patented 3D Scan Technology for perfect book curve correction - Automatic page finding/recognition, masking of the pages without frame and edge, precise book curve finding, also with incline book position, book curve correction, deskewing by means of 3D surface with two camera systems, finger removal	Included	
1.00	HX-4905	Software OMNISCAN 12 Basic module, 64 Bit - For fast and easy capturing, saving and displaying of the scans, multilingual- Scan and Rescan- Saving (all licence-free file-formats)- 2 adjustable masks	Included	
1.00	SW-2000	Software Module IMAGING KIT	Included	
1.00	ZE-OMNISCAN-SC	Omniscan Software Contract, includes revisions	Included	
1.00	SW-2062	Software Module Image Merging - Stitching multiple images together	\$ 5,535.00	\$ 5,535.00
1.00	CM INSTALL LV2	Installation Level 2 "up to" two days on site	\$ 1,700.00	\$ 1,700.00
1.00	CM TRAIN LV2	Training Level 2 "up to" two days on site	\$ 1,700.00	\$ 1,700.00
1.00	ZE-HX-OSC1-5 YEAR	5 Year Onsite Maintenance Contract Including Omniscan Software Support, includes revisions- OS C1	\$ 26,000.00	\$ 26,000.00
1.00	ZE-FREIGHT	Shipping Charges. Tailgate delivery to loading dock only. Liftgate and/or inside delivery is additional per carrier rates. End user to get equipment to setup location.	\$ 800.00	\$ 800.00
TOTAL				\$ 92,390.00

Terms

Equipment: Net 30 days from shipment/invoice date.
FOB: Frederick, MD or San Dimas, CA, depending on shipping point. Freight is pre-paid and billed.
Delivery within 3-5 weeks of receipt of valid purchase order.
Warranty: One year parts, 90 days labor

Notes

Quote valid for 30 days. Pricing is subject to change within this period in the event of new or adjusted tariffs or import-related costs.
Monthly lease rates for two to five year leasing options available upon request.
Maintenance for the life of the lease term can be incorporated into the lease pricing upon request.
Quoted prices are USD.

THANK YOU FOR YOUR BUSINESS!