



West Virginia Purchasing Division

2019 Washington Street, East
Charleston, WV 25305
Telephone: 304-558-2306
General Fax: 304-558-6026
Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 9

List View

[General Information](#) [Contact](#) [Default Values](#) [Discount](#) [Document Information](#) [Clarification Request](#)

Procurement Folder: 1838263

SO Doc Code: CRFQ

Procurement Type: Central Purchase Order

SO Dept: 0313

Vendor ID: VS0000045819

SO Doc ID: DEP2600000017

Legal Name: SWIPE RESOURCES LLC

Published Date: 12/16/25

Alias/DBA: HAMZA MASUD

Close Date: 1/7/26

Total Bid: \$41,752.00

Close Time: 13:30

Response Date: 01/06/2026

Status: Closed

Response Time: 21:53

Solicitation Description: OSR HDPE Double Wall Chemical Storage Tanks

Responded By User ID: swiperesources

Total of Header Attachments: 9

First Name: Hamza

Total of All Attachments: 9

Last Name: Masud

Email: hamza.masud@swiperesou

Phone: 7038706182



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

**State of West Virginia
Solicitation Response**

Proc Folder: 1838263

Solicitation Description: OSR HDPE Double Wall Chemical Storage Tanks

Proc Type: Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2026-01-07 13:30	SR 0313 ESR01062600000003791	1

VENDOR

VS0000045819

SWIPE RESOURCES LLC

Solicitation Number: CRFQ 0313 DEP2600000017

Total Bid: 41752

Response Date: 2026-01-06

Response Time: 21:53:32

Comments:

FOR INFORMATION CONTACT THE BUYER

Joseph (Josh) E Hager III
(304) 558-2306
joseph.e.hageriii@wv.gov

Vendor
Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	HDPE Dual Wall Chemical Tanks	4.00000	EA	10438.000000	41752.00

Comm Code	Manufacturer	Specification	Model #
24111805			

Commodity Line Comments: We're looking at an approximate 7 week lead time + transit after receipt of approval drawing.

Extended Description:

Four tanks delivered to Summersville 5 Block at 6501 Peach Orchard Road Summersville, WV 26651

DOUBLE WALL TANK SYSTEMS



THE ENGINEERED DIFFERENCE IN TANKS

P: 402.467.5221
F: 402.465.1220
www.snydernet.com
sales@snydernet.com



DOUBLE WALL TANK SYSTEMS

CAPTOR CONTAINMENT SYSTEM


protects bulk storage profits without jeopardizing safety or the environment

Flanged Outlets and other fitting designs can be securely fastened and sealed to many of the large flat areas located on the top section of the tank (optional).

Vent Assemblies are available in a variety of sizes to relieve vacuum and pressure.

Fill and/or Draw Pipe Assemblies can be installed to facilitate different material loading or un-loading requirements (optional).

U.F.O. (Unified Fitting Outlet) is uniquely designed to mechanically seal fitting outlet through both the inner and outer tank walls. Material unloading is easier and more cost effective than pumping contents from the top of the tank (optional).



Bolted and Threaded Manways are available in sizes up to 24". Standard size is an 18" threaded manway.

OSHA Compliant Ladders are available with and without cages in fiberglass and steel construction.

Molded in Tie-Down Lugs interface with optional cable restraint system to meet seismic and 150 mph wind load requirements.

Outer Containment Tank provides 115-120% of inner tanks capacity for added safety factor. Complies with 40 CFR-264.193.

Double Wall Tank Construction encloses and interlocks outer and inner tank to prevent rain, snow, and debris from entering outer containment tank.

SPECIFICATIONS

Part No.	Gallons	Diameter	Height
50400/50300	550	76"	65"
54700/54500	1,100	76"	104"
54900/54600	1,550	76"	136"
55700/55000	2,000	102"	103"
55800/55100	2,500	102"	122"
55900/55200	3,000	102"	142"
56000/55300	3,500	102"	158"
56100/55400	4,000	102"	178"
56200/55500	4,500	102"	197"
56300/55600	5,000	102"	216"
56600/56400	5,500	120"	172"
56700/56500	6,500	120"	199"
10064/10065	8,700	142"	197"
10066/10067	10,000	142"	226"
10311/10312	12,500	142"	274"

Tank Material Options:

High Density linear polyethylene (HDLPE) or cross-linked polyethylene (XLPE).

All Snyder specific gravity ratings meet or exceed ASTM D-1998. Consult your Snyder representatives on material construction recommendations for your company's particular application.

ACCESSORIES



Leak Detection Sensor

Level Indicator

Temperature Maintenance

Multiple Manway Options

Transition Fitting

Seismic Restraints & Ladders

DOUBLE WALL TANK SYSTEMS

DUAL CONTAINMENT TANK SYSTEMS

ideal for mini-bulk chemical delivery programs

Top Draw-Tube Assembly enables material contents to be safely dispensed from the top of the tank (optional).


Optional Vent provides pressure and vacuum relief for interior tank.

Available in XLPE and HDLPE resin packages.

Transition Fitting allows sidewall safe installation and long-term sealing power through both walls of tank (optional).

Forklift Channels are available on 275, 360 and 500 gallon sizes.

Flat Surface Areas provides ample space on top for a variety of fitting sizes and styles.



Patent No. 6,474,496

Two Tanks within one design provide double-wall protection.

Narrow Diameter provides location versatility in that it can fit through most any doorway on sizes up to 250 gallons.

Secondary Containment Tank provides 115 - 120% of inner tank's capacity. Complies with 40 CFR-264.193.

Molded in Tie-Down Lugs interface with optional cable restraint system to meet seismic and 150 mph wind load requirements.

All Other Snyder Industrial Product Fittings and accessories are available wherever applicable.

SPECIFICATIONS

Part No.	Gallons	Diameter	Height	Lid
1000112N--	35	22"	36"	6"
5680002N--	60	26"	41"	14"
5700102N--	120	34"	51"	14"
5710102N--	150	34"	62"	14"
5990502N--	250	34"	83"	14"
5740102N--	275	47"	63"	18"
5760102N--	360	53"	63"	18"
5780102N--	500	53"	81"	18"
5990102N--	1000	81"	69"	18"
5990302N--	1500	93"	77"	18"

Tank Material Options:

High Density linear polyethylene (HDLPE) or cross-linked polyethylene (XLPE).

ACCESSORIES



Leak Detection Sensor



Forklift & Pallet Jack Accessible Design



Level Gauge



Sidewall Transition Fitting



Temperature Maintenance



Other Fittings & Accessories

DOUBLE STRENGTH PROTECTION

Protect your liquid assets

Regulation is becoming increasingly stringent in the formulation and enforcement of chemical containment legislation. Berm and tank-in-a-basin containment systems, thought to be modern, are now found to be inadequate and not compliant.

There is an answer. Snyder's polyethylene tanks with secondary containment systems can safely store a wide range of hazardous chemicals. Our double wall (tank-in-a-tank) designs are being increasingly utilized as a supplement or alternative to secondary containment requirements. The design features built into Snyder's Captor and Mini-Captor Tank Systems increase safety and protect the environment without jeopardizing your profits.

Consider the Benefits...

- Tank-in-a-tank design provides TOTAL containment protection in one space-saving unit.
- The system consists of a primary tank with a secondary outer containment tank with a capacity of 115%-120% of the inner tank's capacity, exceeding EPA standards.
- Double-wall construction is completely enclosed so that external matter such as rainwater, snow and debris is prevented from collecting in the outer containment tank making it ideal for outdoor chemical storage.
- Shipped fully-assembled on either a standard or wide-load flatbed trailer which reduces field assembly costs.
- Available in sizes ranging from 35 to 12,500 gallons.
- Available in High Density Linear Polyethylene (HDLPE) or Cross Link Polyethylene (XLPE) construction. Having a choice provides ultimate chemical compatibility and performance.
- Tanks designed with wall thickness equal to or greater than ASTM D-1998 standards.

Your Snyder Double Wall Tank can be customized with these options...

- Seismic restraint system.
- 150 MPH wind load restraint system.
- Ultrasonic level indicators.
- Leak detection sensors.
- Heat tracing and insulation.
- OSHA compliant ladders (550-12,500 gallon sizes).
- Variety of manway sizes and styles.
- Bottom sidewall outlets.
- Top inlet connections and vents.



Whether you are a manufacturer or distributor, Snyder Industries can help you improve the function, economics and performance of your company's bulk handling systems.



SOLUTIONS IN BULK HANDLING



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

**State of West Virginia
Centralized Request for Quote
Chemicals**

Proc Folder: 1838263	Reason for Modification:		
Doc Description: OSR HDPE Double Wall Chemical Storage Tanks			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2025-12-15	2026-01-07 13:30	CRFQ 0313 DEP2600000017	1

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code: VS0000045819

Vendor Name : Swipe Resources LLC

Address :

Street : 7491 Flag Point Ct.

City : Manassas

State : Virginia

Country : USA

Zip : 20109

Principal Contact : Hamza Masud

Vendor Contact Phone: (703) 870-6182

Extension:

FOR INFORMATION CONTACT THE BUYER

Joseph (Josh) E Hager III

(304) 558-2306

joseph.e.hageriii@wv.gov

**Vendor
Signature X**

FEIN# 85-1143501

DATE 1/6/2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Department of Environmental Protection, Office of Special Reclamation (WVDEP-OSR) to purchase (4) four High Density Polyethylene Double Wall chemical storage tanks per the attached specifications and terms and conditions.

INVOICE TO	SHIP TO
ENVIRONMENTAL PROTECTION	STATE OF WEST VIRGINIA
OFFICE OF SPECIAL RECLAMATION	JOBSITE - SEE SPECIFICATIONS
601 57TH ST SE CHARLESTON US	No City US
WV	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	HDPE Dual Wall Chemical Tanks	4.00000	EA		

Comm Code	Manufacturer	Specification	Model #
24111805			

Extended Description:

Four tanks delivered to Summersville 5 Block at 6501 Peach Orchard Road Summersville, WV 26651

SCHEDULE OF EVENTS

Line	Event	Event Date

INSTRUCTIONS TO VENDORS SUBMITTING BIDS

1. REVIEW DOCUMENTS THOROUGHLY: The attached documents contain a solicitation for bids. Please read these instructions and all documents attached in their entirety. These instructions provide critical information about requirements that if overlooked could lead to disqualification of a Vendor's bid. All bids must be submitted in accordance with the provisions contained in these instructions and the Solicitation. Failure to do so may result in disqualification of Vendor's bid.

2. MANDATORY TERMS: The Solicitation may contain **mandatory** provisions identified by the use of the words "**must**," "**will**," and "**shall**." Failure to comply with a mandatory term in the Solicitation will result in bid disqualification.

3. PRE-BID MEETING: The item identified below shall apply to this Solicitation.

A pre-bid meeting will not be held prior to bid opening

A **MANDATORY PRE-BID** meeting will be held at the following place and time:

All Vendors submitting a bid must attend the **mandatory** pre-bid meeting. Failure to attend the **mandatory** pre-bid meeting shall result in disqualification of the Vendor's bid. No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.

An attendance sheet provided at the pre-bid meeting shall serve as the official document verifying attendance. Any person attending the pre-bid meeting on behalf of a Vendor must list on the attendance sheet his or her name and the name of the Vendor he or she is representing. It is the Vendor's responsibility to locate the attendance sheet and provide the required information. Failure to complete the attendance sheet as required may result in disqualification of Vendor's bid.

Vendors who arrive after the starting time but prior to the end of the pre-bid will be permitted to sign in but are charged with knowing all matters discussed at the pre-bid.

Any discussions or answers to questions at the pre-bid meeting are preliminary in nature and are non-binding. Official and binding answers to questions will be published in a written addendum to the Solicitation prior to bid opening.

4. VENDOR QUESTION DEADLINE: Vendors may submit questions relating to this Solicitation to the Purchasing Division. Questions must be submitted in writing. All questions **must be submitted on or before the date listed below and to the address listed below to be considered.** A written response will be published in a Solicitation addendum if a response is possible and appropriate. Non-written discussions, conversations, or questions and answers regarding this Solicitation are preliminary in nature and are non-binding.

Submitted emails should have the solicitation number in the subject line. Question

Submission Deadline: 12/19/2025 @ 4:00 PM ET

Submit Questions to: Josh Hager
2019 Washington Street, East Charleston, WV 25305
Fax: (304) 558-3970
Email: Joseph.E.HagerIII@wv.gov

5. VERBAL COMMUNICATION: Any verbal communication between the Vendor and any State personnel is not binding, including verbal communication at the mandatory pre-bid conference. Only information issued in writing and added to the Solicitation by an official written addendum by the Purchasing Division is binding.

6. BID SUBMISSION: All bids must be submitted on or before the date and time of the bid opening listed in section 7 below. Vendors can submit bids electronically through wvOASIS, in paper form delivered to the Purchasing Division at the address listed below either in person or by courier, or in facsimile form by faxing to the Purchasing Division at the number listed below. Notwithstanding the foregoing, the Purchasing Division may prohibit the submission of bids electronically through wvOASIS at its sole discretion. Such a prohibition will be contained and communicated in the wvOASIS system resulting in the Vendor's inability to submit bids through wvOASIS. The Purchasing Division will not accept bids or modification of bids via email.

Bids submitted in paper, facsimile, or via *wvOASIS* must contain a signature. Failure to submit a bid in any form without a signature will result in rejection of your bid.

A bid submitted in paper or facsimile form should contain the information listed below on the face of the submission envelope or fax cover sheet. Otherwise, the bid may be rejected by the Purchasing Division.

VENDOR NAME:

BUYER: Josh Hager

SOLICITATION NO.: CRFQ 0313 DEP2600000017

BID OPENING DATE: see section 7

BID OPENING TIME: see section 7

FAX NUMBER: 304-558-3970

Any bid received by the Purchasing Division staff is considered to be in the possession of the Purchasing Division and will not be returned for any reason.

Bid Delivery Address and Fax Number:

Department of Administration, Purchasing Division 2019 Washington Street East
Charleston, WV 25305-0130
Fax: 304-558-3970

7. BID OPENING: Bids submitted in response to this Solicitation will be opened at the location identified below on the date and time listed below. Delivery of a bid after the bid opening date and time will result in bid disqualification. For purposes of this Solicitation, a bid is considered delivered when confirmation of delivery is provided by *wvOASIS* (in the case of electronic submission) or when the bid is time stamped by the official Purchasing Division time clock (in the case of hand delivery or via delivery by mail).

Bid Opening Date and Time: 01/07/2026 @ 1:30 PM

Bid Opening Location:

Department of Administration, Purchasing Division
2019 Washington Street East
Charleston, WV 25305-0130

8. ADDENDUM ACKNOWLEDGEMENT: Changes or revisions to this Solicitation will be made by an official written addendum issued by the Purchasing Division. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgement Form. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

9. BID FORMATTING: Vendor should type or electronically enter the information onto its bid to prevent errors in the evaluation. Failure to type or electronically enter the information may result in bid disqualification.

10. ALTERNATE MODEL OR BRAND: Unless the box below is checked, any model, brand, or specification listed in this Solicitation establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the State at its sole discretion. Any Vendor bidding an alternate model or brand **shall** clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items **may** be grounds for rejection of a Vendor's bid.

This Solicitation is based upon a standardized commodity established under W. Va. Code § 5A-3-61. Vendors are expected to bid the standardized commodity identified. Failure to bid the standardized commodity will result in your firm's bid being rejected.

11. COMMUNICATION LIMITATIONS: In accordance with West Virginia Code of State Rules §148-1-6.6.2, communication with the State of West Virginia or any of its employees regarding this Solicitation during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited without prior Purchasing Division approval. Purchasing Division approval for such communication is implied for all agency delegated and exempt purchases.

12. REGISTRATION: Prior to Contract award, the apparent successful Vendor **must** be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee, if applicable.

13. UNIT PRICE: Unit prices **shall** prevail in cases of a discrepancy in the Vendor's bid.

14. PREFERENCE: Vendor Preference may be requested in purchases of motor vehicles or construction and maintenance equipment and machinery used in highway and other infrastructure projects. Any request for preference must be submitted in writing with the bid, must specifically identify the preference requested with reference to the applicable subsection of West Virginia Code § 5A-3-37, and must include with the bid any information necessary to evaluate and confirm the applicability of the requested preference. A request form to help facilitate the request can be found at: www.state.wv.us/admin/purchase/vrc/Venpref.pdf.

15A. RECIPROCAL PREFERENCE: The State of West Virginia applies a reciprocal preference to all solicitations for commodities and printing in accordance with W. Va. Code § 5A-3-37(b). In effect, non-resident vendors receiving a preference in their home states, will see that same preference granted to West Virginia resident vendors bidding against them in West Virginia. Any request for reciprocal preference must include with the bid any information necessary to evaluate and confirm the applicability of the preference. A request form to help facilitate the request can be found at: www.state.wv.us/admin/purchase/vrc/Venpref.pdf.

15. SMALL, WOMEN-OWNED, OR MINORITY-OWNED BUSINESSES:

For any solicitations publicly advertised for bid, in accordance with West Virginia Code §5A-3-37 and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority- owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to contract award to receive the preferences made available to resident vendors.

16. WAIVER OF MINOR IRREGULARITIES: The Director reserves the right to waive minor irregularities in bids or specifications in accordance with West Virginia Code of State Rules § 148-1-4.7.

17. ELECTRONIC FILE ACCESS RESTRICTIONS: Vendor must ensure that its submission in wvOASIS can be accessed and viewed by the Purchasing Division staff immediately upon bid opening. The Purchasing Division will consider any file that cannot be immediately accessed and viewed at the time of the bid opening (such as, encrypted files, password protected files, or incompatible files) to be blank or incomplete as context requires and are therefore unacceptable. A vendor will not be permitted to unencrypt files, remove password protections, or resubmit documents after bid opening to make a file viewable if those documents are required with the bid. A Vendor may be required to provide document passwords or remove access restrictions to allow the Purchasing Division to print or electronically save documents provided that those documents are viewable by the Purchasing Division prior to obtaining the password or removing the access restriction.

18. NON-RESPONSIBLE: The Purchasing Division Director reserves the right to reject the bid of any vendor as Non-Responsible in accordance with W. Va. Code of State Rules § 148-1- 5.3, when the Director determines that the vendor submitting the bid does not have the capability to fully perform or lacks the integrity and reliability to assure good-faith performance.”

19. ACCEPTANCE/REJECTION: The State may accept or reject any bid in whole, or in part in accordance with W. Va. Code of State Rules § 148-1-4.6. and § 148-1-6.3.”

20. WITH THE BID REQUIREMENTS: In instances where these specifications require documentation or other information with the bid, and a vendor fails to provide it with the bid, the Director of the Purchasing Division reserves the right to request those items after bid opening and prior to contract award pursuant to the authority to waive minor irregularities in bids or specifications under W. Va. CSR § 148-1-4.7. This authority does not apply to instances where state law mandates receipt with the bid.

21. EMAIL NOTIFICATION OF AWARD: The Purchasing Division will attempt to provide bidders with e-mail notification of contract award when a solicitation that the bidder participated in has been awarded. For notification purposes, bidders must provide the Purchasing Division with a valid email address in the bid response. Bidders may also monitor wvOASIS or the Purchasing Division's website to determine when a contract has been awarded.

22. EXCEPTIONS AND CLARIFICATIONS: The Solicitation contains the specifications that **shall** form the basis of a contractual agreement. **Vendor shall clearly mark any exceptions, clarifications, or other proposed modifications in its bid.** Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.

GENERAL TERMS AND CONDITIONS:

1. CONTRACTUAL AGREEMENT: Issuance of an Award Document signed by the Purchasing Division Director, or his designee, and approved as to form by the Attorney General's office constitutes acceptance by the State of this Contract made by and between the State of West Virginia and the Vendor. Vendor's signature on its bid, or on the Contract if the Contract is not the result of a bid solicitation, signifies Vendor's agreement to be bound by and accept the terms and conditions contained in this Contract.

2. DEFINITIONS: As used in this Solicitation/Contract, the following terms shall have the meanings attributed to them below. Additional definitions may be found in the specifications included with this Solicitation/Contract.

2.1. "Agency" or "Agencies" means the agency, board, commission, or other entity of the State of West Virginia that is identified on the first page of the Solicitation or any other public entity seeking to procure goods or services under this Contract.

2.2. "Bid" or "Proposal" means the vendors submitted response to this solicitation.

2.3. "Contract" means the binding agreement that is entered into between the State and the Vendor to provide the goods or services requested in the Solicitation.

2.4. "Director" means the Director of the West Virginia Department of Administration, Purchasing Division.

2.5. "Purchasing Division" means the West Virginia Department of Administration, Purchasing Division.

2.6. "Award Document" means the document signed by the Agency and the Purchasing Division, and approved as to form by the Attorney General, that identifies the Vendor as the contract holder.

2.7. "Solicitation" means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.

2.8. "State" means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.

2.9. "Vendor" or "Vendors" means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

3. CONTRACT TERM; RENEWAL; EXTENSION: The term of this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below:

Term Contract

Initial Contract Term: The Initial Contract Term will be for a period of _____ . The Initial Contract Term becomes effective on the effective start date listed on the first page of this Contract, identified as the State of West Virginia contract cover page containing the signatures of the Purchasing Division, Attorney General, and Encumbrance clerk (or another page identified as _____), and the Initial Contract Term ends on the effective end date also shown on the first page of this Contract.

Renewal Term: This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). Any request for renewal should be delivered to the Agency and then submitted to the Purchasing Division thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Unless otherwise specified below, renewal of this Contract is limited to _____ successive one (1) year periods or multiple renewal periods of less than one year, provided that the multiple renewal periods do not exceed the total number of months available in all renewal years combined. Automatic renewal of this Contract is prohibited. Renewals must be approved by the Vendor, Agency, Purchasing Division and Attorney General's office (Attorney General approval is as to form only)

Alternate Renewal Term – This contract may be renewed for _____ successive _____ year periods or shorter periods provided that they do not exceed the total number of months contained in all available renewals. Automatic renewal of this Contract is prohibited. Renewals must be approved by the Vendor, Agency, Purchasing Division and Attorney General's office (Attorney General approval is as to form only)

Delivery Order Limitations: In the event that this contract permits delivery orders, a delivery order may only be issued during the time this Contract is in effect. Any delivery order issued within one year of the expiration of this Contract shall be effective for one year from the date the delivery order is issued. No delivery order may be extended beyond one year after this Contract has expired.

Fixed Period Contract: This Contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within _____ days.

Fixed Period Contract with Renewals: This Contract becomes effective upon Vendor's receipt of the notice to proceed and part of the Contract more fully described in the attached specifications must be completed within _____ days. Upon completion of the work covered by the preceding sentence, the vendor agrees that:

- the contract will continue for _____ years;
- the contract may be renewed for _____ successive _____ year periods or shorter periods provided that they do not exceed the total number of months contained in all available renewals. Automatic renewal of this Contract is prohibited. Renewals must be approved by the Vendor, Agency, Purchasing Division and Attorney General's Office (Attorney General approval is as to form only).

One-Time Purchase: The term of this Contract shall run from the issuance of the Award Document until all of the goods contracted for have been delivered, but in no event will this Contract extend for more than one fiscal year.

Construction/Project Oversight: This Contract becomes effective on the effective start date listed on the first page of this Contract, identified as the State of West Virginia contract cover page containing the signatures of the Purchasing Division, Attorney General, and Encumbrance clerk (or another page identified as _____), and continues until the project for which the vendor is providing oversight is complete.

Other: Contract Term specified in _____

4. AUTHORITY TO PROCEED: Vendor is authorized to begin performance of this contract on the date of encumbrance listed on the front page of the Award Document unless either the box for "Fixed Period Contract" or "Fixed Period Contract with Renewals" has been checked in Section 3 above. If either "Fixed Period Contract" or "Fixed Period Contract with Renewals" has been checked, Vendor must not begin work until it receives a separate notice to proceed from the State. The notice to proceed will then be incorporated into the Contract via change order to memorialize the official date that work commenced.

5. QUANTITIES: The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.

Open End Contract: Quantities listed in this Solicitation/Award Document are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.

Service: The scope of the service to be provided will be more clearly defined in the specifications included herewith.

Combined Service and Goods: The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.

One-Time Purchase: This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General's office.

Construction: This Contract is for construction activity more fully defined in the specifications.

6. EMERGENCY PURCHASES: The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute of breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One-Time Purchase contract.

7. REQUIRED DOCUMENTS: All of the items checked in this section must be provided to the Purchasing Division by the Vendor as specified:

LICENSE(S) / CERTIFICATIONS / PERMITS: In addition to anything required under the Section of the General Terms and Conditions entitled Licensing, the apparent successful Vendor shall furnish proof of the following licenses, certifications, and/or permits upon request and in a form acceptable to the State. The request may be prior to or after contract award at the State's sole discretion.

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications regardless of whether or not that requirement is listed above.

8. INSURANCE: The apparent successful Vendor shall furnish proof of the insurance identified by a checkmark below prior to Contract award. The insurance coverages identified below must be maintained throughout the life of this contract. Thirty (30) days prior to the expiration of the insurance policies, Vendor shall provide the Agency with proof that the insurance mandated herein has been continued. Vendor must also provide Agency with immediate notice of any changes in its insurance policies, including but not limited to, policy cancelation, policy reduction, or change in insurers. The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether that insurance requirement is listed in this section.

Vendor must maintain:

Commercial General Liability Insurance in at least an amount of: \$1,000,000.00 per occurrence.

Automobile Liability Insurance in at least an amount of: \$1,000,000.00 per occurrence.

Professional/Malpractice/Errors and Omission Insurance in at least an amount of: _____ per occurrence. Notwithstanding the forgoing, Vendor's are not required to list the State as an additional insured for this type of policy.

Commercial Crime and Third Party Fidelity Insurance in an amount of: _____ per occurrence.

Cyber Liability Insurance in an amount of: _____ per occurrence.

Builders Risk Insurance in an amount equal to 100% of the amount of the Contract.

Pollution Insurance in an amount of: _____ per occurrence.

Aircraft Liability in an amount of: _____ per occurrence.

9. WORKERS' COMPENSATION INSURANCE: Vendor shall comply with laws relating to workers compensation, shall maintain workers' compensation insurance when required, and shall furnish proof of workers' compensation insurance upon request.

10. VENUE: All legal actions for damages brought by Vendor against the State shall be brought in the West Virginia Claims Commission. Other causes of action must be brought in the West Virginia court authorized by statute to exercise jurisdiction over it.

11. LIQUIDATED DAMAGES: This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy. Vendor shall pay liquidated damages in the amount specified below or as described in the specifications:

_____ for _____.

Liquidated Damages Contained in the Specifications.

Liquidated Damages Are Not Included in this Contract.

12. ACCEPTANCE: Vendor's signature on its bid, or on the certification and signature page, constitutes an offer to the State that cannot be unilaterally withdrawn, signifies that the product or service proposed by vendor meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise indicated, and signifies acceptance of the terms and conditions contained in the Solicitation unless otherwise indicated.

13. PRICING: The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification. Notwithstanding the foregoing, Vendor must extend any publicly advertised sale price to the State and invoice at the lower of the contract price or the publicly advertised sale price.

14. PAYMENT IN ARREARS: Payments for goods/services will be made in arrears only upon receipt of a proper invoice, detailing the goods/services provided or receipt of the goods/services, whichever is later. Notwithstanding the foregoing, payments for software maintenance, licenses, or subscriptions may be paid annually in advance.

15. PAYMENT METHODS: Vendor must accept payment by electronic funds transfer and P-Card. (The State of West Virginia's Purchasing Card program, administered under contract by a banking institution, processes payment for goods and services through state designated credit cards.)

16. TAXES: The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.

17. ADDITIONAL FEES: Vendor is not permitted to charge additional fees or assess additional charges that were not either expressly provided for in the solicitation published by the State of West Virginia, included in the Contract, or included in the unit price or lump sum bid amount that Vendor is required by the solicitation to provide. Including such fees or charges as notes to the solicitation may result in rejection of vendor's bid. Requesting such fees or charges be paid after the contract has been awarded may result in cancellation of the contract.

18. FUNDING: This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available. If that occurs, the State may notify the Vendor that an alternative source of funding has been obtained and thereby avoid the automatic termination. Non-appropriation or non-funding shall not be considered an event of default.

19. CANCELLATION: The Purchasing Division Director reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Purchasing Division Director may also cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-5.2.b.

20. TIME: Time is of the essence regarding all matters of time and performance in this Contract.

21. APPLICABLE LAW: This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code, or West Virginia Code of State Rules is void and of no effect.

22. COMPLIANCE WITH LAWS: Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendor acknowledges that it has reviewed, understands, and will comply with all applicable laws, regulations, and ordinances.

SUBCONTRACTOR COMPLIANCE: Vendor shall notify all subcontractors providing commodities or services related to this Contract that as subcontractors, they too are required to comply with all applicable laws, regulations, and ordinances. Notification under this provision must occur prior to the performance of any work under the contract by the subcontractor.

23. ARBITRATION: Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.

24. MODIFICATIONS: This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). Any change to existing contracts that adds work or changes contract cost, and were not included in the original contract, must be approved by the Purchasing Division and the Attorney General's Office (as to form) prior to the implementation of the change or commencement of work affected by the change.

25. WAIVER: The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.

26. SUBSEQUENT FORMS: The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.

27. ASSIGNMENT: Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency, the Purchasing Division, the Attorney General's office (as to form only), and any other government agency or office that may be required to approve such assignments.

28. WARRANTY: The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.

29. STATE EMPLOYEES: State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.

30. PRIVACY, SECURITY, AND CONFIDENTIALITY: The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in www.state.wv.us/admin/purchase/privacy.

31. YOUR SUBMISSION IS A PUBLIC DOCUMENT: Vendor's entire response to the Solicitation and the resulting Contract are public documents. As public documents, they will be disclosed to the public following the bid/proposal opening or award of the contract, as required by the competitive bidding laws of West Virginia Code §§ 5A-3-1 et seq., 5-22-1 et seq., and 5G-1-1 et seq. and the Freedom of Information Act West Virginia Code §§ 29B-1-1 et seq.

DO NOT SUBMIT MATERIAL YOU CONSIDER TO BE CONFIDENTIAL, A TRADE SECRET, OR OTHERWISE NOT SUBJECT TO PUBLIC DISCLOSURE.

Submission of any bid, proposal, or other document to the Purchasing Division constitutes your explicit consent to the subsequent public disclosure of the bid, proposal, or document. The Purchasing Division will disclose any document labeled "confidential," "proprietary," "trade secret," "private," or labeled with any other claim against public disclosure of the documents, to include any "trade secrets" as defined by West Virginia Code § 47-22-1 et seq. All submissions are subject to public disclosure without notice.

32. LICENSING: In accordance with West Virginia Code of State Rules § 148-1-6.1.e, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Obligations related to political subdivisions may include, but are not limited to, business licensing, business and occupation taxes, inspection compliance, permitting, etc. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities.

SUBCONTRACTOR COMPLIANCE: Vendor shall notify all subcontractors providing commodities or services related to this Contract that as subcontractors, they too are required to be licensed, in good standing, and up-to-date on all state and local obligations as described in this section. Obligations related to political subdivisions may include, but are not limited to, business licensing, business and occupation taxes, inspection compliance, permitting, etc. Notification under this provision must occur prior to the performance of any work under the contract by the subcontractor.

33. ANTITRUST: In submitting a bid to, signing a contract with, or accepting a Award Document from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.

34. VENDOR NON-CONFLICT: Neither Vendor nor its representatives are permitted to have any interest, nor shall they acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.

35. VENDOR RELATIONSHIP: The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting, supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, etc. and the filing of all necessary documents, forms, and returns pertinent to all of the foregoing.

Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

36. INDEMNIFICATION: The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.

37. NO DEBT CERTIFICATION: In accordance with West Virginia Code §§ 5A-3-10a and 5-22-1(i), the State is prohibited from awarding a contract to any bidder that owes a debt to the State or a political subdivision of the State. By submitting a bid, or entering into a contract with the State, Vendor is affirming that (1) for construction contracts, the Vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, neither the Vendor nor any related party owe a debt as defined above, and neither the Vendor nor any related party are in employer default as defined in the statute cited above unless the debt or employer default is permitted under the statute.

38. CONFLICT OF INTEREST: Vendor, its officers or members or employees, shall not presently have or acquire an interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.

39. REPORTS: Vendor shall provide the Agency and/or the Purchasing Division with the following reports identified by a checked box below:

Such reports as the Agency and/or the Purchasing Division may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.

Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Purchasing Division via email at purchasing.division@wv.gov.

40. BACKGROUND CHECK: In accordance with W. Va. Code § 15-2D-3, the State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check. Service providers should contact the West Virginia Division of Protective Services by phone at (304) 558-9911 for more information.

41. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS: Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:

- a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
- b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or such operations, from steel made by the open hearth, basic oxygen, electric furnace, Bessemer or other steel making process.
- c. The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:
 1. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or
 2. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

42. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL: In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a “substantial labor surplus area”, as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products. This preference shall be applied to an item of machinery or equipment, as indicated above, when the item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

43. INTERESTED PARTY SUPPLEMENTAL DISCLOSURE: W. Va. Code § 6D-1-2 requires that for contracts with an actual or estimated value of at least \$1 million, the Vendor must submit to the Agency a disclosure of interested parties prior to beginning work under this Contract. Additionally, the Vendor must submit a supplemental disclosure of interested parties reflecting any new or differing interested parties to the contract, which were not included in the original pre-work interested party disclosure, within 30 days following the completion or termination of the contract. A copy of that form is included with this solicitation or can be obtained from the WV Ethics Commission. This requirement does not apply to publicly traded companies listed on a national or international stock exchange. A more detailed definition of interested parties can be obtained from the form referenced above.

44. PROHIBITION AGAINST USED OR REFURBISHED: Unless expressly permitted in the solicitation published by the State, Vendor must provide new, unused commodities, and is prohibited from supplying used or refurbished commodities, in fulfilling its responsibilities under this Contract.

45. VOID CONTRACT CLAUSES: This Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law.

46. ISRAEL BOYCOTT: Bidder understands and agrees that, pursuant to W. Va. Code § 5A-3-63, it is prohibited from engaging in a boycott of Israel during the term of this contract.

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) Hamza Masud, Executive Director

(Address) 7491 Flag Point Ct., Manassas, VA 20109

(Phone Number) / (Fax Number) (703) 870-6182

(email address) hamza.masud@swiperesources.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

Swipe Resources LLC

(Company) H. Masud

(Signature of Authorized Representative) Hamza Masud, Executive Director

(Printed Name and Title of Authorized Representative) (Date)
(703) 870-6182

(Phone Number) (Fax Number)

hamza.masud@swiperesources.com
(Email Address)

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

<input type="checkbox"/> Addendum No. 1	<input type="checkbox"/> Addendum No. 6
<input type="checkbox"/> Addendum No. 2	<input type="checkbox"/> Addendum No. 7
<input type="checkbox"/> Addendum No. 3	<input type="checkbox"/> Addendum No. 8
<input type="checkbox"/> Addendum No. 4	<input type="checkbox"/> Addendum No. 9
<input type="checkbox"/> Addendum No. 5	<input type="checkbox"/> Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Swipe Resources LLC

Company

H. Mowdy

Authorized Signature

1/6/2026

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

REQUEST FOR QUOTATION
High Density Polyethylene Double Wall Chemical Storage Tank

SPECIFICATIONS

- 1. PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Department of Environmental Protection, Office of Special Reclamation (WVDEP-OSR) to purchase (4) four High Density Polyethylene Double Wall chemical storage tanks.

This solicitation was previously advertised as CRFQ DEP25*020, solicitation closed on 06/03/2025. Vendors may view previous solicitation responses here:

<https://www.state.wv.us/admin/purchase/Bids/FY2025/BO20250603.html>

Vendors are encouraged to review specifications and requirements closely as specifications most likely have changed since last time solicited.

- 2. DEFINITIONS:** The terms listed shall have the following meanings assigned to them. Additional definitions can be found in section 2 of the General Terms and Conditions.

- 2.1** **“Contract Item” or “Contract Items”** means the list of items identified in Section 3.1 below and on the Pricing Page.
- 2.2** **“Pricing Page”** means the schedule of prices, estimated order quantity, and totals contained in wvOASIS and used to evaluate the Solicitation responses.
- 2.3** **“Solicitation”** means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.

- 3. GENERAL REQUIREMENTS:**

- 3.1** **Mandatory Contract Item Requirements:** Vendor shall provide Agency with the following Contract Items. Contract Items must meet or exceed the following mandatory requirements.

- 3.1.1** **High Density Polyethylene Double Wall Chemical Storage Tank**

- 3.1.1.1** Capacity of tank shall be a minimum of 1100 gallons and a maximum of 1295 gallons.
- 3.1.1.2** Shall be molded in one-piece seamless construction according to ASTM D 1998 (laminated or fabricated tanks will not be accepted) and will be capable of storing the chemical application (Sodium

REQUEST FOR QUOTATION
High Density Polyethylene Double Wall Chemical Storage Tank

Hydroxide (NaOH) at 50% concentration or less, Sodium Permanganate, less than 1%,) at atmospheric pressure.

- 3.1.1.3** Tank shall be able to be placed outside.
- 3.1.1.4** Tank shall be sealed so that rainwater will not enter the containment tank.
- 3.1.1.5** Tank shall be made of High-Density Polyethylene.
- 3.1.1.6** Tank material shall contain an Ultraviolet 15 stabilizer.
- 3.1.1.7** Tank shall have a minimum of four (4) steel lifting lugs.
 - 3.1.1.7.1** Lugs shall be designed to allow erection of empty primary and secondary tank. Tanks shall be capable of being lifted into position as a unit (primary and secondary tanks).
- 3.1.1.8** Tank manway shall have a eighteen-inch (18") lockable hinged lid.
- 3.1.1.9** Tank shall have a two-inch (2") vent.
- 3.1.1.10** Tank shall have a two-inch (2") stainless steel bulkhead fitting for a level indicator.

- 3.1.1.11** Tank shall have a reverse float level gauge.
 - 3.1.1.11.1** The float level gauge shall be constructed of a guided float on the inside of the tank connected to a weight indicator on the exterior of the tank with a 1/4" rope.
 - 3.1.1.11.2** The weighted indicator shall move along inside a clear guide pipe and may be equipped with an optional gallonage indicator board.
 - 3.1.1.11.3** The gallonage indicator board is made of PVC material and may be attached to the clear guide pipe.

REQUEST FOR QUOTATION
High Density Polyethylene Double Wall Chemical Storage Tank

3.1.1.11.4 The specified board shall be stenciled with one hundred gallon marks and labeled every five hundred gallons.

3.1.1.11.5 The level gauge shall be connected to the tank at an appropriate tank flat on the tank dome with a 3" threaded bulkhead fittings and held along the tank sidewall with appropriate 1" fittings and stand-off connections.

3.1.1.11.6 The float level gauge rigid components shall be constructed of PVC.

3.1.1.11.7 The rope shall be constructed of polypropylene or other specified material. Gaskets shall be constructed of EPDM, Viton⁷ or other specified material.

3.1.1.12 Tank shall have a two-inch (2") stainless steel bulkhead fitting to drain the secondary containment.

3.1.1.13 Tank shall have a minimum of a ten-foot (10') fill hose attached to the top of the tank via a two inch (2") bulkhead fitting.

3.1.1.13.1 Hose shall be two-inch (2") inside diameter.

3.1.1.13.2 Shall have a stainless-steel male cam-loc on fill end and grove two-inch (2") fitting on the intake end.

3.1.1.13.3 A female cam-loc cap shall be provided.

3.1.1.13.4 Hose must have a burst pressure rating of 150 psi.

3.1.1.14 Outer secondary containment tank shall have a minimum capacity of 110% of the inner tank.

3.1.1.15 Tank shall be round with a flat bottom.

3.1.1.16 The BASIS of DESIGN is Snyder Industries, Inc. "Captor Double Wall Tank" part number 5470000N & 5450000N having been deemed to represent the minimum level of quality, performance and service acceptable for this tank. Equal tanks will be submitted for approval.

REQUEST FOR QUOTATION
High Density Polyethylene Double Wall Chemical Storage Tank

3.1.1.17 Vendor shall supply shop drawings of the High Density Polyethylene Double Wall tank with each bid. These drawings are subject to review by WVDEP-OSR. WVDEP-OSR will determine if these drawings meet the specifications herein. The bidder shall be disqualified should it be determined by WVDEP-OSR that the drawings do not meet the specifications.

3.1.1.18 Vendor shall supply all transportation, labor, and supervision necessary to deliver the tank to Summersville Five Block, 6501 Peach Orchard Road, Summersville, WV 26651.

3.1.1.19 Tanks should include a minimum of a one (1) year warranty against defects in materials and workmanship.

4. CONTRACT AWARD:

4.1 Contract Award: The Contract is intended to provide Agencies with a purchase price on all Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Item meeting the required specifications for the lowest overall total cost as shown on the Pricing Pages.

4.2 Pricing Pages: Vendor should complete the Pricing Pages by bidding on the price per each. Vendor should complete the Pricing Pages in their entirety as failure to do so may result in Vendor's bids being disqualified.

Vendor should type or electronically enter the information into the Pricing Page to prevent errors in the evaluation.

5. INVOICING & PAYMENT:

5.1 Invoice: The Vendor shall submit an invoice within 30 days of delivery to DEPDLRProcurement@wv.gov.

5.2 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

6. DELIVERY AND RETURN:

6.1 Delivery Time: Vendor shall deliver the Contract Item within 90 days after contract award. Vendor shall notify WVDEP-OSR at least forty-eight hours (48 hrs) prior to

REQUEST FOR QUOTATION
High Density Polyethylene Double Wall Chemical Storage Tank

delivery to set up scheduling.

- 6.2 Delivery Location:** Vendor shall deliver all tanks to 6501 Peach Orchard Road, Summersville, WV 26651.
- 6.3 Late Delivery:** Late delivery may be approved at the discretion of OSR. It is OSR's option that late delivery may be charged liquidated damages of (\$100) One Hundred Dollars per day.
- 6.4 Delivery Payment/Risk of Loss:** Standard order delivery shall be F.O.B. destination to the Agency's location. Single flat rate delivery shall be included on the pricing page to all locations within the counties provided herein.
- 6.5 Return of Unacceptable Items:** If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable or permit the Agency to arrange for the return and reimburse the Agency for delivery expenses. If the original packaging cannot be utilized for the return, the Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. to the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 6.6 Return Due to Agency Error:** Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. to the Vendor's location. The Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

7. VENDOR DEFAULT:

- 7.1** The following shall be considered a Vendor default under this Contract.

- 7.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
- 7.1.2** Failure to comply with other specifications and requirements contained herein.

REQUEST FOR QUOTATION
High Density Polyethylene Double Wall Chemical Storage Tank

7.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.

7.1.4 Failure to remedy deficient performance upon request.

7.2 The following remedies shall be available to Agency upon default.

7.2.1 Immediate cancellation of the Contract.

7.2.2 Immediate cancellation of one or more release orders issued under this Contract.

7.2.3 Any other remedies available in law or equity.



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

**State of West Virginia
Centralized Request for Quote
Chemicals**

Proc Folder: 1838263	Reason for Modification:		
Doc Description: OSR HDPE Double Wall Chemical Storage Tanks			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2025-12-15	2026-01-07 13:30	CRFQ 0313 DEP2600000017	1

BID RECEIVING LOCATION	
BID CLERK	DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON ST E CHARLESTON WV 25305 US

VENDOR	
Vendor Customer Code:	
Vendor Name :	Swipe Resources LLC
Address :	
Street :	7491 Flag Point Ct
City :	Manassas
State : Virginia	Country : USA
	Zip : 20109
Principal Contact :	
Vendor Contact Phone: (703) 870-6182	Extension:

FOR INFORMATION CONTACT THE BUYER	
Joseph (Josh) E Hager III (304) 558-2306 joseph.e.hageriii@wv.gov	

Vendor Signature X <u>H. Mosby</u>	FEIN# 85-1143501	DATE 1/6/2026
---	-------------------------	----------------------

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Department of Environmental Protection, Office of Special Reclamation (WVDEP-OSR) to purchase (4) four High Density Polyethylene Double Wall chemical storage tanks per the attached specifications and terms and conditions.

INVOICE TO	SHIP TO
ENVIRONMENTAL PROTECTION	STATE OF WEST VIRGINIA
OFFICE OF SPECIAL RECLAMATION	JOBSITE - SEE SPECIFICATIONS
601 57TH ST SE CHARLESTON US	No City US
WV	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	HDPE Dual Wall Chemical Tanks	4.00000	EA		

Comm Code	Manufacturer	Specification	Model #
24111805			

Extended Description:

Four tanks delivered to Summersville 5 Block at 6501 Peach Orchard Road Summersville, WV 26651

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>

	Document Phase	Document Description	Page
			3
DEP2600000017	Final	OSR HDPE Double Wall Chemical Storage Tanks	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

1100 Gallon HDLPE Vertical Double Wall Liquid Chemical Storage Tank

The Snyder Industries HDLPE Vertical Double Wall Liquid Chemical Storage Tank is engineered for secure, above-ground storage of various chemicals. Constructed from high-density linear polyethylene (HDLPE) with UV inhibitors, it features a double-wall design providing secondary containment, making it ideal for storing substances like sodium hydroxide, sulfuric acid, and other heavy-duty chemicals.

- 18" Threaded Manway Comes Standard (Bolted and Threaded Manways are available in sizes up to 24" by request.)
- Molded In Tie-Down Lugs (interface with optional cable restraint system to meet seismic and 150 mph wind load requirements.)
- Provides 115%-120% containment of inner tank's capacity.
- Resin complies with U.S. Food and Drug Administration regulation 21 CFR 177.1570 (c) 3.1 and 3.2.
- Through tank fittings available by request.
- Outer containment of the double wall tank complies with federal regulation 40CFR-264.193 capacity requirements.

This tank is made from High Density Linear Polyethylene. It is also made in crosslinked linear polyethylene by request.

Optional Fittings Include:

- Flanged Outlets (Can be securely fastened and sealed to many of the large flat areas located on the top section of the tank.)
- Fill and/or Draw Pipe Assemblies (can be installed to facilitate different material loading or un-loading requirements.)
- U Vent Assemblies (available in a variety of sizes to relieve vacuum pressures.)
- U.F.O. (Unified Fitting Outlet)(uniquely designed to mechanically seal fitting outlet through both the inner and outer tank walls. Material unloading is easier and more cost effective than pumping contents from the top of the tank.)
- OSHA Approved ladders are available with and without cages in fiberglass and steel construction.
- Double Wall Tank Construction encloses and interlocks outer and inner tank to prevent rain, snow, and debris from entering outer containment tank.

Captor Double Wall liquid storage tanks can not be pressurized. This double wall liquid storage tank can hold liquids with a material weight up to 15.83 lbs. per gallon (1.9 specific gravity rating). (Water weighs 8.34 pounds)

Dimensions

Diameter	76"
Length	76"
Width	76"
Height	104"
Weight	650lbs
Lid Size	18"

Key Specs

Manufacturer	Snyder Industries
Color	White
Gallon Capacity	1100
Specific Gravity	1.9
Material	High Density Linear Polyethylene
Max Temperature	120 F/ 48 C
Certifications & Compliances	ANSI / NSF 61 Approved, FDA Approved

Warranty

3 years



STANDARD LIMITED WARRANTY

Distributors and their authorized distribution have the responsibility of calling to the attention of their customers any exceptions to the Snyder Industries standard limited warranty, prior to acceptance of an order from the customer for any Snyder Industries product.

Snyder Industries warrants to the purchaser for use that if any manufactured tank product is proven to be defective in material or workmanship within 3 YEARS from the date of original invoice from factory, and Snyder Industries is notified within 15 days after such defect is discovered, Snyder Industries will (at company option) either replace or repair said part. Snyder Industries warrants to the purchaser for use that if any tank fitting, attachment, or accessory product is proven to be defective in material or workmanship within 1 YEAR from the date of original invoice from factory, and Snyder Industries is notified within 15 days after such defect is discovered, Snyder Industries will (at company option) either replace or repair said part. This Snyder Industries Standard Limited Warranty does not apply to damage resulting from misuse, improper application of recommended materials, neglect, material wear, accident, or improper installation or maintenance. Said part will not be considered defective if it substantially fulfills performance specifications. THE FOREGOING STANDARD LIMITED WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF MERCHANTABILITY, FITNESS FOR PURPOSE AND OF ANY OTHER TYPE, WHETHER EXPRESSED OR IMPLIED. Snyder Industries neither assumes nor authorizes anyone to assume for it any other obligation or liability in connection with said tank product and will not be liable for incidental or consequential damages. THE REMEDIES STATED HEREIN SHALL BE THE EXCLUSIVE REMEDIES AVAILABLE UNDER THIS STANDARD WARRANTY. CLAIMS UNDER THIS STANDARD LIMITED WARRANTY SHALL BE HANDLED UNDER THE SNYDER INDUSTRIES SERVICE POLICY. Snyder Industries will not be responsible for any charges incurred in repairing or servicing any Snyder Industries product except as such repairs are made at Snyder Industries or by Snyder Industries personnel or as approved in writing from Snyder Industries Customer Service.

Due to the uniqueness of tank applications, Snyder Industries may offer warranties other than the standard warranty. These warranty statements will be in writing from Snyder Industries. The warranty period may be longer than 3 years as in the case for purchased extended warranties, or the warranty period may be shorter than 3 years as in the case for certain chemical/material applications. Please consult Snyder Industries if you have any questions regarding warranty coverage and/or requirements.



WARRANTY CLAIM PROCEDURE

Snyder Industries has specific procedures for return merchandise and warranty claims. To make a claim, please contact the Customer Service Department at Snyder Industries by mail, phone or e-mail:

Snyder Industries
6940 "O" Street, Suite 100
Lincoln, NE 68510
(402) 467-5221
FAX: (402) 465-1220
E-mail: sales@snydernet.com

The following information will be required to assist in filing your claim:

1. Product identification (tank size, part number, serial number, etc.)
2. Snyder Industries customer order number
3. Name and phone number of person making the claim
4. Distributor/company name, address, and phone number
5. Description of reason for claim
6. Pictures of failure and installation
7. MSDS of chemicals stored
8. Temperature of tank application



*ALL EXTERNAL PIPING MUST BE INDEPENDENTLY SUPPORTED.
 *ONLY BASE FITTINGS TO BE LEFT INSTALLED AT TIME OF SHIPMENT PER SII PROCEDURE.
 *TANKS ORDERED WITH FOAM INSULATION WILL HAVE AN INCREASED DIAMETER OF 4-6 INCHES.
 *Consult Snyder's Guidelines for Use and Installation prior to delivery.
 Available on-line at <http://www.snyderindustriestanks.com/Technical>
 ALL DIMENSIONS ARE IN INCHES, NOMINAL, & SUBJECT TO CHANGE WITHOUT NOTICE.
 ALL DIMENSIONS ON ROTATIONAL MOLDED PARTS ARE SUBJECT TO A ± 3% TOLERANCE.

DO NOT SCALE
DRAWN BY
STATUS: Released
ET3

© SNYDER INDUSTRIES, LLC, 2019
 ALL DIMENSIONS, DESIGNS, AND INFORMATION ON THIS PRINT MUST BE
 CONSIDERED PROPRIETARY TO SNYDER INDUSTRIES, LLC, AND MAY NOT
 BE USED, COPIED, OR DISTRIBUTED WITHOUT WRITTEN PERMISSION OF AN
 OFFICER (OR HIS AGENT) OF THE FIRM.

SII SNYDER[®]
INDUSTRIES

(402) 467-5221
www.snydernet.com

TITLE: ASM TK 1100CC X 76
 PART NO. 547000N &
 545000N

REVISION A
 SHEET 1 OF 1

ENG. ID.
 A003549

CHEMICAL RESISTANCE RECOMMENDATIONS

Chemical	Concentration	Resin	Design Info	Fitting Material	Gasket Material	Bolt Material
Acetic Acid	60	HDLPE & XLPE	1.5/ASTM	PP/PVC	EPDM	316SS/Hastelloy/Titan.
Acetic Acid	80	HDLPE	1.9/ASTM	PP	EPDM	316SS/Hastelloy/Titan.
Acrylic Emulsions	50	XLPE	1.9/ASTM	PVC	EPDM	316SS
Aluminum Sulfate	50	HDLPE & XLPE	1.5/ASTM	PVC	EPDM	316SS**/Hastelloy/Titan.
Ammonium Sulfate	40	HDLPE & XLPE	1.5/ASTM	PVC	EPDM	316SS**/Hastelloy/Titan.
Calcium Carbonate	Saturated	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	316SS
Calcium Chloride	40	HDLPE & XLPE	1.5/ASTM	PVC	EPDM	316SS**/Hastelloy/Titan.
Citric Acid	Saturated	HDLPE	1.9/ASTM	PVC/PP	EPDM	316SS
DEF (Diesel Exhaust Fluid)	32.5	HDLPE & XLPE	1.35/ASTM	316SS	EPDM	316SS
Deionized Water	Up to 18.3 MΩ	HDLPE & XLPE	1.5/ASTM	PVC	EPDM	316SS
Ethylene Glycol	100	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	316SS
Ferric Chloride	50	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	Hastelloy/Titan.
Ferric Sulfate	60	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	316SS**/Hastelloy/Titan.
Ferrous Chloride	Saturated	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	Hastelloy/Titan.
Ferrous Sulfate	20	HDLPE & XLPE	1.5/ASTM	PVC	EPDM	Hastelloy
Hydrochloric Acid	37	HDLPE	1.9/ASTM	PVC	Viton	Hastelloy
Hydrofluoric Acid	48	HDLPE	1.9/ASTM	PP/PVC	Viton	Hastelloy
Hydrofluosilicic Acid	26	HDLPE/XLPE*	1.9/ASTM	PP/PVC	Viton	Hastelloy
Hydrogen Peroxide	50	HDLPE	1.9/ASTM	PVC	Viton	316SS/Hastelloy/Titan.
Magnesium Chloride	30	HDLPE & XLPE	1.5/ASTM	PVC	EPDM	316SS**/Hastelloy/Titan.
Motor Oil	100	HDLPE & XLPE	1.9/ASTM	316SS	Viton	316SS
Peracetic Acid	30	HDLPE	1.9/ASTM	316SS	Aflas	316SS
Phosphoric Acid	85	HDLPE	1.9/ASTM	PVC	Viton	316SS
Polyaluminum Chloride		HDLPE & XLPE	1.9/ASTM	PVC	EPDM	Hastelloy
Polymers***		HDLPE or XLPE***	1.5/ASTM	PVC or 316SS	EPDM or Viton***	316SS
Potable Water		HDLPE	1.5/ASTM	PVC	EPDM	316SS
Potassium Carbonate	50	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	316SS
Potassium Hydroxide	Saturated	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	316SS
Propylene Glycol		HDLPE & XLPE	1.9/ASTM	PP/316SS	EPDM	316SS
Sodium Bisulfate		HDLPE	1.9/ASTM	PVC/PP	EPDM	316SS
Sodium Bisulfite		HDLPE	1.9/ASTM	PVC/PP	EPDM	316SS
Sodium Carbonate	30	HDLPE & XLPE	1.5/ASTM	PVC	EPDM	316SS**/Hastelloy/Titan.
Sodium Carbonate	Saturated	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	316SS**/Hastelloy/Titan.
Sodium Hydroxide	50	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	316SS
Sodium Hypochlorite-in (Non-UV)	<16.5	HDLPE	1.9/ASTM	PVC	Viton	Titanium
Sodium Hypochlorite-out (UV)	<16.5	HDLPE #880059	1.9/ASTM	PVC	Viton	Titanium
Sodium Hypochlorite-out (UV)	<16.5	HDLPE Insulated	1.9/ASTM	PVC	Viton	Titanium
Sodium Thiosulfate	40	HDLPE & XLPE	1.9/ASTM	PVC	EPDM	316SS
Sulfuric Acid	98	HDLPE #880046*	1.9/ASTM	CPVC	Viton	Hastelloy
Sulfuric Acid	93	HDLPE #880046*	1.9/ASTM	CPVC	Viton	Hastelloy
Surfactants		XLPE	1.5/ASTM	PVC	EPDM	316SS
Urea Solution	50	HDLPE & XLPE	1.35/ASTM	PP/PVC	EPDM	316SS
Water w/Ozone up to 10 PPM		HDLPE & XLPE	1.5/ASTM	PVC	EPDM	316SS
Zinc Orthophosphate		HDLPE	1.9/ASTM	PP/316SS	EPDM	316SS

Note: Ambient Temperature.

Chart applies to Industrial ASTM designed tanks.

*Chemical may cause tank material to discolor.

** 316SS may pit upon drying. Not recommended for SUMOs.

*** There are a wide variety of polymer chemical compositions. To confirm compatibility, secure an SDS and have it reviewed by Snyder and/or your chemical supplier.

High purity chemical applications are limited to natural tank color or special hot compounded resins.

For chemicals or chemical blends not listed on the above chart, please contact Snyder Industries.



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Thursday, August 29, 2024** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/PwsComponents>Listings.asp?Company=23790&Standard=061&>

NSF/ANSI/CAN 61 Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of Abbreviations used in these Listings. Click here for the definitions of Water Contact Temperatures denoted in these Listings. Products certified to NSF/ANSI/CAN 61 comply with the health effects criteria in NSF/ANSI/CAN 600.

Norwesco, Inc. (<http://www.norwesco.com>)
4365 Steiner Street
St. Bonifacius, MN 55375
United States
800-328-3420
952-446-1945
[Visit this company's website](http://www.norwesco.com) (<http://www.norwesco.com>)

Facility : Hanford, CA

Protective (Barrier) Materials

Trade Designation	Water Contact	Water Contact	Water Contact	Water Material
	Size Restriction	Temp		

Tanks[1]

Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank[2]	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL[2]	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23	PE
Cone Bottom	125 - 10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3210 gal.	CLD 23	PE
Elliptical	200 - 1600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6025 gal.	CLD 23	PE
Inductor Tanks	20 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1100 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23	PE

Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : St. Bonifacius, MN

Protective (Barrier) Materials

Trade Designation	Water Contact Size Restriction	Water Contact Temp	Water Contact Material
Tanks[1]			
Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank[2]	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL[2]	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23	PE
Cone Bottom	125 - 10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3,210 gal.	CLD 23	PE
Elliptical	200 - 1,600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4,035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6,025 gal.	CLD 23	PE
Inductor Tanks	20 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1,050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1,100 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4,200 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5,000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1,250 - 2,400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

Facility : Lancaster, OH

Protective (Barrier) Materials

Trade Designation**Water Contact****Size Restriction****Water****Water****Contact****Contact****Temp****Material****Tanks[1] [2]**

Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL	>= 225 gal.	CLD 23	PE
Cone Bottom	125 -10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3210 gal.	CLD 23	PE
Elliptical	200 - 1600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6025 gal.	CLD 23	PE
Inductor Tanks	20 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1100 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] DL - Domed Lid

[2] Certified tanks are blue, black, green, or white.

Facility : Fairfield, TX**Protective (Barrier) Materials****Trade Designation****Water Contact****Size Restriction****Water****Water****Contact****Contact****Temp****Material****Tanks[1]**

Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank[2]	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL[2]	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23	PE
Cone Bottom	125 -10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3210 gal.	CLD 23	PE
Elliptical	200 - 1600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6025 gal.	CLD 23	PE
Inductor Tanks	15 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1050 gal.	CLD 23	PE

Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1100 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5,000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] Certified Tanks are White, Black, Green, or Blue.

[2] DL - Domed Lid.

Facility : Tooele, UT

Protective (Barrier) Materials

Trade Designation	Water Contact	Water Contact	Water Contact
	Size Restriction	Temp	Material
Tanks[1]			
Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank[2]	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL[2]	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23	PE
Cone Bottom	125 - 10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3210 gal.	CLD 23	PE
Elliptical	200 - 1600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6025 gal.	CLD 23	PE
Inductor Tanks	20 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1100 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

Facility : Washougal, WA

Protective (Barrier) Materials

Trade Designation	Water Contact	Water
	Size Restriction	Contact
		Temp
Tanks[1]		
Applicator Tanks	20 - 500 gal.	CLD 23 PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23 PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23 PE
Bushman-Water Tank	>= 20 gal.	CLD 23 PE
Cistern	>= 500 gal.	CLD 23 PE
Cistern DL[2]	>= 600 gal.	CLD 23 PE
Cistern Sphere	250 - 325 gal.	CLD 23 PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23 PE
Cone Bottom	125 - 10,000 gal.	CLD 23 PE
Drainable Leg	710 - 3210 gal.	CLD 23 PE
Elliptical	200 - 1600 gal.	CLD 23 PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23 PE
Flat Bottom Utility	20 - 500 gal.	CLD 23 PE
Horizontal	35 - 6025 gal.	CLD 23 PE
Inductor Tanks	20 - 80 gal.	CLD 23 PE
Loaf Tanks	50 - 1050 gal.	CLD 23 PE
Mini Bulk	>= 120 gal.	CLD 23 PE
PCO	30 - 300 gal.	CLD 23 PE
Pickup	>= 210 gal.	CLD 23 PE
Specialty Water	525 - 1100 gal.	CLD 23 PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23 PE
Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23 PE
Spot Sprayers	20 - 25 gal.	CLD 23 PE
Tuna Can	5000 gal.	CLD 23 PE
Vertical	20 - 20,000 gal.	CLD 23 PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23 PE
Water Only	20 - 20,000 gal.	CLD 23 PE

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

Number of matching Manufacturers is 1

Number of matching Products is 162

Processing time was 0 seconds

STATEMENT

Issue Date: 06 FEB 2015

At request of: SNYDER INDUSTRIES INC

Product Name(s): HD8660.29

Material Code(s): 5010121

With regard to the compliance status of the ExxonMobil Chemical product referenced above with the regulation(s) identified below the following can be declared:

This product complies with FDA regulation 21 CFR 177.1520 (Olefin polymers), paragraph (c)3.1a, and may be used as articles or components of articles intended for use in contact with food, except for articles used for packing or holding food during cooking, with these additional limitations:

- the finished article may contact food only under Conditions of Use D through G as described in Table 2 of 21 CFR 176.170(c), at temperatures not in excess of 150°F
- the finished article must be at least 2 U.S. gallons (7.6 liters) in volume if in contact with fatty food types III, IV-A, V, VII-A and IX as described in Table 1 of 21 CFR 176.170(c).

This product is produced under conditions of good manufacturing practice as required by 21 CFR 174.5(a) and is of a purity suitable for its intended use in food contact applications as allowed by the regulatory citations identified above. The manufacturer of any food, direct or indirect food additive, or food contact substance or article containing this product has the responsibility to ensure compliance with applicable FDA regulations and to ensure that any finished food contact article is technically suitable for the intended use.

VALIDITY DATE: This document is valid until the next relevant legislative and/or regulatory change with a maximum of one year as of the date of issue of the statement.

Reference Number: 0190170