



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 2

List View

General Information

[Contact](#) [Default Values](#) [Discount](#) [Document Information](#) [Clarification Request](#)

Procurement Folder: 1962413

Procurement Type: Central Master Agreement

Vendor ID:

Legal Name: ECO SOLUTION DISTRIBUTING LLC

Alias/DBA:

Total Bid: \$63,410.80

Response Date:

Response Time:

Responded By User ID:

First Name:

Last Name:

Email:

Phone:

SO Doc Code: CRFQ

SO Dept: 0313

SO Doc ID: DEP2600000042

Published Date: 7/1/26

Close Date: 7/7/26

Close Time: 13:30

Status: Closed

Solicitation Description:

Total of Header Attachments: 2

Total of All Attachments: 2



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Solicitation Response

Proc Folder: 1962413
Solicitation Description: OSR - Caustic Soda - North
Proc Type: Central Master Agreement

Solicitation Closes	Solicitation Response	Version
2026-07-07 13:30	SR 0313 ESR07052600000000086	1

VENDOR
VS0000047341
ECO SOLUTION DISTRIBUTING LLC

Solicitation Number: CRFQ 0313 DEP2600000042
Total Bid: 63410.80000000000291038304567 **Response Date:** 2026-07-06 **Response Time:** 19:13:49
Comments:

FOR INFORMATION CONTACT THE BUYER
Joseph (Josh) E Hager III
(304) 558-2306
joseph.e.hageriii@wv.gov

Vendor
Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	20% Caustic Soda - Region 1	300000.00	LB	0.130100	39030.00

Comm Code	Manufacturer	Specification	Model #
12352316			

Commodity Line Comments:

Extended Description:

20% Caustic Soda - Region 1

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	20% Caustic Soda - Region 2	90000.000	LB	0.159900	14391.00

Comm Code	Manufacturer	Specification	Model #
12352316			

Commodity Line Comments:

Extended Description:

20% Caustic Soda - Region 2

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	25% Caustic Soda - Region 1	25000.000	LB	0.146900	3672.50

Comm Code	Manufacturer	Specification	Model #
12352316			

Commodity Line Comments:

Extended Description:

25% Caustic Soda - Region 1

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	25% Caustic Soda - Region 2	25000.000	LB	0.175300	4382.50

Comm Code	Manufacturer	Specification	Model #
12352316			

Commodity Line Comments:

Extended Description:

25% Caustic Soda - Region 2

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	50% Caustic Soda - Region 1	4000.0000	LB	0.230500	922.00

Comm Code	Manufacturer	Specification	Model #
12352316			

Commodity Line Comments:

Extended Description:

50% Caustic Soda - Region 1

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	50% Caustic Soda - Region 2	4000.0000	LB	0.253200	1012.80

Comm Code	Manufacturer	Specification	Model #
12352316			

Commodity Line Comments:

Extended Description:

50% Caustic Soda - Region 2



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote
Chemicals

Proc Folder: 1962413

Doc Description: OSR - Caustic Soda - North

Reason for Modification:

Addendum #1 is issued to publish agency responses to vendor submitted questions.

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2026-07-01	2026-07-07 13:30	CRFQ 0313 DEP2600000042	2

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code:

Vendor Name : *Eco Solution Distributing Inc*

Address : *2275 Swallow Hill Road*
Street : *Building 1100*
City : *Pittsburgh PA 15220*

State : *PA* Country : *USA* Zip : *15220*

Principal Contact : *CHARLES HERZING*

Vendor Contact Phone: *412-889-2561* Extension:

FOR INFORMATION CONTACT THE BUYER

Joseph (Josh) E Hager III
(304) 558-2306
joseph.e.hageriii@wv.gov

Vendor

Signature X *Charles Herzing*

FEIN# *465104419*

DATE *7-6-2026*

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Department of Environmental Protection, Office of Special Reclamation (WVDEP-OSR) Philippi office to supply, transport and deliver Caustic Soda (Sodium Hydroxide) per the attached specifications and terms and conditions.

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 47 SCHOOL ST, STE 301 PHILIPPI WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	20% Caustic Soda - Region 1	300000.00000	LB	\$0.1301	\$ 39,030.00

Comm Code	Manufacturer	Specification	Model #
12352316			

Extended Description:
20% Caustic Soda - Region 1

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 47 SCHOOL ST, STE 301 PHILIPPI WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	20% Caustic Soda - Region 2	90000.00000	LB	\$0.1599	\$14,391.00

Comm Code	Manufacturer	Specification	Model #
12352316			

Extended Description:
20% Caustic Soda - Region 2

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 47 SCHOOL ST, STE 301 PHILIPPI WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	25% Caustic Soda - Region 1	25000.00000	LB	\$0.1469	\$3672.50

Comm Code	Manufacturer	Specification	Model #
12352316			

Extended Description:
25% Caustic Soda - Region 1

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 47 SCHOOL ST, STE 301 PHILIPPI WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	25% Caustic Soda - Region 2	25000.00000	LB	\$0.1753	\$4382.50

Comm Code	Manufacturer	Specification	Model #
12352316			

Extended Description:
25% Caustic Soda - Region 2

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 47 SCHOOL ST, STE 301 PHILIPPI WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	50% Caustic Soda - Region 1	4000.00000	LB	\$ 0.2305	\$922.00

Comm Code	Manufacturer	Specification	Model #
12352316			

Extended Description:
50% Caustic Soda - Region 1

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 47 SCHOOL ST, STE 301 PHILIPPI WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
6	50% Caustic Soda - Region 2	4000.00000	LB	\$0.2532	\$1013.00

Comm Code	Manufacturer	Specification	Model #
12352316			

Extended Description:
50% Caustic Soda - Region 2

SCHEDULE OF EVENTS		
<u>Line</u>	<u>Event</u>	<u>Event Date</u>

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| ☒ Addendum No. 1 | ☐ Addendum No. 6 |
| ☐ Addendum No. 2 | ☐ Addendum No. 7 |
| ☐ Addendum No. 3 | ☐ Addendum No. 8 |
| ☐ Addendum No. 4 | ☐ Addendum No. 9 |
| ☐ Addendum No. 5 | ☐ Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

EcoSolution Distributing Inc
Company

Charles Skyles
Authorized Signature

7-5-2016
Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) Charles Herzog - Municipal Rep
(Address) 2275 Swallow Hill Rd Bldg 1100 Pittsburgh PA 15220
(Phone Number) / (Fax Number) 412-889-2561 / 724-918-9870
(email address) cherzog@ecosolutiondistributing.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through WV OASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

Eco Solution Distributing LLC
(Company)
Charles Herzog
(Signature of Authorized Representative)
Charles Herzog - Municipal Representative
(Printed Name and Title of Authorized Representative) (Date)
412-889-2561 / 724-918-9870
(Phone Number) (Fax Number)
cherzog@ecosolutiondistributing.com
(Email Address)

REQUEST FOR QUOTATION
OSR - Caustic Soda North
Open End Contract

- 8.4 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: CHRIS HOWE

Telephone Number: 412-215-2698

Fax Number: 724-918-9870

Email Address: chowe@ecosolutiondistributing.com

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

Olin Corporation (OCAP) encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sodium Hydroxide Solution 30 - 54%

Manufacturer or supplier's details

Company name of supplier : Olin Corporation (OCAP)
Address : 190 Carondelet Plaza, Suite 1530
Clayton MO 63105
Telephone : (423) 336-4850
E-mail address : INFO@OLIN.COM
24-Hour Emergency Contact : +1 800 424 9300
Local Emergency Contact : +52 5511 678 215

Recommended use of the chemical and restrictions on use

Identified uses : Pulp and paper industry (pulping and bleaching, de-inking waste paper, water treatment).
Textile industry (fiber processing and dyeing).
Soaps and detergents industry (saponification of fats and oils, anionic surfactant manufacturing).
Bleach manufacturing.
Petroleum exploration and processing.
Aluminum production.
Chemical processing.
Waste neutralization.
Acid gas scrubbing.
Neutralizing of acids and acid gases.

Recommended use : For industrial use.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Corrosive to metals : Category 1

Acute toxicity (Oral) : Category 4

Skin corrosion : **Sub-category 1B**

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance
Substance name : Sodium Hydroxide Solution 30 - 54%

CAS-No. : 1310-73-2

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium hydroxide	1310-73-2	>= 30 -<= 54
Water	7732-18-5	>= 46 -<= 70

SECTION 4. FIRST AID MEASURES

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

-
- | | | |
|---|---|--|
| If inhaled | : | Move person to fresh air; if effects occur, consult a physician. |
| In case of skin contact | : | <p>Immediate continued and thorough washing in flowing water for at least 30 minutes is imperative while removing contaminated clothing. Prompt medical consultation is essential. Wash clothing before reuse. Properly dispose of leather items such as shoes, belts, and watchbands.</p> <p>Suitable emergency safety shower facility should be immediately available.</p> |
| In case of eye contact | : | <p>- Wash eyes with plenty of water for 15 minutes at least. Do not forget to remove contact lenses.</p> <p>Washing with water is the only acceptable method of removal of caustic soda (lye) from the eyes and skin. You may have 10 seconds or less to avoid serious permanent injury.</p> <p>Suitable emergency eye wash facility should be immediately available.</p> |
| If swallowed | : | Do not induce vomiting. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Do not give anything by mouth unless the person is fully conscious. |
| Most important symptoms and effects, both acute and delayed | : | Aside from the information found under Description of first aid measures (above), any additional important symptoms and effects are described in Section 11: Toxicology Information. |
| Protection of first-aiders | : | <p>First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).</p> <p>If potential for exposure exists refer to Section 8 for specific personal protective equipment.</p> |
| Notes to physician | : | <p>Eye irrigation may be necessary for an extended period of time to remove as much caustic as possible. Duration of irrigation and treatment is at the discretion of medical personnel. Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done.</p> <p>If burn is present, treat as any thermal burn, after decontamination.</p> <p>No specific antidote.</p> <p>Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.</p> |
-

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|---------------------------------------|---|--|
| Suitable extinguishing media | : | This material does not burn. If exposed to fire from another source, use suitable extinguishing agent for that fire. |
| Unsuitable extinguishing media | : | Do not use water. |
| Specific hazards during fire-fighting | : | <p>Product reacts with water. Reaction may produce heat and/or gases.</p> <p>This reaction may be violent.</p> <p>Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.</p> |
| Hazardous combustion products | : | Not applicable |

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

- Specific extinguishing methods : Keep people away. Isolate fire and deny unnecessary entry. Water is not recommended, but may be applied in large quantities as a fine spray when other extinguishing agents are not available.
This material does not burn. Fight fire for other material that is burning.
- Special protective equipment for firefighters : Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves).
Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location.
For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate area.
Only trained and properly protected personnel must be involved in clean-up operations.
Refer to section 7, Handling, for additional precautionary measures.
Keep upwind of spill.
Ventilate area of leak or spill.
See Section 10 for more specific information.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
Keep away from sources of ignition.
- Environmental precautions : Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Contain spilled material if possible.
Small spills:
Dilute with water.
Large spills:
Dike area to contain spill.
Collect in suitable and properly labeled containers.
Attempt to neutralize by adding materials such as Acetic acid
See Section 13, Disposal Considerations, for additional information.
-

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not get in eyes, on skin, on clothing.
Do not swallow.
Avoid breathing mist.
Wash thoroughly after handling.
Keep container closed.

Sodium Hydroxide Solution 30 - 54%

Version 5.0 Revision Date: 19.04.2023 SDS Number: 10000001221 Date of last issue: 24.05.2021
Date of first issue: 19.04.2023

Use with adequate ventilation.
ALWAYS add caustic soda solution to water with constant agitation. NEVER add water to the caustic soda solution.
2. The water should be lukewarm (27-38°C or 80-100°F). NEVER start with hot or cold water. The addition of caustic soda to liquid will cause a rise in temperature. If caustic soda becomes concentrated in one area, is added too rapidly, or is added to hot or cold liquid, a rapid temperature increase can result in DANGEROUS mists, boiling or spattering which may cause an immediate VIOLENT ERUPTION.
See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Conditions for safe storage : Keep container closed.
Do not store in:
Zinc.
Aluminum.
Brass.
Tin.
See Section 10 for more specific information.

Recommended storage temperature : > 16 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2	VLE-P	2 mg/m ³	NOM-010-STPS-2014
		C	2 mg/m ³	ACGIH

Engineering measures : Use engineering controls to maintain airborne level below exposure limit requirements or guidelines.
If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation.
Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines.
If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.
In misty atmospheres, use an approved particulate respirator.

Filter type : The following should be effective types of air-purifying respirators: Particulate filter.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene.

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). Styrene/butadiene rubber. Viton. Avoid gloves made of: Polyvinyl alcohol ("PVA"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Use chemical goggles.

Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid above freezing point

Colour : Colorless

Odour : Odorless

Odour Threshold : No test data available

pH : 14
Method: Literature

Pour point :
Softening point :
Boiling point/boiling range : Method: ASTM D1120

Flash point : Method: Literature
None

Evaporation rate : No test data available

Flammability (solid, gas) : No

Upper explosion limit / Upper flammability limit : Not applicable

Lower explosion limit / Lower flammability limit : Not applicable

Vapour pressure : 23.67 mmHg (25 °C)
Method: Literature

Relative vapour density : Not applicable

Relative density : 1.353 - 1.528 (20 °C)
Method: Literature

Solubility(ies)
Water solubility : completely miscible

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

Partition coefficient: n-octanol/water	:	No data available.
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No test data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Method: No information available.
Explosive properties	:	No
Oxidizing properties	:	No
Molecular weight	:	No test data available

Note: These are the Reference Points for these Physical Properties listed above, unless otherwise noted in their respective Physical Property value information: Boiling Point at 760 mmHg; Evaporation Rate Butyl Acetate = 1; Relative Vapor Density Air = 1; and Relative Density Water = 1.

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No data available
Chemical stability	:	Stable under recommended storage conditions. See Storage, Section 7.
Possibility of hazardous reactions	:	Polymerization will not occur.
Conditions to avoid	:	Avoid moisture. Product absorbs carbon dioxide from the air.
Incompatible materials	:	Heat is generated when mixed with water. Spattering and boiling can occur. Caustic soda solution reacts readily with various reducing sugars (i.e. fructose, galactose, maltose, dry whey solids) to produce CO. Take precautions including monitoring the tank atmosphere for CO to ensure safety of personnel before vessel entry. Avoid contact with: Acids. Glycols. Halogenated organics. Organic nitro compounds. Flammable hydrogen may be generated from contact with metals such as: Zinc. Aluminum. Tin. Brass.
Hazardous decomposition products	:	Does not decompose.

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

- Acute oral toxicity : Remarks: Moderate toxicity if swallowed.
Swallowing may result in burns of the mouth and throat.
Swallowing may result in gastrointestinal irritation or ulceration.

Remarks: Single dose oral LD50 has not been determined.
- Acute inhalation toxicity : Remarks: Mist may cause severe irritation of upper respiratory tract
(nose and throat).

Remarks: As product:
The LC50 has not been determined.
- Acute dermal toxicity : Remarks: Prolonged skin contact is unlikely to result in absorption
of harmful amounts.

Remarks: The dermal LD50 has not been determined.

Components:**Sodium hydroxide:**

- Acute oral toxicity : LD50 (Rabbit): 336 mg/kg
Method: Estimated.
- Acute inhalation toxicity : Remarks: The LC50 has not been determined.
- Acute dermal toxicity : Remarks: The dermal LD50 has not been determined.

Skin corrosion/irritation

Product:

- Result : Causes burns.
- Remarks : Brief contact may cause skin burns. Symptoms may include pain,
severe local redness and tissue damage.

Components:**Sodium hydroxide:**

- Result : Causes severe burns.
- Remarks : Brief contact may cause severe skin burns. Symptoms may include
pain, severe local redness and tissue damage.

Serious eye damage/eye irritation

Product:

- Remarks : Due to the pH of the material, it is assumed that exposure
may cause severe irritation with corneal injury which may re-
sult in permanent impairment of vision, even blindness.

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

Mist may cause eye irritation.

Components:**Sodium hydroxide:**

Result	:	Corrosive
Remarks	:	May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur. Dust may irritate eyes.

Respiratory or skin sensitisation**Product:**

Remarks	:	For skin sensitization: No relevant data found.
---------	---	--

Remarks	:	For respiratory sensitization: No relevant data found.
---------	---	---

Components:**Sodium hydroxide:**

Assessment	:	Does not cause skin sensitisation.
Remarks	:	Did not cause allergic skin reactions when tested in humans.

Remarks	:	For respiratory sensitization: No relevant data found.
---------	---	---

Germ cell mutagenicity**Product:**

Genotoxicity in vitro	:	Remarks: For the major component(s): In vitro genetic toxicity studies were negative.
-----------------------	---	--

Components:**Sodium hydroxide:**

Genotoxicity in vitro	:	Remarks: In vitro genetic toxicity studies were negative.
-----------------------	---	---

Carcinogenicity**Product:**

Remarks	:	No relevant data found.
---------	---	-------------------------

Components:**Sodium hydroxide:**

Remarks	:	No relevant data found.
---------	---	-------------------------

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

Reproductive toxicity**Product:**

Effects on fertility : Remarks: No relevant data found.

Effects on foetal development : Remarks: No relevant data found.

Components:**Sodium hydroxide:**

Effects on fertility : Remarks: No relevant data found.

Effects on foetal development : Remarks: No relevant data found.

STOT - single exposure**Product:**

Assessment : Material is corrosive. Material is not classified as a respiratory irritant; however, upper respiratory tract irritation or corrosivity may be expected.

Components:**Sodium hydroxide:**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

Repeated dose toxicity**Product:**

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Components:**Sodium hydroxide:**

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Aspiration toxicity**Product:**

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

Components:**Sodium hydroxide:**

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Sodium hydroxide:**

Toxicity to fish : Remarks: May increase pH of aquatic systems to > pH 10 which may be toxic to aquatic organisms.

Persistence and degradability**Components:****Sodium hydroxide:**

Biodegradability : Remarks: Biodegradability is not applicable to inorganic substances.

Bioaccumulative potential**Components:****Sodium hydroxide:**

Partition coefficient: n-octanol/water : Remarks: No bioconcentration is expected because of the relatively high water solubility.

Mobility in soil**Components:****Sodium hydroxide:**

Distribution among environmental compartments : Koc: 14
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Other adverse effects**Components:****Sodium hydroxide:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL.

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information.

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations.

Regulations may vary in different locations.

Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

Empty containers should be recycled or otherwise disposed of by an approved waste management facility. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. Do not re-use containers for any purpose.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 1824
Proper shipping name	: SODIUM HYDROXIDE SOLUTION
Class	: 8
Packing group	: II
Labels	: 8

IATA-DGR

UN/ID No.	: UN 1824
Proper shipping name	: Sodium hydroxide solution
Class	: 8
Packing group	: II
Labels	: Corrosive
Packing instruction (cargo aircraft)	: 855
Packing instruction (passenger aircraft)	: 851

IMDG-Code

UN number	: UN 1824
Proper shipping name	: SODIUM HYDROXIDE SOLUTION
Class	: 8
Packing group	: II
Labels	: 8
EmS Code	: F-A, S-B
Marine pollutant	: no
Remarks	: Stowage category AAlkalis

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NOM-002-SCT

UN number	: UN 1824
Proper shipping name	: SODIUM HYDROXIDE SOLUTION

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

Class	:	8
Packing group	:	II
Labels	:	8

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

The components of this product are reported in the following inventories:


TCSI	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.
TSCA	:	All substances listed as active on the TSCA Inventory or are not required to be listed.
AIIC	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.
DSL	:	All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.
ENCS	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.
ISHL	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.
KECI	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.
PICCS	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.
IECSC	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.
NZIoC	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.
CH INV	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.
TECI	:	All intentional components are listed on the inventory, are exempt, or are supplier certified.

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

SECTION 16. OTHER INFORMATION

Revision Date : 19.04.2023
Date format : mm/dd/yyyy

Further information**NFPA 704:****Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / C : Ceiling limit
NOM-010-STPS-2014 / VLE- : Ceiling value
P

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

Sodium Hydroxide Solution 30 - 54%

Version	Revision Date:	SDS Number:	Date of last issue: 24.05.2021
5.0	19.04.2023	10000001221	Date of first issue: 19.04.2023

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Olin Corporation (OCAP) urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

MX / EN