



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header @ 1

List View

General Information [Contact](#) [Default Values](#) [Discount](#) [Document Information](#) [Clarification Request](#)

Procurement Folder: 1813976

Procurement Type: Central Purchase Order

Vendor ID: VS0000046860

Legal Name: Iki LED Lighting

Alias/DBA: IKIO

Total Bid: \$12,800.48

Response Date: 11/11/2025

Response Time: 1:33

Responded By User ID: 1kiio

First Name: Inder

Last Name: Singh

Email: isingh@ikiuledlighting.com

Phone: 3177374287

SO Doc Code: CRFQ

SO Dept: 0403

SO Doc ID: DBS2600000003

Published Date: 10/31/25

Close Date: 11/13/25

Close Time: 13:30

Status: Closed

Solicitation Description: LIGHT FIXTURES

Total of Header Attachments: 1

Total of All Attachments: 1



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Solicitation Response

Proc Folder: 1813976		
Solicitation Description: LIGHT FIXTURES		
Proc Type: Central Purchase Order		
Solicitation Closes	Solicitation Response	Version
2025-11-13 13:30	SR 0403 ESR11102500000003054	1

VENDOR
VS0000046860 Ikio LED Lighting

Solicitation Number:	CRFQ 0403 DBS2600000003		
Total Bid:	12800.47999999999956344254314	Response Date:	2025-11-11
		Response Time:	01:33:21
Comments:			

FOR INFORMATION CONTACT THE BUYER James W Atkins (304) 558-0094 james.w.atkins@wv.gov		
Vendor Signature X	FEIN#	DATE

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	2X4 STANDARD PANEL	160.00000	EA	37.980000	6076.80

Comm Code	Manufacturer	Specification	Model #
39111500			

Commodity Line Comments: VISIOLIT BACKLIT PANEL (2'X4') - 120-277V, 30W-40W-50W, 3776.7LM-5000LM-6371LM, 3500K-4000K-5000K

Extended Description:
2X4 STANDARD PANEL

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	2X4 PANEL WITH EMERGENCY	8.00000	EA	157.980000	1263.84

Comm Code	Manufacturer	Specification	Model #
39111500			

Commodity Line Comments: VISIOLIT BACKLIT PANEL (2'X4') - 120-277V, 30W-40W-50W, 3776.7LM-5000LM-6371LM, 3500K-4000K-5000K W/ EMERGENCY BATTERY BACKUP

Extended Description:
2X4 PANEL WITH EMERGENCY

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	2X2 STANDARD PANEL	8.00000	EA	27.070000	216.56

Comm Code	Manufacturer	Specification	Model #
39111500			

Commodity Line Comments: VISIOLIT BACK - LIT PANEL LIGHT - 2'X2', 120-277V, 20W-30W-40W, 2517.8LM-3776.7LM-5000LM, 3500K-4000K-5000K

Extended Description:
2X2 STANDARD PANEL

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	2X2 PANEL WITH EMERGENCY	4.00000	EA	147.070000	588.28

Comm Code	Manufacturer	Specification	Model #
39111500			

Commodity Line Comments: VISIOLIT BACK - LIT PANEL LIGHT - 2'X2', 120-277V, 20W-30W-40W, 2517.8LM-3776.7LM-5000LM, 3500K-4000K-5000K W/ EMERGENCY BATTERY BACKUP

Extended Description:
2X2 PANEL WITH EMERGENCY

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	6X4 PANEL	35.00000	EA	133.000000	4655.00

Comm Code	Manufacturer	Specification	Model #
39111500			

Commodity Line Comments: ARCHITECTURAL SLIM LINEAR LIGHT - 4'X6", 110-277V, 20W-30W-40W, 1900LM-2850LM-3800LM, 3000K-3500K-4000K

Extended Description:
6X4 PANEL



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote
Miscellaneous

Proc Folder: 1813976			Reason for Modification: Addendum No. 1 Vendor questions and Responses
Doc Description: LIGHT FIXTURES			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2025-10-31	2025-11-13 13:30	CRFQ 0403 DBS2600000003	2

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code:
Vendor Name : IKIO LED LIGHTING LLC
Address : 8470 Allison Pointe Blvd, Suite 128 Indianapolis, IN 46250
Street : 8470 Allison Pointe Blvd, Suite 128
City : Indianapolis
State : Indiana **Country :** United States **Zip :** 46250
Principal Contact : Inderpreet Singh
Vendor Contact Phone: 317-737-4287 **Extension:** +1

FOR INFORMATION CONTACT THE BUYER

James W Atkins
(304) 558-0094
james.w.atkins@wv.gov

Vendor Signature X	46-4700072 FEIN#	11.11.2025 DATE
-----------------------	---------------------	--------------------

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION
ADDENDUM NO. 1
Addendum No. 1 issued to publish and distribute the attached information to the Vendor Community
The West Virginia Purchasing Division is soliciting bids on behalf of The West Virginia Schools for the Deaf and the Blind (WVSDB) to establish a contract for the one-time purchase of various light fixtures and supplies per the attached specifications and terms and conditions.

INVOICE TO		SHIP TO	
SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST		SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST	
ROMNEY US	WV	ROMNEY US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	2X4 STANDARD PANEL	160.00000	EA	\$37.98	\$6,076.80

Comm Code	Manufacturer	Specification	Model #
39111500	IKIO	Attached	IK-BL24-30W/40W/50W-35/40/50K

Extended Description:
2X4 STANDARD PANEL

INVOICE TO		SHIP TO	
SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST		SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST	
ROMNEY US	WV	ROMNEY US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	2X4 PANEL WITH EMERGENCY	8.00000	EA	\$157.98	\$1,263.84

Comm Code	Manufacturer	Specification	Model #
39111500	IKIO	Attached	IK-BL24-30W/40W/50W-35/40/50K-EM

Extended Description:
2X4 PANEL WITH EMERGENCY

INVOICE TO		SHIP TO	
SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST		SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST	
ROMNEY US	WV	ROMNEY US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	2X2 STANDARD PANEL	8.00000	EA	\$27.07	\$216.56

Comm Code	Manufacturer	Specification	Model #
39111500	IKIO	Attached	IK-BL22-20W/30W/40W-35/40/50K

Extended Description:
2X2 STANDARD PANEL

INVOICE TO		SHIP TO	
SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST		SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST	
ROMNEY US	WV	ROMNEY US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	2X2 PANEL WITH EMERGENCY	4.00000	EA	\$147.07	\$588.28

Comm Code	Manufacturer	Specification	Model #
39111500	IKIO	Attached	IK-BL22-20W/30W/40W-35/40/50K-EM

Extended Description:
2X2 PANEL WITH EMERGENCY

INVOICE TO				SHIP TO			
SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST				SCHOOL FOR THE DEAF & BLIND 301 EAST MAIN ST			
ROMNEY		WV		ROMNEY		WV	
US				US			

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	6X4 PANEL	35.00000	EA	\$133.00	\$4,655.00

Comm Code	Manufacturer	Specification	Model #
39111500	IKIO	Attached	IK-ASLL-6IN-4FT-40W-3CCT-SM

Extended Description:
6X4 PANEL

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Questions due by 2:30pm EST	2025-10-30

SOLICITATION NUMBER: CRFQ DBS26*03

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as (“Solicitation”) to reflect the change(s) identified and described below.

Applicable Addendum Category:

- ☐ Modify bid opening date and time
- ☐ Modify specifications of product or service being sought
- ☒ Attachment of vendor questions and responses
- ☐ Attachment of pre-bid sign-in sheet
- ☐ Correction of error
- ☐ Other

Description of Modification to Solicitation:

1. Vendor questions and Responses

No other changes

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Vendor Questions

CRFQ DBS26*03

Q1. What are the lumens you're looking for?

A: Please see 3.1.1, 3.1.2, 3.1.3, 3.1.4, and 3.1.5 of the specifications.

Q2. The color of the lighting?

A: Please see 3.1.1, 3.1.2, 3.1.3, 3.1.4, and 3.1.5 of the specifications.

Q3. The wattage?

A: Please see 3.1.1, 3.1.2, 3.1.3, 3.1.4, and 3.1.5 of the specifications.

Q4. Specific part No #

A: Please see 3.1.1, 3.1.2, 3.1.3, 3.1.4, and 3.1.5 of the specifications.

Q5. Do you have more specifics than the general descriptions of all the line items on CRFQ-0403-DBS2600000003-1? Wattage? Color? etc.

A: Please see 3.1.1, 3.1.2, 3.1.3, 3.1.4, and 3.1.5 of the specifications.

Q6. Specification Line # 5, Is 6X4 correct? There is no fixture like that

A: Please see 3.1.5 of the specifications.

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ DBS26*03

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

☒ Addendum No. 1	☐ Addendum No. 6
☐ Addendum No. 2	☐ Addendum No. 7
☐ Addendum No. 3	☐ Addendum No. 8
☐ Addendum No. 4	☐ Addendum No. 9
☐ Addendum No. 5	☐ Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

IKIO LED LIGHTING LLC

Company



Authorized Signature

11.11.2025

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) Inderpreet Singh

(Address) 8470 Allison Pointe Blvd, Suite 128 Indianapolis, IN 46250


(Phone Number) / (Fax Number) +1 317-737-4287 / NIL

(email address) isingh@ikioledlighting.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

IKIO LED LIGHTING LLC

(Company) 

(Signature of Authorized Representative)

Inderpreet Singh -Business Deveopment Manager

(Printed Name and Title of Authorized Representative) (Date)

+1 317-737-4287 / NIL

(Phone Number) (Fax Number)

isingh@ikioledlighting.com

(Email Address)

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| ☒ Addendum No. 1 | ☐ Addendum No. 6 |
| ☐ Addendum No. 2 | ☐ Addendum No. 7 |
| ☐ Addendum No. 3 | ☐ Addendum No. 8 |
| ☐ Addendum No. 4 | ☐ Addendum No. 9 |
| ☐ Addendum No. 5 | ☐ Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

IKIO LED LIGHTING LLC

Company



Authorized Signature

11.11.2025

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

REQUEST FOR QUOTATION
Various Light Fixtures and Supplies

8. MISCELLANEOUS:

8.1 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: Inderpreet Singh

Telephone Number: +1 317-737-4287

Email Address: isingh@ikioledlighting.com



ITEM SKU#: 662187512624

Visiolit

Back-Lit Panel Light (2'x4')

COMMERCIAL LIGHTING | PANEL LIGHTS

FEATURES

- CCT selectable (3500K-4000K-5000K) for adaptable color temperature control.
- High efficacy lighting and uniform backlit design supports energy-efficient operation and uniform brightness.
- Wide beam angle ensures even light distribution across standard ceiling grids.
- 0–10V dimming capability enables flexible brightness adjustment via control systems.
- Supports DC sensor integration for lighting automation and zoning control.
- Compatible with emergency battery backup systems for critical applications

APPLICATION AREAS

Offices, Conference Rooms, Educational Facilities, Retail Stores, Healthcare Clinics, Corridors, Commercial Interiors

PRODUCT DETAILS

ELECTRICAL

Max Power	48.9W
Voltage	120-277V
Current	0.12A-0.16A-0.20A
Power Factor	0.97
Total Harmonic Distortion (THD)	13.10%

LIGHTING PERFORMANCE

Lumens	3776.7lm-5000lm-6371lm
Efficacy	125lm/W
Color Temperature (Selectable)	3500K-4000K-5000K
Color Rendering Index (CRI)	82
R9 (Red Value)	12
R13 (Skin Tones)	81
Beam Angle	115°
Dimmable Lighting Control	0-10V Dimming

Note:

*Mentioned lumen output is calculated as such: 3776.7lm at 30W, 5000lm at 40W, 6371lm at 48.9W.



ENVIRONMENT

Operating Temperature	-4°F ~ +122°F
Suitable Location	DAMP

LIFESPAN

Average Life (Hours)	50,000
Warranty (Years)	5

COMPONENTS

LED Light Source	SEOUL STW8A2SD-D2-RNP 2835
Driver	Simon

CONSTRUCTION

Housing	Steel Sheet And Extruded Aluminum
Cover Material	Polystyrene
Diffuser	Frosted
Power Supply	Hard Wired
Finish	White

PART NUMBER & QUALIFICATIONS


Ordering Part Number	IK-BL24-30W/40W/50W-35/40/50K
Qualified Part Number	IK-BL24-30W/40W/50W-35/40/50K
SKU Number	662187512624



Not all product variations listed on this page are DLC qualified. Visit <https://www.designlights.org/qpl> to confirm qualification.

DIMENSIONS AND WEIGHT

Length (Inches)	47.8"
Width (Inches)	23.7"
Height (Inches)	1.5"
Net Weight (lbs)	4.9



PACKAGING

Box Dimensions (Inches)	49.33" x 5.98" x 25.62"
Box Weight (lbs)	41.89
Quantity Per Box	4

SUPPORTING DOCUMENTS

DOCUMENTS	DOCUMENT LINK
Product Sheet	View / Download
IES Files	View / Download
LM79 Report	View / Download
LM80 Report	View / Download
Installation Instructions	View / Download

ORDERING INFORMATION

SKU NUMBER	DESCRIPTION	QUANTITY/BOX
662187512624	VISIOLIT BLPL 2'X4' : 48.9 W / 3750-5000-6250LM / 35-40-50K / 120-277V / WHITE	4

ACCESSORIES

SOLD SEPARATELY

SKU NUMBER	PRODUCT CODE	DESCRIPTION	DOCUMENT LINK
662187513331	YH34A-08WL-50	EMERGENCY LED DRIVER	View / Download
662187482668	IK-ACC-S-IFS06R	BI-LEVEL MICROWAVE MOTION SENSOR	View / Download
662187513348	IK-ACC-R-RM51	SENSOR REMOTE CONTROLLER	View / Download
662187558295	IK-FP24-SMT KIT	SURFACE MOUNT KIT 2'X4'	View / Download
662187481838	IK-ACC-24-FLMK	2'X4' FLANGE/DRYWALL MOUNT KIT	View / Download

ITEM SKU#: 662187512617

Visiolit

Back-Lit Panel Light (2'x2')

COMMERCIAL LIGHTING | PANEL LIGHTS

FEATURES

- CCT selectable (3500K-4000K-5000K) for adaptable color temperature control.
- High efficacy lighting and uniform backlit design supports energy-efficient operation and uniform brightness.
- Wide beam angle ensures even light distribution across standard ceiling grids.
- 0–10V dimming capability enables flexible brightness adjustment via control systems.
- Supports DC sensor integration for lighting automation and zoning control.
- Compatible with emergency battery backup systems for critical applications

APPLICATION AREAS

Offices, Conference Rooms, Educational Facilities, Retail Stores,
Healthcare Clinics, Corridors, Commercial Interiors

PRODUCT DETAILS

ELECTRICAL


Max Power	39.32W
Voltage	120-277V
Current	0.08A-0.12A-0.16A
Power Factor	0.97
Total Harmonic Distortion (THD)	11.40%

LIGHTING PERFORMANCE

Lumens	2517.8lm-3776.7lm-5000lm
Efficacy	125lm/W
Color Temperature (Selectable)	3500K-4000K-5000K
Color Rendering Index (CRI)	82
R13 (Skin Tones)	80
Beam Angle	115°
Dimmable Lighting Control	Continuous Dimming to 10% or below

Note:

*Mentioned lumen output is calculated as such: 2517.8lm at 20W, 3776.7lm at 30W, 5000lm at 39.32W.



ENVIRONMENT

Operating Temperature	-4°F ~ +122°F
Suitable Location	DAMP

LIFESPAN

Average Life (Hours)	50,000
Warranty (Years)	5

COMPONENTS

LED Light Source	SEOUL STW8A2SD-D3 2835
Driver	Simon

CONSTRUCTION

Housing	Steel Sheet And Extruded Aluminum
Cover Material	Polystyrene
Diffuser	Frosted
Power Supply	Hard Wired
Finish	White

PART NUMBER & QUALIFICATIONS

Ordering Part Number	IK-BL22-20W/30W/40W-35/40/50K
Qualified Part Number	IK-BL22-20W/30W/40W-35/40/50K
SKU Number	662187512617




Not all product variations listed on this page are DLC qualified. Visit <https://www.designlights.org/qpl> to confirm qualification.

DIMENSIONS AND WEIGHT

Length (Inches)	23.7"
Width (Inches)	23.7"
Height (Inches)	1.5"
Net Weight (lbs)	4.2

PACKAGING

Box Dimensions (Inches)	25.31" x 5.98" x 25.62"
Box Weight (lbs)	23.21
Quantity Per Box	4



SUPPORTING DOCUMENTS

DOCUMENTS	DOCUMENT LINK
Product Sheet	View / Download
IES Files	View / Download
LM79 Report	View / Download
LM80 Report	View / Download
Installation Instructions	View / Download

ORDERING INFORMATION

SKU NUMBER	DESCRIPTION	QUANTITY/BOX
662187512617	VISIOLIT BLPL 2'X2' : 39.32W / 2517.8-3776.7-5000LM / 35-40-50K / 120-277V / WHITE	4

ACCESSORIES

SOLD SEPARATELY

SKU NUMBER	PRODUCT CODE	DESCRIPTION	DOCUMENT LINK
662187513331	YH34A-08WL-50	EMERGENCY LED DRIVER	View / Download
662187482668	IK-ACC-S-IFS06R	BI-LEVEL MICROWAVE MOTION SENSOR	View / Download
662187513348	IK-ACC-R-RM51	SENSOR REMOTE CONTROLLER	View / Download
662187559032	IK-FP22-SMT KIT	SURFACE MOUNT KIT 2'X2'	View / Download
662187485850	IK-ACC-22-FLMK	2X2 FLANGE/DRYWALL MOUNT KIT	View / Download

Architectural Slim Linear Light



Product Description

The IKIO's Architectural Slim Linear Light delivers elegant illumination in a sleek, ultra-thin profile—perfect for modern commercial and institutional environments. Designed for both surface and recessed mounting, it features selectable wattage and CCT options (3000K-3500K-4000K) to meet diverse lighting needs. With high efficacy, built-in driver design, and uniform light output, this fixture enhances interiors such as offices, schools, hospitals, and corridors while maintaining visual comfort and energy efficiency.

Product Features


- Sleek Architectural design ultra-thin, modern profile enhances the aesthetic of any interior space.
- Selectable performance adjustable power and CCT (3000K-3500K-4000K) provide flexibility for diverse lighting needs.
- Versatile mounting compatible with both surface and recessed installations for design adaptability.
- Superior light quality delivers uniform, glare-free illumination that promotes comfort and productivity.
- Energy efficient & reliable integrated driver and high-efficacy LEDs ensure long-lasting, low-maintenance operation.

Application Areas

Offices, Conference Rooms, Educational Institutions, Hospitals, Retail, Commercial Interiors Corridors, Hallways Light Industrial



Dimensions Diagram



Architectural Slim Linear Light



Technical Specifications


Width (IN)	4"		6"	
Length (FT)	2'	4'	2'	4'
Power (Selectable)	20W (Fix)	20W-30W-40W	20W 20W (Fix)	20W-30W-40W
Voltage	110-277V			
Power Factor	>0.9			
Total Harmonic Distortion (THD)	<20%			
Lumens	1600lm	1600lm-2400lm-3200lm	1700lm	1900lm-2850lm-3800lm
Efficacy	80lm/W		85lm/W	95lm/W
Color Temperature (Selectable)	3000K-3500K-4000K			
Color Rendering Index (CRI)	80			
Dimmable Lighting Control	0-10V Dimming			
Suitable Location	DAMP			
Average Life (Hours)	50,000			
Warranty (Years)	5			
Housing	Aluminum			
Diffuser	Frosted			
Lens	Polycarbonate			
Finish	White			

Ordering Information: Typical order example: IK-ASLL-4IN-2FT-20W-3CCT-SM

IK	ASLL	IN	FT	W	3CCT		
BRAND	FAMILY	WIDTH	LENGTH	POWER	CCT SELECTABLE	ACCESSORIES	WARRANTY
IK <i>IKIO</i>	ASLL <i>Architectural Slim Linear Light</i>	☐ 4 <i>for 4"</i>	☐ 2 <i>for 2'</i>	☐ 20 <i>for 20W</i>	☐ 3CCT <i>for 3000K-3500K-4000K (CCT Selectable)</i>	☐ SM <i>for Surface Mounted Kit</i> ☐ SM <i>for Emergency Function</i> ☐ 90 <i>for Recessed -Driver Box</i>	☐ 5Y <i>for 5 Year Warranty</i> ☐ 10Y <i>for 10 Year Warranty</i>
			☐ 4 <i>for 4'</i>	☐ 40 <i>for 20W-30W-40W (Power Selectable)</i>			
		☐ 6 <i>for 6"</i>	☐ 2 <i>for 2'</i>	☐ 20 <i>for 20W</i>			
			☐ 4 <i>for 4'</i>	☐ 40 <i>for 20W-30W-40W (Power Selectable)</i>			

Distribution Diagrams

4" x 4'




Zonal Flux Diagram					
τ	C0	C45	C90	C135	C180
5	1161	1157	1158	1158	1162
10	1144	1142	1149	1143	1145
15	1116	1119	1121	1121	1118
20	1079	1081	1092	1082	1081
25	1034	1040	1046	1039	1035
30	979.6	987.7	999.2	975.3	979.5
35	917.4	926.8	936.4	896.2	915.6
40	848.0	861.8	873.5	814.1	844.4
45	772.4	773.0	796.0	700.0	765.8
50	690.2	658.7	718.5	566.7	681.2
55	603.1	539.1	628.2	454.6	590.0
60	510.9	441.1	537.9	362.9	494.5
65	411.5	356.9	438.3	285.2	393.4
70	309.9	269.0	338.8	209.2	288.9
75	201.6	185.0	240.6	136.6	170.1
80	112.0	107.5	142.4	75.01	50.70
85	25.08	46.18	73.35	29.85	9.004
90	1.375	4.618	4.269	2.435	0.4506

Zonal Lumens	
τ	φ total
0-5	27.77
5-10	110.1
10-15	244.1
15-20	425.3
20-25	647.4
25-30	902.8
30-35	1183
35-40	1477
40-45	1777
45-50	2067
50-55	2338
55-60	2580
60-65	2788
65-70	2955
70-75	3078
75-80	3158
80-85	3198
85-90	3211

Luminance cd/(m2)		
G(DEG)	C0/180	C90/270
85	3986	11657
80	8930	11361
75	10786	12876
70	12551	13720
65	13486	14365
60	14153	14899
55	14562	15169
50	14873	15483
45	15129	15592

6" x 4'



Zonal Flux Diagram					
τ	C0	C45	C90	C135	C180
5	1386	1382	1383	1384	1389
10	1366	1364	1372	1367	1370
15	1333	1336	1338	1341	1339
20	1289	1291	1304	1295	1295
25	1234	1241	1248	1244	1240
30	1170	1178	1192	1180	1174
35	1096	1105	1116	1105	1098
40	1014	1027	1041	1019	1012
45	924.1	926.5	947.5	879.8	918.3
50	826.7	806.0	854.3	720.4	817.1
55	723.2	665.0	745.9	582.6	708.4
60	613.7	540.6	637.4	463.8	594.0
65	496.7	434.4	518.5	363.1	474.2
70	376.5	328.5	399.5	268.3	350.8
75	250.2	223.0	283.5	177.4	214.9
80	135.1	128.5	167.4	99.54	68.68
85	29.57	54.04	85.37	40.78	18.34
90	0.7982	4.035	3.376	2.877	0.4350

Zonal Lumens	
τ	φ total
0-5	33.18
5-10	131.5
10-15	291.7
15-20	508.1
20-25	773.7
25-30	1079
30-35	1415
35-40	1769
40-45	2128
45-50	2478
50-55	2806
55-60	3099
60-65	3351
65-70	3554
70-75	3706
75-80	3804
80-85	3854
85-90	3870

Luminance cd/(m2)		
G(DEG)	C0/180	C90/270
85	2924	8444
80	6708	8309
75	8333	9441
70	9489	10070
65	10132	10576
60	10581	10990
55	10870	11210
50	11087	11458
45	11267	11552



Five Year Limited Warranty

Five Year Limited Warranty- Parts

This document establishes the warranty terms and conditions for products manufactured by IKIO LED Lighting LLC (referred to as 'IKIO'). This limited warranty is provided by IKIO to the original purchaser of the product that is identified on IKIO sales invoice(s). This warranty may be transferred to subsequent purchasers of the Product, provided that such Product is resold in new condition and in its original packaging and shall be evidenced by a proof of purchase. IKIO warrants that the Product, when delivered in new condition and in its original packaging, will be free of defects in material and workmanship for a period of FIVE (5) YEARS from the date of original purchase. This limited warranty covers the entire fixture including LED, driver and fixture housing, subject to the limits set at the time of sale. To make a warranty claim, purchaser must notify IKIO in writing within fifteen (15) days upon the discovery of the defect along with proof of purchase and comply with IKIO warranty requirements. Upon receiving that notice, IKIO may require you to promptly return the Product to IKIO, or its authorized service provider, freight prepaid. IKIO shall determine whether the Product is defective in its sole discretion with consideration given to the overall performance of the Product. IKIO products are warranted against manufacturing defects. However, a Product shall not be considered defective solely on the premise

of defective LED components that emit light, if the number of inoperable light emitting components is less than 8% of the total number of LED components in the Product. If the Product is found determined to be defective by IKIO, it will elect, in its sole discretion, to repair or replace the Product. This limited warranty will not apply to loss or damage to the Product caused by: power surges; improper power supply; electrical current fluctuations; induced vibration; corrosive environment installations; harmonic oscillation or resonance associated with movement of air currents around the Product; alteration; accident; failure to follow installation, operating, maintenance or environmental instructions prescribed by IKIO or applicable electrical codes; or improper service of the Product performed by someone other than IKIO or its authorized service provider; or negligence; abuse; misuse; mishandling; improper installation, storage or maintenance; damage due to acts of God; vandalism; fire; and civil disturbances. Over time, additional labor hours due to local regulations (e.g., fire watch support), installation/start-up, normal control adjustments, general maintenance, glass breakage, freight damage, delayed site entry because of security

or hours of operation and/or correcting an end-user installation error will not be reimbursed under warranty unless pre-approved with authorization from IKIO. This warranty is void if the product is not used for the purpose for which it is designed. IKIO reserves the right to utilize new, reconditioned, refurbished, repaired or re-manufactured products or parts in the warranty repair or replacement process. Such products and parts will be comparable in function and performance to an original product or part, as determined by IKIO in its sole discretion, and warranted for the remainder of the original warranty period. This warranty is effective for purchases of Product on or after the effective date set forth in this document. IKIO reserves the right to modify this warranty from time to time. Any modification of this warranty shall be effective for all orders placed with IKIO on or after the effective date of such revised warranty. The warranty provisions detailed here are exclusive and is in lieu of any and all other warranties whether written or implied. In no event shall IKIO be liable for incidental, consequential, compensatory, indirect or any other damages. IKIO's total liability shall be limited to the purchase price of the defective product.

Warranty Disclaimer :

IKIO has made a diligent effort to provide accurate product descriptions in its technical and advertising literature. However such descriptions are for the sole purpose of identification, and do not express or imply a warranty that the products are merchantable, or fit for a particular purpose, or that the products will necessarily conform to the illustrations or descriptions. The Limited Warranty stated above is the only warranty applicable to the product. All other warranties whether express or implied and including the implied warranties of merchantability and fitness for a particular purpose, are hereby disclaimed. The laws in some jurisdictions, however, do not allow the exclusion of implied warranties. If these laws apply, then all express and implied warranties are limited in duration to the five year limited warranty period listed above; no warranties apply after that period. No oral or written information or advice given by IKIO, its agents, assigns, distributors, or employees shall create a warranty or in any way increase the scope of this Limited Warranty.

Prompt Disposition :

IKIO will make a good faith effort for prompt correction or other adjustment with respect to any product which proves to be defective within the warranty period. Before returning any product, contact IKIO to obtain a return authorization (RMA) number. All warranty returns must be shipped to the address provided when obtaining the RMA number.

All warranty claims should be addressed to:

C/O Greg Carr
IKIO LED Lighting
ATTN:RETURNS
237 Beaver Road Dock 1
Walton, KY 41094

Effective date: February 24, 2018



CERTIFICATE OF INSURANCE

— THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY —

DATE ISSUED (MM/DD/YY)
11/4/25

Home Office • 100 Erie Insurance Place • Erie, Pennsylvania 16530 • 814.870.2000
Toll free 1.800.458.0811 • Fax 814.870.3126 • www.erieinsurance.com

NAME AND ADDRESS OF AGENCY BEATTY BROOKSON AGENCY 720 EXECUTIVE PARK DR STE 3400 GREENWOOD, IN 46143 (317)534-5202		AGENT'S NO. FF1598		COMPANY(IES) AFFORDING COVERAGE Co.: C ERIE INSURANCE COMPANY Co.: D ERIE INSURANCE PROPERTY & CASUALTY COMPANY Co.: E ERIE INSURANCE EXCHANGE Erie Indemnity Co., Attorney-in-Fact (Not Applicable in NY) Co.: F ERIE INSURANCE COMPANY OF NEW YORK Co.: G FLAGSHIP CITY INSURANCE COMPANY	
NAME AND ADDRESS OF NAMED INSURED IKIO LED LIGHTING 8470 ALLISON POINTE BLVD SUITE 128 INDIANAPOLIS, IN 46250				This certificate is issued for information purposes only and confers no rights on the certificate holder. It does not affirmatively or negatively amend, extend, or otherwise alter the terms, exclusions and conditions of insurance coverage contained in the policy(ies) indicated below. The terms and conditions of the policy(ies) govern the insurance coverage as applied to any given situation. Limits shown may have been reduced by claims paid. This certificate of insurance does not constitute a contract between the issuing insurer(s), authorized representative or producer and the certificate holder.	
This is to certify that policies, as indicated by the Policy Number below, are in force for the Named Insured at the time that the Certificate is being issued.					
CO Add'l LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
E	☐ GENERAL LIABILITY ☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS MADE ☐ OCCUR ☐ ☐ GEN'L AGGREGATE LIMIT APPLIES PER: ☒ POLICY ☐ PROJECT ☐ LOC	Q97 1781658	2/19/20	2/19/21	EACH OCCURRENCE \$ 2,000,000 FIRE DAMAGE (Any One Fire) \$ 2,000,000 MED EXP (Any One Person) \$ 5,000 PERSONAL & ADV. INJURY \$ 2,000,000 GENERAL AGGREGATE \$ 4,000,000 PRODUCTS-COMP/OP AGG \$ 4,000,000
	☐ AUTOMOBILE LIABILITY ☐ "ANY AUTO" (OWNED, HIRED, NON-OWNED) ☐ OWNED ☐ HIRED ☐ NON-OWNED ☐ GARAGE				BODILY INJURY (EACH PERSON) \$ BODILY INJURY (EACH ACCIDENT) \$ PROPERTY DAMAGE \$ BODILY INJURY AND PROPERTY DAMAGE COMBINED \$
	☐ EXCESS LIABILITY ☐ OCCURRENCE ☐ RETENTION \$				EACH OCCURRENCE \$ AGGREGATE \$ \$ \$
	WORKERS COMPENSATION & EMPLOYERS LIABILITY				STATUTORY BODILY INJURY BY ACCIDENT \$ EACH ACCIDENT DISEASE \$ POLICY LIMIT DISEASE \$ EACH EMPLOYEE
	OTHER				
DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS West Virginia Schools for the Deaf and Blind are Additional Insured. 30 Day notice of cancellation applies.					

CANCELLATION: SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

NAME AND ADDRESS OF CERTIFICATE HOLDER West Virginia Schools for the Deaf & Blind 2019 Washington St. E Charleston, WV 25305	AUTHORIZED REPRESENTATIVE Heather Harris
--	---

DESCRIPTION OF JOBS/SPECIAL ENDORSEMENTS/WORDING:

Project: Light Fixtures West Virginia Schools for the Deaf and the Blind. Solicitation No: CRFQ0403DBS32600000003

COMPLETE NAME AND ADDRESS OF CERTIFICATE HOLDER OR ADDITIONAL INSURED:

West Virginia Schools for the Deaf
and Blind BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON, WV 25305