




The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.


Header 4

 List View

**General Information** [Contact](#) [Default Values](#) [Discount](#) [Document Information](#) [Clarification Request](#)

Procurement Folder: 1847236


Procurement Type: Central Master Agreement

Vendor ID:  


Legal Name: ROADS SAFE TRAFFIC SYSTEMS INC

Alias/DBA:

Total Bid: \$127,405.00

Response Date:  

Response Time:

Responded By User ID:  

First Name:

Last Name:

Email:

Phone:

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT2600000055

Published Date: 1/28/26

Close Date: 2/5/26

Close Time: 13:30

Status: Closed

Solicitation Description:

Total of Header Attachments: 4

Total of All Attachments: 4



Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

State of West Virginia  
Solicitation Response

**Proc Folder:** 1847236  
**Solicitation Description:** TRAFFIC CONES  
**Proc Type:** Central Master Agreement

Solicitation Closes	Solicitation Response	Version
2026-02-05 13:30	SR 0803 ESR02042600000004530	1

**VENDOR**  
000000162679  
ROADSAFE TRAFFIC SYSTEMS INC

**Solicitation Number:** CRFQ 0803 DOT2600000055  
**Total Bid:** 127405  
**Response Date:** 2026-02-04  
**Response Time:** 20:36:33  
**Comments:**

**FOR INFORMATION CONTACT THE BUYER**  
John W Estep  
304-558-2566  
john.w.estep@wv.gov

**Vendor**  
**Signature X** **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	28" IN TRAFFIC CONE	3000.0000	EA	32.250000	96750.00

Comm Code	Manufacturer	Specification	Model #
46161508			

Commodity Line Comments:

Extended Description:  
28 IN TRAFFIC CONE

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	36" IN TRAFFIC CONE	650.00000	EA	39.500000	25675.00

Comm Code	Manufacturer	Specification	Model #
46161508			

Commodity Line Comments:

Extended Description:  
36" IN TRAFFIC CONE

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	28" IN SLENDER TRAFFIC CONE	200.00000	EA	24.900000	4980.00

Comm Code	Manufacturer	Specification	Model #
46161508			

Commodity Line Comments:

Extended Description:  
28" SLENDER TRAFFIC CONE

# PVC TRAFFIC CONES CONE BARS & SIGNS



**Standard - 36", 28", & 18"**  
**Slimline 28" & 36"**



**Cone Bars  
& Cone Bar Signs**

- High visibility PVC injection molded cones
- Color is molded throughout
  - resists fading
  - provides high visibility protection
- One piece design - cone is permanently molded to black base
  - won't separate when hit by a vehicle
  - rubber base designed to grip the road
- Hand grip at top makes moving cones easy
- Recessed collars protect sheeting from scratches
- Durable and reboundable
- Stable on the road, won't be blown over
- Stackable for storage, no sticking when removed
- Cone is available with or without high intensity white collars
  - 3M™ collars have excellent wide angle retroreflectivity
- Stenciling available
- MASH Accepted, Meets MUTCD Standards






**Stenciling Available**

**PLASTICADE®**

# PVC CONES

Specs	
Cone & Base Composition	PVC polyvinyl chloride
Color	Fluorescent Orange
Retroreflective Sheeting	High Intensity White Collars 4" and 6"



Bottom of Cone



Cone Weight  
7 lbs.



Recycled Rubber  
Cone Weight  
7 lbs.






# TELESCOPING CONE BARS



- Two sizes
- Expands from 4' to 7', 1 lb.
  - available in reflective orange on white and reflective yellow on black
- Expands from 5.5' to 10', 2 lbs.
  - available in reflective orange on white
- Quick installation to provide high visibility barrier
- Portable, versatile, and lightweight

Twist to lock  
desired length




Cone Bars Can Also  
Be Used With Our Grip Top Delineator

# CONE BAR SIGNS

- Create a quick, portable, and noticeable barrier
  - Sign mounts directly to the cone bar secured with hook and loop fasteners
  - Sign is weighted to remain vertical, even in windy conditions
  - Rolls up neatly and is secured with hook and loop strap for storage - legend printed on edge for ID when rolled
  - Wear resistant ink, crisp lines, no smudging
  - Choose non reflective vinyl or reflective vinyl, white or orange
  - Standard and custom legends available
  - Sign sizes, custom sizes available
- 28"H cones, 18" x 18", 24"W x 18"H  
36"H cones, 24"W x 18"H, 18"W x 24"H, 24" x 24"



Sample Signs



**PLASTICADE®**

100 Howard Avenue  
Des Plaines, IL 60018  
phone (800) 772-0355  
info@plasticade.com  
[Plasticade.com](http://Plasticade.com)





## Certificate of Compliance and Crashworthiness

Certificate Number PLAS021

**Plasticade 18", 28" and 36" Traffic Cones**

Plasticade Products certifies that the Plasticade 18", 28" and 36" Traffic Cones meet or exceed Part 6 of the Manual on Uniform Traffic Control Devices (MUTCD) 2009 Edition, Section 6F.

We also certify that the Plasticade 18", 28" and 36" Traffic Cones meet or exceed the National Cooperative Highway Research Program (NCHRP) Report 350, Category I, issued by the Federal Highway Administration (FHWA) and are deemed compliant with this certification. In addition, in compliance with "Clarifications on Implementing the AASHTO Manual for Assessing Safety Hardware, May 2016", we certify that the Plasticade Traffic Cones meet the requirements of Category 1 as required by the 2016 AASHTO Manual for Assessing Safety Hardware (MASH) for Test Levels I, II, and III.

The Plasticade 18", 28" and 36" Traffic Cones are deemed to be "crash worthy" under the guidelines stated above.

This certificate shall not be reproduced except in full.

Date of Issue: 4/1/24

A handwritten signature in black ink, reading "Henry A. Ross".

Henry A. Ross, Director of Government Relations



## Certificate of Crashworthiness

**Certificate Number PLAS021FL**

### **Plasticade 36" 12# Traffic Cones**

Plasticade Products certifies that the Plasticade 36" 12# Traffic Cones meet or exceed Part 6 of the Manual on Uniform Traffic Control Devices (MUTCD) 2009 Edition, Section 6F. Plasticade further certifies that these cones meet all FDOT specifications and Design Standard 600. Further, reflective sheeting used on the cones is in accordance with 994 and the 3M reflective collars are on FDOT's QPL.

We also certify that the Plasticade 36" 12# Traffic Cones meet or exceed the National Cooperative Highway Research Program (NCHRP) Report 350, Category I, issued by the Federal Highway Administration (FHWA) and are deemed compliant with this certification.

The Plasticade 36" 12# Traffic Cones are deemed to be "crash worthy" under the guidelines stated above.

This certificate shall not be reproduced except in full.

Date of Issue: 1/8/21

A handwritten signature in black ink, reading "Henry A. Ross", written over a horizontal line.

Henry A. Ross, Director of Government Relations



## Certificate of Compliance and Crashworthiness

Certificate Number PLAS021C

### Plasticade 18", 28" and 36" Traffic Cones

Plasticade Products certifies that the Plasticade 18", 28" and 36" Traffic Cones meet or exceed Part 6 of the Manual on Uniform Traffic Control Devices (MUTCD) 2009 Edition, Section 6F. They also meet the requirements of the California Department of Transportation 2015 Standard Specifications, Section 12-3.02 Traffic Cones.

We also certify that the Plasticade 18", 28" and 36" Traffic Cones meet or exceed the National Cooperative Highway Research Program (NCHRP) Report 350, Category I, issued by the Federal Highway Administration (FHWA) and are deemed compliant with this certification. In addition, in compliance with "Clarifications on Implementing the AASHTO Manual for Assessing Safety Hardware, May 2016", we certify that the Plasticade Traffic Cones meet the requirements of Category 1 as required by the 2016 AASHTO Manual for Assessing Safety Hardware (MASH) for Test Levels I, II, and III.

The Plasticade 18", 28" and 36" Traffic Cones are deemed to be "crash worthy" under the guidelines stated above.

This certificate shall not be reproduced except in full.

Date of Issue: 2/10/20

A handwritten signature in black ink, appearing to read "Henry A. Ross".

Henry A. Ross, Director of Government Relations