



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at [wvOASIS.gov](http://wvOASIS.gov). As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at [WVPurchasing.gov](http://WVPurchasing.gov) with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 5

List View

- General Information
- Contact
- Default Values
- Discount
- Document Information
- Clarification Request

Procurement Folder: 1910002  
 Procurement Type: Central Master Agreement  
 Vendor ID: 000000189993   
 Legal Name: BLACK DIAMOND EQUIPMENT RENTALS LLC  
 Alias/DBA:  
 Total Bid: \$0.00  
 Response Date: 03/23/2026   
 Response Time: 14:22  
 Responded By User ID: dswaney   
 First Name: Dean  
 Last Name: Swaney  
 Email: deans@bd-er.com  
 Phone: 724-366-2356

SO Doc Code: CRFQ  
 SO Dept: 0803  
 SO Doc ID: DOT2600000072  
 Published Date: 3/20/26  
 Close Date: 3/25/26  
 Close Time: 13:30  
 Status: Closed  
 Solicitation Description: Skid Steer Attachments  
 Total of Header Attachments: 5  
 Total of All Attachments: 5



Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**State of West Virginia  
 Solicitation Response**

**Proc Folder:** 1910002  
**Solicitation Description:** Skid Steer Attachments  
**Proc Type:** Central Master Agreement

Solicitation Closes	Solicitation Response	Version
2026-03-25 13:30	SR 0803 ESR03232600000006249	1

**VENDOR**  
 000000189993  
 BLACK DIAMOND EQUIPMENT RENTALS LLC

**Solicitation Number:** CRFQ 0803 DOT2600000072  
**Total Bid:** 0  
**Response Date:** 2026-03-23  
**Response Time:** 14:22:49  
**Comments:**

**FOR INFORMATION CONTACT THE BUYER**  
 John W Estep  
 304-558-2566  
 john.w.estep@wv.gov

**Vendor Signature X** **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Industrial Grapple Rake	0.00000	EA	6395.000000	0.00

Comm Code	Manufacturer	Specification	Model #
27112003			

**Commodity Line Comments:** Quick Attach Eagle Talon Log, Brush, and Rock Grapple 86" Product code 901977

**Extended Description:**  
Industrial Grapple Rake

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Pallet Forks	0.00000	EA	961.000000	0.00

Comm Code	Manufacturer	Specification	Model #
24101628			

**Commodity Line Comments:** Quick Attach 48" pallet forks product code 901640

**Extended Description:**  
Pallet Forks

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Wheel Saw SW345	0.00000	EA	25311.000000	0.00

Comm Code	Manufacturer	Specification	Model #
27112745			

**Commodity Line Comments:** Quick Attach Xtreme Cut 18" Rock Saw, 18HDRS Model product code 901306

**Extended Description:**  
Wheel Saw SW345



Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Roadrunner MTS 24-34	0.00000	EA	18851.000000	0.00

Comm Code	Manufacturer	Specification	Model #
22101600			

**Commodity Line Comments:** Simex Asphalt Float Paver ST200

**Extended Description:**  
Roadrunner MTS 24-34

	<b>74"</b>	<b>86"</b>
<b>PART NUMBER</b>	901976	901977
<b>CYLINDERS</b>	3" x 8" (2)	3" x 8" (2)
<b>CYLINDER FORCE</b>	Over 12 Tons	Over 12 Tons
<b>GRAPPLE TEETH LOWER</b>	7	8
<b>GRAPPLE TEETH UPPER</b>	12	12
<b>HEIGHT WITH TEETH CLOSED</b>	39.18"	39.18"
<b>MAXIMUM HEIGHT WITH TEETH OPEN</b>	53.58"	53.58"
<b>MAXIMUM OPENING</b>	50"	50"
<b>OPTIONS</b>	Bolt in Center   Factory Installed Couplers	Factory Installed Couplers   Bolt In Center
<b>STEEL CONSTRUCTION OF TEETH</b>	Grade 50	Grade 50
<b>TINE LENGTH</b>	28.25"	28.25"
<b>WEIGHT</b>	1,258 lb.	1,385 lb.
<b>WIDTH</b>	75"	87
<b>WIDTH BETWEEN TEETH LOWER AVERAGE</b>	12"	12"
<b>WIDTH BETWEEN TEETH UPPER AVERAGE</b>	12"	12"



Fork Lengths  
**42"-60"**

To 48 States  
**Free Shipping**

Max Load  
**3700-5500 lb**

	<b>42" W/T UTILITY</b>	<b>48" W/T UTILITY</b>	<b>42" W/T</b>	<b>48" W/T</b>	<b>60" W/T</b>
<b>PART NUMBER</b>	901642	901643	901639	901640	901641
<b>FORK LENGTH</b>	42"	48"	42"	48"	60"
<b>HEIGHT</b>	39.3"	39.3"	39.3"	39.3"	39.3"
<b>LENGTH</b>	52.1"	58.1"	52.1"	58.1"	70.1"
<b>PAIR LOAD RATING 24</b>	3,700 lb	3,700 lb	5,500 lb	5,500 lb	5,500 lb
<b>WEIGHT</b>	358 lb	370 lb	393 lb	405 lb	433 lb
<b>WIDTH</b>	45.3"	45.3"	45.3"	45.3"	45.3"

# ST



SSL Standard Flow



SSL High Flow



SSL High Power



Front Loader

## ASPHALT FLOAT

ST 200

ST asphalt floats are designed to lay asphalt or waste material to fill set-section trenches, create footpaths or widen existing roadways. The lateral slides take the existing surface as reference, whereas the thickness of the asphalt spread can be regulated. The floating transverse tilt can be locked in case a slide does not touch the ground.

WATCH THE VIDEO

Scan the QR code using your smartphone





### VERSATILITY: OFFSET WORKING POSITION

In road repairs as well as in the final stages of laying underground utilities, using asphalt floats to spread bituminous conglomerate or waste material brings significant benefits in terms of processing times and quality of the final result. Thanks to the hydraulic side shift, the ST 200 asphalt float allows working completely on the side of the machine without having to go over the material just spread.

DOWNLOAD THE UPDATED TECHNICAL BROCHURE



Scan the QR code using your smartphone



## TECHNICAL DATA

### ST 200

Asphalt laying width regulation		Hydraulic
Asphalt thickness regulation (independent RH-LH)		mechanical
Asphalt thickness	mm inch	0 - 100 0 - 4
Transverse tilt		5°
Tilt locking device		yes
Side shift		hydraulic
Average working speed	m/min feet/min	50 - 120 170 - 400
Operating weight (1)	kg lbs	675 1485
Required oil flow	l/min gpm	45 12
Oil pressure	BAR psi	200 2900



A	mm inch	1900 75
B	mm inch	125 5
C	mm inch	1960 77

D	mm inch	2550 100
E	mm inch	1675 66
F	mm inch	1750 69

(1) The installer is responsible for ensuring that the equipment meets the prime mover's specifications and weight requirement.

(\*) Optional

Simex does not accept responsibility or liability for the information provided. Technical modifications may vary without prior notice.

ST 200. Additional external slide allows working on quays.





6. **DISCLAIMER OF WARRANTIES: ALL EQUIPMENT IS PURCHASED BY THE PURCHASER "AS IS" AND "WITH ALL FAULTS", AND SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESS, OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER MATTER WITH RESPECT TO THE EQUIPMENT.** Any affirmation of fact or promises made by Seller shall not be deemed to create an express warranty that the Equipment shall conform to such affirmation or promise. Any descriptions, samples and specifications with respect to equipment offered for sale herein are not warranted by Seller to be accurate or complete. If a model or sample was shown to Purchaser, such model or sample was used merely to illustrate the general type and quality of equipment sold by Seller and not to represent that the equipment would necessarily conform to such model or sample. Any description is for the sole purpose of identifying the equipment and no affirmation, promise, description, sample or model shall be deemed part of the basis of the bargain. SELLER STRONGLY RECOMMENDS THAT PURCHASER CONDUCT AN ON-SITE INSPECTION OF THE EQUIPMENT SOLD HEREUNDER. SELLER SHALL NOT BE RESPONSIBLE FOR THE CONSEQUENCES OF PURCHASER'S FAILURE TO INSPECT THE EQUIPMENT OR FOR ANY INACCURACIES, INSUFFICIENCIES, OR OMISSIONS IN SUCH DESCRIPTIONS, SAMPLES AND/OR SPECIFICATIONS. The employees or representatives of Seller are not authorized to make any statement or representation as to the quality, character, size, condition, quantity, etc., of the equipment offered for sale inconsistent with these Terms and Conditions. Any such statements made will not be binding on Seller or be grounds for any subsequent claim.
7. **Defective Goods:** Seller is not liable for any defective goods, as the equipment being purchased is used, and acknowledged so by Purchaser. Purchaser agrees that it is Purchaser's responsibility to have the equipment inspected prior to purchase. Under no circumstances will Seller be liable for loss, damage or injury of any nature, whether direct or indirect, consequential or incidental, in connection with or resulting from use of defective goods. Purchaser understands that the Equipment described herein have been used by persons other than Seller. Purchaser is warned and acknowledges that such Equipment may bear or contain hazardous chemicals or other hazardous materials which may be or may become, by chemical reaction or otherwise, directly or indirectly hazardous to life, to health, or to property (by reason of toxicity, flammability, explosiveness or for other similar or different reasons during use, handling, cleaning, reconditioning, disposal or at any other time after the article leaves the possession and control of Seller). Purchaser does hereby discharge Seller from any and all liability directly or indirectly resulting from the presence of the aforesaid chemicals or materials, including and not limited to any and all liability directly or indirectly resulting from the failure of Seller to give more specific warning with respect to individual articles or substances or from the inadequacy of any warning.
8. **Cancellation:** An order once placed with and accepted by Seller can be cancelled only with Seller's written consent. Seller may elect to cancel any order or portions thereof at any time, even though previously accepted by Seller.
9. **FORCE MAJEURE:** Seller's ability to ship the Equipment may be affected in case of an act of force majeure, such as an act of God, war, sabotage, accidents, riots, fire, explosion, flood, strike, lockout, injunction, inability to obtain fuel, power, raw materials, labor, containers or transportation facilities, accident, breakage of machinery or apparatus, national defense requirements, or any other cause beyond the control of Seller. Seller shall have no liability for the failure to ship or deliver equipment in the event of such force majeure and Seller's obligation to complete the delivery of Equipment shall be suspended during such force majeure event and for a reasonable period of time thereafter; provided, however, that these Terms and Conditions shall otherwise remain in effect.
10. **DISCLAIMER OF LIABILITY:** Purchaser acknowledges that the Equipment sold herein may be dangerous if improperly used. Purchaser acknowledges that it must contact the original manufacturer to obtain up-to-date installation and operation manuals and other information to insure the safe operation of Equipment. Seller will not be responsible for any loss or injury resulting from defects or alleged defects in the Equipment sold or from the subsequent use of the items. Purchaser agrees to defend any suit, action or cause of action brought against Seller, its directors, officers, employees and other agents and representatives by any person based on any such alleged injury, illness, or damage and to pay all damages, costs and expenses including, but not limited to, attorney's fees or legal expenses in connection therewith or resulting therefrom.
11. **INDEMNIFICATION:** Purchaser hereby agrees to defend, indemnify and hold harmless Seller, its directors, officers, employees and other agents and representatives from and against any and all liabilities, judgments, claims, settlements, losses, damages, penalties, obligations and expenses, including attorney's fees and expenses and other professional fees and expenses, incurred or suffered by such person arising from, by reason of, or in connection with any loss, damage or injury to person or property arising from, by reason of or in connection with the Equipment sold hereunder. This indemnification shall survive delivery of the Equipment to Purchaser and any subsequent sale or other transfer of the Equipment to a third party.
12. **INSURANCE AND SAFETY RULES:** Purchaser shall not move, load, transport or otherwise handle the Equipment on Seller's premises without first having obtained insurance coverage satisfactory to Seller. Such insurance shall include "Workers Compensation", employer's liability, public liability (bodily injury, property damage and contractual liability) and automobile liability (bodily injury and property damage) insurance. Certificates of insurance evidencing the aforementioned insurance coverages shall be furnished to and shall be approved by Seller. Purchaser shall comply with Seller's plant safety rules and regulations.
13. **LIMITATION OF DAMAGES:** Seller's liability with respect to Equipment sold to Purchaser shall be limited to refunding any payments made by Purchaser (i) with respect to Equipment returned to and accepted by Seller or (ii) with respect to Equipment ordered but not shipped by Seller upon Seller's cancellation of the invoice. In no event shall Seller be liable for incidental, special, or consequential damages, lost profits, or any expenses of Purchaser, including, but not limited to, shipping costs.
14. **ASSIGNMENT:** Purchaser may not assign its rights or delegate its performance in whole or in part under any invoice without the prior written consent of Seller and any attempted assignment or delegation without such consent shall be void.
15. **REPAIR:** Seller is not obligated to do any repair work or modifications upon the Goods or Equipment prior to sale or delivery. Any repair work or modifications performed by Seller on the Goods or Equipment prior to sale shall be performed as a result of the sole request of Purchaser using designs and instructions provided by Purchaser. Accordingly, Seller shall not be liable for any alleged damages caused by or resulting from the repairs or modifications.
16. **Transfer of Title:** Equipment and/or parts shall remain the property of Seller until full payment is received by Seller from Purchaser. Purchaser shall keep the equipment free from any and all liens, encumbrances, and claims whatsoever, and shall not do or permit any act, which may encumber or impair Seller's title or right in equipment while still under the ownership of the Seller.
17. **General Provision:** The terms and conditions herein will supersede any provisions, terms and conditions, contained on any confirmation order, purchase order, or any other writing from Purchaser, and the rights of the parties will be governed exclusively by the terms and conditions hereof. No agent, salesman, or any other person shall have any authority to obligate Seller with regard to any terms and conditions not contained herein. The terms and conditions contained herein shall not be modified, changed, amended or waived, unless in writing duly signed by an authorized officer of the Seller. In the event that any term or any portion of any term contained in this Agreement is determined to be unenforceable, the remaining portions or terms hereof will nevertheless be of full force and effect. This Agreement is governed by and construed under the laws of the Commonwealth of Pennsylvania. In the event of litigation or other efforts to enforce a party's rights or remedies in connection with this Agreement, it is agreed that venue for such action will be in Greene County, Pennsylvania, under Pennsylvania law, and Purchaser expressly consents to the personal and subject matter jurisdiction of the Courts of the Commonwealth of Pennsylvania.
18. **Attorney Fees:** Purchaser will pay Seller's reasonable attorney's fees and collection costs incurred to enforce the terms and conditions of this Agreement or collect amounts due hereunder, whether or not a lawsuit is filed.

By way of checking this box and signing below, Purchaser hereby acknowledges that it has read, understands and agrees to all of these terms and conditions herein, and has the authority to bind the Purchaser and/or Company

\_\_\_\_\_  
Company Name

\_\_\_\_\_  
Business Title

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Printed Name

\_\_\_\_\_  
Date

<b>MAXIMUM POWER OUTPUT</b>	80 HP	80 HP
<b>MAXIMUM PRESSURE</b>	4,800 psi	4,800 psi
<b>MAXIMUM SPEED</b>	130 RPM	130 RPM
<b>MAXIMUM TORQUE</b>	6,640 lb-ft	6,640 lb-ft
<b>MINIMUM FLOW RATE</b>	25 GPM	25 GPM
<b>MINIMUM OPERATING PRESSURE</b>	2,200 psi	2,200 psi
<b>NUMBER OF TEETH</b>	54	72
<b>OPTIONS</b>	Pistol Grip Control Harness Loader Specific Wire Harness Factory Installed Case Drain Coupler Factory Installed Couplers Factory Installed High Flow Couplers	Pistol Grip Control Harness Loader Specific Wire Harness Factory Installed Case Drain Coupler Factory Installed Couplers Factory Installed High Flow Couplers
<b>OVERALL WIDTH</b>	66.5"	66.5"
<b>SIDE SHIFT CONTROL</b>	Hydraulic	Hydraulic
<b>SIDE SHIFT DISTANCE</b>	24"	24"
<b>WEIGHT</b>	2,550 lb.	3,150 lb.
<b>WIDTH OF CUT</b>	2.75"	2.75"