



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 2

 List View

General Information

Contact

Default Values

Discount

Document Information

Clarification Request

Procurement Folder: 2047288

Procurement Type: Central Purchase Order

Vendor ID: 000000223571 

Legal Name: ADVANTAGE TECHNOLOGY LLC

Alias/DBA:

Total Bid: \$158,117.00

Response Date: 10/14/2026 

Response Time: 15:18

Responded By User ID: aholstein 

First Name: Amanda

Last Name: Holstein

Email: aholstein@advantage.tech

Phone: 304-741-8315

SO Doc Code: CRFQ

SO Dept: 0403

SO Doc ID: DBS2700000003

Published Date: 10/8/26

Close Date: 10/15/26

Close Time: 13:30

Status: Closed

Solicitation Description: WVSD Internal Cameras and Sensors

Total of Header Attachments: 2

Total of All Attachments: 2



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Solicitation Response

Proc Folder: 2047288
Solicitation Description: WVSDB Internal Cameras and Sensors
Proc Type: Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2026-10-15 13:30	SR 0403 ESR10142600000003705	1

VENDOR
000000223571
ADVANTAGE TECHNOLOGY LLC

Solicitation Number: CRFQ 0403 DBS2700000003
Total Bid: 158117
Response Date: 2026-10-14
Response Time: 15:18:05
Comments:

FOR INFORMATION CONTACT THE BUYER
James W Atkins
(304) 558-0094
james.w.atkins@wv.gov

Vendor
Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	WVSDB Internal Cameras and Sensors				158117.00

Comm Code	Manufacturer	Specification	Model #
46171610			

Commodity Line Comments: This proposal includes (45) MV23X, (3) MV63X, (4) MV84X Cisco Meraki Cameras. All materials, labor, and equipment to complete the project are included in this proposal. Advantage has successfully won and implemented previous Meraki camera RFPs for the West Virginia Schools for the Deaf and Blind. Thank you for the opportunity.

Extended Description:
WVSDB Internal Cameras and Sensors



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote
Construction

Proc Folder: 2047288

Doc Description: WWSDB Internal Cameras and Sensors

Reason for Modification:

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2026-08-27	2026-09-29 13:30	CRFQ 0403 DBS2700000003	1

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code:

Vendor Name : Advantage Tech

Address : 950 Kanawha Blvd E #100

Street :

City : Charleston

State : WV

Country : USA

Zip : 25301

Principal Contact : Todd Fowler

Vendor Contact Phone: 304-973-9537

Extension: 8316

FOR INFORMATION CONTACT THE BUYER

James W Atkins
(304) 558-0094
james.w.atkins@wv.gov

Vendor
Signature X

FEIN# 74-30 77314

DATE 10-14-26

All offers subject to all terms and conditions contained in this solicitation



950 Kanawha Blvd E., Suite 100
Charleston, WV 25301
304-342-0796

October 14, 2026

West Virginia Schools for the Deaf and Blind
301 East Main Street
Romney, WV 26757

James Adkins:

Advantage Technology is pleased to present this bid package for the West Virginia Schools for the Deaf and Blind/Internal Cameras and Sensors RFQ DBS2700000003. Advantage Technology is a respected and established IT company with a reputation for delivering high-quality, high-availability technologies to our customers. We are proud to be a West Virginia company and have been locally owned and operated since 2001.

Advantage Technology has been providing network cabling and networking electronics equipment in the schools for the past eight years in association with the WVDE NET Contract. Although security equipment is not specifically on this contract, we have implemented multiple security systems across the State as well as tied in existing systems into newly installed networking electronics. Plus, we have successfully won and implemented the West Virginia Schools for the Deaf and Blind previous Meraki camera RFPs.

Advantage Technology will be servicing the West Schools for the Deaf and Blind and utilizing ATI, a subcontractor in the Eastern Panhandle. We have built trust in their expertise and ability to provide the highest standards in customer service.

We are excited to continue this partnership with The West Virginia Schools for the Deaf and Blind.

Todd Fowler
Advantage Technology
K12 Project Manager
304-741-8316

Resumes

Logan Smailes	June 2020 - Current
Sales Engineer , Advantage Technology	
Design network infrastructure and structured cabling installations. Create quotes, Bill of Materials, Scope of Work, Maps, and Installation packets for successful project implementation. Project Manager as needed to ensure smooth technology implementations.	
Education: AAS Computer Network Engineering Technologies & AAS Information Technology	
Certifications: Cisco Meraki FIT Level 1 and Level 2	
Jonathan Paine	Nov 2017 - Current
Senior IT Consultant , Advantage Technology	
Assist clients & organizations by providing expert advice and support on technology-related issues to improve efficiency, performance, and security.	
Education: AAS Information Technology, BA Education, and MA Administration	
Certifications: Verkada VSP, Extreme Networks ESS Cloud Networking, Extreme Networks Champion, Cisco Meraki FIT Level 1 and Level 2	
Dale Brown	Aug 2019 - Current
Senior Network Engineer , Advantage Technology	
Responsible for designing, implementing, maintaining, and troubleshooting the computer networks that allow organizations to communicate and share resources efficiently	
Education: AAS Electronics	
Certifications: Several Cisco, Extreme, Microsoft, and Network Engineering certifications	
Justin Matney	Feb 2018 - Current
Senior Cable Technician , Advantage Technology	
Install Fiber optic and data cable for K-12 and the commercial team.	
Certifications:	
Justin Van De Castelle	Sept 2025 - Current
Senior Cable Technician , Advantage Technology	
Install Fiber optic and data cable for K-12 and the commercial team.	
Certifications:	
Jennifer Cox	April 2021 - Current
Technical Proposal Specialist , Advantage Technology	
Works with the sales engineers, sales team, and service department to produce proposals for opportunities. Assists in the delivery, scopes of work, and equipment and materials for service.	
Education: BBA Marketing	
Certifications: Leadership WV Graduate, Class of 2012	
Fredrick Martin	Aug 2026 - Current
Project Manager , Advantage Technology	
Planning, deployment, and acceptance of IT connectivity hardware, including low-voltage cabling, switches, wireless access points, and server room equipment. Coordinate functional teams, field technicians, and vendor resources for client projects.	
Education: BA History, MA Project Management	
Certifications: BICSI RTPM	

Subcontractor List Submission (Construction Contracts Only)

Bidder's Name: Advantage Tech

☐ Check this box if no subcontractors will perform more than \$25,000.00 of work to complete the project.

Subcontractor Name	License Number if Required by W. Va. Code § 21-11-1 et. seq.
AT:	WV Contractor License # WV031391

Attach additional pages if necessary

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) Todd Fowler, PM
(Address) 950 Kanawha Blvd E #100, Chas WV 25301
(Phone Number) / (Fax Number) 304-973-9537 / 304-720-1423
(email address) tfowler@advantage.tech

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

Advantage Tech
(Company)

(Signature of Authorized Representative)

Todd Fowler, PM 10-15-20
(Printed Name and Title of Authorized Representative) (Date)

304-973-9537 304-720-1423
(Phone Number) (Fax Number)

tfowler@advantage.tech
(Email Address)

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| ☒ Addendum No. 1 | ☐ Addendum No. 6 |
| ☒ Addendum No. 2 | ☐ Addendum No. 7 |
| ☒ Addendum No. 3 | ☐ Addendum No. 8 |
| ☐ Addendum No. 4 | ☐ Addendum No. 9 |
| ☐ Addendum No. 5 | ☐ Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Advantage Tech
Company

[Signature]
Authorized Signature

10-15-26
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

BID BOND

KNOW ALL MEN BY THESE PRESENTS, That we, the undersigned, Advantage Technology, LLC
of 950 Kanawha Blvd, Ste 10, Charleston, WV 25301, as Principal, and Western Surety Company
of 151 N. Franklin St., Chicago, IL 60606, a corporation organized and existing under the laws of the State of South Dakota
with its principal office in the City of Sioux Falls, as Surety, are held and firmly bound unto the State
of West Virginia, as Obligee, in the penal sum of Five Percent of Amount Bid (\$ 5% of Amount Bid) for the payment of which,
well and truly to be made, we jointly and severally bind ourselves, our heirs, administrators, executors, successors and assigns.

The Condition of the above obligation is such that whereas the Principal has submitted to the Purchasing Section of the
Department of Administration a certain bid or proposal, attached hereto and made a part hereof, to enter into a contract in writing for
CRFQ 0403 DBS2700000003, WVSD Internal Cameras and Sensors

NOW THEREFORE,

(a) If said bid shall be rejected, or
(b) If said bid shall be accepted and the Principal shall enter into a contract in accordance with the bid or proposal
attached hereto and shall furnish any other bonds and insurance required by the bid or proposal, and shall in all other respects perform
the agreement created by the acceptance of said bid, then this obligation shall be null and void, otherwise this obligation shall remain in
full force and effect. It is expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall, in no
event, exceed the penal amount of this obligation as herein stated.

The Surety, for the value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no
way impaired or affected by any extension of the time within which the Obligee may accept such bid, and said Surety does hereby
waive notice of any such extension.

WITNESS, the following signatures and seals of Principal and Surety, executed and sealed by a proper officer of Principal and
Surety, or by Principal individually if Principal is an individual, this 15 day of October, 2026.

Principal Seal

Advantage Technology, LLC

(Name of Principal)

By

(Must be President, Vice President, or
Duly Authorized Agent)

VP Corporate Services
(Title)

Western Surety Company

(Name of Surety)

Taylor R. Johnson Attorney-in-Fact



Surety Seal

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance, must affix its seal, and must attach a power of attorney with its seal affixed.

Western Surety Company

POWER OF ATTORNEY - CERTIFIED COPY

Bond No. 89072132

Know All Men By These Presents, that WESTERN SURETY COMPANY, a corporation duly organized and existing under the laws of the State of South Dakota, and having its principal office in Sioux Falls, South Dakota (the "Company"), does by these presents make, constitute and appoint Taylor Reed Johnson

its true and lawful attorney(s)-in-fact, with full power and authority hereby conferred, to execute, acknowledge and deliver for and on its behalf as Surety, bonds for:

Principal: Advantage Technology, LLC

Obligee: State of West Virginia Schools for the Deaf and Blind

Amount: \$1,000,000.00

and to bind the Company thereby as fully and to the same extent as if such bonds were signed by the Vice President, sealed with the corporate seal of the Company and duly attested by its Secretary, hereby ratifying and confirming all that the said attorney(s)-in-fact may do within the above stated limitations. Said appointment is made under and by authority of the following bylaw of Western Surety Company which remains in full force and effect.

"Section 7. All bonds, policies, undertakings, Powers of Attorney or other obligations of the corporation shall be executed in the corporate name of the Company by the President, Secretary, any Assistant Secretary, Treasurer, or any Vice President or by such other officers as the Board of Directors may authorize. The President, any Vice President, Secretary, any Assistant Secretary, or the Treasurer may appoint Attorneys in Fact or agents who shall have authority to issue bonds, policies, or undertakings in the name of the Company. The corporate seal is not necessary for the validity of any bonds, policies, undertakings, Powers of Attorney or other obligations of the corporation. The signature of any such officer and the corporate seal may be printed by facsimile."

This Power of Attorney may be signed by digital signature and sealed by a digital or otherwise electronic-formatted corporate seal under and by the authority of the following Resolution adopted by the Board of Directors of the Company by unanimous written consent dated the 27th day of April, 2022:

"RESOLVED: That it is in the best interest of the Company to periodically ratify and confirm any corporate documents signed by digital signatures and to ratify and confirm the use of a digital or otherwise electronic-formatted corporate seal, each to be considered the act and deed of the Company."

If Bond No. 89072132 is not issued on or before midnight of January 13th, 2027, all authority conferred in this Power of Attorney shall expire and terminate.

In Witness Whereof, Western Surety Company has caused these presents to be signed by its Vice President, Larry Kasten, and its corporate seal to be affixed this 15th day of October, 2026.


STATE OF SOUTH DAKOTA
COUNTY OF MINNEHAHA

} ss

WESTERN SURETY COMPANY

Larry Kasten
Larry Kasten, Vice President

On this 15th day of October, in the year 2026, before me, a notary public, personally appeared Larry Kasten, who being to me duly sworn, acknowledged that he signed the above Power of Attorney as the aforesaid officer of WESTERN SURETY COMPANY and acknowledged said instrument to be the voluntary act and deed of said corporation.



My Commission Expires June 18, 2031

P. Dahl
Notary Public - South Dakota

I the undersigned officer of Western Surety Company, a stock corporation of the State of South Dakota, do hereby certify that the attached Power of Attorney is in full force and effect and is irrevocable, and furthermore, that Section 7 of the bylaws of the Company as set forth in the Power of Attorney is now in force.

In testimony whereof, I have hereunto set my hand and seal of Western Surety Company this 15th day of October, 2026.

WESTERN SURETY COMPANY

Larry Kasten
Larry Kasten, Vice President

To validate bond authenticity, go to www.cnasurety.com > Owner/Obligee Services > Validate Bond Coverage.



**950 Kanawha Blvd East
Charleston, WV 25301
304-342-0796**

West Virginia Schools for the Deaf and Blind/Internal Cameras and Sensors

Drug-Free Workplace Compliance

Advantage Technology, LLC acknowledges the requirements of the West Virginia Alcohol and Drug-Free Workplace Act, W. Va. Code §21-1D et seq. In the event Advantage Technology is selected for award, Advantage Technology will provide all required documentation and certifications regarding its Drug-Free Workplace Policy within 30 days of Contract award and will provide any required Drug-Free Workplace reports in accordance with the applicable statutory requirements and the terms of the resulting contract.

We will not be including that form with this submission.



State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5

I, Todd Fowler, after being first duly sworn, depose and state as follows:

1. I am an employee of Advantage Tech; and,
(Company Name)
2. I do hereby attest that Advantage Tech
(Company Name)

maintains a written plan for a drug-free workplace policy and that such plan and policy are in compliance with **West Virginia Code §21-1D**.

The above statements are sworn to under the penalty of perjury.

Printed Name: Todd Fowler
Signature: [Signature]
Title: VP of Operations
Company Name: Advantage Technology
Date: 10.14.26


STATE OF WEST VIRGINIA,

COUNTY OF Kanawha, TO-WIT:

Taken, subscribed and sworn to before me this 14 day of October, 2026.

By Commission expires May 7, 2030

(Seal)



Robin L Bush
(Notary Public)

REQUEST FOR QUOTATION
Security Cameras

8.1.2 Failure to comply with other specifications and requirements contained herein.

8.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Items provided under this Contract.

8.1.4 Failure to remedy deficient performance upon request.

8.2 Remedy: The following remedies shall be available to Agency upon default:

8.2.1 Immediate cancellation of the Contract.

8.2.2 Immediate cancellation of one or more release orders issued under this Contract.

8.2.3 Any other remedies available in law or equity.

9. CONTRACT MANAGER: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor shall list its Contract manager and his or her contact information below

Contract Manager: Todd Fowler

Vendor's Address: 950 Kanawha Blvd E #100, Chas, WV 25301

Telephone Number: 304-973-9537

Email Address: 304-720-1423



CONTRACTOR LICENSE

AUTHORIZED BY THE
West Virginia Contractor
Licensing Board

NUMBER: WV051250

CLASSIFICATION:

SPECIALTY
LOW VOLTAGE SYSTEMS <80 VOLTS
COMMUNICATION & SOUND
CABLE

ADVANTAGE TECHNOLOGY LLC
950 KANAWHA BLVD EAST
CHARLESTON, WV 25301

DATE ISSUED

AUGUST 26, 2026

EXPIRATION DATE

AUGUST 26, 2027

Authorized Signature

Chair, West Virginia Contractor
Licensing Board



A copy of this license must be readily available for inspection by the Board on every job site where contracting work is being performed. This license number must appear in all advertisements, on all bid submissions, and on all fully executed and binding contracts. This license is non-transferable. This license is being issued under the provisions of West Virginia Code, Chapter 30, Article 42.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

01/21/2026

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Mountain State Insurance Agency 1206 Kanawha Blvd. E. Suite 100 Charleston WV 25301-2949		CONTACT NAME: Jennifer Drake PHONE (A/C, No, Ext): (304) 720-2000 FAX (A/C, No): (304) 720-2002 E-MAIL ADDRESS: jdrake@mountainstateinsurance.com	
		INSURER(S) AFFORDING COVERAGE	NAIC #
		INSURER A: Charter Oak Fire Ins Co	25615
INSURED Advantage Technology, LLC 950 Kanawha Blvd. E Charleston WV 25301		INSURER B: St. Paul Protective Insurance Company	19224
		INSURER C: Travelers Property Casualty of America	25674
		INSURER D: Farmington Casualty Company	41483
		INSURER E:	
		INSURER F:	

COVERAGES**CERTIFICATE NUMBER:** 25 26 Liab**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☒ OCCUR			ZLP16P96504	11/01/2025	11/01/2026	EACH OCCURRENCE \$ 1,000,000
			DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 1,000,000				
			MED EXP (Any one person) \$ 10,000				
			PERSONAL & ADV INJURY \$ 1,000,000				
	GEN'L AGGREGATE LIMIT APPLIES PER: ☐ POLICY ☒ PROJECT ☐ LOC OTHER:						GENERAL AGGREGATE \$ 2,000,000
							PRODUCTS - COMP/OP AGG \$ 2,000,000
							\$
B	☒ AUTOMOBILE LIABILITY ☒ ANY AUTO ☐ OWNED AUTOS ONLY ☐ HIRED AUTOS ONLY ☐ SCHEDULED AUTOS ☐ NON-OWNED AUTOS ONLY			BAA1367939	11/01/2025	11/01/2026	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000
			BODILY INJURY (Per person) \$				
			BODILY INJURY (Per accident) \$				
			PROPERTY DAMAGE (Per accident) \$				
							\$
C	☒ UMBRELLA LIAB ☒ OCCUR ☐ EXCESS LIAB ☐ CLAIMS-MADE			CUPA1368310	11/01/2025	11/01/2026	EACH OCCURRENCE \$ 5,000,000
			AGGREGATE \$ 5,000,000				
	DED ☒ RETENTION \$ 10,000		\$				
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N ☐	N/A	UBA1367872	11/01/2025	11/01/2026	☒ PER STATUTE ☒ OTH-ER WV Code 23-4-2
			E.L. EACH ACCIDENT \$ 1,000,000				
			E.L. DISEASE - EA EMPLOYEE \$ 1,000,000				
			E.L. DISEASE - POLICY LIMIT \$ 1,000,000				
C	Professional Liability			ZPL91N85217	11/01/2025	11/01/2026	General Aggregate \$2,000,000
			Technology Errors and \$2,000,000				
			Business Interruption Loss \$2,000,000				

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER**CANCELLATION**

WV Department of Education Bldg 6 Room 700 1900 Kanawha Blvd E Charleston WV 25305	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE
---	---

© 1988-2015 ACORD CORPORATION. All rights reserved.

MV23 Series Datasheet

Overview

The Meraki MV23 is a third-generation smart camera. It combines physical security and advanced analytics in a compact varifocal dome design. With an edge architecture that minimizes physical infrastructure and software requirements, the MV23 enables faster, easier deployments and greater scalability.



Security in high definition

The ultra-high-performance MV23 series camera supports up to 4K resolution for high-definition video, delivering the level of detail needed to stay on top of what matters.

Compact and easy to install, MV23 series cameras are compatible with a variety of mounting accessories, delivering the right viewing angle wherever they are placed. MV23 series cameras are ideal for monitoring entrances and exits, as well as the general perimeter, from walls, ceilings, or even corner-mount locations.

Using machine-learning-based computer vision, MV23 cameras can perform real-time object detection, classification, and tracking of people and vehicles to

increase safety and provide useful insights into activity. These smart cameras deliver powerful business intelligence without compromising physical security.

Product Highlights

- Varifocal lens dome camera
- Robust form factor with 36°-112° horizontal FoV
- More detailed information with up to 4K resolution
- Support for [Attribute Search](#)
- Machine-learning capability for intelligent object detection
- Secure video access to ensure privacy with role-based user accounts

- Guaranteed days of video with [Smart Retention](#)
- Night vision with IR illumination up to 30 m (98 ft)
- Intelligent motion indexing with search engine
- Built-in analytics like [motion search](#), [motion recap](#), and motion heatmaps
- Cloud-augmented edge storage for minimal physical infrastructure
- Built-in automatic security with secure boot and signed firmware, backed by a hardware security chip
- Suitable for deployments of all sizes, from 1-10,000+ cameras
- NDAA and [TAA](#) compliant

MV23 camera specifications







Category	Specifications
Camera	• 1/2.8" 8.41MP (3854x2176) progressive CMOS image sensor • 512 GB high-endurance solid-state storage (MV23M) • 1 TB high-endurance solid-state storage (MV23X) • 3.0 - 9.0 mm focal length • f/1.6-2.9 aperture • Field of view: horizontal 36 - 112° • 1/30 second to 1/32,000 second shutter speed • Auto day/night capable • Built-in IR illuminators, effective up to 30 m (98 ft)
Video	• 4K (3840x2160) with H.264 Smart Codec, up to 15fps • 4MP (2560 x 1440) with H.264 Smart Codec, up to 24fps • 1080p (1920x1080) with H.264 Smart Codec, up to 24fps • High dynamic range (HDR) • Cloud augmented edge storage (locally stored video, metadata in the cloud) • Optimized retention settings (scheduling, motion-based) for variable retention • Direct live streaming with no client software (native browser playback)* • Stream video anywhere with automatic cloud proxy • Audio recording supported with four (4) built-in microphones
DORI Specifications (Maximum Resolution)	Maximum FoV [Wide] • Detect (25 ppm/ 8 ppf) ◦ 63.8 m / 209.3 ft • Observe (63 ppm/ 19 ppf) ◦ 25.3 m / 83 ft • Recognize (125 ppm/ 38 ppf) ◦ 12.8 m / 41.9 ft • Identify (250 ppm/ 76 ppf) ◦ 6.4 m / 21 ft Minimum FoV [Telescopic]

Category	Specifications
	• Detect (25 ppm/ 8 ppf) ◦ 244.5 m / 802.2 ft • Observe (63 ppm/ 19 ppf) ◦ 97 m / 318.2 ft • Recognize (125 ppm/ 38 ppf) ◦ 48.9 m / 160.4 ft • Identify (250 ppm/ 76 ppf) ◦ 24.4 m / 80 ft
Networking and wireless	• 1x 10/100/1000BASE-T Ethernet (RJ45) • DSCP traffic marking • Supported frequency bands (country-specific restrictions apply): • 2.4 GHz 802.11b/g/n radio ◦ 2.412 - 2.484 GHz • 5 GHz 802.11a/n/ac radio ◦ 5.150 - 5.250 GHz (UNII-1) ◦ 5.250 - 5.350 GHz (UNII-2) ◦ 5.470 - 5.600, 5.660 - 5.725 GHz (UNII-2e) ◦ 5.725 - 5.825 GHz (UNII-3) • 1x1 with one spatial stream • 20, 40, and 80 MHz channels (802.11ac) • Up to 256 QAM on 5 GHz band • Integrated omnidirectional antennas • MT Gateway Support for all MT sensors
Power	Power consumption 15.4W maximum via 802.3af PoE 12VDC/24VAC Terminal power input
Environment	Temperature: 0°C to 45°C (32°F to 113°F)**
Data and network security	• Full disk encryption (AES 256-bit) • Automatically purchased and provisioned TLS certificates (publicly signed) • Management encryption and two-factor authentication • Wireless security: ◦ WPA3-Personal (PSK / SAE) ◦ WPA, WPA2-PSK, WPA2-Enterprise with 802.1X EAP-TTLS TKIP and AES encryption
Physical characteristics	• Dimension: 148.54 mm x 95.80 mm (diameter x height) • Weight: 840 grams • Varifocal lens

Category	Specifications
	• Female RJ45 Ethernet connector • Multicolor, multifunction status LED • External microphone switch • Reset button
Warranty	Five-year hardware warranty with advanced replacement
Hardware	• MV23M-HW Varifocal lens indoor dome camera with 512GB storage • MV23X-HW: Varifocal lens indoor dome camera with 1TB storage
Licensing	LIC-MV-XYR: Meraki MV Enterprise license (X = 1, 3, 5, 7, 10 years) [Optional] LIC-MV-SEN-XYR: Meraki MV Sense license (X = 1, 3, 5, 7, 10 years) [Optional] LIC-MV-CA7-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA30-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA90-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA180-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA365-XY: MV Cloud Archive license (X = 1, 3, 5 years)
	LIC-MV-XYR: Meraki MV Enterprise license (X = 1, 3, 5, 7, 10 years) [Optional] LIC-MV-SEN-XYR: Meraki MV Sense license (X = 1, 3, 5, 7, 10 years) [Optional] LIC-MV-CA30-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA90-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA180-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA365-XY: MV Cloud Archive license (X = 1, 3, 5 years)
	• MA-MNT-MV-18: Mounting plate replacement kit • MA-MNT-MV-28: Pole mount • MA-MNT-MV-38: Wall-mount L-bracket • MA-MNT-MV-48: Wall-mount arm bracket • MA-MNT-MV-58: Conduit back box • MA-MNT-MV-68: T-rail adapter • MA-MNT-MV-88: Corner mount • MA-MNT-MV-78: Telescopic mount • MA-INJ-4: 802.3at power over Ethernet injector • PoE injector
In the box	• Quick-start and installation guide • MV camera hardware • Wall-mounting kit



Each Meraki camera requires a license to operate.





MV63 Series Datasheet

Overview

The Meraki MV63 series offers 8MP image quality and combines physical security and advanced analytics in a powerful yet compact fixed-lens mini dome form factor. With an edge architecture that minimizes physical infrastructure and software requirements, MV63 series enables faster, easier deployments and greater scalability.

Security in High Definition



The ultra-high-performance MV63 series camera offers up to 4K resolution for high-definition video, providing the detailed clarity needed to monitor what matters most. With IK10+ and IP67 ratings, along with IR illumination, the MV63 ensures extended visibility and safety, even in outdoor and challenging environments.

Additionally, the MV63 is engineered to withstand the rigors of transportation environments, ensuring reliable performance in the face of shock and vibration with EN 50155 Railway Compliance certification.

Compact and easy to install, the MV63 series boasts a new universal mounting plate compatible with various mounting accessories. It delivers the right viewing angle wherever it is placed. The MV63 series is ideal for monitoring entrances, exits, and the general perimeter from walls, ceilings, or corner-mount locations.

Using machine-learning-based computer vision, the MV63 series can perform real-time object detection, classification, and tracking of people and vehicles, as well as attribute detection and search to increase safety and provide valuable insights into activity. These smart cameras deliver powerful business intelligence without compromising physical security.

Product Highlights



- Fixed lens mini-dome camera with 8MP Image Sensor
- Compact form factor with 101.3° horizontal FoV
- More detailed information with up to 4K resolution
- Low bandwidth Consumption for recording and streaming using Smartcodec encoding
- Guaranteed days of video with [Smart Retention](#)
- Night vision with IR illumination up to 20 m (66 ft)
- IK10+ and IP67 for deployment in outdoor and demanding environments
- Intelligent motion indexing with search engine
- Built-in search tools like motion search, motion recap, motion heatmaps and Attribute Search
- Built-in analytics like Line Crossing, Area Occupancy, MV sense and Custom Computer-Vision capabilities
- Machine-learning capability for intelligent object detection
- Secure video access to ensure privacy with role-based user accounts
- Cloud-augmented edge storage for minimal physical infrastructure
- Built-in automatic security with secure boot and signed firmware, backed by a hardware security chip
- Suitable for deployments of all sizes, from 1-10,000+ cameras
- NDAA and [TAA](#) compliant
- EN 50155 Railway Compliance

MV63 Camera Specifications

Category	Specifications
Camera	• 1/2.8" 8.41MP (3854x2176) progressive CMOS backlit image sensor • 256 GB high-endurance solid-state storage (MV63) • 512 GB high-endurance solid-state storage (MV63M) • 1 TB high-endurance solid-state storage (MV63X) • 3.3 mm focal length • f/2.0 aperture • Field of view: Diagonal: 119.7, Horizontal:101.3, Vertical: 54.4 • 1/30 second to 1/32,000 second shutter speed • Auto day/night capable • Built-in IR illuminators, effective up to 20 m (66 ft) • Heating elements
Video	• 4K video recording (3840x2160) with H.264 Smart Codec, up to 15fps • 4MP (2560 x 1440) with H.264 Smart Codec, up to 24fps • 1080p (1920x1080) with H.264 Smart Codec, up to 24fps • High dynamic range (HDR) • Cloud augmented edge storage (locally stored video, metadata in the cloud) • Optimized retention settings (scheduling, motion-based) for variable retention • Direct live streaming with no client software (native browser playback)* • Stream video anywhere with automatic cloud proxy

Category	Specifications
DORI Specifications (Maximum Resolution)	• Audio recording supported with three (3) built-in microphones • Detect (25 ppm/ 8 ppf) ◦ 86.9 m / 285.1 ft • Observe (63 ppm/ 19 ppf) ◦ 34.5 m / 113.1 ft • Recognize (125 ppm/ 38 ppf) ◦ 17.4 m / 57.1 ft • Identify (250 ppm/ 76 ppf) ◦ 8.7 m / 28.5 ft
Networking and wireless	• 1x 10/100/1000BASE-T Ethernet (RJ45) • DSCP traffic marking • Supported frequency bands (country-specific restrictions apply): • 2.4 GHz 802.11b/g/n radio ◦ 2.412 - 2.484 GHz • 5 GHz 802.11a/n/ac radio ◦ 5.150 - 5.250 GHz (UNII-1) ◦ 5.250 - 5.350 GHz (UNII-2) ◦ 5.470 - 5.600, 5.660 - 5.725 GHz (UNII-2e) ◦ 5.725 - 5.825 GHz (UNII-3) • 1x1 with one spatial stream • 20, 40, and 80 MHz channels (802.11ac) • Up to 256 QAM on 5 GHz band • Integrated omnidirectional antennas (6.3 dBi gain at 5 GHz) • MT Gateway Support for all MT sensors
Power	Power consumption 25.5W maximum via 802.3at PoE
Environment	Temperature: -40°C to 50°C (-40°F to 122°F)**
Data and network security	• Full disk encryption (AES-256) • Automatically purchased and provisioned TLS certificates (publicly signed) • Management encryption and two-factor authentication • Wireless security: ◦ WPA3-Personal (PSK / SAE) ◦ WPA, WPA2-PSK, WPA2-Enterprise with 802.1X EAP-TTLS TKIP and AES encryption
Physical characteristics	• Dimension: 130.98 mm x 95 mm (diameter x height) • Weight: 920 grams • Fixed lens

Category	Specifications
	- Ethernet Connector with RJ45 Interface - Multicolor, multifunction status LED - External microphone switch - Reset button
Warranty	Five-year hardware warranty with advanced replacement
Hardware	- MV63-HW: Fixed lens outdoor mini-dome camera with 256 GB storage - MV63M-HW: Fixed lens outdoor mini-dome camera with 512 GB storage - MV63X-HW: Fixed lens outdoor mini-dome camera with 1 TB storage
Licensing	LIC-MV-XYR: Meraki MV Enterprise license (X = 1, 3, 5, 7, 10 years) [Optional] LIC-MV-SEN-XYR: Meraki MV Sense license (X = 1, 3, 5, 7, 10 years) [Optional] LIC-MV-CA7-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA30-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA90-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA180-XY: MV Cloud Archive license (X = 1, 3, 5 years) [Optional] LIC-MV-CA365-XY: MV Cloud Archive license (X = 1, 3, 5 years)
Accessories	- MA-MNT-MV-18: Mounting plate replacement kit - MA-MNT-MV-28: Pole mount - MA-MNT-MV-38: Wall-mount L-bracket - MA-MNT-MV-48: Wall-mount arm bracket - MA-MNT-MV-58: Conduit back box - MA-MNT-MV-68: T-rail adapter - MA-MNT-MV-88: Corner mount - MA-MNT-MV-78: Telescopic mount - MA-INJ-4: 802.3at power over Ethernet injector - MA-PWR-MV-LV: Low voltage 12V DC/24V AC input
In the box	- Quick-start and installation guide - MV camera hardware - Wall-mounting kit
 Each Meraki camera requires a license to operate.	



MV84X Datasheet

Overview

The MV84X multi-sensor camera revolutionizes surveillance by delivering unmatched coverage for large areas. By combining four cameras into a single sleek design, the MV84X offers unmatched coverage. Designed for dynamic environments like warehouses, airports, and manufacturing floors, this powerful camera ensures zero blind spots with its four cameras, with combined 20MP resolution and 360-degree analytics. The MV84X empowers businesses with instant insights, AI-powered object detection, providing a seamless blend of powerful technology and simplicity for the ultimate security solution. Perfectly built for today's fast-paced, demanding spaces, this is more than just a camera: it's a next-gen security experience.



Use Case

The MV84X is ideal for capturing wide and multi-angle views...

- Multi-corridor intersections
 - Long hallways
 - Open spaces like lobbies
 - Wide parking lots
-

- Building perimeters
- Entryways
- And more

This flexibility makes it particularly valuable in large or complex spaces like

- Offices
- Retail storefronts
- Warehouses
- And more

Security that tells a complete story

The MV84X delivers up to 20MP combined video resolution and offers 360° views, capturing not just the broad context of a scene but also precise detail when needed. Its panoramic field of view enhances situational awareness, making surveillance more efficient. Outdoor-rated and equipped with IR illumination, the MV84X improves safety and security in parking lots, hallways, warehouses, and other open spaces, even in low-light conditions.

Product highlights

- 4x 5MP multi-sensor form factor
- Up to 20MP video resolution to capture details
- Night vision with IR illumination up to 30m / 98.5ft
- IK10+ and IP66 rated for harsh environments
- Intelligent motion indexing with motion search
- Built-in analytics like motion search and motion recap are included with a standard license
- Machine learning capability for intelligent c
- Role-based user accounts provide secure
- Cloud-augmented edge storage eliminates
- Built-in automatic security with secure boo
- Suitable for deployments of all sizes, 1-10,
- NDAA and [TAA](#) compliant

Advanced feature spotlight



MV84X does not support MQTT, API outputs, and Advanced counting

Smart Retention

Retain critical motion events in high resolution without sacrificing overall storage. Smart Retention delivers predictable retention days by recording two streams—one high-resolution for motion and one lower-resolution continuously while reducing bandwidth and storage overhead. Simply enable it per camera or via profiles. You can comply with local regulations with adjustable retention limits while ensuring key events remain crystal-clear.

Key Benefits

- High-quality motion capture + standard resolution continuous coverage

- Predictable retention days and reduced bandwidth
- Flexible settings for compliance needs
- Minimum 60 days of video guaranteed

Event Search in Meraki Vision Portal

A powerful tool that streamlines investigations by enabling simultaneous searches across multiple cameras, complete with advanced detection and duration filters.

Key Benefits

- Adaptive filtering: Narrow down results by defining regions of interest and setting minimum event lengths.
- Faster review: Immediately see motion recaps, play back short video clips, and export critical footage.
- Straightforward interface: Easily configure search parameters and timeline ranges within the Vision Portal, reducing the time spent on manual review.

By focusing your search on exactly what matters, Event Search makes it easier to uncover crucial details quickly.

MV84X Camera Specifications

Category	Specifications
Camera	• 1/2.7" 4x5MP (2560x1920) progressive CMOS image sensor • 4TB high-endurance solid-state storage • 4x Varifocal lens providing 2x Optical Zoom • 3.42x6.85mm focal length (Per-Imager) • f/1.85 aperture • Field of view ◦ Diagonal: 129°-55° ◦ Horizontal: 118°-45° ◦ Vertical: 102°-35° • Auto day/night mode switching capable • Built-in IR illuminators, effective up to 30 m (98.5 ft) • Heating elements
Video	• 4x5MP video recording (2560x1920) with H.264 Smart Retention, up to 24fps • 4x2MP video recording (1920x1080) with H.264 Smart Retention, up to 24fps • High dynamic range (HDR) • Cloud-augmented edge storage (locally stored video; metadata in the cloud) • Direct live streaming with no client software (native browser playback)* • Stream video anywhere with an automatic cloud proxy
DORI Specifications (Maximum Resolution)	• Detect (25 ppm/ 8 ppf) ◦ 45.5 m / 149.2 ft (Wide FoV)

Category	Specifications
	◦ 106.7 m / 350 ft (Narrow FoV) • Observe (63 ppm/ 19 ppf) ◦ 18 m / 59 ft (Wide FoV) ◦ 42.3 m / 138.8 (Narrow FoV) • Recognize (125 ppm/ 38 ppf) ◦ 9.1 m / 29.8 ft (Wide FoV) ◦ 21.3 m / 69.9 ft (Narrow FoV) • Identify (250 ppm/ 76 ppf) ◦ 4.5 m / 14.7 ft (Wide FoV) ◦ 10.7 m / 35.1 ft (Narrow FoV)
Networking	• 1x 10/100/1000BASE-T Ethernet (RJ45) • DSCP traffic marking
PoE Requirements	With IR: 802.3bt (PoE++) Without IR: 802.3at (PoE+) Maximum Power per Port: 60 W
Environment	Operating Temperature • -30°C to +45°C • -30°C to +40°C (when IR is ON)
Data and network security	• Full disk encryption (AES-256) • Automatically purchased and provisioned TLS certificates (publicly signed) • Management encryption and two-factor authentication
Physical characteristics	• Dimensions (Main Body): ◦ 267 mm (Diameter) × 114 mm (Height) • Dimensions (w/ Bracket): ◦ 275 mm (Diameter) × 118 mm (Height) • Weight: 2.7 kg / 5.95 lbs • Lenses: 4× Varifocal Lenses • Network Port: Female RJ45 Ethernet Connector • LED Indicator: Multicolor, Multifunction Status LED • Reset Button: Included
Warranty	5-year hardware warranty with advanced replacement

Category	Specifications
Hardware	MV84X-HW: 4x5MP Multi-Sensor camera with 4TB for internal edge storage
Licensing	LIC-MV-MULTCAM-XY: Meraki MV Enterprise license (X = 1, 3, 5, 7, 10 years)
Accessories	• MA-MNT-MV-19: Pendant Head • MA-MNT-MV-29: Pendant Pipe (20 cm) (1.5" PS11) • MA-MNT-MV-39: Mounting Adapter for Pendant/Parapet • MA-MNT-MV-49: Wall Mount Bracket • MA-MNT-MV-59: Junction Box • MA-MNT-MV-69: Pole Mount Adapter • MA-MNT-MV-79: Corner Mount Adapter • MA-MNT-MV-89: Parapet Mounting Bracket



Each Meraki camera requires a license to operate.