



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Purchase Order

**PURCHASE ORDER NO.**  
 DIGCOP04D

**PAGE**  
 1

**BLANKET RELEASE**  
 00

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

**CHANGE ORDER**  
 6

**SEE REVERSE SIDE FOR TERMS AND CONDITIONS**

## AGENCY COPY

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

\*709041827 304-522-7022  
 AARONS PRODUCTS INCORPORATED  
 PO BOX 332  
 1041 8TH AVE  
 HUNTINGTON WV 25701

DATE PRINTED		TERMS OF SALE		FEIN/SSN		FUND	
09/14/2006		NET 30		550488450			
SHIP VIA		F.O.B		FREIGHT TERMS		ACCOUNT NUMBER	
BEST WAY		DESTINATION		PREPAID		MUL-MUL	
LINE	QUANTITY	UOP	VENDOR ITEM NO.		UNIT PRICE	AMOUNT	
	DELIVERY DATE	CAT. NO.	ITEM NUMBER				
			CHANGE ORDER #06				
	1) TO RENEW THE ORIGINAL CONTRACT ACCORDING TO ALL TERMS, CONDITIONS, PRICES AND SPECIFICATIONS CONTAINED IN THE ORIGINAL CONTRACT INCLUDING ALL AUTHORIZED CHANGE ORDERS.						
	EFFECTIVE DATE OF RENEWAL: 08/15/2006 THROUGH 08/14/2007.						
	RENEWALS REMAINING: 0						
	2) BAND 3 COLOR COPIER MODEL 2100C IS REPLACED BY MODEL 2500C.						
	3) BAND 4 COLOR COPIER MODEL 3100C IS REPLACED BY MODEL 3500C.						
	THESE MODEL CHANGES ARE EFFECTIVE 8/21/2006. ATTACHED ARE REVISED ACCESSORY LISTINGS.						
	PREVIOUS PO TOTAL==> OPEN END PO NET CHANGE (+)==>						
IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE <input checked="" type="checkbox"/>						OPEN END	
						<b>TOTAL</b>	

WV STATE PURCHASING DIVISION  
 ADMINISTRATION UNIT  
 CERTIFIED ENCUMBERED

SEP 18 2006

*Beverly Toler*

APPROVED FOR  
 ONE FISCAL YEAR

*Dwayne Wayfield*

APPROVED AS TO FORM BY  
 ASSISTANT ATTORNEY GENERAL

KRISTA FERRELL 304-558-2596

BY *[Signature]*  
 PURCHASING DIVISION AUTHORIZED SIGNATURE

**GENERAL TERMS & CONDITIONS  
PURCHASE ORDER/CONTRACT**

1. **ACCEPTANCE:** Seller shall be bound by this order and its terms and conditions upon receipt of acceptance of this order.
2. **APPLICABLE LAW:** The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
3. **NON-FUNDING:** All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the terms of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
4. **COMPLIANCE:** Seller shall comply with all Federal, State and local laws, regulations and ordinances including, but not limited to, the prevailing wage rates of the WV Division of Labor.
5. **MODIFICATIONS:** This writing is the parties final expression of intent. No modification of this order shall be binding unless agreed to in writing by the Buyer.
6. **ASSIGNMENT:** Neither this Order nor any monies due, or to become due hereunder may be assigned by the Seller without the Buyer's consent.
7. **WARRANTY:** The Seller expressly warrants that the goods and/or services covered by this Order will: [a] conform to the specifications, drawings, samples or other description furnished or specified by the Buyer; [b] be merchantable and fit for the purpose intended; and/or [c] be free from defect in material and workmanship.
8. **CANCELLATION:** The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the Seller.
9. **SHIPPING, BILLING & PRICES:** Prices are those stated in this order. No price increase will be accepted without written authority from the Buyer. All goods or services shall be shipped on or before the date specified in this Order.
10. **LATE PAYMENTS:** Payments may only be made after the delivery of goods or services. Interest may be paid on late payments in accordance with the *West Virginia Code*.
11. **TAXES:** The State of West Virginia is exempt from Federal and State taxes and will not pay or reimburse such taxes.
12. **RENEWAL:** Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract is automatically null and void, and is terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

# *Aaron's Products, Inc.*

*For all your office needs*

8-21-06

To: The State of WV  
Regarding: DIGCOP04D

From Mark Salmons  
State of WV Rep.  
Aaron's Products, Inc.

State of WV,

Toshiba has made a model change. This affects Band 3 Color Copier and Band 4 Color Copier. In Band 3 the change is from e-Studio 2100c to e-Studio 2500C and in Band 4 the change is from e-Studio 3100c to e-Studio 3500C. There is no change in the pricing of the copiers. There are, however additions to the accessory listing. Those additions are listed on the attached pages.

Thank you for the opportunity to be of service to you and the State of WV.

Thank you,



Mark Salmons  
State of WV Rep.  
Aaron's Products, Inc.

*Contact – Mark Salmons*

*Pager – 341-2461, Email – [copierguy1@hotmail.com](mailto:copierguy1@hotmail.com), Office phone – 342-4637*


## **Information on Toshiba e-Studio 2500C**

<b>Brand Name</b>	<b>Toshiba</b>
<b>Model</b>	<b>e-Studio 2500C</b>
<b>Mfg Copy Volume</b>	<b>50,000</b>
<b>Copy Speed</b>	<b>25 Color/35 Black</b>
<b>500 Sheet Capacity</b>	<b>yes 1200</b>
<b>2 paper sources</b>	<b>yes 3 sources</b>
<b>Auto Duplexing</b>	<b>yes</b>
<b>Auto Doc Feeder</b>	<b>yes MR3018</b>
<b>Electronic Finishing</b>	<b>yes</b>
<b>Purchase Price</b>	<b>11,562.00</b>
<b>Deducted if non-connected</b>	<b>3,469.00</b>
<b>Maint. for purchased machines</b>	<b>25.00</b>
<b>24 month rental non-connected</b>	<b>544.13 (-155.76)</b>
<b>36 month rental non-connected</b>	<b>383.42 (-107.54)</b>
<b>48 month rental non-connected</b>	<b>303.64 (-83.60)</b>
<b>Warranty</b>	<b>90 Days</b>
<b>Reduction for warranty</b>	<b>25.00 (24/36/48 months)</b>
<b>Color cost per copy</b>	<b>0.050</b>
<b>Mono cost per copy</b>	<b>0.020</b>



# Accessory Listing for Toshiba 2500c Band 3 Color Copier

Equipment	Description	Purchase	24 mon	36 mon	48 mon
KA3511	Platen Cover	25.00	1.13	0.80	0.63
MJ1101	Finisher - Console Finisher w/ Stapling	1383.00	62.10	44.87	33.33
MJ1030	Finisher - Saddle Stitch	2058.00	92.40	63.80	49.60
KN3500	Bridge Kit (Required with MJ1022 or MJ1025)	134.00	6.03	4.29	3.35
MJ6101	Hole Punch (MJ1101 Only)	392.00	17.60	12.15	9.45
MJ6004	Hole Punch (MJ1030 Only)	392.00	17.60	12.15	9.45
KD1018	Paper Feed Pedestal	446.00	20.07	14.27	11.15
MY1031	Cassette for PFP	209.00	9.41	6.69	5.23
KD1019	Large Capacity Feeder	418.00	18.81	13.38	10.45
KK3511	Work Tray	29.00	1.30	0.90	0.70
Stand3511/4511	Stand	176.00	7.92	5.63	4.40
<b>CONNECTIVITY OPTIONS</b>					
GA1210	EFI Controller	3469.00	155.76	107.54	83.60
GC1250	512MB Memory Upgrade	319.00	14.36	10.21	7.98
GC1260	256MB Memory Upgrade	194.00	8.73	6.21	4.85
GP1060	Data Overwrite Enabler	260.00	11.70	8.32	6.50
GN1041	Wireless LAN Adapter	606.00	27.21	18.79	14.60
GN2010	Bluetooth MOD	160.00	7.20	5.12	4.00
GN3010	Antenna	80.00	3.60	2.56	2.00
GQ1020	Coin Controller Wiring Harness	50.00	2.25	1.60	1.25
<b>FAX OPTIONS</b>					
GD1210	Fax Board	692.00	31.14	22.14	17.30
GD1160	2nd Line Fax	387.00	17.42	12.38	9.68
<b>Additional Options</b>					
D5133NT	Surge and Ground Noise Protector	140.00	6.29	4.34	3.38
Ecopy Software	Ecopy Software	5995.00	269.78	191.84	149.88
Re Rite	Re Rite Software	2695.00	121.28	86.24	67.38





# Electronic Multifunctional Selection Guide for Copier-Based Products Fact Sheet

## Toshiba e-STUDIO2500c

**BACKGROUND INFO**  
 Dataquest Segment: NA  
 SRP (USA; Canada): \$12,999  
 Manufacturing Status: New  
 Domestic Intro Date: May 2006  
 OEM: Toshiba (China)  
 Also Sold As: None

Distributed By: Dealers and subsidiaries  
 Mfr's Rec Mo/Vol: 50,000 copies

**TYPE**  
 Full-color copier, MF  
**Configuration/Scanner:** Console, digital  
**Toner:** Dry, dual component

**GENERAL SPECIFICATIONS/PAPER HANDLING**  
 First Copy Time: 8.6/6.5 sec\*  
 Multicopy (Ltr/Lgl/Ldgr): 25/35 cpm\*  
 Warm-Up Time: 99 sec  
 Std Paper Source(s): Dual drawer  
 Std Paper Capacity: 550/550 sheets  
 Paper Weights: 17 lb bond to 140 lb index  
 Bypass/Paper Weights: 100-sheet/17 lb bond to 140 lb index  
 Max Paper Sources: 6  
 Max Paper Capacity: 3,700 sheets  
 Max Original Size: 11 x 17  
 Output Size (Min/Max): 5-1/2 x 8-1/2/12 x 18  
 Resolution (Scan/Copy): 600 x 600 dpi  
 Copier Memory (Std/Max): 512 MB, 80+ GB HD/1 GB, 80+ GB HD  
 Duplex: Auto (1;2;2;2;2;1)  
 Capacity/Paper Sizes: Unlimited/5-1/2 x 8-1/2 to 12 x 18  
 Document Feeder: Opt RADF  
 Speed/Capacity: Info not avail/100 origs  
 Paper Weights: Info not avail  
 Sorter (Bins/Capacity):  
 Stapler Sorter: None  
 Bins/Stapling Capacity: Not applicable  
 Stapling Positions: Not applicable  
 Finisher: Opt finishers  
 Tray/Stapling/Position(s): 2,000/50/INA  
 Other: Opt finishers have two trays (1,000/1,000 finisher V folds up to 15 sheet (60 pgs) electronic sorting

**CONTROL PANEL**  
 Keypad and touch screen  
 Quantity Selector: 1 to 999 (0 to 9 keypad)  
 Message Display: Yes  
 Help Keys: Yes

### FEATURE

Automatic Features: AES, AMS, APS, AS, ASO, ATS  
 Book Copy: Yes Job Time: No  
 Booklet Mode: Std Language: Std  
 Color: Std Margin Shift: Yes  
 Copy Control: 1,000 Neg/Pos: Yes  
 Covers: Std OHP Interleaving: No  
 Editing: Std Photo Mode: Yes  
 Energy-Save: Yes Poster Mode: No  
 Erase: Std Preset R/E: 7R,7E  
 Image Insert: No Program Ahead: Std  
 Image Overlay: No Sheet Insertion: Std  
 Image Repeat: Yes Stamping: Std  
 Image Rotate: Std Timer: Yes  
 Interrupt: Yes 2-in-1: Std  
 Job Build: No XY Zoom: Yes  
 Job Programs: INA Zoom Range: 25 to 400 (1%)

### Other Features:

\*Full color/black and white; department code enforcement; T job status and management utilities; toner density monitorin

### ADDITIONAL INFORMATION

Dimensions (H x W x D): 29" x 26" x 28"  
 Weight: 265 lbs  
 Power Requirements: 115 V, 15 A  
 Dedicated Outlet: Recommended  
 Energy Star Compliant: No  
 Operating Noise Level: Info not avail

### COMMENTS

\*\*Toner yield is based on 6% coverage per color.  
 508-compliant ergonomically designed control panel.  
 E-mail notification for PM, service call, counters and autom  
 Toshiba 6.8 Micron Toner supports low-temperature fuser col  
 Supports Toshiba's first Easily Replaceable Unit (ERU) servi

### OPTIONS

RADF (MR3018): \$ not avail  
 2,500-sheet LCT (KD1019): \$ not avail  
 550-sheet paper-feed pedestal (KD1018): \$ not avail  
 550-sheet cassette module (MY1031): \$ not avail  
 Saddle-stitch finisher (MJ1030): \$ not avail  
 Multi-position finisher (MJ1101): \$ not avail  
 Hole punch unit (MJ6101):

### MAINTENANCE

Fuser Rollers: Fusing belt  
 Yield: Info not avail  
 Cleaning Blades: Drum blade  
 Yield: Info not avail  
 Other: Not applicable  
 Yield: Not applicable  
 Fuser Oil: Not required  
 PM Schedule: 70,000

### SUPPLIES

Photoconductor: Intermediate transfer bel  
 Yield: 50,000  
 Price: Priced by dealer  
 Toner: Ctrdg weight not avail  
 Yield: 24,000 black/21,000 color  
 % Coverage: 6%\*\*  
 Price: Priced by dealer  
 Developer: Btl weight not avail  
 Yield: 70,000 black/50,000 color  
 Price: Priced by dealer



# Electronic Multifunctional Selection Guide for Copier-Based Products Fact Sheet

## Toshiba e-STUDIO2500c

### MULTIFUNCTION MODES

Copier:	Std	Fax:	Opt
Internet Fax:	Opt	Network Fax:	No
Network Printer:	Std	PC Fax:	No
Printer:	No	Scanner:	Std

### CONNECTIVITY SPECIFICATIONS

Operating System Support:	Mac 9.0, 10.x, Win 98, Me, NT 4.0, 2000, XP, 2003
Parallel Interface:	None
PC Fax/Print/Scan:	Not applicable
Serial Interface:	None
PC Fax/Print/Scan:	Not applicable
USB Interface:	None
PC Fax/Print/Scan:	Not applicable
Network Interface:	Std Ethernet, opt 802.11b/g
Interface Type:	10/100T/100BaseTX,

LAN Fax/Print/Scan: No/Yes/Yes

### Networks Supported:

NetWare:	Yes
Windows NT:	Yes
AppleTalk:	Yes
UNIX:	No
AS/400:	No
Other:	

### FACSIMILE SPECIFICATIONS

Scanner Technology:	CCD		
Compression Method:	MH/MR/MMR/JBIG		
Modem Speed:	33.6 Kbps		
Max TX Resolution:	600 x 600 dpi		
Gray Scale/Halftones:			
Std/Max Fax Memory:	500 MB/500 MB		
Min/Max Orig Size (W x L):	11 x 17		
Max Paper/Print Width:	Info not avail		
Effective Scanning Width:	Info not avail		
Correct-Order Output:	Info not avail		
Batch Files:	Yes	Polling:	Yes
Battery Backup:	INA	Relay Request:	INA
Confid TX/RX:	INA	Smoothing:	Yes
Dual Lines:	Opt	Timers:	To memory capacity
Multi Access:	Yes	Transfer Hub:	INA

### Dialing Capabilities:

Broadcasting (Groups/Dest):	100/INA		
Redial (Attempts/Intervals):	Info not avail		
One Touch:	1,000	Speed Dial:	/None

Other: Memory transmission; opt dual lines for simulatane 120-MB memory reception, 500-MB transmission memory, plus 80

### INTERNET FAX SPECIFICATIONS

TX/RX:	Yes/Yes
Fax-To-E-Mail:	Yes

### PC/NETWORK FAX SPECIFICATIONS

Connection Type:	Not applicable
Type:	Not applicable
TX/RX:	Not applicable

### PRINTER SPECIFICATIONS

Engine Mfr/Model:	Toshiba/e-STUDIO2500c
Compatibility:	IBM PC, Mac
Speed:	25/35 cpm*
Max Print Area:	11 x 17
Enhanced Resolution:	600 x 600 dpi
Unenhanced Resolution:	600 x 600 dpi
Std/Max Printer Memory:	Info not avail
Controller/Mfr/Model:	Toshiba/e-BRIDGE
Processor/Bits/MHz:	PowerPC/Info not avail/867 MHz
PDL/PCL:	PCL 6c, PostScript 3
Controller Mfr/Model:	EFI/Fiery 8e (GA1210)***
Processor/Bits/MHz:	Celeron/Info not avail/2 MHz
PDL/PCL:	PCL 6c, Adobe PostScript 3
Controller Mfr/Model:	Not applicable
Processor/Bits/MHz:	Not applicable
PDL/PCL:	Not applicable
Other:	***Fiery GA1210 std/max memory, 256 MB, 80-GB HD/ shrinks file sizes for faster network throughput; private, p

### SCANNER AND IMAGE MANAGEMENT SPECIFICATIONS

Connection Type:	Network
Technology/Speed:	CCD/40, 50 ipm*
Max Resolution:	600 x 600 dpi
TWAIN/ISIS Compatible:	Yes
Scan/Image Software:	Std
OCR Software:	Opt
File Mgmt Software:	Std
Scan-To-E-Mail:	Yes
Other:	TIFF-MMR, TIFF-S, PDF, JPEG file formats; unified documents into the workflow of business processes like docum

### COMMENTS

Toshiba's e-FILING feature supports copy, scan, print and re Electronic filing incls one public box and 200 private user

### CONNECTIVITY/MF OPTIONS

Fiery controller (GA1210): \$ not avail  
 Bridge kit (KN3500): \$ not avail  
 Fax board (GD1210): \$ not avail  
 2nd line fax (GD1160): \$ not avail  
 Wireless LAN adapter (GN1041): \$ not avail  
 Bluetooth adapter (GN2010): \$ not avail  
 Wireless Antenna (GN3010): \$ not avail  
 Data Overwrite kit (GP1060): \$ not avail

eCopy ScanStation OP V3.0: \$ not avail  
 Re-Rite OCR software: \$ not avail  
 Hard drive overwrite: \$ not avail

## Information on Toshiba e-Studio 3500C

<b>Brand Name</b>	<b>Toshiba</b>
<b>Model</b>	<b>e-Studio 3500C</b>
<b>Mfg Copy Volume</b>	<b>70,000</b>
<b>Copy Speed</b>	<b>35cpm</b>
<b>500 Sheet Capacity</b>	<b>yes 1200</b>
<b>2 paper sources</b>	<b>yes 3 sources</b>
<b>Auto Duplexing</b>	<b>yes</b>
<b>Auto Doc Feeder</b>	<b>yes MR3018</b>
<b>Electronic Finishing</b>	<b>yes</b>
<b>Purchase Price</b>	<b>12,359.00</b>
<b>Deducted if non-connected</b>	<b>3,469.00</b>
<b>Maint. for purchased machines</b>	<b>25.00</b>
<b>24 month rental non-connected</b>	<b>579.92 (-155.76)</b>
<b>36 month rental non-connected</b>	<b>408.13 (-107.54)</b>
<b>48 month rental non-connected</b>	<b>322.85 (-83.60)</b>
<b>Warranty</b>	<b>90 Days</b>
<b>Reduction for warranty</b>	<b>25.00 (24/36/48 months)</b>
<b>Color cost per copy</b>	<b>0.050</b>
<b>Mono cost per copy</b>	<b>0.020</b>





# Accessory Listing for Toshiba 3500c Band 4 Color Copier

Equipment	Description	Purchase	24 mon	36 mon	48 mon
KA3511	Platen Cover	25.00	1.13	0.80	0.63
MJ1101	Finisher - Console Finisher w/ Stapling	1383.00	62.10	44.87	33.33
MJ1030	Finisher - Saddle Stitch	2058.00	92.40	63.80	49.60
KN3500	Bridge Kit (Required with MJ1022 or MJ1025)	134.00	6.03	4.29	3.35
MJ6101	Hole Punch (MJ1101 Only)	392.00	17.60	12.15	9.45
MJ6004	Hole Punch (MJ1030 Only)	392.00	17.60	12.15	9.45
KD1018	Paper Feed Pedestal	446.00	20.07	14.27	11.15
MY1031	Cassette for PFP	209.00	9.41	6.69	5.23
KD1019	Large Capacity Feeder	418.00	18.81	13.38	10.45
KK3511	Work Tray	29.00	1.30	0.90	0.70
Stand3511/4511	Stand	176.00	7.92	5.63	4.40
<b>CONNECTIVITY OPTIONS</b>					
GA1210	EFI Controller	3469.00	155.76	107.54	83.60
GC1250	512MB Memory Upgrade	319.00	14.36	10.21	7.98
GC1260	256MB Memory Upgrade	194.00	8.73	6.21	4.85
GP1060	Data Overwrite Enabler	260.00	11.70	8.32	6.50
GN1041	Wireless LAN Adapter	606.00	27.21	18.79	14.60
GN2010	Bluetooth MOD	160.00	7.20	5.12	4.00
GN3010	Antenna	80.00	3.60	2.56	2.00
GQ1020	Coin Controller Wiring Harness	50.00	2.25	1.60	1.25
<b>FAX OPTIONS</b>					
GD1210	Fax Board	692.00	31.14	22.14	17.30
GD1160	2nd Line Fax	387.00	17.42	12.38	9.68
<b>Additional Options</b>					
D5133NT	Surge and Ground Noise Protector	140.00	6.29	4.34	3.38
Ecopy Software	Ecopy Software	5995.00	269.78	191.84	149.88
Re Rite	Re Rite Software	2695.00	121.28	86.24	67.38



# Electronic Multifunctional Selection Guide for Copier-Based Products Fact Sheet

## Toshiba e-STUDIO3500c

**BACKGROUND INFO**  
 Dataquest Segment: NA  
 SRP (USA; Canada): \$14,999  
 Manufacturing Status: New  
 Domestic Intro Date: May 2006  
 OEM: Toshiba (China)  
 Also Sold As: None  
 Distributed By: Dealers and subsidiaries  
 Mfr's Rec Mo/Vol: 70,000 copies

**TYPE**  
 Full-color copier, MF  
 Configuration/Scanner: Console, digital  
 Toner: Dry, dual component

**GENERAL SPECIFICATIONS/PAPER HANDLING**  
 First Copy Time: 8.6/6.5 sec\*  
 Multicopy (Ltr/Lgl/Ldgr): 35/35 cpm\*  
 Warm-Up Time: 99 sec  
 Std Paper Source(s): Dual drawer  
 Std Paper Capacity: 550/550 sheets  
 Paper Weights: 17 lb bond to 140 lb index  
 Bypass/Paper Weights: 100-sheet/17 lb bond to 140 lb index  
 Max Paper Sources: 6  
 Max Paper Capacity: 3,700 sheets  
 Max Original Size: 11 x 17  
 Output Size (Min/Max): 5-1/2 x 8-1/2/12 x 18  
 Resolution (Scan/Copy): 600 x 600 dpi  
 Copier Memory (Std/Max): 512 MB, 80+ GB HD/1 GB, 80+ GB HD  
 Duplex: Auto (1:2,2:2,2:1)  
 Capacity/Paper Sizes: Unlimited/5-1/2 x 8-1/2 to 12 x 18  
 Document Feeder: Opt RADF  
 Speed/Capacity: Info not avail/100 origis  
 Paper Weights: Info not avail  
 Sorter (Bins/Capacity):  
 Stapler Sorter: None  
 Bins/Stapling Capacity: Not applicable  
 Stapling Positions: Not applicable  
 Finisher: Opt finishers  
 Tray/Stapling/Position(s): 2,000/50/INA  
 Other:  
 Opt finishers have two trays (1,000/1,00  
 finisher V folds up to 15 sheet (60 pgs)  
 electronic sorting

**CONTROL PANEL**  
 Keypad and touch screen  
 Quantity Selector: 1 to 999 (0 to 9 keypad)  
 Message Display: Yes  
 Help Keys: Yes

**OPTIONS**  
 RADF (MR3018): \$ not avail  
 2,500-sheet LCT (KD1019): \$ not avail  
 550-sheet paper-feed pedestal (KD1018): \$ not avail  
 550-sheet cassette module (MY1031): \$ not avail  
 Saddle-stitch finisher (MJ1030): \$ not avail  
 Multi-position finisher (MJ1101): \$ not avail  
 Hole punch unit (MJ6101):

**FEATURE**

Automatic Features:	AES, AMS, APS, AS, ASO, ATS		
Book Copy:	Yes	Job Time:	No
Booklet Mode:	Std	Language:	Std
Color:	Std	Margin Shift:	Yes
Copy Control:	1,000	Neg/Pos:	Yes
Covers:	Std	OHP Interleaving:	No
Editing:	Std	Photo Mode:	Yes
Energy-Save:	Yes	Poster Mode:	No
Erase:	Std	Preset R/E:	7R,7E
Image Insert:	No	Program Ahead:	Std
Image Overlay:	No	Sheet Insertion:	Std
Image Repeat:	Yes	Stamping:	Std
Image Rotate:	Std	Timer:	Yes
Interrupt:	Yes	2-in-1:	Std
Job Build:	No	XY Zoom:	Yes
Job Programs:	INA	Zoom Range:	25 to 400 (1%)

Other Features:  
 \*Full color/black and white; department code enforcement; T  
 job status and management utilities; toner density monitorin

**ADDITIONAL INFORMATION**

Dimensions (H x W x D): 29" x 26" x 28"  
 Weight: 265 lbs  
 Power Requirements: 115 V, 15 A  
 Dedicated Outlet: Recommended  
 Energy Star Compliant: No  
 Operating Noise Level: Info not avail

**COMMENTS**

\*\*Toner yield is based on 6% coverage per color.  
 508-compliant ergonomically designed control panel.  
 E-mail notification for PM, service call, counters and autom  
 Toshiba 6.8 Micron Toner supports low-temperature fuser col  
 Supports Toshiba's first Easily Replaceable Unit (ERU) servi

**MAINTENANCE**  
 Fuser Rollers: Fusing belt  
 Yield: Info not avail  
 Cleaning Blades: Drum blade  
 Yield: Info not avail  
 Other: Not applicable  
 Yield: Not applicable  
 Fuser Oil: Not required  
 PM Schedule: 70,000

**SUPPLIES**  
 Photoconductor: Intermediate transfer bel  
 Yield: 70,000  
 Price: Priced by dealer  
 Toner: Ctrdg weight not avail  
 Yield: 24,000 black/21,000 color  
 % Coverage: 6%\*\*  
 Price: Priced by dealer  
 Developer: Btl weight not avail  
 Yield: 70,000 black/50,000 color  
 Price: Priced by dealer



# Electronic Multifunctional Selection Guide for Copier-Based Products Fact Sheet

## Toshiba e-STUDIO3500c

### MULTIFUNCTION MODES

Copier:	Std	Fax:	Opt
Internet Fax:	Opt	Network Fax:	No
Network Printer:	Std	PC Fax:	No
Printer:	No	Scanner:	Std

### CONNECTIVITY SPECIFICATIONS

Operating System Support:	Mac 9.0, 10.x, Win 98, Me, NT 4.0, 2000, XP, 2003
Parallel Interface:	None
PC Fax/Print/Scan:	Not applicable
Serial Interface:	None
PC Fax/Print/Scan:	Not applicable
USB Interface:	None
PC Fax/Print/Scan:	Not applicable
Network Interface:	Std Ethernet, opt 802.11b/g
Interface Type:	10/100T/100BaseTX,

LAN Fax/Print/Scan: No/Yes/Yes

### Networks Supported:

NetWare:	Yes
Windows NT:	Yes
AppleTalk:	Yes
UNIX:	No
AS/400:	No
Other:	

### FACSIMILE SPECIFICATIONS

Scanner Technology:	CCD		
Compression Method:	MH/MR/MMR/JBIG		
Modem Speed:	33.6 Kbps		
Max TX Resolution:	600 x 600 dpi		
Gray Scale/Halftones:			
Std/Max Fax Memory:	500 MB/500 MB		
Min/Max Orig Size (W x L):	11 x 17		
Max Paper/Print Width:	Info not avail		
Effective Scanning Width:	Info not avail		
Correct-Order Output:	Info not avail		
Batch Files:	Yes	Polling:	Yes
Battery Backup:	INA	Relay Request:	INA
Confid TX/RX:	INA	Smoothing:	Yes
Dual Lines:	Opt	Timers:	To memory capacity
Multi Access:	Yes	Transfer Hub:	INA

### Dialing Capabilities:

Broadcasting (Groups/Dest):	100/INA		
Redial (Attempts/Intervals):	Info not avail		
One Touch:	1,000	Speed Dial:	/None

Other: Memory transmission; opt dual lines for simulatane  
120-MB memory reception, 500-MB transmission memory, plus  
80

### INTERNET FAX SPECIFICATIONS

TX/RX:	Yes/Yes
Fax-To-E-Mail:	Yes

### PC/NETWORK FAX SPECIFICATIONS

Connection Type:	Not applicable
Type:	Not applicable
TX/RX:	Not applicable

### PRINTER SPECIFICATIONS

Engine Mfr/Model:	Toshiba/e-STUDIO3500c
Compatibility:	IBM PC, Mac
Speed:	35/35 cpm*
Max Print Area:	11 x 17
Enhanced Resolution:	600 x 600 dpi
Unenhanced Resolution:	600 x 600 dpi
Std/Max Printer Memory:	Info not avail
Controller/Mfr/Model:	Toshiba/e-BRIDGE
Processor/Bits/MHz:	PowerPC/Info not avail/867 MHz
PDL/PCL:	PCL 6c, PostScript 3
Controller Mfr/Model:	EFI/Fiery 8e (GA1210)***
Processor/Bits/MHz:	Celeron/Info not avail/2 MHz
PDL/PCL:	PCL 6c, Adobe PostScript 3
Controller Mfr/Model:	Not applicable
Processor/Bits/MHz:	Not applicable
PDL/PCL:	Not applicable
Other:	***Fiery GA1210 std/max memory, 256 MB, 80-GB HD/ shrinks file sizes for faster network throughput; private, p

### SCANNER AND IMAGE MANAGEMENT SPECIFICATIONS

Connection Type:	Network
Technology/Speed:	CCD/40, 50 lpm*
Max Resolution:	600 x 600 dpi
TWAIN/ISIS Compatible:	Yes
Scan/Image Software:	Std
OCR Software:	Opt
File Mgmt Software:	Std
Scan-To-E-Mail:	Yes
Other:	TIFF-MMR, TIFF-S, PDF, JPEG file formats; unified documents into the workflow of business processes like docum

### COMMENTS

Toshiba's e-FILING feature supports copy, scan, print and re  
Electronic filing incis one public box and 200 private user

### CONNECTIVITY/MF OPTIONS

Fiery controller (GA1210): \$ not avail  
Bridge kit (KN3500): \$ not avail  
Fax board (GD1210): \$ not avail  
2nd line fax (GD1160): \$ not avail  
Wireless LAN adapter (GN1041): \$ not avail  
Bluetooth adapter (GN2010): \$ not avail  
Wireless Antenna (GN3010): \$ not avail  
Data Overwrite kit (GP1060): \$ not avail

eCopy ScanStation OP V3.0: \$ not avail  
Re-Rite OCR software: \$ not avail  
Hard drive overwrite: \$ not avail



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Purchase Order

**PURCHASE ORDER NO.**

DIGCOP04D

**PAGE**

**BLANKET RELEASE**

00

CORRECT PURCHASE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES, AND SHIPPING PAPERS. QUESTIONS CONCERNING THIS PURCHASE ORDER SHOULD BE DIRECTED TO THE BUYER AS NOTED BELOW.

**CHANGE ORDER**

6

**SEE REVERSE SIDE FOR TERMS AND CONDITIONS**

INVOICE TO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

VENDOR

\*709041827      304-522-7022  
 AARONS PRODUCTS INCORPORATED  
 PO BOX 332  
 1041 8TH AVE  
 HUNTINGTON WV 25701

SHIP TO

ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED		TERMS OF SALE		FEIN/SSN		FUND	
09/14/2006		NET 30		550488450			
SHIP VIA		F.O.B		FREIGHT TERMS		ACCOUNT NUMBER	
BEST WAY		DESTINATION		PREPAID		MUL-MUL	
LINE	QUANTITY	UOP	VENDOR ITEM NO.	UNIT PRICE		AMOUNT	
	DELIVERY DATE	CAT. NO.	ITEM NUMBER				
			RECEIPT TICKET	FOR PURCHASE ORDER:		DIGCOP04D	
LINE	CATNO	ITEM	NUMBER	DESCRIPTION		QTY	DATE
0001	985-64			PER ATTACHED COST SHEETS			
		SIGNATURE _____		DATE _____			

IF APPROVAL AS TO FORM IS REQUIRED BY ATTORNEY GENERAL, CHECK HERE

**TOTAL**

APPROVED AS TO FORM BY  
 ASSISTANT ATTORNEY GENERAL

BY \_\_\_\_\_  
 PURCHASING DIVISION AUTHORIZED SIGNATURE