



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 CRH60352

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
 Megafitness
 630 S. Wickham Rd suite 107
 W. Melbourne Fl. 32904

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - COMMUNITY & RURAL HEALTH
 350 CAPITOL STREET, ROOM 515
 CHARLESTON, WV
 25301-3716 304-558-4109

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/11/2006				

BID OPENING DATE: 06/14/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUEST FOR QUOTATION						
THE WEST VIRGINIA DIVISION OF PURCHASING IS SOLICITING BIDS FOR THE OFFICE OF EMERGENCY MEDICAL SERVICES TO PROVIDE AUTOMATIC EXTERNAL DEFIBRILLATORS (AED) AND AUTOMATIC EXTERNAL DEFIBRILLATOR (AED) TRAINERS.						
PLEASE NOTE THE FOLLOWING ATTACHMENTS: 1) CRH60352 AED BID SPECIFICATIONS 2006. 2) AFFIDAVIT						
0001	90	EA		964-26	1635.50	147,195.00
AUTOMATIC EXTERNAL DEFIBRILLATORS (AED) UNITS						
ZOLL AED PLUS, PS SERIES - OR EQUAL MANUFACTURER MUST SUPPLY SPECIFICATIONS FOR COMPARISON AND COPIES OF TECHNICAL MANUALS; IF BIDDING OTHER THAN ZOLL.						
ALL UNITS MUST BE NEW, NOT RE-MANUFACTURED, MEET FDA APPROVAL, AND HAVE NO CURRENT FDA RECALL.						
ALL BIDS FOR AED'S MUST INCLUDE BATTERIES AND PADS FOR EACH UNIT.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 800-925-2772 ext 110	DATE 6/2/06
TITLE Account executive	FEIN 59-3471-786	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 CRH60352

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 ROBERTA WAGNER
 304-558-0067

RFQ COPY

TYPE NAME/ADDRESS HERE

Mega Fitness
 630 S. Wickham Rd. Suite 107
 W. Melbourne, Fl. 32904

VENDOR

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - COMMUNITY & RURAL HEALTH
 350 CAPITOL STREET, ROOM 515
 CHARLESTON, WV
 25301-3716 304-558-4109

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/11/2006				
BID OPENING DATE: 06/14/2006		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0002	90	EA		964-26	272.45	24520.50
AUTOMATIC EXTERNAL DEFIBRILLATOR (AED) TRAINERS ZOLL AED PLUS, PS SERIES TRAINERS - OR EQUAL MANUFACTURER MUST SUPPLY SPECIFICATIONS FOR COMPARISON AND COPIES OF TECHNICAL MANUALS, IF BIDDING OTHER THAN ZOLL. ALL TRAINERS MUST BE NEW, NOT RE-MANUFACTURED, MEET FDA APPROVAL AND HAVE NO CURRENT FDA RECALL. ALL BIDS FOR TRAINERS MUST INCLUDE BATTERIES AND PADS FOR EACH UNIT. THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.						
VENDOR PREFERENCE CERTIFICATE						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 800-925-2772 ext 110	DATE 6/2/06
TITLE Account Executive	FEIN 59-3471-780	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CRH60352

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

MegaFitness
630 S. Wickham Rd. Suite 107
W. Melbourne, FL 32904

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - COMMUNITY & RURAL HEALTH
 350 CAPITOL STREET, ROOM 515
 CHARLESTON, WV
 25301-3716 304-558-4109

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/11/2006				

BID OPENING DATE: 06/14/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>() BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>() BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>() BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 800-925-2772 ext 110	DATE 6/2/06
TITLE account executive	FEIN 59-3471-780	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 CRH60352

PAGE
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 ROBERTA WAGNER
 304-558-0067

RFQ COPY

TYPE NAME/ADDRESS HERE

Mega-fitness
630 S. Wickham Suite 107
W. Melbourne, FL 32904

VENDOR

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - COMMUNITY & RURAL HEALTH
 350 CAPITOL STREET, ROOM 515
 CHARLESTON, WV
 25301-3716 304-558-4109

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/11/2006				

BID OPENING DATE: 06/14/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>() BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p>() BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Williamson</i>	TELEPHONE 800-925-2762 ext 110	DATE 6/2/06
TITLE account executive	FEIN 59-3471-786	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER: CRH60352

PAGE: 5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 ROBERTA WAGNER
 304-558-0067

RFQ COPY

TYPE NAME/ADDRESS HERE

Mega Fitness
 630 S. Wickham Suite 107
 W. Melbourne Fl. 32904

VENDOR

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - COMMUNITY & RURAL HEALTH
 350 CAPITOL STREET, ROOM 515
 CHARLESTON, WV
 25301-3716 304-558-4109

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/11/2006				
BID OPENING DATE: 06/14/2006		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p>BIDDER: <i>Beth Wilkinson</i></p> <p>DATE: <i>6/2/06</i></p> <p>SIGNED: <i>[Signature]</i></p> <p>TITLE: <i>account executive</i></p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00)</p> <p>NOTICE</p> <p>AN ORIGINAL, SIGNED BID MUST BE SUBMITTED ALONG WITH A CONVENIENCE COPY TO:</p> <p>DEPARTMENT OF ADMINISTRATION</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *[Signature]* TELEPHONE: *800-925-2772 ext 110* DATE: *6/2/06*

TITLE: *account executive* FEIN: *59-3471-786* ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 CRH60352

PAGE
 6

ADDRESS CORRESPONDENCE TO ATTENTION OF
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
 MegaFitness
 630 S. Wickham Rd. Suite 107
 W. Melbourne, FL 32904

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - COMMUNITY & RURAL HEALTH
 350 CAPITOL STREET, ROOM 515
 CHARLESTON, WV
 25301-3716 304-558-4109

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/11/2006				

BID OPENING DATE: 06/14/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 AN EXACT DUPLICATE MUST BE SUBMITTED TO: STATE AUDITOR'S OFFICE BID OBSERVER BUILDING 1, ROOM W114 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0230 BOTH BIDS MUST CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPES OR THE BIDS MAY NOT BE CONSIDERED: SEALED BID BUYER: 22 RFQ. NO.: CRH60352 BID OPENING DATE: 06/14/2006 BID OPENING TIME: 1:30 PM PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 321-674-2084						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>aw Wilkerson</i>	TELEPHONE 800-925-2772 ext 110	DATE 6/2/06
TITLE account executive	FAX 59-3471-786	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
 CRH60352

PAGE
 7

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
 Megafitness
 630 S. Wickham Rd. suite 107
 W. Melbourne, Fl. 32904

SHIP TO

HEALTH AND HUMAN RESOURCES
 BPH - COMMUNITY & RURAL HEALTH
 350 CAPITOL STREET, ROOM 515
 CHARLESTON, WV
 25301-3716 304-558-4109

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/11/2006				
BID OPENING DATE: 06/14/2006		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
CONTACT PERSON (PLEASE PRINT CLEARLY): <u>Beth Wilkinson</u>						
WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS ON MAY 24, 2006. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER, OR EMAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. ADDRESS INQUIRIES TO: ROBERTA WAGNER DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25311 FAX: 304-558-4115 EMAIL: RWAGNER@WVADMIN.GOV						
***** THIS IS THE END OF RFQ CRH60352 ***** TOTAL:						<u>171,715.50</u>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: Beth Wilkinson TELEPHONE: 800-925-2772 ext 110 DATE: 6/2/06

TITLE: Account executive FEIN: 59-3471-786 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

AED Bid Specifications 2006

All units must be new, not re-manufactured, meet FDA approval and have no current FDA recall.

90 - Zoll AED Plus, PS Series, or equivalent - Manufacturer must supply specifications for comparison and copies of technical manuals, if bidding other than Zoll brand.

90 - Zoll AED Plus, PS Series Trainers, or equivalent - **Manufacturer must supply specifications for comparison and copies of technical manuals, if bidding other than Zoll brand.**

Both the AEDs and Trainers must include batteries and pads for each unit.

Mandatory Specifications for evaluation are grouped as follows:

Energy:

Biphasic waveform with impedance compensation.

Device shall be capable of delivering a shock of 120-Joules or greater in Standard operating mode, with a charge time of less than 10 seconds.

Programmable: Device shall be delivered with customer's preferred energy sequence, and shall be programmable in set-up mode by the customer in the field.

Battery:

Battery power shall be a combined total of 11 volts or greater, of either sulfuryl chloride or manganese dioxide lithium type.

Shall have a shelf life of 4 years.

Unit shall have some type of low battery indicator (either visual or auditory).

Defibrillation Criteria:

The device shall identify ventricular tachycardia based in part on the following criteria:

minimum heart rate of 120 beats per minute.

Storage:

Storage: Device shall have the capability of storing at least 20 minutes of continuous patient ECG and scene audio in internal memory (i.e., without the use of external storage media)

Retrieval: Device shall permit patient information to be downloaded, stored, reviewed and printed. Supporting software shall allow for simultaneous replay of continuous ECG.

Physical Criteria:

Display: Must have LCD Screen for visual text or symbol instructions.

Environment:

Shall have operating temperature of: 32 to 122 degrees F°

Shall have shock: MIL-STD 810

Self-testing:

Device shall run a daily self-test, classify any faults into major or minor, and alert the operator if services is required. Results of tests shall be made available with all printed reports.

Device shall test the capacity of the battery and defibrillator charging system bi-weekly for a non-chargeable lithium battery.

User testing: Devices shall be capable of executing a user-initiated test without the use of a rhythm simulator. Results of tests shall be made available with all printed reports.

Other Specifications:

Size: Portable - Unit should be approximately 7 in. x 12 in. x 12 in. (HxWxD) or equivalent cubic inch footprint.

Weight: Should be approximately 4 to 7 pounds (including battery).

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:


The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: MegaFitness

Authorized Signature:  Date: 6/2/08

Introducing the Philips HeartStart

FRx Defibrillator



For more than a century, Philips has pioneered technology that makes life better. Today, we're taking this commitment one step further; creating products that not only enhance life, but also preserve it. The Philips FRx Defibrillator is the newest member of the HeartStart family of defibrillators designed with new technological advancements to help in treating the most common cause of SCA.

The Philips HeartStart FRx Defibrillator is designed to be easy to use, rugged and reliable for those who get there first. On the scene with

law enforcement, on the field with student athletes or on the job with employees, the FRx Defibrillator is the solution for treating SCA from ventricular fibrillation in environments and conditions too demanding for many other defibrillators.

The HeartStart FRx Defibrillator carries innovation in its genes. Building on the successes of the other members of the HeartStart family of defibrillators, the FRx brings innovations to the treatment of SCA.

Introducing the advancements of the Philips HeartStart FRx Defibrillator

Preconnected SMART Pads II

Pads for all patients. Save valuable time in an emergency with preconnected pads for use on adults and children. SMART Pads II eliminate the expense of having to purchase different pads sets for different patient types.

Wireless Data Transfer


A first in defibrillation technology, the FRx provides a mobile, wireless solution for data management using the Palm OS® platform. It features an infrared data port for easy transmission of information without cables or hardware compatibility issues.

Infant/Child Key

Simply insert the Infant/Child Key into the FRx to signal to the device that you're treating an infant or a child. The defibrillator adjusts to provide special pads placement and CPR instructions. The pads icons also flash to show you the appropriate pads placement and the device reduces the shock energy to a level more appropriate for an infant or a child (less than 55 pounds or 8 years of age).

CPR Coaching

Available only on HeartStart Defibrillators, CPR Coaching reminds the responder of CPR basics and provides options for both adults and children.



SMART Technology, only from Philips

At the core of all HeartStart Defibrillators is SMART Biphasic technology. The HeartStart FRx Defibrillator's biphasic waveform delivers a highly effective defibrillation shock that is also gentle to the heart. No other external defibrillation therapy has been supported by more published clinical data.⁷

SMART Analysis, a proven Philips technology for heart rhythm assessment, ensures that the FRx Defibrillator only shocks when it should. SMART Analysis automatically assesses the

victim's heart rhythm and is designed not to deliver a shock unless the rhythm is determined to be shockable — even if the shock button is pressed. What's more, SMART Pads II enable the FRx to keep pace with the responder by adjusting to their actions.

Designed for real world use

The Philips HeartStart FRx Defibrillator is exceptionally rugged. Designed to surpass rigorous testing requirements, the FRx withstands jetting water, loads up to 500 pounds and a one-meter drop onto concrete.


Built on a platform of proven ease-of-use

The HeartStart FRx Defibrillator was designed to be as easy to use as the HeartStart OnSite Defibrillator and shares many of its features, including CPR Coaching and intuitive icon-driven operation. Although small and lightweight — just 3.5 pounds — the FRx is equipped to guide you through the resuscitation of a SCA victim.

The HeartStart FRx guides you through every step with clear, calm voice commands and descriptive visual icons. The FRx even reminds you to call emergency medical services (EMS). Pressing the blue i-button activates HeartStart CPR Coaching for assistance with CPR. The flashing icons and the Quick Reference Guide can be used to lead you through the defibrillation steps — even in situations where hearing voice instructions is a challenge.

Once EMS arrives, hand-off is fast and easy because the FRx is compatible with advanced defibrillators like the HeartStart MRx. With HeartStart adapters, our pads can be plugged into devices from other manufacturers to ensure continuity of care.

Easy as 1-2-3 in an emergency



- 1 Press the green on/off button, which activates voice instruction.**
- 2 Place the pads on the patient as directed.**
- 3 When instructed by the device, press the orange shock button.**

Providing a complete, reliable solution

Reliability backed by Philips

The HeartStart FRx Defibrillator is powered by an easy to install, long-life (four-year) battery, so you know the device is charged and ready. The device's automated daily, weekly and monthly self-tests check the pads readiness, and verify functionality and calibration of circuits and systems. With over 85 tests, the FRx is one of the most comprehensive self-testing devices on the market and is virtually maintenance-free.

The blinking green "Ready" light on the defibrillator is your assurance that the device is ready for use.

Philips HeartStart Essentials—The key to a successful early defibrillation program

Philips helps implement a comprehensive program with most everything you and your medical director will need to help save a life from sudden cardiac arrest. We'll get you started with pre-implementation consulting and site assessments. We can manage your everyday needs including medical direction from a licensed physician, web-based program management, data management software, and responder and instructor training. Philips offers ongoing support with a five-year warranty, optional extended warranty and continued customer support from supplies ordering to technical assistance.

Philips HeartStart FRx Defibrillator

Product specifications

Defibrillator	
Model	HeartStart FRx Defibrillator
Model Number	861304
How Supplied	Defibrillator, battery (1), SMART Pads II (1 set), Owner Manual, Quick Reference Guide
Waveform	Truncated Exponential Biphasic. Waveform parameters adjusted as a function of each patient's impedance
Energy	Single energy output: Adult: nominal 150 Joules into a 50-ohm load Infant/Child: nominal 50 Joules into a 50-ohm load
Protocol	Device follows preconfigured settings. Defibrillation and CPR protocol can be customized using HeartStart Event Review or HeartStart Configure Software

User interface	
Instructions	Detailed voice prompts and visual icons guide responder through use of the defibrillator
CPR Coaching	Voice coaching for adult and infant/child CPR provides instructions and audio cues for each breath, as well as the appropriate number, rate and depth of chest compressions.
Controls	Green on/off button, blue i-button, orange shock button, optional infant/child key
Indicators	Ready light, blue i-button, caution light, illuminated pads, icons, shock button lights up when shock is advised.

Physical	
Size	2.4 x 7.1 x 8.9 inches (6 x 18 x 22 cm) H x D x W
Weight	With battery and pads case: 3.5 lbs. (1.5 kg) Without battery or pads case: 2.6 lbs. (1.2 kg)

Environmental	
Sealing	Waterjet proof IPX5 per IEC60529 Dust protected IP5X per IEC60529
Temperature	Operating/Standby: 32° - 122° F (0° - 50° C)
Altitude	0 to 15,000 feet
Aircraft	Device: RTCA/DO-160D; 1997
Crush	500 pounds
Vibration	Operating: meets MILSTD 810F Fig. 514.5C-17, random; Standby: meets MILSTD 810F Fig. 514.5C-18, swept sine
EMI (Radiated/Immunity)	CISPR II Group I Class B, IEC 61000-4-3, and IEC 61000-4-8

Patient analysis system	
Patient Analysis	Evaluates patient ECG to determine if a rhythm is shockable. Rhythms considered shockable are Ventricular Fibrillation (VF), and certain ventricular tachycardias (VT) associated with lack of circulation. For safety reasons, some VT rhythms associated with circulation will not be interpreted as shockable, and some very low-amplitude or low-frequency rhythms will not be interpreted as shockable VF.
Sensitivity/Specificity	Meets AAMI DF80 guidelines and AHA recommendations for adult defibrillation (Circulation 1997;95:1677-1682)
Shock Advised	Able to deliver a shock as soon as the device indicates a shock is advised
Quick Shock	Able to deliver a shock after the CPR pause, typically in eight seconds

Shock-to-Shock Cycle Time	Typically less than 20 seconds between shocks in a series
Artifact Detection	Advanced signal processing allows accurate ECG analysis even in the presence of most pacemaker artifact and electrical noise sources. Other artifacts are detected and corrective voice prompts issued

Battery	
Item Number(s)	Standard: M5070A Aviation: 989803139301 (TSO C-142-U.S. only)
Type	9 Volt DC, 4.2 Ah, lithium manganese dioxide, disposable long-life primary cell
Capacity	Minimum 200 shocks or 4 hours of operating time
Install-By Date	Battery is labeled with an install-by date of at least five years from date of manufacture
Standby Life	Four years typical when battery is installed by the install-by date. (Will power the AED in standby state within the specified standby temperature range, assuming one battery insertion test and no uses.)

SMART Pads II	
Item Number	989803139261
How Supplied	Disposable pads case containing adhesive multifunction defibrillator pads. HeartStart plug style connector clicks into device for preconnected pads solution
Active Surface Area	12.4 in ² (80 cm ²) each
Cable Length	48 inches (121.9 cm)
Use-By Date	Pads case is labeled with a use-by date of at least two years from date of manufacture

Infant/Child Key	
Item Number	989803139311

Training Pads II	
Item Number	989803139271
Function	Special pads place HeartStart FRx into training mode and disable its energy delivery capability. Features 8 real-world training scenarios

Automated and user-activated self-tests	
Daily Automatic Self-tests	Tests internal circuitry, waveform delivery system, pads and battery capacity
Pads Integrity Test	Specifically tests readiness-for-use of pads (gel moisture)
Battery Insertion Test	Upon battery insertion, extensive automatic self-tests and user-interactive test check device readiness
Status Indicator	Blinking green "Ready" light indicates ready for use

Data recording and transmission	
Infrared	Wireless transmission of event data to PC or palmOne™ PDA using the IrDA protocol
HeartStart Event Review Software	Data management software (optional) for download and review of data retrieved through defibrillator's infrared data port
Data Stored	Scores first 15 minutes of ECG and the entire incident's events and analysis decisions

*Refer to HeartStart FRx Defibrillator Owner Manual for detailed product instructions. All specifications based on 25° C unless otherwise noted. The defibrillator and its accessories are made of latex-free material.



Philips — The trusted choice

- One of the world's largest medical products companies with annual revenue of over \$7 billion
- History of innovation. Philips introduced the medical X-ray tube in 1918, the audiocassette in 1963, the first VCR and created compact disc technology
- With over 250,000 automated external defibrillators installed, Philips has more AEDs on the job, in the air, in the classroom and in neighborhoods than anyone else*
- Over 5.5 billion HeartStart Defibrillator service hours logged, with an additional 2.7 million hours added every day
- Over 17% of Fortune 1000 companies, 8 out of 10 major airlines and 43 professional sports teams rely on Philips HeartStart Defibrillators

To learn more about the HeartStart FRx Defibrillator and Philips Medical Systems, visit www.philips.com/heartstart or call 1-800-934-7372.

Philips Medical Systems is part of Royal Philips Electronics

On the Web

www.philips.com/heartstart

Via email

medical@philips.com

By fax

+31 40 27 64 887

By postal service

Philips Medical Systems
3000 Minuteman Road
Andover, MA 01810-1085

Asia

Tel: +852 2821 5888

Europe, Middle East and Africa

Tel: +31 40 27 63005

Latin America

Tel: +55 11 2125 0764

North America

Tel: +1 800 934 7372

© Koninklijke Philips Electronics N.V. 2005. All rights reserved.
Reproduction in whole or in part is prohibited without the prior written consent of the copyright holder.

Philips Medical Systems North America Corporation reserves the right to make changes in specifications or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

Printed in The Netherlands
4522 977 00491/861 * MAR 2005

palmOne is a trademark owned by palmOne, Inc.

Palm OS is a registered trademark of PalmSource, Inc.

References

*National Center for Health Statistics. National Vital Statistics Report. Hyattsville, Maryland: Public Health Services, 2000; 49(11).

†FEMA/United States Fire Administration. A Profile of Fire in the United States, Twelfth edition, 1989-1998.

‡American Heart Association. 2004 Heart and Stroke Statistical Update. Dallas, Texas: American Heart Association, 2004.

§Ibid.

¶Occupational Safety & Health Association (OSHA). www.osha.gov/dts/ohrcis_data/tib20011217.pdf.

‡Benger S, Daska A, Freundberg DZ. Sudden cardiac death in infants, children and adolescents. *Pediatric Clinics of North America*, Apr; 1999; 46 (2):221

§Philips Medical Systems. Smart Biphasic Studies. Listed alphabetically by study author: www.medical.philips.com/main/products/resuscitation/products/fr2plus/fr2plus_resources.html

¶Frost and Sullivan