



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**667C0015**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709023508      740-484-0331  
 BBR DRILLING COMPANY INC  
 41462 PALMER ROAD  
 BELMONT OH 43718

SHIP TO

DIVISION OF HIGHWAYS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED <b>12/03/2006</b>	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **12/27/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		962-16		
<p>POWER EARTH AND ROCK AUGERS/DRILLS</p> <p>OPEN END CONTRACT</p> <p>TO FURNISH THE FOLLOWING:</p> <p>POWER EARTH AND ROCK AUGERS/DRILLS WITH OPERATORS FOR DRILLING HOLES RANGING FROM 12 INCHES TO 36 INCHES IN DIAMETER THROUGH EARTH AND ROCK.</p> <p>THIS CONTRACT SHALL CONSIST OF THE VENDOR FURNISHING POWER EARTH AND ROCK AUGERS/DRILLS, FULLY OPERATED INCLUDING FUEL, MAINTENANCE AND ALL OTHER NECESSARY EQUIPMENT TO PRE-BORE AND INSTALL PILING OF VARIOUS SIZES FOR SLIDE CORRECTION AND STRUCTURE FOUNDATION AT VARIOUS LOCATIONS.</p> <p>THE WEST VIRGINIA DIVISION OF HIGHWAYS WILL FURNISH PILING.</p> <p>SEE ATTACHED</p> <p>EXHIBIT 3</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON ..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Pat C. Baly</i>	TELEPHONE 740-484-0331	DATE 12-14-06
TITLE President	FEIN 20-3991479	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
667C0015

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR	*709023508      740-484-0331
	BBR DRILLING COMPANY INC
	41462 PALMER ROAD
	BELMONT OH 43718

SHIP TO	DIVISION OF HIGHWAYS
	VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
12/03/2006				

BID OPENING DATE: **12/27/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICE SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**667C0015**

PAGE  
**3**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709023508      740-484-0331  
 BBR DRILLING COMPANY INC  
 41462 PALMER ROAD  
 BELMONT OH 43718

SHIP TO

DIVISION OF HIGHWAYS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/03/2006				

BID OPENING DATE: **12/27/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 04/11/2001</p> <p style="text-align: center;">CONTRACTORS LICENSE</p> <p>WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS LICENSE. APPLICATIONS FOR A CONTRACTORS LICENSE MAY B MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV 25305. TELEPHONE: (304) 558-7890.</p> <p>WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER:  
**667C0015**

PAGE:  
**4**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

**\*709023508 740-484-0331**  
**BBR DRILLING COMPANY INC**  
**41462 PALMER ROAD**  
**BELMONT OH 43718**

**DIVISION OF HIGHWAYS**  
**VARIOUS LOCALES AS INDICATED**  
**BY ORDER**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/03/2006				

BID OPENING DATE: **12/27/2006** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NUMBER ON THEIR BID.</p> <p>BIDDER TO COMPLETE:            CONTRACTORS NAME - <b>BBR DRILLING COMPANY, INC.</b></p> <p>CONTRACTORS LICENSE NO. - <b>WV 013398</b></p> <p>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT.</p> <p style="text-align: center;"><b>NOTICE</b></p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION            PURCHASING DIVISION            BUILDING 15            2019 WASHINGTON STREET, EAST            CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: <b>33</b></p> <p>RFQ. NO.: <b>667C0015</b></p> <p>BID OPENING DATE AND TIME:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**667C0015**

PAGE  
**5**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709023508      740-484-0331  
**BBR DRILLING COMPANY INC**  
**41462 PALMER ROAD**  
  
**BELMONT OH 43718**

SHIP TO

**DIVISION OF HIGHWAYS**  
**VARIOUS LOCALES AS INDICATED**  
**BY ORDER**

DATE PRINTED <b>12/03/2006</b>	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **12/27/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:  -----740-484-0201-----  CONTACT PERSON (PLEASE PRINT CLEARLY):  -----Jason Balcar-----						
***** THIS IS THE END OF RFQ 667C0015 ***** TOTAL:						_____

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Equipment, workmanship and mobilization furnished under this contract shall meet the following requirements:

1. EQUIPMENT REQUIREMENT

- A. Drill shall be mounted on a turntable base with a 240-degree rotation and a 30-inch slide stroke at any point in the arc of rotation.
- B. Drill shall possess a power plant and a mechanical drill assembly, which delivers 35,000 foot-pounds of torque to the Kelly bar, which rotate the Auger or Core Barrel.
- C. Drill shall be equipped with a power plant and mechanical or hydraulic mechanism capable of exerting a down pressure or crowding force of at least 12,000 pounds.
- D. Drill shall be equipped with power and mechanical mechanism to operate a service hoist for installing piles; the hoist system shall have a lifting capacity of 8,000 pounds and be capable of installing (40') piling.
- E. Drill shall be equipped with two (2) hydraulic outriggers and jacks in the front area and two (2) hydraulic outriggers and jacks in the rear of the drill carrier for fast and efficient leveling purposes. The outriggers are not required on track mounted drills.
- F. Vendor shall furnish Augers, Core Barrels, Rock Cutting Teeth, Muck Bucket and Casing which are in good condition. Rock Cutting Teeth shall be of the type and quality comparable to the "Kenametal" brand. Vendor shall, also, furnish all water needed for drilling purposes. All drills are to have at least one operator and one helper present during drilling.

2. MOBILIZATION

One time one way mobilization shall be paid by the Division of Highways for moving of said equipment from the contractor's base of operations to the work site specified in the State Contract Order (SCO) and/or from one Division of Highways work site to another, whichever mileage would be of lesser cost to the Division of Highways. The most direct suitable route from the contractor's base of operations to the work site or between work sites will be agreed upon by the Division of Highways and the contractor as mileage for calculation of Mobilization. The exact location of the contractor's base of operations must be stated on each quotation sheet (mailing address is not adequate).

3. **SITE PREPARATION, PLANS, STAKE-OUT, HOLE SIZE AND PILE INSTALLATION**

The West Virginia Division of Highways will, in advance of drilling operations, prepare the sites for safe and efficient work. This shall be done in collaboration with the Vendor, or his authorized representative. The Vendor and the West Virginia Division of Highways will jointly determine that safe working conditions do exist and either party will have the right to refuse to perform work if, in their opinion, unsafe working conditions exist.

The West Virginia Division of Highways will provide plans and stakeout of all work to be performed. The location of holes and piles to be installed shall be shown on the plans or directed by the District Engineer/Manager or his designee.

The depth of each hole, angle of inclination from the vertical and the length of each pile shall be shown on the plans, or directed by the District Engineer/Manager or his designee.

The West Virginia Division of Highways will perform required splicing of piles and pile cutoff. Piles shall be furnished, delivered and positioned on the site by the West Virginia Division of Highways so that they are conveniently available for immediate installation at each hole.

The size of holes will be governed by the size of piles. In general, the hole should be at least two (2) inches greater in diameter than the maximum dimension of pile to be installed. In conditions where boulders, etc., are encountered, the hole diameter may have to be considerably larger than the maximum dimensions of the pile. Piles shall be installed immediately after each hole is drilled, unless otherwise directed by the District Engineer/Manager or his designee.

4. **DOWN EQUIPMENT**

Equipment shall be considered down if it is out of production due to mechanical failure or other conditions and no pay will be authorized until production is resumed. The Division of Highways will not pay time for fueling, lubrication and warm-up of the unit (s).

## 5. WORKMANSHIP

The West Virginia Division of Highways reserves the right to terminate the usage of any drill, which does not perform work in conformance with reasonable production standards.

Production standards will be based on historical performance data under similar circumstances.

Only firms who show evidence of employment of qualified and experienced operators who have satisfactory performance reputation in this specialized field will be considered.

## 6. BASIS OF PAYMENT

The Vendor may invoice the West Virginia Division of Highways for hours worked on a semi-monthly basis (half and end of month).

Hours worked must be verified and substantiated on a daily basis by an authorized representative of the West Virginia Division of Highways. Payment for hours worked shall include the time required to position equipment, drill and place piles. Down, warm-up and equipment maintenance time will not be considered as work hours. The Vendor shall supply the Division of Highways with daily work tickets as verification of hours worked.

## 7. BIDDING INSTRUCTIONS

Bidder shall submit a separate bid sheet for each proposed equipment unit.

The Vendor shall quote a single hourly rate for each drill unit proposed, which shall be full compensation for all equipment rental and required operators up to a standard 40 hour workweek. For hours beyond 40 hours in a workweek, the Vendor shall quote a rate per hour to cover overtime costs of labor only and that amount will be added to the operating rate for all additional operating hours beyond 40 hours in a workweek.

The cost of auger and core barrel resurfacing shall be included in unit price bid for operating rate.

The Vendor shall quote for the additional pay items of casing pipe and crane mats which may be needed occasionally when directed by the Engineer.



## 8. AWARD OF CONTRACT

The award of this contract shall be made to all bidders submitting a bid, which meets the specifications.

## 9. AWARD OF STATE CONTRACT ORDER (SCO)

The District Engineer/Manager shall issue the SCO to the low bidder based on type and size of equipment required and the lowest projected cost. The SCO shall specify the type and size of equipment required for the project. The projected cost is the estimated hours to complete the project multiplied by the Vendor's hourly rate plus the mobilization costs. Refer to the section titled "Mobilization" for a full explanation of Mobilization Cost.

In the event the low bidder for a particular project cannot perform, the District Engineer/Manager shall have the option to contact the next low bidder. The District Engineer/Manager shall document in writing the Vendor's inability to perform and award to the next low bidder. Vendors must notify the District Engineer/Manager of their ability to perform, within five (5) days of their receipt of a State Contract Order (SCO), or the SCO may be cancelled.

In the event of an emergency situation, the District Engineer/Manager may require notification of a Vendor's ability to perform within twenty-four (24) hours of their receipt of a State Contract Order (SCO).

Each SCO for hiring Power Earth and Rock Augers/Drills with Operators must list the tentative date the project is to begin. Work on the project shall be continuous unless approved by the District Engineer/Manager.

Vendors performance on any project may be considered when awarding subsequent State Contract Orders (SCO's).

Prior approval for Holiday work shall be obtained from the District Engineer/Manager. The official Holidays are New Year's, Martin Luther King, Jr. Day, Lincoln's Birthday, Washington's Birthday, Memorial Day, West Virginia Day, Fourth of July, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, Christmas Day, Election (Primary and General) Day, and other days proclaimed by the President or Governor.

## 10. WAGE RATES

The Contractor or Subcontractor shall pay the higher of the U.S. Department of Labor minimum wage rates or the West Virginia Department of Labor minimum wage rates as established for *various* counties, pursuant to West Virginia Code §21-5A, ET SEQ.

**11. WORKER'S COMPENSATION**

Vendor is required to provide a certificate from Worker's Compensation if successful.

**12. INSURANCE**

Successful Vendor shall furnish proof of coverage of commercial General Liability Insurance prior to issuance of a contract. Unless otherwise specified in the bid documents, the minimum amount of insurance coverage required is \$250,000.

NOTE: VENDOR SHOULD TYPE PRICE ON QUOTATION SHEET

QUOTATION SHEET

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
 take exit 208 off I-70, go South on St. Rte 149  
 for 2 miles, take next road to right, go 1 mile  
 shop is on left side of road.

MANUFACTURER

MODEL NUMBER 1981 Watson 2000

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on International Carrier has  
 3 axis leveling derrick for rapid hillside  
 leveling.

SERIAL NUMBER 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 5.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

NOTE: VENDOR SHOULD TYPE PRICE ON QUOTATION SHEET

QUOTATION SHEET

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718

BASE OF OPERATIONS (Exact Location) Take exit 208 off I-70, go South on Rte 149 for 2 miles, take next to right, go 1mile, shop on left side of road.

MANUFACTURER

MODEL NUMBER 1989 Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS on Hendrickson Carrier with 2 way Outriggers.

SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 240.00per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00per hr.</u>
MOBILIZATION:		<u>\$ 12.00per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

NOTE: VENDOR SHOULD TYPE PRICE ON QUOTATION SHEET

QUOTATION SHEET

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718  
 BASE OF OPERATIONS Take Exit #208 off I-70, go south on St. Rte 149  
 (Exact Location) for 2 miles, take next road to the right, go 1 mile  
 shop on left side of the road.

MANUFACTURER

MODEL NUMBER Watson 3100

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on 1999 Tor Truck Carrier  
 1 way derrick & 2 way with Outriggers.

SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 280.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 12.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 200.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718  
**BASE OF OPERATIONS** Take exit #208 off I-70, go south on St. Rte 149  
 (Exact Location) for 2 miles, take next road to right, go 1 mile  
 shop is on left side of the road.

**MANUFACTURER****MODEL NUMBER**

1981 Watson 2000

**EQUIPMENT MODIFICATIONS AND ADDITIONS** Mounted on International Carrier, has 3 axis  
 leveling derrick for rapid hillside leveling.

**SERIAL NUMBER** 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
<b>OPERATING RATE:</b>		<u>\$ 180.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK:</b> (Note 1)		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 5.00 per mile</u>
<b>CASING PIPE:</b> (Note 2)		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS:</b> (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
 (Exact Location) Take Exit #208 off I-70, go south on St. Rte 149  
 for 2 miles, take next road to right, go 1 mile  
 shop on left side of the road.

**MANUFACTURER**

**MODEL NUMBER** 1989 Texoma 900

**EQUIPMENT MODIFICATIONS AND ADDITIONS** on Hendrickson Carrier, with 2 way  
 outriggers.

**SERIAL NUMBER** 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	18"	48"
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$240.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 12.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
**(Exact Location)** Take exit #208 off I-70, go South on Rte 149  
for 2 miles, take next road to right, go 1 mile  
shop on left side of the road.

**MANUFACTURER****MODEL NUMBER** Watson 3100

**EQUIPMENT MODIFICATIONS AND ADDITIONS** Mounted on 1999 Tor Truck Carrier  
1 way derrick & 2 way with outriggers

**SERIAL NUMBER** 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	20"	60"
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
<b>OPERATING RATE:</b>		<u>\$ 280.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK:</b> (Note 1)		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00 per mile</u>
<b>CASING PIPE:</b> (Note 2)		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS:</b> (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.



QUOTATION SHEET

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE,  
ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont OH 43718  
**BASE OF OPERATIONS** Take exit #208 off I-70, go 2 miles south  
 (Exact Location) on St. Rte 149, take next road to right, go  
 1 mile, shop is on left side of road.

**MANUFACTURER****MODEL NUMBER** 1981 Watson 2000

**EQUIPMENT MODIFICATIONS AND ADDITIONS** Mounted on International Carrier  
 has 3 axis leveling derrick for rapid  
 hillside leveling.

**SERIAL NUMBER** 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 5.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE,  
ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
Take exit #208 off I-70, go south on Ste. Rte 149 for 2 miles, take next road to right, go 1 mile, shop on left side of road.

MANUFACTURER

MODEL NUMBER 1989 Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS On Hendrickson Carrier with 2 way outriggers

SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	18"	48"
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 240.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 12.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE,  
ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
Take exit #208 off I-70, go south on St Rte  
149 for 2 miles, take next road to the right, go  
1 mile, ship on left side of the road.

MANUFACTURER

MODEL NUMBER Watson 3100

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on 1999 Tor Truck Carrier  
1 way derrick & 2 way with outriggers.

SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		<u>240</u>
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		\$ <u>280.00</u> per hr.
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		\$ <u>40.00</u> per hr.
MOBILIZATION:		\$ <u>12.00</u> per mile
CASING PIPE: (Note 2)		\$ <u>12.00</u> per lineal feet
CRANE MATS: (Note 3)		\$ <u>2000.00</u> per project site

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,  
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
**(Exact Location)** Take exit #208 off I-70, go South on  
St. Rte 149 for 2 miles, take next road to right  
go 1 mile shop is on left side of the road.

**MANUFACTURER**

**MODEL NUMBER** 1981 Watson 2000

**EQUIPMENT MODIFICATIONS AND ADDITIONS** Mounted on International Carrier  
has 3 axis leveling derrick for rapid  
hillside leveling.

**SERIAL NUMBER** 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>14"</u>	<u>36"</u>
<b>DEGREE OF ROTATION</b>		240
<b>SLIDE STROKE</b>		48"
<b>FOOT POUNDS OF TORQUE</b>		35,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		25,000
<b>HOLE DEPTH</b>		60'
<b>OPERATING RATE:</b>		<u>\$180.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)</b>		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 5.00 per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$2000.00 per project site</u>

- Note 1:** Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2:** To be used when requested by the Engineer.
- Note 3:** To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,  
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
Take exit #208 off I-70, go south on ST  
Rte 149 for 2 miles, take next road to right, go  
1 mile, shop is on left side of road.

MANUFACTURER

MODEL NUMBER <sup>1989</sup> Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on Hendrickson Carrier  
with 2 way outriggers.

SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 240.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 12.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,  
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
(Exact Location) Take exit #208 off I-70, go south on St Rte 149  
for 2 miles, take next road to right, go  
1 mile shop on left side of road.

**MANUFACTURER**

**MODEL NUMBER** Watson 3100

**EQUIPMENT MODIFICATIONS AND ADDITIONS** Mounted on 1999 Tor Truck Carrier, 1 way  
derrick & 2 way with outriggers.

**SERIAL NUMBER** 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>20"</u>	<u>60"</u>
<b>DEGREE OF ROTATION</b>		240
<b>SLIDE STROKE</b>		48"
<b>FOOT POUNDS OF TORQUE</b>		113,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		50,000
<b>HOLE DEPTH</b>		80'
<b>OPERATING RATE:</b>		<u>\$ 280.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK:</b> (Note 1)		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00 per mile</u>
<b>CASING PIPE:</b> (Note 2)		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS:</b> (Note 3)		<u>\$2000.00 per project site</u>

- Note 1:** Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2:** To be used when requested by the Engineer.
- Note 3:** To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON,  
GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
Take exit #208 off I-70 go South on St. Rte  
149 for 2 miles, take next road to the right, go  
1 mile, shop is on left side of road.

MANUFACTURER

MODEL NUMBER 1981 Watson 2000

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on International Carrier  
has 3 axis leveling derrick for rapid  
hillside leveling.

SERIAL NUMBER 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 5.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON,  
GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
Take exit #208 off I-70, go south on St.  
Rte 149 for 2 miles, take next road to the  
right, go 1 mile, shop on left side of road.

MANUFACTURER

MODEL NUMBER 1989 Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on Hendrickson Carrier  
with 2 way outriggers.

SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 240.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 12.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.



QUOTATION SHEET

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON,  
GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
Take exit #208 Off I-70, go south on  
St Rte 149 for 2 miles, take next road  
to right, go 1 mile, shop on left side  
of road

MANUFACTURER

MODEL NUMBER Watson 3100

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on 1999 Tor Truck Carrier,  
1 way derrick & 2 way with outriggers.

SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	20"	60"
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 280.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 12.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
(Exact Location) Take exit #208 off I-70, go South on  
St. Rte 149 for 2 miles, take next road to  
the right, go 1 mile, shop is on left of road.

**MANUFACTURER**

**MODEL NUMBER** 1981 Watson 2000

**EQUIPMENT MODIFICATIONS** Mounted on International Carrier  
**AND ADDITIONS** has 3 axis leveling derrick for rapid  
hillside leveleing.

**SERIAL NUMBER** 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	14"	36"
<b>DEGREE OF ROTATION</b>		240
<b>SLIDE STROKE</b>		48"
<b>FOOT POUNDS OF TORQUE</b>		35,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		25,000
<b>HOLE DEPTH</b>		60'
<b>OPERATING RATE:</b>		<u>\$ 160.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND</b>		
40 HOUR WORKWEEK: (Note 1)		<u>\$ 30.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 3.00 per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 5.00 per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$ 500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont OH 43718  
 Take exit #208 off I-70, go south on St RTE. 149, go 2 miles, take next road to right, go 1 mile, shop on left side of road.

MANUFACTURER

MODEL NUMBER 1989 Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on Hendrickson Carrier with 2 way outriggers.

SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 240.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 12.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
 An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718  
**BASE OF OPERATIONS** Take exit #208 off I-70, go 2 miles south  
**(Exact Location)** on St Rte 149, take next road to right, go 1 mile  
shop on left.

**MANUFACTURER**

**MODEL NUMBER** Watson 3100

**EQUIPMENT MODIFICATIONS AND ADDITIONS** Mounted on 1999 Tor Truck Carrier  
1 way derrick & 2 way with outriggers.

**SERIAL NUMBER** 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>20"</u>	<u>60"</u>
<b>DEGREE OF ROTATION</b>		240
<b>SLIDE STROKE</b>		48"
<b>FOOT POUNDS OF TORQUE</b>		113,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		50,000
<b>HOLE DEPTH</b>		80'
<b>OPERATING RATE:</b>		<u>\$ 280.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK:</b> (Note 1)		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00 per mile</u>
<b>CASING PIPE:</b> (Note 2)		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS:</b> (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
**(Exact Location)** Take exit #208 off I-70, go 2 miles south  
on St Rte 149, take next road to right, go  
1 mile, shop is on left of road.

**MANUFACTURER**

**MODEL NUMBER** 1981 Watson 2000

**EQUIPMENT MODIFICATIONS** Mounted on International Carrier  
**AND ADDITIONS** has 3 axis leveling derrick for rapid  
hillside leveling.

**SERIAL NUMBER**

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>14"</u>	<u>36"</u>
<b>DEGREE OF ROTATION</b>		240
<b>SLIDE STROKE</b>		48"
<b>FOOT POUNDS OF TORQUE</b>		35,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		25,000
<b>HOLE DEPTH</b>		60'
<b>OPERATING RATE:</b>		<u>\$ 180.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND</b>		
<b>40 HOUR WORKWEEK: (Note 1)</b>		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 5.00 per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$2,000.00 per project site</u>

**Note 1:** Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

**Note 2:** To be used when requested by the Engineer.

**Note 3:** To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718  
**BASE OF OPERATIONS** Take exit #208 off I-70, go south  
 (Exact Location) on St Rte 149 for 2 miles, take next road to the right  
 go 1 mile, shop on left side of road.

**MANUFACTURER**

**MODEL NUMBER** 1989 Texoma 900

**EQUIPMENT MODIFICATIONS AND ADDITIONS** Mounted on Hedrickson Carrier  
 with 2 way outriggers.

**SERIAL NUMBER** 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>18"</u>	<u>48"</u>
<b>DEGREE OF ROTATION</b>		360
<b>SLIDE STROKE</b>		5'
<b>FOOT POUNDS OF TORQUE</b>		105,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		40,000
<b>HOLE DEPTH</b>		80'
<b>OPERATING RATE:</b>		<u>\$ 240.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)</b>		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00 per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718  
**BASE OF OPERATIONS** Take Exit #208 off I-70, go South on St Rte  
 (Exact Location) 149 for 2 miles, take next road to right, go 1 mile  
 shop is on the left.

**MANUFACTURER**

**MODEL NUMBER** Watson 3100

**EQUIPMENT MODIFICATIONS AND ADDITIONS** Mounted on 1999 Tor Truck Carrier  
 1 way derrick & 2 way with outriggers.

**SERIAL NUMBER** 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>20"</u>	<u>60"</u>
<b>DEGREE OF ROTATION</b>		240
<b>SLIDE STROKE</b>		48"
<b>FOOT POUNDS OF TORQUE</b>		113,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		50,000
<b>HOLE DEPTH</b>		80'
<b>OPERATING RATE:</b>		<u>\$ 280.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)</b>		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00 per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$2000.00 per project site</u>

**Note 1:** Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.

**Note 2:** To be used when requested by the Engineer.

**Note 3:** To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
Take exit #208 off I-70, go 2 miles south on St Rte 149, take next road to right, go 1 mile, shop is on left of road.

MANUFACTURER

MODEL NUMBER 1981 Watson 2000

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on International Carrier has 3 axis leveling derrick for rapid hillside leveling.

SERIAL NUMBER 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 5.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.



QUOTATION SHEET

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
**(Exact Location)** Take exit #208 off I-70, go south on  
 St Rte 149 for 2 miles, take next road to right  
 go 1 mile, shop on left side of road.

**MANUFACTURER**

**MODEL NUMBER** 1999 Texoma 900

**EQUIPMENT MODIFICATIONS** Mounted on Hendrickson Carrier with  
**AND ADDITIONS** 2 way outriggers

**SERIAL NUMBER** 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>18"</u>	<u>48"</u>
<b>DEGREE OF ROTATION</b>		360
<b>SLIDE STROKE</b>		5'
<b>FOOT POUNDS OF TORQUE</b>		105,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		40,000
<b>HOLE DEPTH</b>		80'
<b>OPERATING RATE:</b>		<u>\$ 240.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND</b>		
<b>40 HOUR WORKWEEK: (Note 1)</b>		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00 per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$2000.00 per project site</u>

- Note 1:** Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.
- Note 2:** To be used when requested by the Engineer.
- Note 3:** To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
Take exit #208 off I-70, go south on St Rte 149, go 2 miles, take next road to the right, go 1 mile, shop on left side of road.

MANUFACTURER

MODEL NUMBER Watson 3100

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on 1999 Tor truck Carrier  
1 way derrick & 2 way with outriggers

SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 280.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 12.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718  
Take exit #208 off I-70, go south on St Rte 149 for 2 miles, take next road to right, go 1 mile, shop on left side of road.

MANUFACTURER

MODEL NUMBER 1981 Watson 2000

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on International Carrier has 3 axis leveling derrick for rapid hillside leveling.

SERIAL NUMBER 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
MOBILIZATION:		<u>\$ 5.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 12.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
 (Exact Location) Take exit #208 off I-70, go south on St  
 Rte 149 for 2 miles, take next road to right  
 go 1 mile, shop on left side of road.

**MANUFACTURER**

**MODEL NUMBER** 1999 Texoma 900

**EQUIPMENT MODIFICATIONS AND ADDITIONS** Mounted on Hendrickson Carrier with  
 2 way outriggers.

**SERIAL NUMBER** 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>18"</u>	<u>46"</u>
<b>DEGREE OF ROTATION</b>		360
<b>SLIDE STROKE</b>		5'
<b>FOOT POUNDS OF TORQUE</b>		105,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		40,000
<b>HOLE DEPTH</b>		80'
<b>OPERATING RATE:</b>		<u>\$ 240.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)</b>		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00 per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$ 2000.00 per project site</u>

**Note 1:** Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.

**Note 2:** To be used when requested by the Engineer.

**Note 3:** To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
**(Exact Location)** Take exit #208 off I-70, go south 2 miles on  
 St Rte 149, take next road to the right, go  
 1 mile, shop on left side of road.

**MANUFACTURER****MODEL NUMBER** Watson 3100

**EQUIPMENT MODIFICATIONS** Mounted on 1999 Tor Carrier  
**AND ADDITIONS** 1 way derrick & 2 way with outriggers

**SERIAL NUMBER** 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>20"</u>	<u>60"</u>
<b>DEGREE OF ROTATION</b>		240
<b>SLIDE STROKE</b>		48"
<b>FOOT POUNDS OF TORQUE</b>		113,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		50,000
<b>HOLE DEPTH</b>		80'
<b>OPERATING RATE:</b>		<u>\$ 280.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND</b>		
<b>40 HOUR WORKWEEK: (Note 1)</b>		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00 per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$ 2000.00 per project site</u>

**Note 1:** Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.

**Note 2:** To be used when requested by the Engineer.

**Note 3:** To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
**(Exact Location)** Take exit #208 off I-70, go south on st.Rte  
 149,go south for 2 miles, take next road to  
 the right, go 1 mile, shop on left side of road.

**MANUFACTURER****MODEL NUMBER** 1981 Watson 2000

**EQUIPMENT MODIFICATIONS** Mounted on International Carrier  
**AND ADDITIONS** has 3 axis leveling derrick for rapid  
 hillside leveling.

**SERIAL NUMBER** 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	14"	36"
<b>DEGREE OF ROTATION</b>		240
<b>SLIDE STROKE</b>		48"
<b>FOOT POUNDS OF TORQUE</b>		35,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		25,000
<b>HOLE DEPTH</b>		60'
<b>OPERATING RATE:</b>		<u>\$ 180.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND</b>		
<b>40 HOUR WORKWEEK: (Note 1)</b>		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 5.00 per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$ 2000.00 per project site</u>

**Note 1:** Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.

**Note 2:** To be used when requested by the Engineer.

**Note 3:** To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718  
**BASE OF OPERATIONS** Take exit #208 off I-70, go south on St Rte  
**(Exact Location)** 149 for 2 miles, take next road to right, go  
 1 mile, shop on left side of road

**MANUFACTURER****MODEL NUMBER** 1999 Texoma 900

**EQUIPMENT MODIFICATIONS** Mounted on Hendrickson Carrier with  
**AND ADDITIONS** 2 way outriggers.

**SERIAL NUMBER** 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	18"	46"
<b>DEGREE OF ROTATION</b>		360
<b>SLIDE STROKE</b>		5'
<b>FOOT POUNDS OF TORQUE</b>		105,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		40,000
<b>HOLE DEPTH</b>		80'
<b>OPERATING RATE:</b>		<u>\$ 240.00 per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND</b>		
40 HOUR WORKWEEK: (Note 1)		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00 per mile</u>
<b>CASING PIPE:</b> (Note 2)		<u>\$ 12.00 per lineal feet</u>
<b>CRANE MATS:</b> (Note 3)		<u>\$ 2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

**BASE OF OPERATIONS** 41348 Palmer Road, Belmont, OH 43718  
**(Exact Location)** Take exit #208 off I-70, go south on St  
 Rte 149 for 2 miles, take next road to the  
 right, shop on left side of road.

**MANUFACTURER****MODEL NUMBER** Watson 3100

**EQUIPMENT MODIFICATIONS** Mounted on 1999 Tor Carrier  
**AND ADDITIONS** 1 way derrick & 2 Way With Outriggers

**SERIAL NUMBER** 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
<b>HOLE DIAMETER</b>	<u>20"</u>	<u>60"</u>
<b>DEGREE OF ROTATION</b>		240
<b>SLIDE STROKE</b>		48"
<b>FOOT POUNDS OF TORQUE</b>		113,000
<b>DOWN PRESSURE/CROWDING FORCE</b>		50,000
<b>HOLE DEPTH</b>		80'
<b>OPERATING RATE:</b>		<u>\$ 280.00per hr.</u>
<b>ADDITIONAL CHARGE FOR OVERTIME BEYOND</b>		
<b>40 HOUR WORKWEEK: (Note 1)</b>		<u>\$ 40.00 per hr.</u>
<b>MOBILIZATION:</b>		<u>\$ 12.00per mile</u>
<b>CASING PIPE: (Note 2)</b>		<u>\$ 12.00per lineal feet</u>
<b>CRANE MATS: (Note 3)</b>		<u>\$ 2000.00per project site</u>

- Note 1:** Operating rate applies to first 40 hours.  
 An additional charge may be added to cover  
 overtime costs beyond 40 hours.
- Note 2:** To be used when requested by the Engineer.
- Note 3:** To be used when requested by the Engineer.



# ACORD™ CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)  
05/23/06

**PRODUCER**  
Hill Rogal & Hobbs of Ohio  
2245 North Bank Drive  
Columbus, OH 43220-5422  
614 457-7000

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

**INSURED**  
B B R Drilling Company, Inc.  
41452 Palmer Rd.  
Belmont, OH 43718

INSURERS AFFORDING COVERAGE		NAIC #
INSURER A:	Travelers Indemnity Co.	25658
INSURER B:	Travelers Property Cas. Co. of Ameri	25674
INSURER C:		
INSURER D:		
INSURER E:		

**COVERAGES**

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR ADD'L LTR	INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
A		<b>GENERAL LIABILITY</b> <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	DTCO291D1400IND06	05/23/06	05/23/07	EACH OCCURRENCE	\$2,000,000
						DAMAGE TO RENTED PREMISES (Ea occurrence)	\$300,000
						MED EXP (Any one person)	\$5,000
						PERSONAL & ADV INJURY	\$2,000,000
						GENERAL AGGREGATE	\$4,000,000
						PRODUCTS - COMP/OP AGG	\$4,000,000
B		<b>AUTOMOBILE LIABILITY</b> <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS	DT810291D1400TIL06	05/23/06	05/23/07	COMBINED SINGLE LIMIT (Ea accident)	\$1,000,000
						BODILY INJURY (Per person)	\$
						BODILY INJURY (Per accident)	\$
						PROPERTY DAMAGE (Per accident)	\$
		<b>GARAGE LIABILITY</b> <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT	\$
						OTHER THAN AUTO ONLY: EA ACC	\$
						AUTO ONLY: AGG	\$
B		<b>EXCESS/UMBRELLA LIABILITY</b> <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE  <input type="checkbox"/> DEDUCTIBLE <input type="checkbox"/> RETENTION \$	DTCUP291D1400TIL06	05/23/06	05/23/07	EACH OCCURRENCE	\$3,000,000
						AGGREGATE	\$3,000,000
							\$
							\$
							\$
		<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below				WC STATU-TORY LIMITS	OTH-ER
						E.L. EACH ACCIDENT	\$
						E.L. DISEASE - EA EMPLOYEE	\$
						E.L. DISEASE - POLICY LIMIT	\$
		OTHER					

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS  
 RE: PO# 666C0007

**CERTIFICATE HOLDER**

West Virginia Dept of Trans.  
 Attn: Walladean Fisher  
 Building 5 Capital Complex  
 Charleston, WV 25305

**CANCELLATION**

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

*Karen Garrison*

## **IMPORTANT**

If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

## **DISCLAIMER**

The Certificate of Insurance on the reverse side of this form does not constitute a contract between the issuing insurer(s), authorized representative or producer, and the certificate holder, nor does it affirmatively or negatively amend, extend or alter the coverage afforded by the policies listed thereon.