



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
667C0015

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR

\*709023159      740-484-1113  
 B K MINING & CONSTRUCTION CO  
 PO BOX 10  
 41410 PALMER ROAD  
 BELMONT OH 43718

SHIP TO

DIVISION OF HIGHWAYS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/03/2006				

BID OPENING DATE: 12/27/2006      BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		962-16		
<p>POWER EARTH AND ROCK AUGERS/DRILLS</p> <p>OPEN END CONTRACT</p> <p>TO FURNISH THE FOLLOWING:</p> <p>POWER EARTH AND ROCK AUGERS/DRILLS WITH OPERATORS FOR DRILLING HOLES RANGING FROM 12 INCHES TO 36 INCHES IN DIAMETER THROUGH EARTH AND ROCK.</p> <p>THIS CONTRACT SHALL CONSIST OF THE VENDOR FURNISHING POWER EARTH AND ROCK AUGERS/DRILLS, FULLY OPERATED INCLUDING FUEL, MAINTENANCE AND ALL OTHER NECESSARY EQUIPMENT TO PRE-BORE AND INSTALL PILING OF VARIOUS SIZES FOR SLIDE CORRECTION AND STRUCTURE FOUNDATION AT VARIOUS LOCATIONS.</p> <p>THE WEST VIRGINIA DIVISION OF HIGHWAYS WILL FURNISH PILING.</p> <p>SEE ATTACHED</p> <p>EXHIBIT 3</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON ..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Paul Johnston</i>	TELEPHONE 740-484-1113	DATE 12-21-06
TITLE OWNER	FEIN 34-1274453	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**667C0015**

PAGE  
**2**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709023159      740-484-1113  
**B K MINING & CONSTRUCTION CO**  
**PO BOX 10**  
**41410 PALMER ROAD**  
**BELMONT OH 43718**

SHIP TO

**DIVISION OF HIGHWAYS**  
**VARIOUS LOCALES AS INDICATED**  
**BY ORDER**

DATE PRINTED <b>12/03/2006</b>	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **12/27/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p><b>WRITTEN NOTICE.</b></p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICE SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
667C0015

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR	*709023159	740-484-1113
	B K MINING & CONSTRUCTION CO	
	PO BOX 10	
	41410 PALMER ROAD	
	BELMONT OH 43718	

SHIP TO	DIVISION OF HIGHWAYS
	VARIOUS LOCALES AS INDICATED
	BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/03/2006				

BID OPENING DATE: 12/27/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 04/11/2001</p> <p>CONTRACTORS LICENSE</p> <p>WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS LICENSE. APPLICATIONS FOR A CONTRACTORS LICENSE MAY B MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV 25305. TELEPHONE: (304) 558-7890.</p> <p>WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFO NUMBER
667C0015

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR	*709023159	740-484-1113
	B K MINING & CONSTRUCTION CO	
	PO BOX 10	
	41410 PALMER ROAD	
	BELMONT OH 43718	

SHIP TO	DIVISION OF HIGHWAYS
	VARIOUS LOCALES AS INDICATED
	BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/03/2006				

BID OPENING DATE: **12/27/2006** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
NUMBER ON THEIR BID.  BIDDER TO COMPLETE: CONTRACTORS NAME - <i>Bruce A. Palcar, dba. B.K. Mining + Construction Company</i>  CONTRACTORS LICENSE NO. - <i>WV.005583</i>  THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT.  NOTICE  A SIGNED BID MUST BE SUBMITTED TO:  DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130  THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:  SEALED BID  BUYER: 33  RFQ. NO.: 667C0015  BID OPENING DATE AND TIME:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**667C0015**

PAGE  
**5**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN JOHNSTON**  
**304-558-2402**

VENDOR

\*709023159      740-484-1113  
 B K MINING & CONSTRUCTION CO  
 PO BOX 10  
 41410 PALMER ROAD  
 BELMONT OH 43718

SHIP TO

DIVISION OF HIGHWAYS  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED <b>12/03/2006</b>	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **12/27/2006**      BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- <b>740-484-1119</b> -----  CONTACT PERSON (PLEASE PRINT CLEARLY): ----- <b>Scott Balcar</b> -----						
***** THIS IS THE END OF RFQ 667C0015 ***** TOTAL:						_____

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Gene Stroder</i>	TELEPHONE <b>740-484-1113</b>	DATE <b>12-21-06</b>
TITLE <b>OWNER</b>	FEIN <b>34-1274453</b>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Equipment, workmanship and mobilization furnished under this contract shall meet the following requirements:

1. EQUIPMENT REQUIREMENT

- A. Drill shall be mounted on a turntable base with a 240-degree rotation and a 30-inch slide stroke at any point in the arc of rotation.
- B. Drill shall possess a power plant and a mechanical drill assembly, which delivers 35,000 foot-pounds of torque to the Kelly bar, which rotate the Auger or Core Barrel.
- C. Drill shall be equipped with a power plant and mechanical or hydraulic mechanism capable of exerting a down pressure or crowding force of at least 12,000 pounds.
- D. Drill shall be equipped with power and mechanical mechanism to operate a service hoist for installing piles; the hoist system shall have a lifting capacity of 8,000 pounds and be capable of installing (40') piling.
- E. Drill shall be equipped with two (2) hydraulic outriggers and jacks in the front area and two (2) hydraulic outriggers and jacks in the rear of the drill carrier for fast and efficient leveling purposes. The outriggers are not required on track mounted drills.
- F. Vendor shall furnish Augers, Core Barrels, Rock Cutting Teeth, Muck Bucket and Casing which are in good condition. Rock Cutting Teeth shall be of the type and quality comparable to the "Kenametal" brand. Vendor shall, also, furnish all water needed for drilling purposes. All drills are to have at least one operator and one helper present during drilling.

2. MOBILIZATION

One time one way mobilization shall be paid by the Division of Highways for moving of said equipment from the contractor's base of operations to the work site specified in the State Contract Order (SCO) and/or from one Division of Highways work site to another, whichever mileage would be of lesser cost to the Division of Highways. The most direct suitable route from the contractor's base of operations to the work site or between work sites will be agreed upon by the Division of Highways and the contractor as mileage for calculation of Mobilization. The exact location of the contractor's base of operations must be stated on each quotation sheet (mailing address is not adequate).

3. **SITE PREPARATION, PLANS, STAKE-OUT, HOLE SIZE AND PILE INSTALLATION**

The West Virginia Division of Highways will, in advance of drilling operations, prepare the sites for safe and efficient work. This shall be done in collaboration with the Vendor, or his authorized representative. The Vendor and the West Virginia Division of Highways will jointly determine that safe working conditions do exist and either party will have the right to refuse to perform work if, in their opinion, unsafe working conditions exist.

The West Virginia Division of Highways will provide plans and stakeout of all work to be performed. The location of holes and piles to be installed shall be shown on the plans or directed by the District Engineer/Manager or his designee.

The depth of each hole, angle of inclination from the vertical and the length of each pile shall be shown on the plans, or directed by the District Engineer/Manager or his designee.

The West Virginia Division of Highways will perform required splicing of piles and pile cutoff. Piles shall be furnished, delivered and positioned on the site by the West Virginia Division of Highways so that they are conveniently available for immediate installation at each hole.

The size of holes will be governed by the size of piles. In general, the hole should be at least two (2) inches greater in diameter than the maximum dimension of pile to be installed. In conditions where boulders, etc., are encountered, the hole diameter may have to be considerably larger than the maximum dimensions of the pile. Piles shall be installed immediately after each hole is drilled, unless otherwise directed by the District Engineer/Manager or his designee.

4. **DOWN EQUIPMENT**

Equipment shall be considered down if it is out of production due to mechanical failure or other conditions and no pay will be authorized until production is resumed. The Division of Highways will not pay time for fueling, lubrication and warm-up of the unit (s).

## 5. WORKMANSHIP

The West Virginia Division of Highways reserves the right to terminate the usage of any drill, which does not perform work in conformance with reasonable production standards.

Production standards will be based on historical performance data under similar circumstances.

Only firms who show evidence of employment of qualified and experienced operators who have satisfactory performance reputation in this specialized field will be considered.

## 6. BASIS OF PAYMENT

The Vendor may invoice the West Virginia Division of Highways for hours worked on a semi-monthly basis (half and end of month).

Hours worked must be verified and substantiated on a daily basis by an authorized representative of the West Virginia Division of Highways. Payment for hours worked shall include the time required to position equipment, drill and place piles. Down, warm-up and equipment maintenance time will not be considered as work hours. The Vendor shall supply the Division of Highways with daily work tickets as verification of hours worked.

## 7. BIDDING INSTRUCTIONS

Bidder shall submit a separate bid sheet for each proposed equipment unit.

The Vendor shall quote a single hourly rate for each drill unit proposed, which shall be full compensation for all equipment rental and required operators up to a standard 40 hour workweek. For hours beyond 40 hours in a workweek, the Vendor shall quote a rate per hour to cover overtime costs of labor only and that amount will be added to the operating rate for all additional operating hours beyond 40 hours in a workweek.

The cost of auger and core barrel resurfacing shall be included in unit price bid for operating rate.

The Vendor shall quote for the additional pay items of casing pipe and crane mats which may be needed occasionally when directed by the Engineer.



## 8. AWARD OF CONTRACT

The award of this contract shall be made to all bidders submitting a bid, which meets the specifications.

## 9. AWARD OF STATE CONTRACT ORDER (SCO)

The District Engineer/Manager shall issue the SCO to the low bidder based on type and size of equipment required and the lowest projected cost. The SCO shall specify the type and size of equipment required for the project. The projected cost is the estimated hours to complete the project multiplied by the Vendor's hourly rate plus the mobilization costs. Refer to the section titled "Mobilization" for a full explanation of Mobilization Cost.

In the event the low bidder for a particular project cannot perform, the District Engineer/Manager shall have the option to contact the next low bidder. The District Engineer/Manager shall document in writing the Vendor's inability to perform and award to the next low bidder. Vendors must notify the District Engineer/Manager of their ability to perform, within five (5) days of their receipt of a State Contract Order (SCO), or the SCO may be cancelled.

In the event of an emergency situation, the District Engineer/Manager may require notification of a Vendor's ability to perform within twenty-four (24) hours of their receipt of a State Contract Order (SCO).

Each SCO for hiring Power Earth and Rock Augers/Drills with Operators must list the tentative date the project is to begin. Work on the project shall be continuous unless approved by the District Engineer/Manager.

Vendors performance on any project may be considered when awarding subsequent State Contract Orders (SCO's).

Prior approval for Holiday work shall be obtained from the District Engineer/Manager. The official Holidays are New Year's, Martin Luther King, Jr. Day, Lincoln's Birthday, Washington's Birthday, Memorial Day, West Virginia Day, Fourth of July, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, Christmas Day, Election (Primary and General) Day, and other days proclaimed by the President or Governor.

## 10. WAGE RATES

The Contractor or Subcontractor shall pay the higher of the U.S. Department of Labor minimum wage rates or the West Virginia Department of Labor minimum wage rates as established for *various* counties, pursuant to West Virginia Code §21-5A, ET SEQ.

**11. WORKER'S COMPENSATION**

Vendor is required to provide a certificate from Worker's Compensation if successful.

**12. INSURANCE**

Successful Vendor shall furnish proof of coverage of commercial General Liability Insurance prior to issuance of a contract. Unless otherwise specified in the bid documents, the minimum amount of insurance coverage required is \$250,000.

NOTE: VENDOR SHOULD TYPE PRICE ON QUOTATION SHEET

QUOTATION SHEET

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location)	41410 Palmer Road Belmont, OH 43718	
MANUFACTURER	Watson	
MODEL NUMBER	2000	
EQUIPMENT MODIFICATIONS AND ADDITIONS	High Pressure Crowd	
SERIAL NUMBER	30	
	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	60'	
OPERATING RATE:		<u>\$ 154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

NOTE: VENDOR SHOULD TYPE PRICE ON QUOTATION SHEET

QUOTATION SHEET

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location)	41410 Palmen Road Belmont, OH 43718	
MANUFACTURER	Watson	
MODEL NUMBER	2000	
EQUIPMENT MODIFICATIONS AND ADDITIONS	High Pressure Crowd Rotary Air	
SERIAL NUMBER	33	
	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	40'	
OPERATING RATE:	<u>\$154.00 per hr.</u>	
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)	<u>\$25.00 per hr.</u>	
MOBILIZATION:	<u>\$ 0 per mile</u>	
CASING PIPE: (Note 2)	<u>\$10.00 per lineal feet</u>	
CRANE MATS: (Note 3)	<u>\$500.00 per project site</u>	

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

NOTE: VENDOR SHOULD TYPE PRICE ON QUOTATION SHEET

QUOTATION SHEET

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location)	41400 Palmen Road Belmont, OH 43718	
MANUFACTURER	Watson	
MODEL NUMBER	3000	
EQUIPMENT MODIFICATIONS AND ADDITIONS	High Pressure Crowd	
SERIAL NUMBER	9	
	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	4'	
FOOT POUNDS OF TORQUE	100,000	
DOWN PRESSURE/CROWDING FORCE	40,000	
HOLE DEPTH	100'	
OPERATING RATE:	<u>\$154.00 per hr.</u>	
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)	<u>\$ 25.00 per hr.</u>	
MOBILIZATION:	<u>\$ 0 per mile</u>	
CASING PIPE: (Note 2)	<u>\$ 10.00 per lineal feet</u>	
CRANE MATS: (Note 3)	<u>\$ 500.00 per project site</u>	

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location) *41410 Palmen Road  
Belmont, OH 43718*

MANUFACTURER *Watson*

MODEL NUMBER *2000*

EQUIPMENT MODIFICATIONS  
AND ADDITIONS *High Pressure Crowd*

SERIAL NUMBER *30*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	<i>360</i>	
SLIDE STROKE	<i>42"</i>	
FOOT POUNDS OF TORQUE	<i>70,000</i>	
DOWN PRESSURE/CROWDING FORCE	<i>30,000</i>	
HOLE DEPTH	<i>60'</i>	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location)	41410 Palmer Road Belmont, OH 43718	
MANUFACTURER	Watson	
MODEL NUMBER	2000	
EQUIPMENT MODIFICATIONS AND ADDITIONS	High Pressure Crowd Rotary Air	
SERIAL NUMBER	33	
	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	40'	
OPERATING RATE:	<u>\$154.00 per hr.</u>	
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)	<u>\$ 25.00 per hr.</u>	
MOBILIZATION:	<u>\$ 0 per mile</u>	
CASING PIPE: (Note 2)	<u>\$ 10.00 per lineal feet</u>	
CRANE MATS: (Note 3)	<u>\$500.00 per project site</u>	

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location)	41410 Palmer Road Belmont, OH 43718	
MANUFACTURER	Watson	
MODEL NUMBER	3000	
EQUIPMENT MODIFICATIONS AND ADDITIONS	High Pressure Crowd	
SERIAL NUMBER	9	
	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	4'	
FOOT POUNDS OF TORQUE	100,000	
DOWN PRESSURE/CROWDING FORCE	40,000	
HOLE DEPTH	100'	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.



QUOTATION SHEET

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE,  
ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location)

41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

30

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	60'	
OPERATING RATE:		<u>\$175.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE,  
ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location)

41410 Palmen Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd  
Rotary Air

SERIAL NUMBER

33

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	40'	
OPERATING RATE:		<u>\$ 175.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE,  
ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location)	41410 PALMER ROAD Belmont, OH 43718	
MANUFACTURER	Watson	
MODEL NUMBER	3000	
EQUIPMENT MODIFICATIONS AND ADDITIONS	High Pressure Crowd	
SERIAL NUMBER	9	
	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	4'	
FOOT POUNDS OF TORQUE	100,000	
DOWN PRESSURE/CROWDING FORCE	40,000	
HOLE DEPTH	100'	
OPERATING RATE:	<u>\$175.00 per hr.</u>	
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)	<u>\$ 25.00 per hr.</u>	
MOBILIZATION:	<u>\$ 0 per mile</u>	
CASING PIPE: (Note 2)	<u>\$ 10.00 per lineal feet</u>	
CRANE MATS: (Note 3)	<u>\$500.00 per project site</u>	

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,  
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location)

41410 Palmen Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

30

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	60'	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,  
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location)

41410 Palmen Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd  
Rotary Air

SERIAL NUMBER

33

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	40'	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,  
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location)

41410 PALMER ROAD  
BELMONT, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

3000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

9

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	4'	
FOOT POUNDS OF TORQUE	100,000	
DOWN PRESSURE/CROWDING FORCE	40,000	
HOLE DEPTH	100'	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON,  
GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location)

41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

30

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	60'	
OPERATING RATE:		<u>\$300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 2.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON,  
GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location) *41410 Palmen Road  
Belmont, OH 43718*

MANUFACTURER *Watson*

MODEL NUMBER *2000*

EQUIPMENT MODIFICATIONS  
AND ADDITIONS *High Pressure Crowd  
Rotary Air*

SERIAL NUMBER *33*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	<i>360</i>	
SLIDE STROKE	<i>42"</i>	
FOOT POUNDS OF TORQUE	<i>70,000</i>	
DOWN PRESSURE/CROWDING FORCE	<i>30,000</i>	
HOLE DEPTH	<i>40'</i>	
OPERATING RATE:		<u>\$300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 2.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.



QUOTATION SHEET

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON,  
GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location)

41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

3000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

9

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	4'	
FOOT POUNDS OF TORQUE	100,000	
DOWN PRESSURE/CROWDING FORCE	40,000	
HOLE DEPTH	100'	
OPERATING RATE:		<u>\$300.00per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00per hr.</u>
MOBILIZATION:		<u>\$ 2.00per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

30

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	60'	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 Palmen Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONSHigh Pressure Crowd  
Rotary Air

SERIAL NUMBER

33

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	40'	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

3000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

9

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	4'	
FOOT POUNDS OF TORQUE	100,000	
DOWN PRESSURE/CROWDING FORCE	40,000	
HOLE DEPTH	100'	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location) *41410 Palmen Road  
Belmont, OH 43718*

MANUFACTURER *Watson*

MODEL NUMBER *2000*

EQUIPMENT MODIFICATIONS  
AND ADDITIONS *High Pressure Crowd*

SERIAL NUMBER *30*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	<i>360</i>	
SLIDE STROKE	<i>42"</i>	
FOOT POUNDS OF TORQUE	<i>70,000</i>	
DOWN PRESSURE/CROWDING FORCE	<i>30,000</i>	
HOLE DEPTH	<i>60'</i>	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 Palmen Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONSHigh Pressure Crowd  
Rotary Air

SERIAL NUMBER

33

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	40'	
OPERATING RATE:		<u>\$154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 PALMER ROAD  
BELMONT, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

3000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

9

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	4'	
FOOT POUNDS OF TORQUE	100,000	
DOWN PRESSURE/CROWDING FORCE	40,000	
HOLE DEPTH	100'	
OPERATING RATE:		<u>\$ 154.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 0 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location) *41410 Palmer Road  
Belmont, OH 43718*

MANUFACTURER *Watson*

MODEL NUMBER *2000*

EQUIPMENT MODIFICATIONS  
AND ADDITIONS *High Pressure Crowd*

SERIAL NUMBER *30*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	<i>360</i>	
SLIDE STROKE	<i>42"</i>	
FOOT POUNDS OF TORQUE	<i>70,000</i>	
DOWN PRESSURE/CROWDING FORCE	<i>30,000</i>	
HOLE DEPTH	<i>60'</i>	
OPERATING RATE:		<u>\$ 300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 2.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.



QUOTATION SHEET

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONSHigh Pressure Crowd  
Rotary Air

SERIAL NUMBER

33

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	40'	
OPERATING RATE:		<u>\$300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 2.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 PALMER ROAD  
BELMONT, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

3000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

9

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	4'	
FOOT POUNDS OF TORQUE	100,000	
DOWN PRESSURE/CROWDING FORCE	40,000	
HOLE DEPTH	100'	
OPERATING RATE:		<u>\$ 300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 2.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location)	41410 Palmen Road Belmont, OH 43718	
MANUFACTURER	Watson	
MODEL NUMBER	2000	
EQUIPMENT MODIFICATIONS AND ADDITIONS	High Pressure Crowd	
SERIAL NUMBER	30	
	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	60'	
OPERATING RATE:	<u>\$200.00 per hr.</u>	
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)	<u>\$ 25.00 per hr.</u>	
MOBILIZATION:	<u>\$ 2.00 per mile</u>	
CASING PIPE: (Note 2)	<u>\$ 10.00 per lineal feet</u>	
CRANE MATS: (Note 3)	<u>\$500.00 per project site</u>	

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONSHigh Pressure Crowd  
Rotary Air

SERIAL NUMBER

33

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	40'	
OPERATING RATE:		<u>\$200.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 2.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS  
(Exact Location) *41410 Palmen Road  
Belmont, OH 43718*

MANUFACTURER *Watson*

MODEL NUMBER *3000*

EQUIPMENT MODIFICATIONS  
AND ADDITIONS *High Pressure Crowd*

SERIAL NUMBER *9*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	<i>360</i>	
SLIDE STROKE	<i>4'</i>	
FOOT POUNDS OF TORQUE	<i>100,000</i>	
DOWN PRESSURE/CROWDING FORCE	<i>40,000</i>	
HOLE DEPTH	<i>100'</i>	
OPERATING RATE:		<u>\$200.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 2.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

30

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	60'	
OPERATING RATE:		<u>\$ 200.00per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00per hr.</u>
MOBILIZATION:		<u>\$ 2.00per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 500.00per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

2000

EQUIPMENT MODIFICATIONS  
AND ADDITIONSHigh Pressure Crowd  
Rotary Air

SERIAL NUMBER

33

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>36"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	42"	
FOOT POUNDS OF TORQUE	70,000	
DOWN PRESSURE/CROWDING FORCE	30,000	
HOLE DEPTH	40'	
OPERATING RATE:		<u>\$200.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 2.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

QUOTATION SHEET

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:BASE OF OPERATIONS  
(Exact Location)41410 Palmer Road  
Belmont, OH 43718

MANUFACTURER

Watson

MODEL NUMBER

3000

EQUIPMENT MODIFICATIONS  
AND ADDITIONS

High Pressure Crowd

SERIAL NUMBER

9

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>8"</u>	<u>84"</u>
DEGREE OF ROTATION	360	
SLIDE STROKE	4'	
FOOT POUNDS OF TORQUE	100,000	
DOWN PRESSURE/CROWDING FORCE	40,000	
HOLE DEPTH	100'	
OPERATING RATE:		<u>\$200.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 25.00 per hr.</u>
MOBILIZATION:		<u>\$ 2.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 10.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$500.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.  
An additional charge may be added to cover  
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.



CERTIFICATE OF INSURANCE

The company indicated below certifies that the insurance afforded by the policy or policies numbered and described below is in force as of the effective date of this certificate. This Certificate of Insurance does not amend, extend, or otherwise alter the Terms and Conditions of Insurance coverage contained in any policy numbered and described below.

CERTIFICATE HOLDER:

STATE OF WEST VIRGINIA  
 DIVISION OF HIGHWAYS  
 1900 KANAWHA BLVD E  
 CHARLESTON, WV 25305-0430

INSURED:


BRUCE BALCAR  
 DBA<3K MINING & CONSTRUCTION  
 CO  
 41410 PALMER RD  
 PO BOX 13  
 BELMONT, OH 43718-0010

TYPE OF INSURANCE	POLICY NUMBER & ISSUING CO.	POLICY EFF. DATE	POLICY EXP. DATE	LIMITS OF LIABILITY (*LIMITS AT INCEPTION)
LIABILITY	92-PR-347168-0001	09-08-06	09-08-07	Any One Occurrence..... \$ 1,000,000
<input checked="" type="checkbox"/> Liability and Medical Expense	NATIONWIDE MUTUAL INSURANCE CO.			Any One Person/Org ..... \$ 1,000,000
<input checked="" type="checkbox"/> Personal and Advertising Injury				ANY ONE PERSON ..... \$ 5,000
<input checked="" type="checkbox"/> Medical Expenses				Any One Fire or Explosion \$ 100,000
<input checked="" type="checkbox"/> Fire Legal Liability				General Aggregate* ..... \$ 3,000,000
<input checked="" type="checkbox"/> Fire Legal Liability				Prod/Comp Ops Aggregate* . \$ 3,000,000
<input type="checkbox"/> Other Liability				
AUTOMOBILE LIABILITY	92-BA-347168-3001	09-08-06	09-08-07	
<input checked="" type="checkbox"/> BUSINESS AUTO	NATIONWIDE MUTUAL INSURANCE CO.			Bodily Injury (Each Person) ..... \$
<input checked="" type="checkbox"/> Owned				(Each Accident) ..... \$
<input checked="" type="checkbox"/> Hired				Property Damage (Each Accident) ..... \$
<input checked="" type="checkbox"/> Non-Owned				Combined Single Limit .... \$ 1,000,000
EXCESS LIABILITY				Each Occurrence ..... \$
<input type="checkbox"/> Umbrella Form				Prod/Comp Ops/Disease Aggregate* ..... \$
	92-WC-347168-3002	09-08-06	09-08-07	STATUTORY LIMITS
<input type="checkbox"/> Workers' Compensation and	Nationwide Mutual Insurance Co.			BODILY INJURY/ACCIDENT ... \$ 1,000,000
<input checked="" type="checkbox"/> Employers' Liability				Bodily Injury by Disease EACH EMPLOYEE ..... \$ 1,000,000
				Bodily Injury by Disease POLICY LIMIT ..... \$ 1,000,000

Should any of the above described policies be cancelled before the expiration date, the insurance company will endeavor to mail written notice to the above named certificate holder, but failure to mail such notice shall impose no obligation or liability upon the company, its agents, or representatives.

DESCRIPTION OF OPERATIONS/LOCATIONS  
 VEHICLES/RESTRICTIONS/SPECIAL ITEMS

Effective Date of Certificate: 09-08-2006  
 Date Certificate Issued: 12-20-2006

Authorized Representative:  JOHN B. ACKERMAN, UTCF  
 Countersigned at: 777 EASTERN AVENUE  
 WOODSFIELD, OH 43793



4700 MacCorkle Ave., S.E. Charleston, West Virginia 25304

**PRODUCER:**

BrickStreet Mutual Insurance Company  
4700 MacCorkle Ave., S.E.  
Charleston, WV 25304

**CERTIFICATE HOLDER:**

BALCAR BRUCE A  
B K MINING AND CONSTRUCTION COMPANY  
P O BOX 10  
BELMONT OH 43718-0010

**INSURED:**

BALCAR BRUCE A  
B K MINING AND CONSTRUCTION COMPANY  
P O BOX 10  
BELMONT OH 43718-0010

**CERTIFICATE OF INSURANCE**

The policy of insurance listed below has been issued to the insured named above for the policy period and coverage indicated. This certificate is issued as a matter of information only and confers no rights upon the certificate holder. This certificate does not amend, extend or alter the coverage afforded by the policy below. Coverage is contingent on the insured's compliance with policy conditions and premium payment.

If the policy is canceled before the expiration date, BrickStreet Mutual Insurance Company will endeavor to mail a written notice to the certificate holder within 30 days of cancelation. Failure to mail the notice shall impose no obligation or liability of any kind upon BrickStreet Mutual Insurance Company.

**POLICY NUMBER: WC10008440-02**

**DATE CERTIFICATE ISSUED: 06/26/2006**

**POLICY EFFECTIVE DATE: 07/01/2006**

**POLICY EXPIRATION DATE: 01/01/2007**

**WORKERS COMPENSATION AND EMPLOYERS LIABILITY**

**LIMITS / COVERAGE**

**WORKERS COMPENSATION - STATUTORY LIMITS**

**EMPLOYERS LIABILITY LIMITS:**

<b>BODILY INJURY BY ACCIDENT:</b>	<b>\$100,000.00</b>	<b>EACH ACCIDENT</b>
<b>BODILY INJURY BY DISEASE:</b>	<b>\$500,000.00</b>	<b>POLICY LIMIT</b>
<b>BODILY INJURY BY DISEASE:</b>	<b>\$100,000.00</b>	<b>EACH EMPLOYEE</b>

**WV BROAD FORM EMPLOYERS LIABILITY ENDORSEMENT -  
COVERAGE FOR WV CODE 23-4-2(d)(2)(ii)**

**FEDERAL COAL MINE HEALTH AND SAFETY ACT COVERAGE ENDORSEMENT -  
COVERAGE FOR WV CODE 23-4b-1 - FEDERAL BLACK LUNG COVERAGE**

**SPECIAL PROVISIONS IF ANY:**

**STATE OF OHIO**

**BUREAU OF WORKERS' COMPENSATION**

COLUMBUS, OHIO 43215-2256

**CERTIFICATE OF PREMIUM PAYMENT**

This certifies that the employer listed below has paid into the State Insurance Fund as required by law. Therefore, the employer is entitled to the rights and benefits of the fund for the period specified. For more information call 1-800-OHIOWWC.

**THIS CERTIFICATE MUST BE CONSPICUOUSLY POSTED.**

POLICY NO. AND EMPLOYER

PERIOD SPECIFIED BELOW

721147

07/01/2006 THRU 02/28/2007

**BWC**  
BRUCE A BALCAR  
B K MINING & CONSTRUCTION CO  
PO BOX 10  
BELMONT OH 43718-0010

[www.ohiobwc.com](http://www.ohiobwc.com)

*J. M. Make*  
ADMINISTRATOR/CEO

THIS CERTIFICATE MAY BE REPRODUCED AS NEEDED

# CONTRACTOR LICENSE

Authorized by the

**West Virginia Contractor Licensing Board**

**Number:** WV005583

**Classification:**

SPECIALTY


B K MINING & CONSTRUCTION COMPANY  
PO BOX 10  
BELMONT, OH 43718-0010

**Date Issued**

**Expiration Date**

SEPTEMBER 09, 2006

SEPTEMBER 09, 2007



Authorized Company Signature



Chair, West Virginia Contractor  
Licensing Board



**WEST VIRGINIA  
CONTRACTOR  
LICENSING  
BOARD**

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

# A F F I D A V I T

## West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

## DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

## EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

## LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

## CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Bruce A. Balcar dba B.K. Mining & Construction Company

Authorized Signature: [Signature] Date: 12-21-06